

REGISTRATION

Kept at Chilgrove
in the County of Sussex
by Edmund

CHILGROVE

SUSSEX

1921-30

IZATION.

48.55 W
G.M. (8.50 E. of Greenwich)
ingleton

Gauge 5.9 in.
Ground 1 ft. in.
Sea Level 266 ft.

red to the previous day.

ed to add
the end of
in gauges,
Observers,"
2, Camden

Jan. 1, following.

0.0

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st J
this paragraph. Full instruction
and particulars as to the Brit
sent post-free on application
Square, London, N.W. 1.

Rec

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.33			.05							.22	1
2		.28	.08		.04			.01				.22	2
3					.06			.02			.35		3
4	.30				.10			.18			.21		4
5					.21			.17			.38		5
6								.36			.28	.06	6
7	.55		.48		.31						.05		7
8	.64				.26							.02	8
9	.14				.08								9
10	.16												10
11	.47											.02	11
12	.35		.10						.09				12
13	.07		.08					.35	.81			.06	13
14				.22				.08			.05		14
15					.16		.25					.22	15
16			.16								.10		16
17	.20		.32	.42				.47			.95		17
18	.17							.37					18
19	.5		.26							.05			19
20										.15		.15	20
21											.02		21
22											.08	.01	22
23												.36	23
24				.36			.06	.41		.34		.10	24
25		.13										.18	25
26						.03		.03				.17	26
27	.14											.36	27
28			.35									.13	28
29			.09		.60		.14					.11	29
30					.15		.02					.02	30
31	.27						.01					.19	31
TOTAL	4.47	4.1	1.92	1.5	1.97	.03	.48	2.45	.90	.54	2.69	2.28	YEAR'S TOTAL
Days with 01 in. or more	14	3	9	3	11	1	5	11	2	3	10	18	90
Days with 04 in. or more	14	23	9	48	104	0	2	8	2	3	109	124	79

REGISTER OF RAINFALL IN 1921.

Kept at Chilgrove
in the County of Sussex
by Edm. L. Woods

Lat. 50° 55' 15" Long. 0° 48' 55" W
Time of Observation 9 a.m. (8.50 Entered)
Nearest Railway Station Singleton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 266 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.33			.05							.22	1
2		.28	.08		.04			.01				.22	2
3					.06			.02			.35		3
4	.30				.10			.18			.21		4
5					.21			.17			.38		5
6								.36			.28	.06	6
7	.55		.48		.31						.05		7
8	.64				.26							.02	8
9	.14				.08								9
10	.16												10
11	.47											.02	11
12	.35		.10						.09				12
13	.07		.08					.35	.81			.06	13
14				.22				.08			.05		14
15					.16		.25					.22	15
16			.16								.10		16
17	.20		.32	.42				.47			.95		17
18	.17							.37					18
19	.5		.26							.05			19
20										.15		.15	20
21											.02		21
22											.08	.01	22
23												.36	23
24				.36			.06	.41		.34		.10	24
25		.13										.18	25
26						.03		.03				.17	26
27	.14											.36	27
28			.35									.13	28
29			.09		.60		.14					.11	29
30					.15		.02					.02	30
31	.27						.01					.19	31
TOTAL	4.47	4.1	1.92	1.5	1.97	.03	.48	2.45	.90	.54	2.69	2.88	YEAR'S TOTAL
Days with ".01 in. or more	14	3	9	3	11	1	5	11	2	3	10	18	90
Days with ".04 in. or more	14	23	9	48	1011	0	2	8	2	3	109	1314	7982

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Chilgrove
in the County of Sussex
by Edm L Woods

Lat. 50.55.23" N Long. 0.48 53 1/2" W
Time of Observation 9 a.m. G.M.T
Nearest Railway Station Lanarth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 266 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	32	10	✓	10	✓	33	.02	36	✓	56	✓	1
2	✓	33	20	30	✓	✓	34	✓	✓	✓	✓	✓	2
3	✓	17	21	1.02	15	✓	05	.14	✓	.05	21	✓	3
4	04	24	21		32	✓	21	.12	✓	54	✓	✓	4
5	✓	✓	14	02	✓	✓	1.75	.01	✓	09	84	✓	5
6	✓	✓	02	04	✓	✓	03	52	✓	✓	✓	✓	6
7	13	✓	77	25	✓	✓	✓	18	✓	✓	05	✓	7
8	12	✓	08	02	✓	01	23	02	✓	✓	✓	07	8
9	11	✓	✓	21	✓	✓	✓	24	✓	✓	13	✓	9
10	08	✓	✓	✓	✓	✓	✓	✓	02	✓	45	✓	10
11	02	✓	✓	08	✓	✓	✓	19	✓	✓	✓	✓	11
12	✓	✓	✓	73	02	✓	✓	17	55	✓	✓	02	12
13	03	✓	✓	58	✓	34	43	✓	11	✓	✓	✓	13
14	08	✓	✓	01	✓	✓	74	✓	23	✓	✓	✓	14
15	10	30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	15
16	48	14	✓	11	27	✓	✓	.03	24	✓	✓	35	16
17	✓	18	✓	✓	16	✓	05	.01	✓	✓	✓	15	17
18	✓	03	✓	✓	12	✓	✓	✓	13	✓	✓	16	18
19	81	12	04	✓	02	✓	✓	✓	18	✓	✓	54	19
20	30	16	✓	✓	✓	✓	✓	✓	✓	09	✓	✓	20
21	08	20	03	15	✓	✓	✓	✓	✓	✓	✓	98	21
22	43	10	✓	05	✓	✓	✓	12	✓	✓	✓	18	22
23	✓	17	✓	05	✓	✓	✓	✓	03	✓	✓	✓	23
24	✓	✓	11	02	06	17	✓	19	✓	✓	✓	✓	24
25	07	✓	01	50	✓	54	✓	✓	18	✓	✓	18	25
26	60	27	✓	13	✓	06	14	✓	.01	✓	✓	24	26
27	33	37	02	✓	✓	03	✓	21	01	.05	✓	36	27
28	53	36	02	✓	✓	32	✓	01	03	✓	✓	32	28
29	12	✓	✓	✓	✓	03	.01	02	✓	11	✓	08	29
30	13	×	05	✓	✓	03	01	87	08	✓	14	76	30
31	13	×	19	×	✓	×	✓	02	×	17	×	06	31
TOTAL	4.72	3.46	2.20	4.27	1.22	1.53	4.32	3.09	2.16	1.10	2.38	4.45	YEAR'S TOTAL 34.90
Days with 01 in. or more	21	16	16	18	9	9	13	19	14	7	7	15	164
Days with 04 in. or more	19	15	12	14	7	5	10	11	9	7	7	14	130

REGISTER OF RAINFALL IN 1923.

Kept at Chilgrove

in the County of Sussex

by Edmund L. Woods.

Lat. 50° 55' 23" Long. 0° 48' 53"

Time of Observation 9 A.M. G.M.T.

Nearest Railway Station Lavant or Singleton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 266 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	6	42	—	—	—	—	—	13	—	6	55	1
2	15	3	3	—	4	—	—	—	—	—	3	—	2
3	—	—	4	—	—	—	—	—	—	82	3	25	3
4	—	—	—	—	—	1	—	—	13	—	—	28	4
5	44	—	—	—	—	—	—	—	—	8	4	1	5
6	62	24	15	19	—	—	—	—	—	—	—	—	6
7	—	82	15	—	8	—	—	—	—	48	—	65	7
8	—	4	2	—	15	—	—	—	—	24	25	—	8
9	8	33	—	—	2	—	29	—	—	4	—	—	9
10	—	48	—	47	14	—	3	—	—	23	—	6	10
11	—	3	—	71	—	—	—	—	—	84	—	11	11
12	—	22	62	36	22	1	—	—	—	56	—	—	12
13	—	9	23	16	—	—	—	—	—	—	57	—	13
14	—	—	12	8	3	—	—	—	40	—	—	—	14
15	—	—	1	15	40	29	9	—	26	—	13	—	15
16	—	24	—	24	5	—	—	—	—	—	12	—	16
17	—	32	—	3	—	—	—	17	15	1	2	—	17
18	4	41	—	—	—	3	—	6	—	—	2	—	18
19	7	2	—	1	—	—	1	3	12	98	—	—	19
20	—	35	13	—	5	1	—	4	17	8	—	—	20
21	—	—	—	19	—	—	—	—	22	40	—	30	21
22	—	57	16	—	—	—	—	49	56	18	—	6	22
23	—	72	4	—	30	—	9	87	3	59	—	13	23
24	—	10	5	9	—	—	3	27	36	35	—	—	24
25	—	51	2	76	2	—	—	23	4	56	6	50	25
26	—	12	—	6	—	1	—	3	—	31	—	38	26
27	—	20	26	—	—	—	1	1	—	5	—	15	27
28	—	14	9	22	1.05	—	34	2	—	—	6	—	28
29	7	—	38	2	84	—	9	66	—	—	—	13	29
30	—	×	1	1	—	2	5	13	—	28	—	—	30
31	—	×	1	×	—	×	22	—	×	10	×	23	31
TOTAL	1.63	6.04	2.95	3.75	3.39	.38	1.25	3.01	2.57	7.18	1.39	3.79	YEAR'S TOTAL
Days with 0.1 in. or more	8	22	21	17	14	7	11	13	12	20	12	15	37.33
Days with 0.1 in. or more	8	19	14	13	11	1	7	9	11	19	8	14	172
													134

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Chilgrove
in the County of Sussex
by Edm L Woods

Lat. 50° 55' 23" N Long. 0° 48' 53 1/2" W
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Singleton, or Lavant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 266 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓		.17		.02	.12	.27	.08			1.05	.28	RRW1
2	.04		.17		.02	.07	.02					.08	282
3	✓		.09		.22	.04	.11	.30	.03	.11			3
4					.09	1.21			.02	.09		.55	4
5			.12		.08					.29		.05	5
6					.08	.36	.08	.05	.18	.38			6
7						.06			.52	.35			7
8	.33	.16		.02	.11		.06		.06	.10			8
9		.09		.18	.03	.04			.20	.01			9
10	.35			.01	.77	.24			.10	.07			10
11	.03			.26	.57	.25			.15	.07	.15		11
12	.18			.07	.16	.18		.10	.18		.17		12
13	.01			.94	.30				.80			.28	13
14				.15				.14				.08	14
15		.04						.16	.12			.85	15
16	.05							.21	.04			.07	16
17	.50					.09	1.35	.23	.08				17
18	.75	.04			.07	.08				.12		.06	18
19								.16		.07		.03	19
20					.03		.26	.01	.20	.16			20
21	.48		.02		.15		.09	.53	.32	.63			21
22	.27		.85				.10		.24				22
23			.65		.60			.28	.25			1.01	23
24	.45		.06	.22	.05				.15		.06	.15	24
25		.05		.03	.04		.19	.02	1.94	.19	.08		25
26			.06	.58			.04	.06	.41	.50	.43	.26	26
27		.06		.80			1.10			.45	.12	.99	27
28							1.12	.58		.04	.35	.08	28
29		.02		.22	.16			.40	.49	.98	.05	.18	29
30		X		.02	.22			.21	.42	.43	.18	.32	30
31		X		X	.56	X			X	.31	X	.08	1150 31
TOTAL	3.44	.46	2.19	3.50	4.33	2.74	4.79	3.52	6.90	5.35	2.64	5.40	YEAR'S TOTAL 45.26
Days with 01 in. or more	12	7	9	13	21	14	13	17	22	20	10	18	174
Days with 04 in. or more	10	6	8	9	17	17	12	15	20	19	10	17	158

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1925.

Kept at Chilgrove
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 266 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.42		.01	.14				.37	.11		.88		1
2	.58			.10			.08				1.03		2
3	.36				.35		.06				.04		3
4	.03	.03		.08	.40			.14	.02		.18		4
5		.50		1.03	.16			.03	.20		.18		5
6		.09		.05	.73		.53	.30	.01		.88		6
7		.32	.01		.32						.15	.18	7
8	.11	.03			.06			.01	.07				8
9		.10		.14	.11		.03	.18				.10	9
10		.07	.04		.03			.22			.03	.01	10
11		.22			.03			.17	.16		.75		11
12		.65						.13					12
13	.16	.74	.04	.17								.01	13
14	.78	.19	.01	.39									14
15	.08			.09						.04			15
16	.14								.11	.42			16
17				.02			.05						17
18		.10		.03	.47		.08	.02	.16			.01	18
19		.02		.23	.02				.26	.94		.44	19
20			.11				.04	.03	.61	.72		.12	20
21		.02	.02				.28	.17	.23	.51		.62	21
22		.27		.35	.38		.74	.30	.91	1.22		.23	22
23	.07	.22	.04		.34			1.85	.02	.10		.14	23
24	.37	.45	.12	.24	.65	.01		.01		.04	.10	.37	24
25	.51	1.22	.05				.09		.41	.07		.07	25
26	.15	.33		.10	.64	.04	.70	.18		.50		.22	26
27	.20	.01		.13	.60		.38	.06	.01			.10	27
28	.18			.09	.06		.07					.35	28
29	.18				.31		.20				.10	.84	29
30	.01	X	.02	.15			.44		.02	.07	.04	.24	30
31	.09	X	.07	X		X	.07		X		X	.02	31
TOTAL	5.42	5.58	.54	3.53	5.16	.05	3.84	4.17	3.25	4.63	4.36	4.07	44.60
Days with .01 in. or more.	18	20	12	18	18	2	16	17	16	11	12	18	178
Days with .04 in. or more.	16	15	7	16	15	1	15	12	11	11	11	14	144

(Signed) Edmund Woods P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Chilgrove
in the County of Sussex
Diameter of Funnel of Gauge 5 1/4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 566 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.73	.10	✓	✓	✓	.50	✓	—	.06	—	.31	—	1
2	.12	~~.12~~	—	✓	✓	.45	.24	—	.07	—	.22	—	2
3	.50	.14	.20	✓	✓	✓	✓	—	—	—	✓	—	3
4	.03	.37	.08	.19	✓	✓	.02	—	—	—	.31	—	4
5	.21	.08	.15	✓	1.00	✓	.50	—	.04	—	.21	.20	5
6	.15	.45	—	.26	✓	✓	.15	.13	.08	.05	.07	—	6
7	.11	.03	—	.13	.23	.22	.12	—	.16	—	.41	—	7
8	—	—	.01	.26	✓	✓	✓	.02	—	.10	.55	—	8
9	—	—	.01	✓	✓	.42	✓	.19	✓	.32	.41	—	9
10	—	—	✓	✓	✓	.19	.04	—	—	.01	.07	—	10
11	—	.08	—	—	.12	.22	—	.23	.03	—	.11	—	11
12	—	—	—	✓	✓	.06	—	—	—	.40	.02	—	12
13	—	—	—	✓	.10	—	—	—	—	—	1.68	.06	13
14	.05	.09	—	.37	.59	.16	—	—	✓	.61	.08	—	14
15	.31	.12	—	.30	✓	✓	—	.02	—	.19	.25	—	15
16	.12	.04	—	.47	✓	✓	—	.23	.02	.02	.02	—	16
17	.19	.78	—	.15	✓	.67	—	—	—	—	.23	—	17
18	.31	.12	—	—	.25	—	—	.15	—	—	.67	—	18
19	—	—	—	—	.15	✓	.45	.03	—	—	.48	—	19
20	—	—	—	.29	—	✓	.01	.39	—	—	.44	—	20
21	—	—	—	.03	✓	✓	—	.02	—	—	.23	—	21
22	.85	—	—	—	✓	✓	—	—	—	—	.21	—	22
23	.15	—	—	—	✓	✓	—	—	—	—	✓	—	23
24	.08	—	.03	—	✓	✓	.06	—	—	.56	✓	—	24
25	.27	—	.19	.32	✓	✓	—	—	—	.05	.22	.09	25
26	.02	—	—	—	✓	✓	.18	—	.04	—	.01	—	26
27	.17	.07	—	.03	.10	✓	✓	—	—	.10	.05	—	27
28	.90	—	—	.38	✓	✓	.40	—	.01	.32	.35	—	28
29	.15	—	—	.03	.36	✓	✓	—	—	.10	.13	—	29
30	.41	X	—	.17	.38	✓	✓	.06	—	—	.13	—	30
31	.65	X	—	X	—	X	✓	.33	X	—	X	—	31
TOTAL	6.48	2.47	.67	3.38	3.28	2.89	2.17	1.80	.51	2.83	7.87	.35	YEARS TOTAL 34.70
Days with '01 in. or more.	22	13	7	15	10X	9	11	12	9	13	27	3	152 151
Days with '04 in. or more.	20X	12	4	12	10X	9	9	8	6	11	24	3	130 128

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

398
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.Kept at Chilgrovein the County of SussexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	1.18		.03			.98	15		.69	.32		1
2	.02		.06	.30						.02	.02		2
3	.30		.01				.12				.01		3
4	.09		.12	.23			.04						4
5	.18	.13	.17	.69	1.08	.12	.01	.03			.12		5
6			.51	.45			.03	.26	.37		.10	.01	6
7		.34		.20		.16		.09					7
8	.05			.35	.21		.53	.30	.20		.03		8
9	.07			.13			.13	.18	.22				9
10			.04	.08				.03	.36				10
11								.11					11
12	.20						.72	.11					12
13	.20						.23	.55	.27		.05	.35	13
14				.09	.05		.29		2.72		.03	.21	14
15							.01	.20	.06				15
16		.02			.15	.25			.33				16
17	.18		.16			.23		.57					17
18	.13					.68		.09	.04		.64		18
19	.21	.26						.40		.03			19
20	.27	.12					.22	1.10	.06		.42	.41	20
21	.08	.43			.02			.13	.44	.47	.18	1.05	21
22	.17	.22	.39	.04	.05	.25		.03	.22	.41		1.00	22
23	.02	.94	.35			.28	.01	.09	1.48		.36	.10	23
24		.19	.60	.01		.23		.06	.10	.11		.72	24
25	.35	.46	.25			.08		.01		.14		.81	25
26		.52	.03				.10		.09	.09		.22	26
27	.02	.57			.43	.25	.15		.07	1.00			27
28	.20	.20	.25			.23	.03			.03	.50		28
29	.10		.25	.08		.86	.03	.03	.75		.36		29
30	.07	X	.03			.48	.03		.03	.47			30
31		X	.40	X		X	.05		X	.05	X	.15	31
TOTAL	2.94	5.58	3.92	2.68	1.99	4.10	3.71	4.52	7.81	3.51	3.14	5.03	YEARS TOTAL
Days with ".01 in. or more.	21	14	16	13	7	13	19	21	18	12	15	11	180
Days with ".04 in. or more.	17	13	13	11	6	13	12	16	17	9	11	10	148

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Chilgrove
in the County of Sussex (Wech)

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.02		.07	✓	✓	✓	✓	✓	✓	✓		1
2	1.40	.40	✓	✓	✓	✓	✓	.02	✓	✓	✓	.01	2
3	✓	✓	✓	.53	✓	✓	.18	1.09	✓	✓	.12		3
4	.02	.45	✓	.02	✓	.02	.09	✓	✓	✓	✓		4
5	.18	.04	.05	✓	✓	✓	✓	✓	✓	✓	✓		5
6	.03	✓	.07	✓	✓	.15	✓	✓	✓	✓	✓	.09	6
7	.03	.05	.07	.15	✓	.25	✓	.07	✓	.01	✓		7
8	.06	.06	✓	.04	✓	.53	.04	✓	✓	.12	✓		8
9	.01	✓	✓	.03	✓	.09	✓	✓	.50	.05	✓	.05	9
10	.22	.23	✓	.08	✓	.03	✓	.02	✓	.35	.27	.02	10
11	✓	✓	✓	.04	✓	✓	✓	.02	✓	.65	.09	.33	11
12	.73	.55	.12	.02	✓	✓	✓	✓	✓	.09	.10	.04	12
13	.01	.03	✓	✓	✓	1.07	✓	.08	✓	✓	.08		13
14	.35	.08	✓	.43	.13	.14	✓	.18	✓	.62	.78		14
15	.10	✓	✓	.86	.03	✓	✓	✓	✓	.02	.39	.02	15
16	✓	.23	✓	✓	.02	.05	✓	✓	✓	.40	.40	.44	16
17	.02	✓	✓	✓	1.50	✓	✓	✓	✓	.07	✓		17
18	.80	✓	✓	✓	.29	.12	✓	✓	✓	.55	.14		18
19	✓	✓	✓	✓	.08	.03	✓	.10	✓	.51	✓	.15	19
20	.18	✓	.15	✓	.11	✓	✓	.07	✓	.11	.21		20
21	.14	✓	.17	.12	.23	.03	✓	.02	✓	.88	.42	.18	21
22	✓	✓	.28	✓	✓	✓	✓	✓	✓	1.08	.42		22
23	.63	✓	.08	✓	.02	✓	✓	✓	✓	.15	.22	.19	23
24	✓	✓	✓	✓	✓	✓	✓	✓	.16	.14	.06	.48	24
25	.16	✓	✓	✓	✓	.11	✓	✓	✓	.11	✓	.38	25
26	.24	✓	✓	✓	✓	.02	.17	1.62	✓	2.00	.06	✓	26
27	✓	✓	.18	✓	✓	✓	1.10	.21	✓	.25	✓	1.21	27
28	1.30	✓	.11	✓	✓	✓	✓	✓	.45	✓	✓	.31	28
29	.32	.50	.86	.08	✓	✓	.07	✓	✓	.19	.10	.50	29
30	.22	✗	.21	✓	✓	.12	.27	✓	✓	.02	✓	✓	30
31	.32	✗	.31	✗	✓	✗	.22	✓	✗	✓	✗	.12	31
TOTAL	7.82	2.64	2.66	2.47	2.41	2.76	2.14	3.50	1.11	8.37	3.86	4.52	YEAR'S TOTAL
Days with "01 in. or more.	24	12	13	13	9	15	8	12	3	22	16	17	164 ✓
Days with "04 in. or more.	18	10	13	10	6	10	8	8	3	19	16	14	135 ✓

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Chilgrove

in the County of Sussex

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.

„ Ground „ Sea Level.....266.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14				.02		.02		.35		.01	1
2		1.05				.16	.08			.37	.02	.71	2
3						.03	.51	.12				.31	3
4				.05	.65	.22	.18	.10		.14		.46	4
5					1.38	.35	.44	1.18		.67	.36	.12	5
6					.09	.02	.05	.31		.02	.20	.51	6
7					.11	.08		.02		.55	.83	.80	7
8						.01				.41		.46	8
9	.09	.13									.24	.41	9
10	.14									.03	.01	.44	10
11				.10	.27	.22					1.48		11
12				.11	.30	.04							12
13	.02				.26	.15						.10	13
14					.05	.04						.11	14
15	.02	.10				.33			.20		1.06	.04	15
16								.58	.56		.10		16
17	.03			.02									17
18	.03								.02		.58		18
19								.03	.01				19
20	.12						.06	.11		.54	.12	.43	20
21	.12		.07									.47	21
22		.08					.02				.12	.06	22
23	.10	.02		.02						.19	.35	.50	23
24			.02							.72	1.04	.40	24
25		.02								.13	.11	.07	25
26				.05	.03						.14	.21	26
27	.02			.03	.23					.03	1.75	.07	27
28	.31			.09			.45			.74	.50	.75	28
29	.12			.30		.15			.13	.03	.36	.40	29
30	.12	X				.06	.08		.33		.23	.17	30
31	.56	X		X		X	.04	.02	X		X	.02	31
TOTAL	1.68	1.54	.09	.77	3.37	1.88	1.91	2.49	1.25	4.92	9.48	8.03	YEAR'S TOTAL
Days with ".01 in. or more.	13	7	2	9	10	15	10	10	6	15	19	25	141.
Days with ".04 in. or more.	7	5	1	6	9	11	9	6	4	11	17	23	109



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Chilgrove
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 268 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.50		.23		✓	✓	.02			.85		1
2	.05		.10	.11	.07	✓	.78	.22		✓	.38		2
3	.10	.17		.80	.07	✓	✓	1.03		.04	.03		3
4	.63			.02		✓	✓	.10		.74			4
5					.05	✓	✓	.35		✓			5
6	.03				.37	✓	✓	.25	.38	.66			6
7	.32					✓	✓	.07	✓	✓	.54	.27	7
8	.06				.03	✓	✓	✓	.03	✓		.23	8
9	.55	.03	.05		.42	✓	✓	.05	.06	✓			9
10	.53		.09		.44	✓	✓	.05		.03		.61	10
11	.14					✓	.02	.04		.02		.88	11
12	.25			.20	.15	✓	✓	.04		✓		.31	12
13	.05	.01	.03	.19	.07	✓	.21	.27	.62	✓		.03	13
14	.06	.10	.19			✓	.15	✓	.07	.01			14
15	.02	.04	.35			✓	.60	✓	✓	.12	.18	.22	15
16						.03	✓	✓	.23	.07		.03	16
17		.03	.20	.19		✓	✓	✓	.58	.02		.07	17
18				.01	.12	✓	✓	.01	.18	✓	.41	.12	18
19			.20	.16		.02	✓	.02	.40	✓	.98		19
20				.07		.02	1.24	.57	.20	.34	.70		20
21						✓	✓	.21	.02	.10	.23		21
22	.71			.10	.10	.02	✓	.80	.02	.31	.25		22
23	.42		.10	.37	.04	.38	✓	✓	.05	✓	.43		23
24	.39			.14	.04	.01	✓	✓	.02	✓	.25	.38	24
25	.06	.45			.10	✓	✓	✓	✓	.05	.13	.07	25
26	.33					✓	.20	✓	.03	✓	.20	.27	26
27	.06					✓	.01	✓	✓	✓	.34	.08	27
28	.09		.05			✓	.02	✓	.32	.01	.51	.14	28
29	.05		.05		.02	✓	✓	.11	✓	.08	.02	.08	29
30		×			.10	.02	.30	✓	✓	✓		.12	30
31	.61	×	.13	×	.20	×			×	.22	×	.06	31
TOTAL	5.63	1.33	1.54	2.59	2.39	.50	3.03	4.24	3.06	2.32	6.43	3.98	YEAR'S TOTAL
Days with .01 in. or more.	23	8	12	13	17	7	10	18	16	16	17	18	175
Days with .04 in. or more.	21	5	11	11	15	1	7	15	10	11	15	16	138

R

'GAYWOOD'

ORGANIZATION.

21...

Kept at Gaywood

in the County of Sussex

by E. Burney Jones

CHILTINGTON WEST

SUSSEX

1921-1922

Rain Gauge in.

Above Ground ft. in.

Sea Level ft.

entered to the previous day.

requested to add
at the end of
of rain gauges,
"all Observers,"
62, Camden

Jan. 1, following.

IMPORTANT NOTE

If an Observer prefers not to
the reading at 9 a.m. on
this paragraph. Full instructions
and particulars as to the
sent post-free on application
Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	47	12	05								12	32	2
3	09		03		43			26			21		3
4	24				10			12			43		4
5			10	03				27			34		5
6	20				15								6
7	51				27								7
8	10												8
9													9
10	28									10			10
11	18								55				11
12	22		12		04			24				12	12
13	70		10	20									13
14					03							21	14
15				06									15
16	17			31				15			48		16
17			42	06				09					17
18													18
19	15		12	05								08	19
20										2.16			20
21	03										10		21
22										15		22	22
23				12				62		26		05	23
24													24
25		50										21	25
26	03											35	26
27	01											15	27
28	02		23		45		12						28
29			09		43							12	29
30	15	X			16							14	30
31	14	X		X		X			X		X		31
TOTAL	3.69	.62	1.26	.83	2.06	.00	.12	1.75	.55	2.67	1.96	1.97	YEAR'S TOTAL
Days with ".01 in. or more	18	2	9	7	9	0	1	7	1	4	7	11	17.48
Days with ".04 in. or more	14	2	8	6	8	0	1	7	1	4	7	11	69

REGISTER OF RAINFALL IN 1921.

Kept at Gaywood CHLTINGTON WEST
 in the County of Sussex
 by E. Burney Young

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	47	12	05								12	32	2
3					43			26			21		3
4	24				10			12			43		4
5			10	03				27			34		5
6	20				15								6
7	51				27								7
8	10												8
9													9
10	28									10			10
11	18								55				11
12	22		12		04			24				12	12
13	70		10	20									13
14					03							21	14
15				06									15
16	17			31				15			48		16
17			42	06				09					17
18													18
19	15		12	05								08	19
20										2.16			20
21	03										10		21
22										15		22	22
23				12				62		26		05	23
24													24
25		50										21	25
26	03											35	26
27	01											15	27
28	02		23		45		12						28
29			09		43							12	29
30	15				16							14	30
31	14												31
TOTAL	3.69	.62	1.26	.83	2.06	.00	.12	1.75	.55	2.67	1.96	1.97	YEAR'S TOTAL
Days with .01 in. or more	18	2	9	7	9	0	1	7	1	4	7	11	17.48
Days with .04 in. or more	14	2	8	6	8	0	1	7	1	4	7	11	69

Kept at Gaywood
in the County of Sussex
by E. Burney Young

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		19			20		10	16	36				1
2		18	40				21		08				2
3		08	14	1.04	18		09	17		05			3
4					23		20	15		48			4
5			35				1.23			20			5
6			08					43					6
7	18		62	24				10					7
8			21				42	04					8
9	15							15					9
10						10							10
11								18					11
12				77				15	42				12
13				58			10		08				13
14						25	1.26		27				14
15	70	40		05			12		12				15
16				12	12		08	03					16
17		32			09		10		04				17
18	86	05							12				18
19					05				13				19
20	31	18								07			20
21	20	12		10					02				21
22		11		06				05					22
23		12		15			04				1.26 ~~1.38~~		23
24			20			17		25					24
25	72					20							25
26		36		78		11	22		08				26
27	48	60	04					20					27
28	14	45				22		05					28
29	08					08		09	07				29
30	02					10	06	23		12			30
31	08		24					16					31
TOTAL	3.92	3.16 ~~2.16~~	2.28	3.89	.87 ~~.90~~	1.23	4.23	2.59	1.79	.92	~~1.26~~ ~~2.18~~		YEAR'S TOTAL
Days with 01 in. or more	12	13	9	10	6	8	14	17	12	—			
Days with 04 in. or more	11	13	9	10	6	8	14	16	11				

424

COBNOR
SUSSEX
1921-30

782313

BRITISH RAINFALL ORGANIZATION.
INFALL IN 1921.

Lat. 50°49' Long. 0°52'30"W
Time of Observation 9 am
Nearest Railway Station Bosharn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 6 in.
Sea Level 12 ft.

418
JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.19	.06					.02			.12		1
2	.44	.01						.04			.16		2
3	.02		.02		.09			.14			.25		3
4	.02		.03		.49			.06			.42		4
5	.15		.02		.03			.21			.11	.02	5
6			.11		.05						.04	.01	6
7	.48				.25					.01	.03		7
8	.54		.03										8
9	.06		.03	.02					.04	.01			9
10			.02							.01		.02	10
11	.13				.01				.71				11
12	.34		.04		.02			.21				.04	12
13	.45		.1	.18	.01			.04		.03	.08	.03	13
14	.14				.07							.16	14
15				.01			.17	.02			.13	.01	15
16	.02		.05	.33				.37			.72	.02	16
17	.15		.17				.08	.13	.04	.01		.02	17
18	.14			.01						.02		.02	18
19	.08		.15	.06						.03		.07	19
20			.01			.03				.85			20
21									.01		.12	.03	21
22	.02			.02				.02	.01	.11	.01	.36	22
23				.23			.02	.16		.29		.03	23
24	.13	.02	.01	.01								.04	24
25	.02	.05											25
26	.04				.01	.05						.35	26
27				.31				.02			.02	.03	27
28			.19		.02		.04			.01		.08	28
29	.02	.01	.05		.20		.02						29
30	.15			.14	.04						.19	.04	30
31	.29											.32	31
TOTAL	3.83	.28	1.09	1.32	1.29	.08	.33	1.44	.81	1.38	2.40	1.70	15.95
Days with .01 in. or more	22	5	17	11	13	2	5	13	5	11	14	20	138
Days with .04 in. or more	16	2	8	6	6	1	3	9	3	3	11	9	77
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1921.

Kept at Coburn
in the County of Lancaster
by Maj. T. W. P. Beale

Lat. 50° 49' Long. 0° 52' 30" W
Time of Observation 9 am
Nearest Railway Station Bootham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.19	.06					.02			.12		1
2	.44	.01						.04			.16		2
3	.02		.02		.09			.14			.25		3
4	.02		.03		.49			.06			.42		4
5	.15		.02		.03			.21			.11	.02	5
6			.11		.05						.04	.01	6
7	.48				.25					.01	.03 (aug)		7
8	.54		.03										8
9	.06		.03	.02					.04	.01			9
10			.02							.01		.02	10
11	.13				.01				.71				11
12	.34		.04		.02			.21				.04	12
13	.45		.1	.18	.01			.04		.03	.08	.03	13
14	.14				.07							.16	14
15				.01			.17	.02			.13	.01	15
16	.02		.05	.33				.37			.72	.02	16
17	.15		.17				.08	.13	.04	.01		.02	17
18	.14			.01						.02		.02	18
19	.08		.15	.06						.03		.07	19
20			.01			.03				.85			20
21									.01		.12	.03	21
22	.02			.02				.02	.01	.11	.01	.36	22
23				.23			.02	.16		.29		.03	23
24	.13	.02	.01	.01								.04	24
25	.02	.05											25
26	.04				.01	.05						.35	26
27				.31				.02			.02	.03	27
28			.19		.02		.04			.01		.08	28
29	.02	.01	.05		.20		.02						29
30	.15	~~X~~		.14	.04						.19	.04	30
31	.29	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	.32	31
TOTAL	3.83	.28	1.09	1.32	1.29	.08	.33	1.44	.81	1.38	2.40	1.70	15.95
Days with ".01 in. or more	22	5	17	11	13	2	5	13	5	11	14	20	138
Days with ".04 in. or more	16	2	8	6	6	1	3	9	3	3	11	9	77
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1922.

Kept at Coburn

in the County of Sussex

by Majr Sydney P. Keale

Lat. 50° 49' Long. 0 52' 30" W

Time of Observation 9 am

Nearest Railway Station Bosham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21	.14		.06	.13	.17		.06		.21		1
2	.02	.19	.15	.25	.02		.10	.54	.24				2
3	.06	.36	.17	.70	.18		.02	.20			.09		3
4		.25	.04		.05		.09	.08		.51			4
5			.12	.05			1.30				.63		5
6			.05	.03			.07	.48			.14		6
7	.24		.67	.06				.14			.05		7
8	.12		.02			.05	.17					.04	8
9	.10			.02			.05	.24			.06	.01	9
10									.01		.27		10
11	.09			.04				.11			.01		11
12				.46				.07	.44				12
13	.07			.50		.28	.34		.13				13
14	.10					.01	.32		.15				14
15	.37	.06		.06		.01	.09						15
16		.09		.04	.22				.05			.32	16
17		.10			.02		.04					.21	17
18	.60				.06							.17	18
19	.11	.17	.04		.01				.26	.02		.46	19
20	.06	.18	.03					.02				.01	20
21	.26	.05	.06	.18					.02			.74	21
22	.01	.11		.03		.01		.11				.16	22
23		.03		.02		.05	.01		.02			.01	23
24	.10			.06	.01	.04		.21				.04	24
25	.36	.01		.20		.35			.11			.11	25
26	.24	.18		.12		.03	.21		.01			.28	26
27	.36	.33		.07							.01	.24	27
28	.13	.36		.09		.23		.25	.03			.19	28
29	.32					.21	.03	.05		.12		.11	29
30	.02						.03	.01	.05		.71	.31	30
31	.13		.09					.02		.20		.03	31
TOTAL	388	268	158	298	.63	1.40	3.04	2.53	1.58	.85	1.58	3.44	YEAR'S TOTAL
Days with ".01 in. or more	23	16	12	19	9	12	16	13	14	4	10	18	26.17
Days with ".04 in. or more	19	14	10	15	5	8	12	12	9	3	8	14	168.170

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Coburn
in the County of Lussex
by Mr. Sydney W. Beale

Lat. 56°49' Long. 0°30' W
Time of Observation 9 am
Nearest Railway Station Bosham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 12 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.05	.42		.13					.39			1
2	.11	.01	.03		(.13)			.01		.08		.02	2
3	.03	.01								.23	.04	.19	3
4	.01		.03						.10		.01	.11	4
5	.30		.02	.08	.03					.12	.18	.09	5
6	.67	.43	.06			.02					.01	.01	6
7	.01	.55	.13	.10	.07					.33		.35	7
8	.05	.02	.06		.22					.18	.15	.01	8
9	.03	.42	.03				.38			.05	.03		9
10		.15		.37	.06		.01			.22		.07	10
11	.01			.70	.03					.65			11
12	.01	.22	.33	.37	.24					.41	.01		12
13		.10	.08	.22	.02						.42	.03	13
14	.02		.05	.15	.14			.02	.44		.01	.01	14
15	.01			.05	.17	.29	.07		.23		.19	.01	15
16		.63		.19	.05					.01	.11		16
17	.07				.02		.02	.04	.12	.02	.01		17
18	.02	.07		.04		.03		.09	.09	.03			18
19	.04	.04					.03	.17	.01	.02	.04		19
20	.02	.10	.06					.01		.14			20
21		.05		.08	.03				.86	.30		.33	21
22		.55	.16					.12		.20	.02	.37	22
23		.44	.13		.09		.11	.62	.06	.56		.12	23
24		.03	.16	.06	.02			.14	.18	.27		.11	24
25		.38		.02	.02		.03	.07	.09	.40	.03	.37	25
26		.21		.04	.01	.04		.05		.26		.40	26
27	.01	.20	.19		.02			.06		.05		.11	27
28		.10	.06	.20	.75		.14	.06		.01	.07	.01	28
29	.09	X	.17	.06	.72		.09	.49		.19		(.09)	29
30		X	.02		.03		.10		.01	.12		.19	30
31		X		X		X	.26		X		X	.06	31
TOTAL	1.59	4.76	2.19	3.73	2.87	.38	1.24	1.86	2.29	5.83	1.42	3.49	YEAR'S TOTAL
Days with .01 in. or more	19	23	19	16	21	4	11	14	13	25	18	24	207
Days with .04 in. or more	8	19	14	16	11	2	7	10	12	21	8	17	145

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist.

Station No. _____

Kept at Cobnor

in the County of Tussex

by Maj. T W P Beale.

Lat. 50° 49' Long. 0 52' 30" W

Time of Observation 9 a m

Nearest Railway Station. Boshan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground...../

” ” ” ” Sea Level 12

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.20		.02	.24	.14	.02		.19	.89	.23	1 R W W
2	.06	.01	.18		.10	.32		.03		.17			2 W R
3	.01		.14		.21	.06	.08	.32		.23	.01		3
4	.02	.01			.27	<u>1.35</u>		.01		.35		.39	4
5							.07	.05				.04	5
6					.12				.15			.01	6
7			.03		.02	.38			.61	.31			7
8	.22	.11		.02	.09	.05	.15		.08	.07			8
9	.08	.06		.08	.03	.07			.08	.02			9
10	.42				.45	.04			.02				10
11	.01	.01		.22	.35	.29			.06	.02	.22	.01	11
12	.02			.12	.07	.34			.06	.01	.05	.05	12
13	.01			.49	.17			.09	.80		.05	.36	13
14	.01	.01		.20	.01							.61	14
15		.01						.03	.06			.05	15
16	.03							.40				.01	16
17	.39			.01		.21	.62	.04	.02				17
18	.42	.04			.01	.11		.05		.10			18
19								.18		.02	.03	.05	19
20	.01				.01		.20	.08	.12	.20			20
21	.56				.14		.05	.05	.17	.50			21
22	.32		.38		.37		.01	.15	.53				22
23	.01		.43	.03					.53			.81	23
24	.46	.12	.08	.11	.05			.05			.01	.27	24
25	.01	.01	.02	.04	.01		.10		<u>1.81</u>	.30	.07	.02	25
26	.01		.01	.47				.06	.08	.27	.49	.35	26
27	.01	.04		.48			.21			.23	.14	.93	27
28			.03				.60	.29	.01	.08	.24	.01	28
29		.01		.11	.35	.02	.80	.36	.16	.96	.03	.26	29
30		X		.05	.22		.02	.36	.32	.24	.22	.43	30
31		X		X	.51	X			X	.36	X	.06	31 9 48
TOTAL	3.14	.46	1.50	2.43	3.58	3.48	3.05	2.62	5.08	4.63	2.45	4.90	YEAR'S TOTAL
Days with .01 in. or more.	21	13	10	14	23	13	13	20	18.9	20	13	20	37.32
Days with .04 in. or more.	9	5	6	11	16	12	11	16	15.6	16	9	15	141

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Colnor

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 12 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.17	.01		.18				.07	.10		.76		1
2	.59			.07			.13				.75		2
3	.44	.01			.22		.07			.01	.06		3
4	.01			.08	.29			.11	.01		.21	.01	4
5	.01	.36	.01	.72	.25			.02	.18		.59	.01	5
6	.01	.03		.07	.14		.35	.33			.63		6
7		.18			.30					.01	.04	.01	7
8	.10	.01			.01							.10	8
9		.05		.12				.23	.01				9
10		.02	.06	.04	.05			.38					10
11	.01	.49		.01	.01			.07	.06		.45		11
12	.01	.68						.10					12
13	.03	.71	.05							.01	.03	.05	13
14	.40	.16		.46							.01		14
15	.03	.06		.09									15
16	.07	.11							.08	.47			16
17	.01			.01	.01		.02						17
18		.01		.01	.54		.03		.02	.02		.09	18
19	.01			.18	.01			.18	.19	.70		.45	19
20			.03					.05	.43	.26		.06	20
21		.01	.09		.05		.28	.19	.32	.47		.61	21
22	.01	.29		.29			.60	.15	.68	1.07		.26	22
23	.01	.17	.05	.01	.35			1.70		.08		.09	23
24	.40	.55	.02		.47			.04		.01	.04		24
25	.30	1.10					.06		.34	.07		.70	25
26	.24	.27		.07	.55		.33	.04		.42			26
27	.16	.01		.06	.39		.14	.04			.03	.29	27
28	.20			.10			.05		.01			.29	28
29	.13				.18		.21		.01		.06	.78	29
30	.04	X		.09			.54		.01	.05	.06	.61	30
31		X		X		X	.04		X	.01	X	.01	31
TOTAL	4.39	5.29	.31	2.66	3.82	0.0	2.85	3.70	2.45	3.66	3.72	4.42	YEAR'S TOTAL
Days with .01 in. or more.	24	22	7	20	17	0	14	16	15	15	15	19	27
Days with .04 in. or more.	13	14	4	16	13	0	12	15	9	9	12	15	13

(Signed)

Lydney W. P. Beale, Major, P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Colnor

in the County of Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 6 in.

Ground Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.12				.77			.03		.25		1
2	.27	.01				.17	.09		.21		.18		2
3	.13	.17	.20										3
4	.04	.15	.13				.01						4
5	.15	.13	.01	.01	.64		.45				.44	.20	5
6	.03	.56	.03	.25	.02		.16	.06		.01	.03	.01	6
7	.05	.03		.16	.10	.24	.05		.02		.42	.03	7
8				.27		.01		.01			.57		8
9	.01		.03			.33	.09	.62		.03	.41	.01	9
10					.01	.09	.03			.02	.08		10
11		.03			.05	.18		.37	.18		.13		11
12		.01				.02				.19			12
13					.06						1.44	.02	13
14	.03	.05		.43	.10	.18				.45	.09	.01	14
15	.12	.07		.09						.15	.13		15
16	.12	.08		.54				.25		.04	.01		16
17	.10	.57				.47	.02				.18	.01	17
18	.33	.10				.01	.08	.05			.54		18
19					.10		.19	.02			.42		19
20	.01			.18				.20			.42		20
21				.04				.02		.32	.23		21
22	.48			.20						.01	.11		22
23	.15		.01								.01	.01	23
24	.01					.01	.02			.46			24
25	.19		.13	.48					.01	.09	.07	.05	25
26	.01		.06	.5			.30		.06	.01	.15		26
27	.18	.02		.01	.01					.20	.02		27
28	.61		.03	.12	.02		.36		.01	.37	.34		28
29	.05			.02	.29						.12		29
30	.36	X		.15	.55			.04			.11		30
31	X	X		X	.01	X		.21	X		X		31
TOTAL	3.95	2.10	.63	2.95	1.96	2.48	1.86	1.85	.52	2.35	6.90	.35	YEAR'S TOTAL 27.89
Days with ".01 in. or more.	24	15	9	15	13	12	13	11	7	14	27	9	169
Days with ".04 in. or more.	18	10	4	12	8	8	9	8	3	9	23	4	114

Please read the Notes and Instructions Overleaf.

(Signed)

Sydney W P Beale

[P.T.O.]

Kept at COBNOR
in the County of Sussex
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1 ft.....6 in.
" Ground " Sea Level.....12.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.70	.02	.01			.99	.10		.37	.27		1
2	.02			.19						.01	.01		2
3	.18		.01				.04						3
4			.01	.13	.04		.04						4
5	.17	.08	.28	.45		.14		.17			.23		5
6	.01		.43	.28		.01	.03	.16			.06		6
7		.29	.02			.14		.06	.22				7
8	.02		.02	.30	.03		.01	.32	.09		.16		8
9				.06			.09	.01	.13	.01			9
10								.02	.48				10
11								.01					11
12	.12	.01					.01	.01					12
13	.13						.44	.31	.22		.04	.24	13
14	.01	.01		.06	.04		.31		2.22		.01	.43	14
15					.01			.40	.23		.02		15
16					.10	.02			.16		.01		16
17			.08			.35		.45	.15				17
18	.53					.39		.19			.40		18
19		.30						.24			.54		19
20		.10	.01		.03		.17	.71		.01	.36	.20	20
21		.19			.01	.01	.01	.07	.09	.16	.11	.74	21
22	.22	.11	.30		.01			.06	.07	.48		.58	22
23		.73	.22			.17			1.12		.11	.11	23
24	.01	.15	.66			.08	.01	.07		.01	.01	.57	24
25		.43	.14			.01			.08	.11		.11	25
26	.35	.53	.02		.36	.02	.06		.04	.02		.38	26
27	.01	.38				.25	.15			.55			27
28	.16	.11	.06	.08		.12	.01			.01	.30		28
29			.28			.55		.02	.82		.30		29
30	.04	X	.05		.06	.55	.01		.04	.28		.01	30
31	.15	X	.39	X		X	.12		X	.06	X	.05	31
TOTAL	2.13	4.12	3.00	1.56	.69	2.81	2.50	3.38	6.16	2.08	2.94	3.42	YEARS TOTAL
Days with '01 in. or more.	20	15	18	9	10	15	17	19	16	13	17	11	180
Days with '04 in. or more.	12	13	11	8	4	10	10	14	16	7	12	10	127

REGISTER OF RAINFALL IN 1928.

Kept at Cobnor

in the County of Sussex

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 „ Ground „ Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.02	.17	.01							.07		1
2	1.00	.39	.04					.01			.02	.01	2
3	.01			.45			.19	.84					3
4		.24		.05		.02		.12			.02		4
5	.09	.04	.03	.04			.07			.01	.08		5
6		.02	.04			.21						.12	6
7	.01	.01	.09	.15		.15		.05		.02			7
8	.01			.01		.40	.01			.11			8
9	.02		.02	.15		.08				.14		.04	9
10	.05	.15		.07				.01	.30	.28	.25	.04	10
11	.04			.06				.02	.01	.86	.07	.30	11
12	.38	.46	.06			.01				.12	.01	.05	12
13		.21				.86		.03			.11		13
14	.09			.35	.49	.04		.05		.51		.01	14
15	.19			.38						.14	.40		15
16	.01	.08		.21	.01					.16	.35	.19	16
17	.02			.04	.48	.01						.01	17
18	.60		.01		.10	.09				.47	.04		18
19			.01		.22			.16		.42	.03	.10	19
20	.26		.09		.15			.03		.33	.10		20
21	.07		.20	.06	.07	.01				.55	.38	.04	21
22		.01	.04							1.64	.26	.15	22
23		.01	.04		.05					.14	.39		23
24	.58		.05						.20	.14		.34	24
25	.15		.01			.10				.13	.04	.12	25
26	.20	.01	.04		.02		.05			1.13	.01	.05	26
27			.05				.64			.20		1.24	27
28	.68		.01	.01				1.03	.55			.14	28
29	.26	.28	.48			.01	.11	.05	.01	.04	.08	.58	29
30	.08	X	.30				.14			.04		.03	30
31	.17	X	.22	X		X	.36		X	.15	X	.01	31
TOTAL	5.08	1.93	1.88	2.04	1.59	1.99	1.57	2.40	1.07	7.73	2.71	3.57	YEAR'S TOTAL
Days with .01 in. or more.	25	15	18	15	9	13	8	12	5	24	20	20	184
Days with .04 in. or more.	19	9	12	12	7	8	7	7	3	20	15	16	115



Section **A** for the entry of Daily Observations.

413
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Cobnor Chidham
in the County of West Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 12 ft.

Feb 1st low
*Feb adj. by alt station
drone informed Re file*
47175/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.01		.02		.14			1
2		1.00				.10	.05			.36	.01	.49	2
3							.72			.08		.24	3
4				.03	.40	.25	.34			.04		.35	4
5		.01			.77	.41	.19	.83		.58	.30	.13	5
6					.06		.06	.25		.07	.12		6
7			.01		.01					.38	.45	1.23	7
8						.08		.01		.37		.26	8
9	.01									.01	.29	.11	9
10	.18			.01						.04		.31	10
11				.07	.15	.30					.97		11
12				.01	.23						.01	.02	12
13					.13	.05						.01	13
14					.12	.07						.09	14
15		.08				.24					.92	.03	15
16	.01							.62	.51		.03		16
17											.1		17
18								.08		.01	.29	.03	18
19											.03		19
20							.14	.07		.25	.01	.25	20
21												.29	21
22											.07	.01	22
23										.18	.39	.28	23
24										.55	.73		24
25										.27	.11		25
26				.05	.07					.01	.13	.02	26
27	.03			.02	.15					.53	.99	.08	27
28	.27			.04			.30			.53	.34	.56	28
29	.19			.44		.21			.05	.08	.19	.09	29
30	.01	X					.04		.25		.14	.56	30
31	.34	X		X		X	.02	.01	X		X	.01	31
TOTAL	1.30	(1.21)	.10	.74	2.09	1.72	1.86	1.89	.81	3.95	6.52	5.45	YEAR'S TOTAL
Days with .01 in. or more.	10	6	4	10	10	10	9	9	3	18	21	24	26.64
Days with .04 in. or more.	6	2	2	5	9	9	8	5	3	15	16	17	134
													97

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Cobnor Chidhamin the County of West SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in." Ground " Sea Level 12 ft.Feb 1st 1930

*Feb adj. by ad station
decree informed Re file*

47175/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.01		.02		.14			1
2		1.00				.10	.05			.36	.01	.49	2
3							.72			.08		.24	3
4				.03	.40	.25	.34			.04		.35	4
5		.01			.77	.41	.19	.83		.58	.30	.13	5
6					.06		.06	.25		.07	.12		6
7			.01		.01					.38	.45	.23	7
8						.08		.01		.37		.26	8
9	.01									.01	.29	.11	9
10	.18			.01						.04		.31	10
11				.07	.15	.30					.97		11
12				.01	.23						.01	.02	12
13					.13	.05						.01	13
14					.12	.07						.09	14
15		.08				.24					.92	.03	15
16	.01							.62	.51		.03		16
17	.11			.02							.1		17
18								.08		.01	.29	.03	18
19											.03		19
20	.15		.01				.14	.07		.25	.01	.25	20
21			.04									.29	21
22		.01									.07	.01	22
23		.06		.05						.18	.39	.28	23
24			.04							.55	.73		24
25		.03								.27	.11		25
26				.05	.07					.01	.13	.02	26
27	.03			.02	.45					.53	.99	.08	27
28	.27			.04			.30			.53	.34	.56	28
29	.19			.44		.21			.05	.08	.19	.09	29
30	.01	X					.04		.25		.14	.56	30
31	.34	X		X		X	.02	.01	X		X	.01	31
TOTAL	1.30	(1.21)	.10	.74	2.09	1.72	1.86	1.89	.81	3.95	6.52	5.45	YEAR'S TOTAL
Days with .01 in. or more.	10	6	4	10	10	10	9	9	3	18	21	24	26.64
Days with .04 in. or more.	6	2	2	5	9	9	8	5	3	15	16	17	134
													97

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at COBNORin the County of SUSSEXDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 in.,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.91	.12	.25				.01			.63		1
2	.01	.01		.02			.19	.27			.29		2
3	.07	.12		.77				.80		.03			3
4	.44	.08	.01	.02				.05	.04	.03			4
5	.01			.09	.09			.36		.03		.01	5
6								.24	.33	.02			6
7	.31	.03						.09		.66	.38	.13	7
8	.17			.01	.05			.01	.01			.34	8
9	.35		.04		.23				.08		.01		9
10	.48		.10		.30			.03				.43	10
11	.18						.08			.12		.22	11
12	.20			.28	.10			.10					12
13	.03			.36			.26	.30	.47		.01		13
14	.05	.18	.11				.34		.02	.01		.03	14
15	.02	.02	.31				.25			.10		.05	15
16					.01	.04			.24	.01	.13		16
17		.01	.04	.08						.10			17
18			.11	.01	.04				.31		.22	.12	18
19			.06	.20			.07	.01	.48	.09	.72	.01	19
20			.01			.03	.78	.47	.07	.13	.24		20
21			.02					.18		.11	.57		21
22	.18			.03	.03	.03		.42	.06	.35	.23		22
23	.42		.11	.25	.01	.50		.01			.12	.16	23
24	.30	.07		.25	.07					.01	.45	.26	24
25	.08	.31		.02	.09	.01			.01	.15	.15		25
26	.30				.04		.01		.02		.23	.17	26
27	.01				.01		.01			.03	.33	.13	27
28	.01		.03				.01		.11		.35	.10	28
29	.10				.01		.01		.23	.03	.03	.14	29
30	.08	×			.13	.03	.14					.25	30
31	.57	×	.12	×	.14	×			×	.22	×	.05	31
TOTAL	4.47	1.74	1.19	2.64	1.35	.64	2.15	3.35	2.48	2.41	5.09	2.60	30.11
*Days with or in. or more.	24	10	14	15	16	6	12	16	15	19	18	17	182
*Days with .04 in. or more.	18	6	10	9	10	2	8	11	11	12	15	14	126

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. W. Beale

[P.T.O.]

REC

1922.

Kept at Cocking Re

in the County of Sussex

by Lucy Randal

IMPORTANT NOTE.

If an Observer prefers not to read the reading at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the Bureau sent post-free on application to the Meteorological Office, 62, Camden Square, London, N.W. 1.

R

COCKING

SUSSEX

1922-1925

Long 45-
Lat 51-30 N.

Station Cocking

Inlet of Rain Gauge 5 in.

Gauge above Ground 9 in.

Sea Level 195 ft.

The result entered to the previous day.

Mostly requested to add
ed for it at the end of
placing of rain gauges,
for Rainfall Observers,
Organization, 62, Camden

Jan. 1, following.



in this form.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.30	.17	—	—	—	—	—	.70	—	.60	—	1
2	—	.31	.25	.07	—	—	.33	.16	—	—	.06	—	2
3	—	.07	.31	1.11	.11	—	.11	—	—	.02	.14	—	3
4	—	.25	.11	—	.35	—	.27	.13	1.01	.50	—	—	4
5	—	—	.23	.02	—	—	1.71	.01	—	.10	1.02	—	5
6	.13	—	.05	.12	—	—	.16	.68	—	—	.06	—	6
7	.12	—	.84	.30	—	—	—	.11	—	—	.04	.01	7
8	.13	—	.10	.03	—	—	.37	.01	—	—	—	—	8
9	.08	—	—	.08	—	—	—	.31	—	—	.12	—	9
10	.01	—	—	—	—	—	—	—	—	—	.49	—	10
11	.05	—	—	.07	.02	—	—	.10	—	—	—	—	11
12	—	—	—	.80	—	—	—	.21	.56	—	—	.02	12
13	.07	—	—	.64	—	.45	.35	—	.08	—	—	—	13
14	.11	—	—	—	—	.02	.91	—	.25	—	—	—	14
15	.77	.36	—	.03	—	—	—	—	—	—	—	—	15
16	—	.24	—	.06	.21	—	.04	.04	.22	—	—	.39	16
17	—	.23	—	—	.15	—	.04	—	—	—	—	.12	17
18	1.18	.05	—	—	.08	—	—	—	.12	.06	—	.24	18
19	.27	.11	—	—	.05	—	—	.02	.19	—	—	.71	19
20	.16	.21	.03	—	—	—	—	—	.02	—	—	—	20
21	.64	.29	—	.11	—	—	—	—	.01	—	—	1.15	21
22	.02	.13	—	.04	—	.01	—	.07	—	—	—	.22	22
23	—	.16	—	.11	—	.02	.01	—	.07	—	—	—	23
24	.08	.01	.18	.10	—	.19	—	.11	—	—	—	.02	24
25	.61	.02	.03	.52	—	.37	—	—	.16	—	—	.22	25
26	.20	.45	—	.14	—	.14	.13	—	.01	—	—	.32	26
27	.56	.56	.03	.01	—	.04	—	.13	.04	—	—	.40	27
28	.14	.42	.04	—	—	.34	—	.01	.10	.05	—	.26	28
29	.12	X	—	—	—	.05	.01	.08	—	.07	—	.15	29
30	.01	X	.10	—	—	.09	.02	.77	.08	—	.15	.83	30
31	.20	X	.19	X	—	X	—	.10	X	.32	X	.05	31
TOTAL	5.66	1.97	2.66	4.36	1.11	1.72	4.79	3.09	3.62	1.12	2.68	5.11	40.09
Days with 01 in. or more	22	18	15	19	8	11	15	19	16	7	9	16	175
Days with 04 in. or more	19	16	12	15	7	8	12	15	13	6	9	13	145

Years Total 40.09

REGISTER OF RAINFALL IN 1922.

Kept at Cocking Rectory
in the County of Sussex
by Lucy Randsall

Lat. 50° 56' Long. 45°
Time of Observation 9.30 A.M.
Nearest Railway Station Cocking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.30	.17	—	.14	—	.33	.04	.70	—	.60	—	1
2	—	.31	.25	.07	—	—	.33	.16	—	—	.06	—	2
3	—	.07	.31	1.11	.11	—	.11	—	—	.02	.14	—	3
4	—	.25	.11	—	.35	—	.27	.13	1.01	.50	—	—	4
5	—	—	.23	.02	—	—	1.71	.01	—	.10	1.02	—	5
6	.13	—	.05	.12	—	—	.16	.68	—	—	.06	—	6
7	.12	—	.84	.30	—	—	—	.11	—	—	.04	.01	7
8	.13	—	.10	.03	—	—	.37	.01	—	—	—	—	8
9	.08	—	—	.08	—	—	—	.31	—	—	.12	—	9
10	.01	—	—	—	—	—	—	—	—	—	.49	—	10
11	.05	—	—	.07	.02	—	—	.10	—	—	—	—	11
12	—	—	—	.80	—	—	—	.21	.56	—	—	.02	12
13	.07	—	—	.64	—	.45	.35	—	.08	—	—	—	13
14	.11	—	—	—	—	.02	.91	—	.25	—	—	—	14
15	.77	.36	—	.03	—	—	—	—	—	—	—	—	15
16	—	.24	—	.06	.21	—	.04	.04	.22	—	—	.39	16
17	—	.23	—	—	.15	—	.04	—	—	—	—	.12	17
18	1.18	.05	—	—	.08	—	—	—	.12	.06	—	.24	18
19	.27	.11	—	—	.05	—	—	.02	.19	—	—	.71	19
20	.16	.21	.03	—	—	—	—	—	.02	—	—	—	20
21	.64	.29	—	.11	—	—	—	—	.01	—	—	1.15	21
22	.02	.13	—	.04	—	.01	—	.07	—	—	—	.22	22
23	—	.16	—	.11	—	.02	.01	—	.07	—	—	—	23
24	.08	.01	.18	.10	—	.19	—	.11	—	—	—	.02	24
25	.61	.02	.03	.52	—	.37	—	—	.16	—	—	.22	25
26	.20	.45	—	.14	—	.14	.13	—	.01	—	—	.32	26
27	.56	.56	.03	.01	—	.04	—	.13	.04	—	—	.40	27
28	.14	.42	.04	—	—	.34	—	.01	.10	.05	—	.26	28
29	.12	~~X~~	—	—	—	.05	.01	.08	—	.07	—	.15	29
30	.01	~~X~~	.10	—	—	.09	.02	.77	.08	—	.15	.83	30
31	.20	~~X~~	.19	~~X~~	—	~~X~~	—	.10	~~X~~	.32	~~X~~	.05	31
TOTAL	5.66	1.97	2.66	4.36	1.11	1.72	4.79	3.09	3.62	1.12	2.68	5.11	YEAR'S TOTAL 40.09
Days with .01 in. or more	22	18	18	19	8	11	15	19	16	7	9	16	175
Days with .04 in. or more	19	16	12	15	7	8	12	15	13	6	9	13	145

REGISTER OF RAINFALL IN 1923.

Kept at COCKINGin the County of Sussexby Mrs. L. RandallLat. 50.56 Long. 45Time of Observation 9.30 A.M.Nearest Railway Station CockingDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground — ft. 9 in." " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.02	.44	—	—	—	—	—	.06	.09	.08	.67	1
2	.24	—	.04	—	.02	—	—	.02	.03	.08	.02	—	2
3	.01	—	.05	—	—	—	—	—	—	.62	.09	.26	3
4	—	—	—	—	—	—	—	—	—	—	—	.25	4
5	.58	—	—	.02	—	—	—	—	—	.06	.09	.61	5
6	.60	.30	.14	.07	—	—	—	—	—	.26	—	—	6
7	.04	1.04	.07	—	.10	.02	—	—	—	.20	—	.97	7
8	.03	.10	.03	—	.16	—	—	—	—	.44	.28	—	8
9	.06	.40	—	—	—	—	.32	—	—	—	.02	.01	9
10	.01	.55	—	.56	.13	—	.03	—	—	.21	—	.07	10
11	—	.01	—	.85	.01	—	—	—	—	.04	—	.09	11
12	—	.22	.54	.31	.46	—	—	—	—	.24	—	—	12
13	—	.12	.11	.27	—	.04	.07	—	—	.83	.72	—	13
14	—	—	.04	.04	.09	—	—	—	.56	.67	—	—	14
15	—	.02	.02	.19	.42	—	—	—	.23	—	.20	—	15
16	—	.30	—	.16	.03	.26	—	—	—	—	.12	—	16
17	.02	.32	—	—	—	—	—	.16	.15	—	.05	—	17
18	.03	.48	—	—	—	—	—	.10	—	—	—	—	18
19	.04	—	—	—	.06	.03	—	—	.04	1.08	—	—	19
20	—	.44	.22	—	—	.02	.02	.04	.19	.16	—	—	20
21	—	—	.01	.12	.01	—	—	—	.21	.42	.03	.30	21
22	—	.61	.20	—	—	—	—	.22	.59	.10	—	.15	22
23	—	.65	.04	—	.40	—	.09	.86	.00	.90	—	.06	23
24	—	.10	.07	.12	—	—	—	.24	.39	.18	—	.11	24
25	—	.69	.04	.83	—	.01	.03	.25	.09	.46	—	.41	25
26	—	.07	—	.05	.01	.02	—	.07	—	.26	—	.42	26
27	—	.19	.36	—	.02	—	.02	.07	—	.06	—	.12	27
28	—	.14	.06	.18	.79	—	.37	.06	—	.04	.06	—	28
29	.09	—	.29	.02	.79	—	.11	.69	—	.05	—	.07	29
30	—	X	—	—	—	.05	.07	.17	—	.27	.04	.21	30
31	—	X	—	X	—	X	.32	—	X	.12	X	.07	31
TOTAL	1.93	6.77	2.47	3.79	3.20	.45	1.45	2.95	2.63	8.13	1.80	4.25	40.12
Days with 01 in. or more	13	21	19	15	16	8	11	13	12	25	13	18	184
Days with 04 in. or more	8	18	16	13	10	3	7	12	11	25	10	16	149

REGISTER OF RAINFALL IN 1924.

Kept at COCKING
in the County of SUSSEX
by Mrs L. Randall

Lat. 50.56 Long. 4.5
Time of Observation 9.30 AM
Nearest Railway Station Cocking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 195 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.16	—	—	.11	.28	.10	—	—	.94	.30	WRW 1
2	.04	—	—	—	.02	.13	.06	.01	—	—	—	.05	W 2
3	—	—	.12	—	.18	.08	.16	.31	.02	.12	—	—	3
4	—	—	—	—	.12	1.03	.02	—	.02	.42	—	.67	4
5	.01	—	.18	—	.18	—	.11	—	—	.32	—	.02	5
6	—	—	—	—	.01	—	—	.08	.15	.46	—	—	6
7	.03	.01	—	—	.08	.27	—	—	.55	.35	—	—	7
8	.25	.20	—	.01	.11	.01	.07	—	.06	.09	—	—	8
9	.24	.10	—	.19	.05	.04	—	—	.24	—	—	—	9
10	.40	—	—	.07	.84	.24	—	—	.13	.09	—	—	10
11	.01	—	—	.28	.54	.18	—	—	.11	.10	.13	—	11
12	—	—	—	.07	.14	.24	—	.09	.26	.01	.17	—	12
13	.03	—	—	.80	.23	—	—	.07	.73	.01	.05	.22	13
14	.01	—	—	.35	—	—	—	.15	—	—	—	.16	14
15	—	.01	—	.01	—	—	—	.29	.22	—	—	.92	15
16	.04	—	—	—	—	—	—	.22	.03	—	—	.07	16
17	.53	—	—	—	.09	.08	1.06	.39	—	—	—	—	17
18	.76	—	—	—	—	.06	—	—	—	.12	—	.04	18
19	.02	—	—	—	—	—	—	.05	.40	.10	.05	.05	19
20	.03	—	—	—	—	—	.34	—	.12	.14	—	—	20
21	.28	—	.02	—	.18	—	.09	.18	.32	.72	—	—	21
22	.29	—	.69	—	—	—	.64	.07	.25	—	—	—	22
23	—	—	.70	—	.66	—	—	.28	.27	—	—	1.16	23
24	.40	.14	.10	.18	.09	—	—	—	.29	—	.02	.16	24
25	—	—	—	.06	.09	—	.22	.02	1.57	.18	.10	.04	25
26	—	—	.07	.65	—	—	.01	.07	.08	.34	.40	.42	26
27	—	—	—	.87	—	—	.76	—	.02	.39	.13	.98	27
28	—	—	.01	—	—	—	1.15	.82	—	.04	.08	.04	28
29	—	.10	—	.12	.24	—	.04	.32	(30)	.96	.20	.19	29
30	—	X	—	.10	.27	—	—	.16	.55	.37	.04	.34	30
31	—	X	—	X	.68	X	—	—	X	.25	X	.09	1173 31
TOTAL	3.37	.56	2.05	3.76	4.80	2.47	5.01	3.65	6.69	5.58	231	5.92	YEAR'S TOTAL ✓
Days with ".01 in. or more	17	6	9	14	20	12	15	19	23	21	12	19	187 ✓
Days with ".04 in. or more	10	4	7	12	18	11	13	17	20	19	11	18	160

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

FOR OFFICIAL USE.

County No. _____

River Dist. _____

Station No. _____

Kept at COCKINGin the County of Sussexby Mrs L. RandallLat. 50° 56' Long. 45°Time of Observation 9.30 A.M.Nearest Railway Station Couling L.B. & S.C.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 7 ft. 9 in." " " " Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

X

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.62	—	.05	.15	—	—	—	.41	.11	—	1.02	.01	1
2	.59	—	—	.13	—	—	.16	—	—	—	1.16	—	2
3	.37	.06	—	—	.33	—	.12	—	—	—	.09	—	3
4	.02	—	—	.08	.35	—	—	.20	.06	—	.40	—	4
5	—	.54	—	1.22	.14	—	—	.04	.30	—	.11	—	5
6	—	.05	—	.01	.27	—	.49	.24	.01	—	1.06	—	6
7	—	.33	.03	—	.46	—	.01	—	—	—	.16	.17	7
8	.13	.03	—	—	.27	—	—	.01	—	—	—	.12	8
9	—	.12	—	.13	.06	—	—	.18	.06	—	—	—	9
10	—	.07	.06	.01	.10	—	.01	.16	.04	—	—	—	10
11	—	.22	—	—	.05	—	—	.16	.04	—	.56	—	11
12	.03	.65	—	—	—	—	—	.12	—	—	—	—	12
13	.17	.72	.06	.11	—	—	—	—	—	—	—	.03	13
14	.85	.20	.03	.34	—	—	—	—	—	—	—	—	14
15	.14	.10	—	.12	—	—	—	—	—	—	—	—	15
16	.06	.01	—	—	—	—	—	—	.14	.33	—	—	16
17	.02	—	—	.01	—	—	.10	.07	.08	—	—	—	17
18	—	.10	—	.06	.36	—	.12	.02	.07	—	—	.02	18
19	—	.06	—	.13	.02	—	—	—	.28	.89	—	.40	19
20	—	—	.06	—	—	—	—	.08	.76	.83	—	.26	20
21	—	—	.01	—	—	—	.47	.34	.27	.86	—	.50	21
22	.01	.32	—	.36	.40	—	.67	.84	1.09	1.48	—	.22	22
23	.12	.21	.04	.01	.40	—	—	1.80	—	.29	—	.16	23
24	.35	.42	.10	.21	.73	.01	—	.03	—	.04	.10	.33	24
25	.23	1.25	.03	.01	—	—	.25	—	.40	.12	—	.09	25
26	.22	.31	—	.07	.34	—	.88	.15	—	.61	—	.22	26
27	.26	—	—	.19	.88	.04	.85	.05	—	.02	—	.09	27
28	.20	—	—	.15	.15	—	.05	—	—	—	—	.33	28
29	.22	—	—	—	.35	—	.25	—	—	—	.12	.90	29
30	.01	X	.04	.14	—	—	.45	—	—	.08	.04	.26	30
31	.07	X	.07	X	—	X	.09	—	X	.02	X	—	31
TOTAL													
5.69 5.77 .58 3.64 5.66 .05 4.97 4.90 3.78 5.57 4.82 4.11 49.47													
Days with .01 in. or more. 21 20 12 21 18 2 16 18 15 12 11 17 183													
Days with .04 in. or more. 16 18 8 16 17 1 14 15 14 10 11 14 154													

YEARS TOTAL
= 49.97 INS

R

ORGANIZATION.

21...

g. 04 E
8.0 a.m

Rain Gauge 6 in.
above Ground 1 ft. 1 in.
Sea Level 352 ft.
entered to the previous day.

requested to add
at the end of
of rain gauges,
fall Observers,"
n, 62, Camden

Jan. 1, following

rm.

Kept at Italy

in the County of

by John

COLEMANS HATCH

SUSSEX

1921-1923

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the sent post-free on application to the Meteorological Office, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	.06	.06								.31	.37	1
2			.01		.34							.03	2
3	.08		.11					.17			.19		3
4	.24		.02		.24			.09			.65		4
5	.21							.27			.48	.03	5
6	.32		.33		.15							.22	6
7	.40	.04			.31								7
8			.02		.14								8
9				.06									9
10	.25		.01					.05	.73				10
11	.60	.02			.06			.63					11
12			.22					.10				.12	12
13	.50		.13	.38				.88	.11		.02		13
14								.16				.46	14
15				.11				.01				.02	15
16	.08			.16				.24	.02		.15	.01	16
17	.20		.48	.28				.51					17
18	.04	.03								.03			18
19			.19			.02				.11		.16	19
20			.08	.05		.01				.57			20
21	.04							.25			.12		21
22										.62		.37	22
23				.22			.04						23
24	.03											.23	24
25		.54		.03	.62	.10						.17	25
26					.12							.31	26
27	.06				.13							.13	27
28			.31				.49						28
29	.07		.12		.22							.12	29
30	.19	X			.18							.19	30
31	.19	X		X	.02	X			X		X		31
TOTAL	3.57	0.69	2.09	1.29	1.93	0.13	0.53	2.58	0.91	2.06	1.92	2.74	20.44
Days with .01 in. or more	14	5	14	8	12	3	2	9	5	5	7	18	103
Days with .04 in. or more	16	3	9	10	10	1	2	8	4	4	6	11	79

REGISTER OF RAINFALL IN 1921...

Kept at Italy Hill, Culmstock Station
in the County of Lutsey
by John McAndrew

Lat. 51.5N Long. 0.4E
Time of Observation 8.0 a.m.
Nearest Railway Station Exeter Row
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	.06	.06								.31	.37	1
2			.01		.34							.03	2
3	.08		.11					.17			.19		3
4	.21		.02		.24			.09			.65		4
5	.32				.15			.27			.48	.03	5
6	.40	.04			.31							.02	6
7			.02		.14								7
8													8
9				.06									9
10	.25		.01						.05	.73			10
11	.60	.02			.06				.63				11
12	.50		.22					.88	.10			.12	12
13			.13	.38					.11		.02		13
14								.16				.46	14
15				.11				.01				.02	15
16	.08			.16				.24	.02		.15	.01	16
17	.20		.48	.28				.51					17
18	.04	.03								.03			18
19			.19			.02				.11		.16	19
20			.08	.05		.01				.57			20
21	.04							.25			.12		21
22										.62		.37	22
23				.22			.04						23
24	.03											.23	24
25		.54		.03	.02	.10						.17	25
26					.12							.31	26
27	.06											.13	27
28			.31		.13		.49						28
29	.07		.12		.22							.12	29
30	.19	X			.18							.19	30
31	.19	X		X	.02	X			X		X		31
TOTAL	3.57	0.69	2.09	1.29	1.93	0.13	0.53	2.58	0.91	2.06	1.92	2.74	20.44
Days with .01 in. or more	14	5	14	8	12	3	2	9	5	5	7	18	103
Days with .04 in. or more	16	3	9	10	10	1	2	8	4	4	6	11	79

567

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922

Kept at Nally Kile, Coleman's Hatch
in the County of Slussey
by John McAndrew

Lat. 57.5 Long. 0.5 E
Time of Observation 8.0 a.m.
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-.19	-.19	-.29	-.19	-.19		-.9	-.5	-.1		-.77	-.60	1
2		-.30	-.24	-.84	-.20		-.22	-.3	-.7				2
3		-.8	-.20				-.22	-.19		-.3	-.77		3
4		-.20	-.17		-.11	-.6	1.00	-.14		-.46			4
5			-.18		-.9		-.15	-.1		-.12	1.06		5
6			-.9				-.3	-.34		-.6	-.9		6
7	-.33		-.62	26			45	-.11					7
8	-.15		-.12	-.5			-.7	-.6			-.11	-.6	8
9	-.9			-.7				-.49				-.2	9
10									-.33		-.30		10
11	5				-.5							-.1	11
12		-.2		-.68				-.18	-.78			-.1	12
13				-.46		-.11	-.7		-.8				13
14				-.4		-.23	-.78	-.7	-.71				14
15	-.58	-.29		-.3	-.8	-.4	-.2		-.5			-.1	15
16		-.9		-.10	-.8		-.1					-.56	16
17		-.30			-.18		-.17	-.3	-.8			-.12	17
18	-.76				-.3		-.3		-.29			-.30	18
19	1.20	-.14	-.1		-.3							-.30	19
20	57								-.1	-.14		-.52	20
21		-.36	-.13	-.4						-.2		-.2	21
22		-.15		-.12		-.7		-.15		-.3		-.81	22
23		-.10		-.7	-.16	-.8	-.8		-.4			-.5	23
24		-.1	29	-.12		-.16	-.1	-.26					24
25	-.36		-.8	-.41		-.10		-.1		-.4		-.8	25
26	-.21	-.36	-.2	-.14		-.20	-.16		-.7		-.3	-.3	26
27	-.34	-.48	-.5	11		8		-.28	-.6	-.4		-.30	27
28	-.27	-.33	-.10			-.23		-.5		-.91		-.16	28
29	-.14					-.10		-.29		-.21		-.25	29
30		X	-.20			-.9	-.9	-.41	85	-.4	8	-.68	30
31	10	X	-.6	X		X	-.3	-.21	X	-.6	X	-.33	31
TOTAL	5.34	3.28	2.77	3.43	1.20	1.55	3.66	3.36	2.73	1.36	2.58	4.62	YEAR'S TOTAL
Days with ".01 in. or more	15	16	17	17	11	13	19	20	14	13	8	21	30.18
Days with ".04 in. or more	15	14	15	16	9	13	13	16	12	10	7	15	155

REGISTER OF RAINFALL IN 1923.

Kept at Holly Hill
in the County of Lusley
by _____

Lat. 57.5 Long. 04.8
Time of Observation 8.15 a.m.
Nearest Railway Station Shrewton
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 350 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.4	.29			.3				.2	.25	.76	1
2	.23	.5	.2							.18	.6	.93	2
3						.3			.15	.65	.6	.6	3
4											.5	.33	4
5	.42			.12						.9			5
6	.34	.7	.13	.3									6
7	.12	.6	.21		.4					.56		.40	7
8	.3	.31	.4		.17					.28			8
9	.13	.4	.3	.3						.1	.80		9
10		.30		.56	.16		.2.58			.33	.2		10
11				.44	.4		.46			.56		.8	11
12		.29	.54	.19	.19	.6				.42	.76	.14	12
13	.4	.9	.24	.16	.2								13
14		.4	.5	.6	.21		.9					.4	14
15			.1		.24	.19	.4	.1	.20		.26		15
16		.20			.19								16
17		.6						.14	.20				17
18	.12	.33		.4				.15		.5			18
19	.18								.9	.16			19
20		.13	.10		.4				.33	.12			20
21		.23	.23	.17					.8	.21		.10	21
22		.35	.11	.4			.10			.19	.4	.14	22
23		.16	.11		.38			.41	.40	.90		.3	23
24								.28	.24				24
25		.24		.104	.11	.5	.6	.5	.24	.14			25
26		.66		.20				.19		.61		.62	26
27		.41	.25		.6		.4	.12		.18		.24	27
28		.13	.18	.13	.80		.28	.4		.13		.22	28
29	.9		.5	.8	.91		.12	.42		.17	.16		29
30		X	.8				.13					.9	30
31		X	.41	X	.1	X	.39		X	.4	X	.19	31
TOTAL	1.83	4.79	8.18	3.29	3.57	0.36	4.29	1.83	2.39	6.99	2.62	3.28	YEAR'S TOTAL
Days with ".01 in. or more	11	21	19	15	16	5	11	11	10	22	12	11	39.02
Days with ".04 in. or more	10	21	16	13	14	3	11	9	10	20	11	17	171
													155

Station,
Forest Row, E. H. S. C.

Holly Hill.

Coleman's Hatch.

Sussex.

Mr. J. M. Andrew
much regrets that fail-
ing eyesight, and insuf-
ficient daylight have
caused him to make errors
which detract from the
clearness of the return.

11 Jan 7/24

STRY.

H RAINFALL ORGANIZATION.

all in 1922.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

ED TO THE PREVIOUS DAY.

the reading made on January 1st of the

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	.32	—	.20	—	.08	.04	.01	.01	.90	.10	1
2	.16	.25	.23	.04	—	—	.18	.03	.06	—	.01	—	2
3	—	.07	.24	1.03	.19	—	.16	.16	—	.03	.12	—	3
4	—	.12	.15	.01	.08	—	.21	.08	—	.44	.01	—	4
5	—	.07	.23	.02	.09	—	1.40	—	—	.10	1.24	—	5
6	.15	—	.09	—	—	—	.04	.35	—	.05	.09	—	6
7	.21	—	.87	.22	—	—	.02	.08	—	—	5	.01	7
8	.11	—	.09	.04	—	.06	.52	.05	—	—	.10	.04	8
9	.07	—	—	.05	—	—	.02	.46	5	.02	.02	.04	9
10	.01	—	~~.11~~	—	—	—	—	—	.33	5	.33	—	10
11	.03	—	.01	—	.05	—	—	—	—	—	—	—	11
12	—	.02	—	.75	—	—	—	.16	.95	—	5	.02	12
13	.02	.01	—	.48	—	.10	.09	—	.06	.01	.01	—	13
14	—	—	—	.04	—	.22	.66	.08	.39	.01	—	.01	14
15	.55	.27	—	.03	—	.04	.01	—	—	.01	.01	.01	15
16	.08	.10	.01	.10	.08	—	.02	—	.16	.01	.01	.58	16
17	5	.31	—	—	.15	—	.15	.03	.07	—	—	.13	17
18	.91	—	—	.01	.02	—	.03	5	—	—	5	.33	18
19	1.26	.12	.02	—	.02	—	—	—	.29	.74	—	.96	19
20	.04	.12	.01	—	—	—	—	—	.01	.03	—	.03	20
21	.60	.24	.05	.05	—	—	—	—	.01	.01	—	1.10	21
22	.02	.12	.12	.10	—	.04	.01	.15	—	.03	—	.06	22
23	—	.07	—	.07	—	.05	.06	—	.03	5	—	—	23
24	.03	.01	.20	.13	.13	.17	.01	.24	—	5	—	.03	24
25	.46	—	.04	.47	—	.09	—	.01	.02	.03	—	.06	25
26	.20	.41	.02	.12	—	.19	.16	—	.06	.01	.02	.03	26
27	.40	.60	.05	.14	—	.02	—	.27	.05	.04	.01	.21	27
28	.28	.27	.11	.02	—	.22	—	.03	.06	.05	.01	.20	28
29	.12	X	—	—	—	.08	.01	.26	—	.25	—	.29	29
30	.01	X	.22	—	—	.08	.08	.45	.10	.04	.07	.67	30
31	.08	X	.07	X	—	X	.02	.23	X	.09	X	.34	31
TOTAL	5.80	3.32	3.15	3.82	1.01	1.36	3.94	3.16	2.66	1.41	2.96	5.25	YEARS TOTAL
Days with .01 in. or more.	23	19	21	21	10	14	22	79	17	24	16	22	37.84
Days with .04 in. or more.	17	16	16	16	8	13	13	15	12	9	7	15	225
													157

(Signed).....Henry CB Foyster..... [P.T.O.]

STRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1922 .

Kept at The Vicarage, Coleman's Hall,
in the County of Sarley

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	.32	—	.20	—	.08	.04	.01	.01	.90	.10	1
2	.16	.25	.23	.04	—	—	.18	.03	.06	—	.01	—	2
3	—	.07	.24	1.03	.19	—	.16	.16	—	.03	.12	—	3
4	—	.12	.15	.01	.08	—	.21	.08	—	.44	.01	—	4
5	—	.07	.23	.02	.09	—	1.40	—	—	.10	1.24	—	5
6	.15	—	.09	—	—	—	.04	.35	—	.05	.09	—	6
7	.21	—	.87	.22	—	—	.02	.08	—	—	5	.01	7
8	.11	—	.09	.04	—	.06	.52	.05	—	—	.10	.04	8
9	.07	—	—	.05	—	—	.02	.46	5	.02	.02	.04	9
10	.01	—	~~.11~~	—	—	—	—	—	.33	5	.33	—	10
11	.03	—	.01	—	.05	—	—	—	—	—	—	—	11
12	—	.02	—	.75	—	—	—	.16	.95	—	5	.02	12
13	.02	.01	—	.48	—	.10	.09	—	.06	.01	.01	—	13
14	—	—	—	.04	—	.22	.66	.08	.39	.01	—	.01	14
15	.55	.27	—	.03	—	.04	.01	—	—	.01	.01	.01	15
16	.08	.10	.01	.10	.08	—	.02	—	.16	.01	.01	.58	16
17	5	.31	—	—	.15	—	.15	.03	.07	—	—	.13	17
18	.91	—	—	.01	.02	—	.03	5	—	—	5	.33	18
19	1.26	.12	.02	—	.02	—	—	—	.29	.74	—	.96	19
20	.04	.12	.01	—	—	—	—	—	.01	.03	—	.03	20
21	.60	.24	.05	.05	—	—	—	—	.01	.01	—	1.10	21
22	.02	.12	.12	.10	—	.04	.01	.15	—	.03	—	.06	22
23	—	.07	—	.07	—	.05	.06	—	.03	5	—	—	23
24	.03	.01	.20	.13	.13	.17	.01	.24	—	5	—	.03	24
25	.46	—	.04	.47	—	.09	—	.01	.02	.03	—	.06	25
26	.20	.41	.02	.12	—	.19	.16	—	.06	.01	.02	.03	26
27	.40	.60	.05	.14	—	.02	—	.27	.05	.04	.01	.21	27
28	.28	.27	.11	.02	—	.22	—	.03	.06	.05	.01	.20	28
29	.12	X	—	—	—	.08	.01	.26	—	.25	—	.29	29
30	.01	X	.22	—	—	.08	.08	.45	.10	.04	.07	.67	30
31	.08	X	.07	X	—	X	.02	.23	X	.09	X	.34	31
TOTAL	5.80	3.32	3.15	3.82	1.01	1.36	3.94	3.16	2.66	1.41	2.96	5.25	YEARS TOTAL 37.84
Days with "01 in. or more.	23	19	21	21	10	14	22	79	17	24	16	22	225
Days with ".04 in. or more.	17	16	16	16	8	13	13	15	12	9	7	15	157

(Signed).....Henry CB Foyster..... [P.T.O.]



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1923.

Kept at The Vicarage, Coleman's Hatch
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" Ground " Sea Level 300 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.04	.30	—	—	.02	.01	—	—	.03	.22	.53	1
2	.28	.05	.02	—	.01	—	—	—	tr	.19	.06	.22	2
3	.01	.01	—	—	—	.03	—	—	—	.69	.04	.05	3
4	.01	tr	—	—	—	—	—	—	.14	—	—	.36	4
5	.47	.01	.01	.12	—	—	—	tr	.01	.10	.05	.02	5
6	.39	.09	.13	.04	—	—	—	—	—	.01	—	—	6
7	.10	1.25	.31	—	.04	tr	—	—	.01	.53	—	.52	7
8	.03	.33	.05	—	.17	.01	—	—	—	.27	.74	.01	8
9	.14	.07	.02	.03	tr	.01	2.62	tr	tr	.02	.02	.01	9
10	—	.39	—	.61	.15	—	.54	—	—	.31	.05	.05	10
11	.03	.01	—	.45	.02	—	.45	—	—	.47	tr	.08	11
12	.01	.29	.56	.16	.18	.06	—	—	—	.55	.02	.13	12
13	.02	.08	.23	.14	.02	—	.09	—	—	.02	.79	.01	13
14	—	.03	.05	.02	.19	—	.57	.02	.55	.01	.02	.03	14
15	—	.01	.02	—	.21	.17	.04	.01	.30	—	.27	.01	15
16	.02	.19	—	—	.17	.01	—	—	—	—	.09	tr	16
17	.05	.06	.01	—	.03	—	—	.15	.07	.01	tr	.01	17
18	.06	.36	tr	.04	—	.01	—	.15	tr	.05	.02	—	18
19	.18	.04	—	.01	—	tr	.01	—	.08	1.14	—	.04	19
20	.01	.10	.09	—	.04	—	—	.02	.35	.11	.01	—	20
21	.02	.27	.18	.18	tr	—	—	—	.06	.30	.02	.12	21
22	—	.52	.11	.03	.01	—	—	.04	.38	.21	.03	.08	22
23	.01	.18	.10	—	.37	—	.10	.39	.30	.85	—	.04	23
24	—	.05	—	.03	—	—	—	.28	.30	.13	—	.09	24
25	—	.36	.05	1.06	.10	.05	.06	.07	.04	.63	—	.62	25
26	—	.60	.25	.22	.01	—	—	.20	.01	.21	—	.30	26
27	tr	.10	.08	—	.05	—	.04	.08	.01	.14	.02	.21	27
28	—	.12	.09	.11	.80	—	.27	.03	—	.01	.14	—	28
29	.07	X	.53	.11	.90	—	.11	.53	—	—	tr	.18	29
30	.01	X	—	—	—	tr	.10	.01	—	.16	—	.11	30
31	.01	X	—	X	.01	X	.54	—	X	.05	X	.13	31
TOTAL	2.07	5.61	3.19	3.36	3.48	.37	4.53	1.98	2.61	7.20	2.61	3.96	YEAR'S TOTAL 40.97
Days with ".01 in. or more.	22	27	21	17	20	9	13	14	15	27	18	26	229
Days with ".04 in. or more.	10	22	16	12	13	3	11	9	11	20	10	19	156

(Signed).....Henry CB. Foyster..... [P.T.O.]



AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1924.

Kept at *The Vicarage, Coleman's Valley*
in the County of *Sussex*

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground — ft. *8* in.Ground „ Sea Level *300* ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.01	.10	.02	.02	.27	.10	.04	—	.01	.75	.23	1
2	.06	—	.41	ti	.13	.45	.05	.22	—	—	.01	.27	2
3	—	—	.09	.03	.50	.03	.37	.46	.08	.01	—	.01	3
4	.01	—	.01	.04	.17	.80	.10	.01	.02	.01	—	.52	4
5	—	.02	.07	—	.04	—	.05	—	.01	.38	.01	.02	5
6	.02	.04	—	—	—	—	ti	.17	—	.52	—	ti	6
7	.04	—	—	—	.04	.32	.02	.02	.14	.31	—	.01	7
8	.17	.06	ti	.01	.31	.02	.05	—	.03	.09	.01	—	8
9	.18	.42	ti	.02	.10	.02	—	—	.16	—	.01	—	9
10	.15	.01	—	.32	.41	.03	—	—	.10	—	.01	.01	10
11	.04	—	.01	.37	.36	.81	—	—	.06	.02	.30	.02	11
12	.02	—	—	.25	.07	.97	—	.16	.11	.01	.56	—	12
13	.13	—	ti	.52	.01	.01	.03	.05	.24	.02	.15	.29	13
14	.06	—	—	.25	—	ti	—	.15	—	—	.15	.02	14
15	—	.06	—	.02	—	—	—	.11	.06	—	—	.80	15
16	.03	—	—	.02	—	—	—	.03	.02	—	.01	.08	16
17	.36	—	—	—	—	—	.92	.17	.07	.01	—	.02	17
18	.54	.08	—	—	.04	.10	.03	.05	—	.06	.03	—	18
19	.05	.01	—	—	—	.08	—	.15	.04	.10	.02	.05	19
20	.01	—	—	—	.22	.01	.06	.09	.14	.04	.01	.01	20
21	.21	—	.01	—	.13	—	.25	.11	.20	.71	—	—	21
22	.30	ti	.35	—	—	—	—	ti	.12	—	—	ti	22
23	—	—	.68	.01	.30	—	—	.17	.29	.01	—	.82	23
24	.34	.21	.17	.07	.60	—	—	.10	ti	—	.06	.41	24
25	.01	.08	.39	.04	.07	ti	.85	ti	.67	.04	.20	.09	25
26	.01	.03	.15	.70	—	—	.09	.08	.16	.13	.40	.21	26
27	—	.09	.01	.77	—	—	.29	.04	.01	.22	.42	1.29	27
28	—	—	—	.01	—	—	1.20	.30	.01	.03	.55	.05	28
29	.02	.04	—	.14	.23	—	.54	.27	.17	1.06	.34	.11	29
30	—	X	—	.27	.02	—	.01	.26	.83	.34	.08	.57	30
31	.02	X	.02	X	.69	X	—	.04	X	.23	X	.42	31
TOTAL	2.81	1.16	2.47	3.88	4.46	3.92	5.01	3.25	3.74	4.36	4.04	6.33	YEARS TOTAL 45.43
Days with ".01 in. or more.	24	14	14	20	21	14	18	24	24	23	21	24	241
Days with ".04 in. or more.	14	9	9	12	18	8	14	21	18	14	12	16	165

(Signed).....*Henry M. Foyster*..... [P.T.O.]



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

544 A

Register of Rainfall in 1925.Kept at The Vicarage, Coleman's Hatchin the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground — ft. 8 in.Ground „ Sea Level 300 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.10	—	.12	.12	.02	—	5	.36	.11	.01	.57	.03	1
2	.78	.01	.02	.15	—	—	.04	—	—	—	.86	—	2
3	.38	—	.02	.01	.26	—	.19	—	5	—	.15	—	3
4	.01	.01	—	—	.19	—	—	.07	.02	.02	.09	—	4
5	.01	.14	.01	.65	.02	—	—	.07	.07	—	.50	.02	5
6	—	.15	5	.18	.33	—	.34	.06	5	—	.64	.01	6
7	—	.29	5	.14	.05	—	.08	—	.01	.02	.03	.08	7
8	.13	.01	5	—	.43	—	—	—	.07	—	.01	.17	8
9	—	.06	—	.02	.02	—	—	.17	.09	5	.04	.01	9
10	—	.08	.06	.02	.17	—	—	.17	.18	—	.25	5	10
11	—	.28	.02	5	.03	—	—	.18	.03	—	.31	5	11
12	.02	.64	.01	—	—	—	—	.01	5	.02	.01	.02	12
13	.04	.73	.15	.07	—	—	—	.03	—	.01	.01	.01	13
14	.71	.26	.01	.26	—	—	—	—	—	—	—	—	14
15	.14	.03	5	.15	.10	—	—	—	—	.05	.01	—	15
16	.04	.04	—	—	—	—	—	—	.09	.13	.01	.01	16
17	.02	.02	5	—	.03	—	—	—	.05 ^{.05}	.01	—	—	17
18	.03	.07	—	.01	.01	—	.61	.03	—	.01	.01	—	18
19	.01	.02	—	.04	5	.02	—	.03	.20	.66	—	.21	19
20	—	—	.11	—	5	—	.03	.01	.40	.73	—	.23	20
21	—	—	.01	—	—	—	.03	.08	.11	.66	5	.51	21
22	.01	.03	.10	.10	.01	—	1.74	.43	.58	.80	—	.53	22
23	.02	.23	.12	.22	.34	—	.01	.41	.01	.36	—	.17	23
24	.02	.66	.04	.20	.30	.15	—	.15	.02	.03	.06	.21	24
25	.02	1.53	.01	.22	—	—	.03	—	.42	.03	.01	.06	25
26	.02	.18	—	.09	.14	5	.42	—	.01	.55	—	.21	26
27	.18	.03	—	.06	.96	—	.50	.11	—	.01	.10	.05	27
28	.18	.01	—	.09	.03	—	—	—	.01	—	—	.32	28
29	.16	X	—	.04	.30	—	.11	—	.01	—	.12	.90	29
30	.01	X	.05	.34	—	—	.24	—	.01	.01	.01	.36	30
31	.10	X	—	X	—	X	.15	—	X	.01	X	—	31
TOTAL	4.14	5.51	.86	3.18	3.74	.17	4.52	2.37	2.50	4.13	3.80	4.12	YEAR'S TOTAL
Days with .01 in. or more.	24	24	16	22	20	2	15	17	21	20	21	21	39.04
Days with .04 in. or more.	12	15	8	18	12	1	11	12	12	8	12	14	135

Rev. KCB Tompkins

(Signed) Henry C. Foyster

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at *The Vicarage, Coleman's Hatch*in the County of *Sussex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *8* ft. *in.*" Ground " Sea Level *300* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.36	—	—	—	.29	—	—	.01	—	.02	—	1
2	.04	.02	—	—	tr	.82	tr	—	.24	—	.04	—	2
3	.32	.63	.12	—	—	.05	—	—	tr	—	—	—	3
4	.01	.19	—	.29	—	—	.02	—	—	—	.07	—	4
5	.05	.16	.18	—	.23	—	.02	—	.01	tr	.49	.27	5
6	.05	.23	.01	.25	—	.01	.07	.06	.12	—	.05	.01	6
7	.14	.03	—	.21	.25	.11	.02	.01	.03	—	.27	.02	7
8	—	.05	—	.21	.02	.01	—	—	.01	.02	.74	tr	8
9	.01	.03	.06	—	—	.71	—	.35	—	.19	.95	tr	9
10	.02	—	—	—	.02	.45	.02	.09	—	tr	.18	—	10
11	.01	.10	tr	—	.03	.15	—	.02	tr	.01	.21	—	11
12	—	.10	—	—	.05	.04	—	—	.02	.45	.01	—	12
13	.08	—	tr	—	tr	.08	—	.02	—	.02	1.78	.02	13
14	.19	.05	—	.25	.16	.29	—	—	—	.47	.05	.06	14
15	.10	.15	—	.49	.03	.10	—	—	.02	.25	.15	—	15
16	—	.04	—	.35	.01	—	—	.16	—	.01	.02	tr	16
17	.06	.66	—	.07	.10	.52	—	—	—	tr	.09	.01	17
18	.23	.06	—	.06	.03	.02	.18	.17	—	—	.80	—	18
19	—	—	.02	.02	.03	—	.31	.01	—	—	.11	—	19
20	.02	—	tr	.49	—	—	.01	.22	—	.03	.84	—	20
21	—	—	—	.04	—	—	.05	.02	—	—	.72	.02	21
22	.59	.02	—	.08	tr	—	—	—	—	tr	.05	.11	22
23	.10	tr	—	.01	—	—	—	—	—	—	—	tr	23
24	.06	tr	—	—	—	.24	.03	—	.15	.66	—	—	24
25	.15	tr	—	.33	—	—	.08	.03	—	.15	.05	.06	25
26	.03	.01	—	.03	—	—	.17	—	.02	—	.21	tr	26
27	.12	.04	.09	.11	.12	—	.03	—	.19	.03	tr	—	27
28	.81	—	—	.25	.04	—	.33	—	.01	.41	.13	.01	28
29	.09	X	—	.24	.25	—	.01	—	—	.10	.03	—	29
30	.21	X	—	.07	.32	—	.06	.01	—	—	.03	—	30
31	.41	X	—	X	tr	X	—	.69	X	tr	X	—	31
TOTAL	4.55	2.93	.48	3.85	1.69	3.89	1.41	1.86	.83	2.80	8.09	.59	YEARS TOTAL
Days with '01 in. or more.	26	19	6	20	16	16	16	14	12	14	26	10	195
Days with '04 in. or more.	20	14	4	17	9	13	8	7	4	8	21	4	129

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) *Henry C. Foyle* [P.T.O.]

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *The Vicarage, Coleman's Hatch*
in the County of *Sussex*
Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*8*.....ft.
" Ground " Sea Level.....*300*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>tr</i>	<i>1.37</i>	<i>.01</i>	<i>.02</i>	<i>—</i>	<i>.02</i>	<i>.87</i>	<i>.25</i>	<i>—</i>	<i>.28</i>	<i>.40</i>	<i>—</i>	1
2	<i>.01</i>	<i>.01</i>	<i>.10</i>	<i>.16</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.02</i>	<i>.03</i>	2
3	<i>.23</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.04</i>	3
4	<i>.02</i>	<i>—</i>	<i>.05</i>	<i>.09</i>	<i>.01</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	4
5	<i>.19</i>	<i>.10</i>	<i>.16</i>	<i>.33</i>	<i>.14</i>	<i>.05</i>	<i>.01</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>tr</i>	5
6	<i>.01</i>	<i>—</i>	<i>.55</i>	<i>.30</i>	<i>.04</i>	<i>.07</i>	<i>.40</i>	<i>.04</i>	<i>.07</i>	<i>—</i>	<i>.03</i>	<i>.01</i>	6
7	<i>.05</i>	<i>.26</i>	<i>.13</i>	<i>.27</i>	<i>—</i>	<i>.16</i>	<i>—</i>	<i>.18</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	7
8	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.29</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>.20</i>	<i>.08</i>	<i>.01</i>	<i>.10</i>	<i>—</i>	8
9	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>.22</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>.03</i>	<i>.15</i>	<i>.01</i>	<i>—</i>	<i>—</i>	9
10	<i>—</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.41</i>	<i>.01</i>	<i>—</i>	<i>—</i>	10
11	<i>—</i>	<i>—</i>	<i>tr</i>	<i>.01</i>	<i>—</i>	<i>.02</i>	<i>.19</i>	<i>.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	11
12	<i>.13</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.08</i>	<i>—</i>	<i>.03</i>	<i>.02</i>	<i>—</i>	12
13	<i>.21</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.46</i>	<i>.20</i>	<i>.01</i>	<i>.03</i>	<i>.04</i>	13
14	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>.56</i>	<i>.01</i>	<i>1.87</i>	<i>—</i>	<i>.01</i>	<i>.27</i>	14
15	<i>tr</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.36</i>	<i>.03</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	15
16	<i>tr</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>.02</i>	<i>.06</i>	<i>.19</i>	<i>—</i>	<i>tr</i>	<i>.02</i>	16
17	<i>.25</i>	<i>.01</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>.45</i>	<i>—</i>	<i>.50</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.01</i>	17
18	<i>.42</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.56</i>	<i>—</i>	<i>.45</i>	<i>.01</i>	<i>—</i>	<i>.18</i>	<i>—</i>	18
19	<i>—</i>	<i>.14</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>.01</i>	<i>.21</i>	<i>—</i>	19
20	<i>.14</i>	<i>.14</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>1.06</i>	<i>—</i>	<i>.01</i>	<i>.37</i>	<i>.13</i>	20
21	<i>.21</i>	<i>.36</i>	<i>.01</i>	<i>—</i>	<i>.10</i>	<i>.02</i>	<i>.06</i>	<i>.20</i>	<i>.24</i>	<i>.67</i>	<i>.12</i>	<i>1.11</i>	21
22	<i>.19</i>	<i>.03</i>	<i>.38</i>	<i>.01</i>	<i>.02</i>	<i>.13</i>	<i>.27</i>	<i>.11</i>	<i>.14</i>	<i>.71</i>	<i>.01</i>	<i>.80</i>	22
23	<i>.02</i>	<i>.69</i>	<i>.41</i>	<i>tr</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>.12</i>	<i>.84</i>	<i>.01</i>	<i>.23</i>	<i>.22</i>	23
24	<i>—</i>	<i>.17</i>	<i>1.02</i>	<i>.02</i>	<i>—</i>	<i>.28</i>	<i>—</i>	<i>.06</i>	<i>—</i>	<i>.04</i>	<i>.07</i>	<i>.41</i>	24
25	<i>tr</i>	<i>.54</i>	<i>.53</i>	<i>—</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>.06</i>	<i>.02</i>	<i>.10</i>	<i>—</i>	<i>1.20</i>	25
26	<i>.34</i>	<i>.78</i>	<i>.09</i>	<i>—</i>	<i>.13</i>	<i>.20</i>	<i>.06</i>	<i>—</i>	<i>.04</i>	<i>.10</i>	<i>.02</i>	<i>.57</i>	26
27	<i>.02</i>	<i>.59</i>	<i>.09</i>	<i>—</i>	<i>.23</i>	<i>.19</i>	<i>.11</i>	<i>—</i>	<i>.01</i>	<i>.69</i>	<i>.01</i>	<i>.01</i>	27
28	<i>.19</i>	<i>.27</i>	<i>.05</i>	<i>.08</i>	<i>—</i>	<i>.62</i>	<i>tr</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>.32</i>	<i>—</i>	28
29	<i>.24</i>	<i>X</i>	<i>.18</i>	<i>—</i>	<i>—</i>	<i>.35</i>	<i>—</i>	<i>.09</i>	<i>.71</i>	<i>—</i>	<i>1.04</i>	<i>—</i>	29
30	<i>.28</i>	<i>X</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>.81</i>	<i>.05</i>	<i>—</i>	<i>tr</i>	<i>.19</i>	<i>—</i>	<i>—</i>	30
31	<i>—</i>	<i>X</i>	<i>1.13</i>	<i>X</i>	<i>.04</i>	<i>X</i>	<i>.04</i>	<i>—</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	31
TOTAL	<i>3.22</i>	<i>5.49</i>	<i>5.25</i>	<i>1.88</i>	<i>.81</i>	<i>4.19</i>	<i>2.98</i>	<i>4.84</i>	<i>5.06</i>	<i>3.14</i>	<i>3.33</i>	<i>5.02</i>	YEARS TOTAL <i>45.21</i>
Days with ".01 in. or more.	<i>22</i>	<i>17</i>	<i>22</i>	<i>13</i>	<i>9</i>	<i>19</i>	<i>20</i>	<i>23</i>	<i>17</i>	<i>21</i>	<i>20</i>	<i>18</i>	<i>221</i>
Days with ".04 in. or more.	<i>15</i>	<i>12</i>	<i>17</i>	<i>9</i>	<i>7</i>	<i>15</i>	<i>14</i>	<i>21</i>	<i>13</i>	<i>11</i>	<i>11</i>	<i>11</i>	<i>156</i>



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at The Vicarage, Coleman's Hatch

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.01	.23	.15	—	—	—	.10	—	.01	.31	.01	1
2	1.36	.34	.04	—	.01	—	—	—	—	.01	.09	.01	2
3	.02	—	—	.26	.10	—	.41	.57	—	—	.14	.02	3
4	—	.25	—	.08	—	.01	—	.51	—	.01	.03	.01	4
5	.17	.21	.18	.04	—	—	.03	—	—	.01	.02	.02	5
6	.01	—	.01	—	—	.31	—	—	—	.01	.02	.11	6
7	.02	.01	.01	.13	—	.24	—	.11	—	.01	.02	—	7
8	—	.08	.03	—	—	.50	.03	—	—	.16	.01	—	8
9	.07	—	.01	.02	—	.13	—	—	.13	.20	.01	.02	9
10	.10	.27	—	.20	.02	.01	—	.02	.01	.19	.26	.02	10
11	.05	—	—	.12	—	.03	—	.03	.01	.63	.14	.17	11
12	.40	.30	.03	—	—	—	—	.02	—	.02	.06	.16	12
13	—	.09	—	—	—	.74	—	.05	—	.01	.11	.05	13
14	.18	.16	—	.18	.28	.10	—	.17	—	.71	.64	—	14
15	.08	—	—	.61	.08	.01	—	—	.01	.01	.55	.02	15
16	.02	.13	—	.09	.14	—	—	—	—	.12	.43	.31	16
17	—	—	—	.02	.20	—	—	—	—	.20	—	.01	17
18	.54	—	.03	.03	.18	.13	—	—	—	.64	.07	.01	18
19	.01	—	—	—	.08	.02	—	.03	—	.50	.05	.13	19
20	.13	—	—	—	.41	—	—	.05	—	.59	.14	.15	20
21	.26	—	.08	.12	.07	—	—	.02	—	.73	.73	.01	21
22	—	.01	.15	—	.01	—	—	.01	—	.59	.40	.13	22
23	.68	—	.06	—	.03	—	—	—	—	.20	.40	.01	23
24	.06	—	—	—	.02	—	—	.01	.29	.10	.07	.34	24
25	.18	.01	.01	—	—	.10	—	—	.04	.20	.01	.22	25
26	.27	—	—	—	—	.18	.04	.40	—	1.18	—	.15	26
27	.02	—	.09	—	—	—	.53	.08	.01	.08	—	.65	27
28	.95	—	.04	—	—	—	—	.01	.52	.01	—	.18	28
29	.17	.13	.63	.12	—	—	.11	—	.03	.11	.04	.74	29
30	.05	×	.26	.07	—	.24	.23	—	—	.29	.01	.21	30
31	.19	×	.34	×	—	×	.16	.10	×	.20	×	.41	31
TOTAL	6.07	2.00	2.23	2.24	1.63	2.75	1.54	2.29	1.05	7.73	4.76	4.28	YEAR'S TOTAL
Days with ".01 in. or more.	26	14	18	16	14	15	8	18	9	30	26	28	222
Days with ".04 in. or more.	20	10	11	13	9	10	6	10	4	20	18	16	147

REGISTER OF RAINFALL IN 1929.

Kept at *The Vicarage Coleman's Hatch*
in the County of *Sussex*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *2* in.
,, Ground ,, Sea Level *300* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.05	—	.05	—	—	—	.38	tr	.36	—	.01	I
2	.02	.41	—	—	—	.05	.06	tr	—	.44	.09	.56	2
3	—	—	tr	—	—	—	.17	—	—	.07	tr	.33	3
4	.01	tr	—	.19	.47	.21	.30	.08	—	.01	tr	.47	4
5	—	.01	—	tr	1.59	.28	.28	.58	—	.35	.02	.24	5
6	tr	—	—	—	.21	.02	.10	.68	—	.07	.12	.57	6
7	—	—	.01	—	tr	.03	—	.41	—	.42	.60	.56	7
8	—	—	tr	—	—	.11	—	—	—	.30	.01	.53	8
9	.02	.11	—	tr	—	—	—	—	—	—	tr	.43	9
10	.15	.08	—	.05	—	—	—	—	—	.04	.10	.49	10
11	—	—	—	.27	tr	.01	—	tr	—	—	1.47	.24	11
12	.02	—	—	.12	.38	.42	—	—	—	tr	—	.07	12
13	.05	—	—	.01	.20	tr	—	—	—	—	—	.11	13
14	—	—	—	—	.03	.11	—	—	—	—	—	.10	14
15	.07	.03	—	.01	—	.21	—	—	—	—	1.22	.13	15
16	.02	—	tr	—	—	—	—	1.25	—	—	1.04	—	16
17	.04	—	—	—	—	—	—	tr	—	—	tr	—	17
18	.02	—	—	—	—	—	—	.01	.07	—	.44	—	18
19	.02	—	—	—	—	—	—	—	tr	tr	.07	—	19
20	.02	—	—	—	—	—	.04	.01	—	.90	.01	.07	20
21	.09	—	.03	—	—	—	—	.34	—	tr	tr	.75	21
22	.02	—	—	—	—	tr	tr	.04	tr	—	.21	.12	22
23	.01	.03	—	tr	tr	—	—	—	—	.07	.69	.40	23
24	—	—	—	—	.03	—	—	.01	—	.87	.68	.62	24
25	tr	.04	—	—	—	—	—	.01	tr	.51	.16	.09	25
26	—	.01	.01	.03	.02	—	—	tr	—	—	.12	.28	26
27	tr	—	—	.02	—	—	—	.17	—	.01	.91	.10	27
28	.22	—	—	.05	—	—	.23	.01	—	.37	.73	.56	28
29	.18	X	—	.23	—	.12	—	.01	.05	.01	.46	.18	29
30	.01	X	—	—	—	.11	.02	—	.52	—	.40	.33	30
31	.48	X	—	X	—	X	.22	—	X	—	X	.01	31
TOTAL	1.47	.77	.05	1.03	2.83	1.68	1.42	3.99	.64	4.80	9.51	8.35	YEAR'S TOTAL 36.64
Days with ".01 in. or more.	19	9	3	11	8	12	9	15	3	16	21	27	153
Days with ".04 in. or more.	8	5	—	7	5	9	8	9	3	13	18	.25	110

Section



for the entry of Daily Observations.

583
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at 76 Vicarage Coleman's Hall
in the County of Sussex

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.13	—	.16	—	—	—	.101	—	—	.162	—	1
2	.01	.14	—	—	.02	—	.14	.26	—	—	.01	—	2
3	.11	.18	—	.53	.30	—	—	.67	—	.02	.02	—	3
4	.28	.03	—	.01	—	—	—	.14	—	.25	—	—	4
5	.04	—	—	—	.16	—	—	.75	—	.01	—	—	5
6	—	—	—	—	.03	—	—	.13	.32	.02	—	.02	6
7	.25	.22	—	—	.01	—	—	.30	.04	.42	.49	.08	7
8	.05	—	—	—	—	—	—	—	.02	—	—	.35	8
9	.40	.01	.04	—	.41	—	—	—	.01	—	.03	.03	9
10	.53	.02	.14	—	.30	—	—	.04	—	—	.01	.16	10
11	.14	.01	—	—	.02	—	.01	—	—	.02	—	.70	11
12	.28	—	—	.17	.02	—	—	.05	.01	.01	.01	.39	12
13	.06	—	.05	.15	.09	—	.17	.18	.35	—	.01	.01	13
14	.12	.10	.07	.01	—	—	.33	—	—	—	—	.01	14
15	.01	.04	.46	—	—	—	.55	—	—	.06	.14	.01	15
16	—	—	.01	—	—	.01	.02	—	.07	.01	—	—	16
17	—	.01	.11	.10	—	.25	—	—	.30	.15	.01	—	17
18	—	—	.07	.09	.05	—	.07	.03	.03	—	.23	.07	18
19	—	—	.03	.05	—	—	—	.07	1.06	.12	.62	.03	19
20	—	—	—	.19	.01	.04	1.29	.34	.35	.27	.31	.02	20
21	.01	—	—	—	—	—	—	.66	—	.04	.60	—	21
22	.06	—	—	.05	.31	—	.06	.23	.02	.24	.24	.02	22
23	.28	—	.09	.28	—	.45	.01	.13	.07	.01	.10	.05	23
24	.38	.05	—	.01	.06	.06	.01	—	—	—	.41	.30	24
25	.03	.03	—	—	.17	.02	—	—	—	.01	.37	.02	25
26	.22	.03	—	—	—	.02	.08	—	.22	.01	.39	.37	26
27	—	—	—	—	.20	—	—	.01	.07	.03	.42	.20	27
28	.01	—	.02	—	—	—	.01	—	.39	.02	.36	.14	28
29	.16	—	.01	—	.05	—	.18	.06	.11	.03	.49	.03	29
30	.06	—	—	—	.39	—	.14	—	—	—	.01	.68	30
31	.68	—	.11	—	.28	—	—	—	—	.05	—	.08	31
TOTAL	4.34	1.00	1.21	1.80	2.80	.85	3.07	4.06	3.44	1.80	6.50	3.77	YEAR'S TOTAL 34.72
*Days with or in. or more.	24	14	13	13	19	7	15	18	17	21	23	23	207
*Days with or in. or more.	19	7	9	10	13	4	10	15	12	9	16	13	137

40-9999

*See Instruction 2 (f) on other side.

(Signed) Henry C. Foyles [P.T.O.]

ISTRY.
ISH RAINFALL ORGANIZATION.
NFALL IN 1921.

Lat. _____ Long. _____
Time of Observation 8.30
Nearest Railway Station Drayton L.B.S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 18.2 ft.

by at 9 a.m. and the result entered to the previous day.
sal rule, he is earnestly requested to add
in the space provided for it at the end of
the selection and placing of rain gauges,
given in "Rules for Rainfall Observers,"

Jan. 1, following.

sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.75	.06		.02						.16		1
2	.01				.04			.00			.19	.09	2
3	.05		.01		.19			.19			.18		3
4	.15		.02		.31			.10			.44		4
5								.24			.13		5
6	.36		.14		.06						.01		6
7	.33				.19						.03	.03	7
8	.05		.02										8
9									.05				9
10	.22									.08			10
11	.27				.04				.48			.01	11
12	.82				.02			.24				.07	12
13	.10							.10	.03		.04		13
14				.07	.04		.01			.05		.27	14
15				.03			.19			.01	.10		15
16	.11		.09	.38				.21			.62	.02	16
17	.14		.24	.01			.10	.33					17
18	.06									.02			18
19			.17			.02				.43		.15	19
20										.52			20
21											.13		21
22	.01									.11		.57	22
23	.12		.02	.20			.01	.29		.18		.03	23
24	.01							.04					24
25		.12		.02				.01				.19	25
26	.02				.01							.26	26
27													27
28	.01		.20		.04		.04					.08	28
29					.16								29
30	.15	~~XX~~		.02	.04						.16	.08	30
31	.12	~~XX~~		~~XX~~	.01	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	3.61	.87	.97	.73	1.17	.02	.35	1.82	.56	1.40	2.19	1.85	YEAR'S TOTAL 15.54
Days with ".01 in. or more	21	2	10	7	14	1	5	11	3	8	12	13	107✓
Days with ".04 in. or more	16	2	6	3	10	0	3	10	2	6	10	9	77✓

ISTRY.
SH RAINFALL ORGANIZATION.
NFALL IN 1921

Lat. _____ Long. _____
Time of Observation 8.30
Nearest Railway Station Drayton L.P.S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 18.2 ft.

Kept at Chworth Overing
in the County of Surrex
by Harold W. Brewitt

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.75	.06		.02						.16		1
2	.01				.04			.10			.19	.09	2
3	.05		.01		.19			.19			.18		3
4	.15		.02		.31			.10			.44		4
5								.24			.13		5
6	.36		.14		.06						.01		6
7	.33				.19						.03	.03	7
8	.05		.02										8
9									.05				9
10	.22									.08			10
11	.27				.04				.48			.01	11
12	.82				.02			.24				.07	12
13	.10							.10	.03		.04		13
14				.07	.04		.01			.05		.27	14
15				.03			.19			.01	.10		15
16	.11		.09	.38				.21			.62	.02	16
17	.14		.24	.01			.10	.33					17
18	.06									.02			18
19			.17			.02				.43		.15	19
20										.52			20
21											.13		21
22	.01									.11		.57	22
23	.12		.02	.20			.01	.29		.18		.03	23
24	.01							.04					24
25		.12		.02				.01				.19	25
26	.02				.01							.26	26
27													27
28	.01		.20		.04		.04					.08	28
29					.16								29
30	.15	~~X~~		.02	.04						.16	.08	30
31	.12	~~X~~		~~X~~	.01	~~X~~			~~X~~		~~X~~		31
TOTAL	3.61	.87	.97	.73	1.17	.02	.35	1.82	.56	1.40	2.19	1.85	YEAR'S TOTAL 15.54
Days with ".01 in. or more	21	2	10	7	14	1	5	11	3	8	12	13	107✓
Days with ".04 in. or more	16	2	6	3	10	0	3	10	2	6	10	9	77✓

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922

Kept at Colworth Avey
in the County of Surrex
by Harold W. Drewitt

Lat. _____ Long. _____
Time of Observation 8.30 A.M.
Nearest Railway Station Drayton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 18.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15	.14				.12		.36		.34		1
2	.01	.22	.15	.25	.03		.07	.09	.01		.03		2
3		.27	.11	.63	.18		.02	.30		.49	.03		3
4		.28	.09				.06	.02	~~.50~~	.03			4
5			.11	.07	.05		1.46				.58		5
6	.16		.06				.07	.35			.04		6
7	.12		.65	.17				.14			.01		7
8	.12		.05			.05	.30	.05			.15		8
9	.05			.14			.06	.17					9
10	.03							.11			.23		10
11								.10					11
12				.47				~~4~~	.49				12
13	.07			.47		.25	.20		.09	.01			13
14	.11			.01			.48						14
15	.41	.12		.03									15
16					.21		.04		.05		.40		16
17		.21			.09			.01	.06		.16		17
18	.44				.06		.03		.04		.27		18
19	.16	.10							.21		.54		19
20	.11	.06	.02										20
21	.24	.23		.11					.01		.68		21
22	.09	.06		.04		.02					.18		22
23		.13				.06	.08	.13					23
24			.07		.01	.07		.22			.02		24
25	.27			.31		.17			.12		.25		25
26	.12	.13		.11			.24				.20		26
27	.36	.48	.01	.13		.02		.30	.07		.17		27
28	.09	.30				.25		.01	.02		.25		28
29	.18					.12		.05		.08	.11		29
30	.01	X	.04			.02	.10	.97	.05		.11	.42	30
31	.04	X		X		X		.29	X	.08	X	.03	31
TOTAL	3.24	2.74	1.46	2.94	.63	1.03	3.33	3.31	1.58	1.69	1.52	3.68	YEAR'S TOTAL
Days with .01 in. or more	21	14	12	14	7	10	15	17	13	5	9	14	151
Days with .04 in. or more	18	14	10	12	5	7	13	14	10	3	6	12	124

REGISTER OF RAINFALL IN 1923.

Kept at Chichester, Dorset
 in the County of Sussex
 by Harold W. Drewitt

Lat. _____ Long. _____
 Time of Observation 9.0 A.M.
 Nearest Railway Station Drayton, S. Ry.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 4 ft. 6 in.
 " " " " Sea Level 18.2 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in. .06	in. .03	in. .35	in.	in.	in.	in.	in.	in. .01	in. .06	in. .08	in. .40	1
2		.02	.36		.15					~~.46~~	.01	.02	2
3			.10		.02					.46		.11	3
4									.14			.30	4
5	.46		.02	.03						.10	.21		5
6		.10	.02	.08		.04							6
7	.54	.77	.05		.07	.04				.36		.39	7
8	.12	.10	.07		.26					.21	.32		8
9	.10	.18			.01		.30			.04	.06		9
10		.26		.40			.03			.16			10
11				.83						.72			11
12		.33	.30	.37	.36					.27			12
13			.13	.15	.01						.36		13
14			.05	.05	.14				.35				14
15				.09	.24	.36	.08		.23		.13		15
16		.12		.25	.07			.03			.15		16
17		.42					.02		.10	.05	.03		17
18		.15		.05	~~.02~~	.02	~~.02~~	.49	.02	.87			18
19	.11					.03			.11				19
20		.19	.33		.01		.01		.17	.26			20
21		.01		.11	.04				.05	.19		.26	21
22		.46	.20	.02					.50				22
23		.41	.04		.09		.11		.07	.57		.24	23
24		.17	.05	.09	.01			.53	.22	.15		.08	24
25		.36	.15	.82	.04		.02	.05	.06	.34		.37	25
26		.44		.03				.14		.15		.40	26
27		.06	.22		.01		.01	.11		.05		.14	27
28		.25	.07	.15	.63		.18	.10			.10		28
29	.06	~~.01~~	.01	.18	.49		.08	.41				.13	29
30		X					.06			.15		.14	30
31		X	.01	X		X	.40		X	.13	X	.04	31
TOTAL	1.45	4.73	2.53	3.70	2.65	.49	1.30	1.86	2.03	5.29	1.45	30.2	30.50
Days with .01 in. or more	7	20	19	17	18	5	12	8	13	20	10	14	163
Days with .04 in. or more	7	17	15	14	12	3	7	7	11	20	8	13	134

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at Colworth, Doring.
in the County of Sussex
by Harold W. Drevitt

Lat. _____ Long. _____
Time of Observation 9.00 A.M.
Nearest Railway Station Drayton S.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			15		01	18	14	04			95	25	1 <u>W.R.W.</u>
2	02		18.20		15			32					2 <u>758</u>
3			25.11		10	22	12	01	01	14			3
4					12	196	02			15		41	4
5					03					16		07	5
6			02							38			6
7					03	43			59	31			7
8	22				06	01	08	04	08	05			8
9	06	12		18	01	06			03				9
10	45				45	06			10				10
11	01			28	36	28			01	03	18		11
12					04	22		21	05		03		12
13	01	04		42	41				57			17	13
14								05				06	14
15									05			51	15
16								25					16
17	38					13	68	21	01				17
18	59					10		03		10	01		18
19								25		05			19
20			02		01		20	14	11				20
21	45				12		10	02	11				21
22	28		43				06		35				22
23		05	30	01	35			07	25			67	23
24	36		20.24	12	08				15		04	22	24
25							11	05	175	20	07	06	25
26			02	40			02	10	11	30	35	26	26
27		05		51			49			23	06	1.11	27
28			01				61	27	04	05	20		28
29				17	30	02	02	34	04	72		16	29
30		X		02	09			30	32	39	11	21	30
31		X		X	61	X		01	X	39	X	25	31 857
TOTAL	2.84	26	146	2.06	333	3.67	2.65	271	469	3.65	2.00	441	YEAR'S TOTAL 33.73
Days with 01 in. or more.	11	4	10	9	19	12	13	19	19	16	10	14	156
Days with 04 in. or more.	8	4	6	7	14	10	10	15	15	15	8	14	126



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

406

Register of Rainfall in 1925.Kept at **COLWORTH (OVING)**in the County of **SUSSEX**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **4** ft. **6** in.Ground Sea Level **18.2** ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.02			.15				.51	.10		1.00		1
2	.64			.10			.07				.70		2
3	.50	.05			.16		.10				.02		3
4					.20						.64		4
5		.25		.75	.06						.40		5
6		.16		.07	.10		.35	.10	.27		.67		6
7		.18			.15			.16			.02		7
8	.16				.09				.01			.06	8
9		.03		.15				.22	.01			.06	9
10		.23	(X)		.02			.16	.04		.04		10
11					.01			.36			.31		11
12	.01	.60						.10					12
13	.03	.60	.10	.15								.02	13
14	.39	.20		.28							.01		14
15	.09									.05			15
16	.08								.09	.54			16
17				.03			.01						17
18					.38		.15		.01	.05		.14	18
19		.04		.13	.02				.12	.67		.46	19
20							.08	.08	.64	.31		.16	20
21							.16	.43	.31	.25		.80	21
22		.15		.23	.15		.63	.41	.36	.75		.25	22
23	.01	.18	.06	.05	.28			1.44		.16		.14	23
24	.46	.59	.05	.13	.51			.01				.31	24
25	.17	1.02	.07				.01		.35	.01		.08	25
26	.19	.21		.02	.15		.39	.08		.50		.24	26
27	.16	.01		.10	.72		.15					.23	27
28	.17			.14			.03	.06				.35	28
29	.07			.23	.10		.22				.10	.78	29
30		X					.60			.01		.55	30
31		X		X		X	.02		X	.05	X		31
TOTAL	4.15	4.50	.28	2.71	3.10	—	2.97	4.03	2.31	3.35	3.91	4.63	35.94
Days with .01 in. or more.	16	16	5	16	16	—	15	14	12	12	11	16	148
Days with .04 in. or more.	13	14	5	14	13	—	11	12	9	10	8	15	123

(Signed) **H. W. D. Hewitt**

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Colworth
 in the County of Sussex
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....4 ft. 6 in.
 „ Ground „ Sea Level.....18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1691.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.26				.49							1
2	.33	.01				.38	.15		.11				2
3	.18	.13	.22										3
4	.04	.26	.15	.73			.14				.09		4
5	.06	.01			.74		.42				.34	.16	5
6	.07	.52		.31	.01		.14	.06					6
7		.04		.10	.30	.24					.20	.03	7
8				.12							.28		8
9		.07			.02	.36	.05			.05	.49		9
10					.01	.16	.02	.53		.06	.05		10
11		.03			.01	.15		.50					11
12		.02						.02		.20			12
13					.07	.03				.02	1.43		13
14		.04		.15	.13	.10				.41	.06		14
15	.28	.04		.28						.12	.10	.05	15
16		.29		.27				.22		.04			16
17	.30	.46		.03		.53					.10		17
18				.02			.10	.15			.61	.02	18
19	.34			.03	.04		.25	.03			.35		19
20				.22				.20			.30		20
21	.01			.06			.05	.04		.13	.41		21
22	.54			.05							.20		22
23	.10		.01										23
24	.01		.04				.01			.65			24
25	.18		.03	.56			.06			.06	.08	.05	25
26		.02	.03				.21		.03		.11		26
27	.13	.03		.02		.01	.04				.21		27
28	.58			.30	.04		.35			.53	.45		28
29	.13			.03	.34					.12	.13		29
30	.25	X		.14	.52			.03			.07		30
31	.33	X		X	.06	X		.20	X	.14	X		31
TOTAL	3.86	2.23	.48	3.42	2.29	2.45	1.99	1.98	.14	2.53	6.06	.31	YEARS TOTAL
Days with .01 in. or more.	18	16	6	18	13	10	14	11	2	13	21	5	147
Days with .04 in. or more.	16	10	23	13	9	8	12	8	1	12	21	3	116

Please read the Notes and Instructions Overleaf.

(Signed)

Harold W. Brewitt

[P.T.O.]

Section **A** for the entry of Daily Observations.

379
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Essexbury
in the County of W. Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....4 ft. 6 in.
" Ground " Sea Level.....18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.58					1.14	.16	~~.32~~	.32	.21		1
2	.05			.18							.02		2
3	.06						.03						3
4	.17			.14	.02	.09							4
5	.20	.08	.25	.47	.04	.02	.01	.05			.31	.01	5
6			.46	.39		.16	.05		.05		.04		6
7		.25	.07	.17				.24					7
8	.05		.05	.22	.55		.06	.08			.03		8
9				.02			.10	.05	.16				9
10									.31				10
11							.03	.16					11
12	.11												12
13	.15						.35	.50	.28	.03	.03	.31	13
14	.02			.04			.28		2.08		.02	.38	14
15					.04		.04	.36			.04		15
16	.04				.15				.68				16
17	.06		.12			.42		.34	.13				17
18						.38		.35	.04		.23		18
19		.28						.17		.01	.68		19
20		.15					.20	.78			.20	.40	20
21	.35	.19						.05	.11	.28	.12	.80	21
22	.24		.53			.06	.02	.01	.06	.30	.14	.39	22
23	.02	.41	.25			.12			.97			.11	23
24		.18	.33			.11	.05	.38		.04		.53	24
25		.40	.35						.13	.02		.50	25
26	.38	.73					.12	.04	.02	.02		.04	26
27		.40				.48	.24			.39	.02		27
28	.19	.06	.10	.06	.25	.15					.32		28
29	.09		.30			.52	.01	.06	.72	.02	.23		29
30	.28	X	.04			.55	.01		.03	.29			30
31		X	.46	X	.11	X	.06	.01	X	.05	X	.08	31
TOTAL	2.46	3.71	3.31	1.69	1.16	3.06	2.80	3.79	5.77	1.77	2.64	3.55	YEAR'S TOTAL 35.71
Days with ".01 in. or more.	17	12	13	9	7	12	18	18	15	12	16	11	160
Days with ".04 in. or more.	15	12	13	8	6	11	12	16	13	7	11	10	134

Section **A**

for the entry of Daily Observations.

3992
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Colworth, Oving.
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" Ground " Sea Level 18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.03	.17	.26				.02					1
2	.92			.03				.05			.06	.04	2
3		.05		.44			.16	.92					3
4	.02	.12						.03					4
5	.11		.10				.07						5
6			.03	.05		.15							6
7		.02	.08	.10		.21		.05		.03		.10	7
8	.03	.02				.41				.20			8
9	.02			.03		.06	.03		.23	.15		.03	9
10	.06	.15	.06	.05		.02		.03		.34	.23		10
11	.07					.03				.77	.09	.30	11
12	.34	.20		.03						.13	.03		12
13		.42				.94		.10			.06		13
14	.07	.15		.41	.15	.04		.23		.49	.62	.03	14
15	.17			.48		.03		.03			.51		15
16		.07		.08	.05					.09	.20	.23	16
17	.02				.57			~~.07~~		.17			17
18	.64				.03	.09				.36			18
19	.02				.22			.07		.48	.05	.13	19
20	.16		.10					.02		.62	.10		20
21	.06		.17		.25	.01				.75	.35		21
22			.13	.05						1.07	.25	.11	22
23	.40		.11		.02					.12	.28		23
24	.04								.22	.12	.04	.44	24
25	.19					.11				.08	.04		25
26	.13						.02	.98		1.28		.05	26
27			.05		.01		.84			.12	.03	1.29	27
28	.62		.02	.15					.35			.14	28
29	.23	.27	.46	.09		.01	.09			.08	.05	.75	29
30	.05	X	.23				.20			.11		.03	30
31	.18	X	.24	X		X	.34		X	.01	X	.04	31
TOTAL	4.67	1.50	1.95	2.25	1.30	2.11	1.75	2.53	0.80	7.57	2.99	3.71	33.18
Days with ".01 in. or more.	24	11	14	14	8	13	8	12	3	22	17	15	161
Days with ".04 in. or more.	20	8	12	11	5	8	6	7	3	20	15	12	127



REGISTER OF RAINFALL IN 1929.

Kept at COLWORTH, OXING

in the County of SUSSEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

Ground Sea Level 18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14				.02		.11		.28		.03	1
2						.15				.40	.03	.37	2
3						.03	.97	.05				.25	3
4				.05	.38	.15	.22	.05		.01		.35	4
5					.95	.44		.77		.63	.30	.20	5
6					.12		.14	.28		.07	.07	.54	6
7						.03		.14		.60	.42	1.00	7
8						.10				.69		.25	8
9		.20									.22	.36	9
10	.22				.01					.06		.28	10
11					.20	.02					1.15	.12	11
12				.03	.19	.37						.02	12
13	.03			.02	.16	.03						.01	13
14					.15	.17						.07	14
15		.08				.23					.80	.03	15
16									1.05				16
17	.10			.01				.69		.03			17
18											.26		18
19											.03		19
20	.03		.03					.08		.34		.39	20
21	.08		.03									.24	21
22		.04						.02			.05		22
23				.05						.41	.36	.20	23
24			.04							.45	.58	.46	24
25										.45	.25	.05	25
26		.26		.05	.03								26
27	.04			.02	.13						.93	.06	27
28	.27			.03			.39			.55	.27	.46	28
29	.18			.40		.08			.08	.05	.35	.07	29
30		×				.16	.07		.32		.13	.30	30
31	.31	×		×		×			×		×	.01	31
TOTAL	1.26	.72	.10	.66	2.32	1.98	1.79	2.19	1.45	5.02	6.20	6.12	29.81
Days with .01 in. or more.	9	5	3	9	10	14	5	9	3	15	17	25	124
Days with .04 in. or more.	7	5	1	4	8	9	5	8	3	13	15	20	98

Section **A** for the entry of Daily Observations.

495
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Chworth, Dring
in the County of Gloucester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
,, Ground ,, Sea Level 18.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.51		.21				.02			.57		I
2	.81	.13	.09				.12	.23			.44		2
3	.02	.11		.54				.60		.04			3
4	.30	.07						.08		.12			4
5	.07			.04	.09			.33					5
6	.01		.04		.08			.08	.19				6
7	.19							.16		.65	.41	.15	7
8	.22				.01					.01		.16	8
9	.50				.26			.01	.10				9
10	.38		.13		.28			.01				.53	10
11	.01						.08					.40	11
12	.12			.27	.12			.19		.03		.14	12
13	.02		.02	.22	.13			.19	.29				13
14	.06	.13	.06				.17		.43	.02	.02		14
15	.04	.05	.45	.07			.35		.01	.12	.14	.15	15
16			.03						.26	.01		.12	16
17			.10	.05						.06			17
18					.06	.11			.24	.01	.25	.14	18
19			.19	.21				.04	.35	.14	.61	.02	19
20			.03	.07	.01		.80	.33	.06	.25	.62		20
21								.48		.11	.18		21
22	.18			.07	.03	.03		.41	.08	.25	.12		22
23	.30		.10	.30	.03	.54		.02	.03		.14	.15	23
24	.42			.13	.07						.23	.19	24
25	.04	.28		.03	.08					.04	.40	.03	25
26	.20	.02			.08	.01	.02		.26		.25	.10	26
27	.01		.01							.04	.24	.14	27
28	.01		.03						.16		.40	.04	28
29	.13				.02				.15	.05	.03	.04	29
30	.10	×			.15	.03	.17					.40	30
31	.38	×	.10	×	.01	×			×	.05	×	.05	31
TOTAL	3.82	1.30	1.38	2.21	1.51	.72	1.90	3.28	2.32	2.00	5.05	2.95	YEAR'S TOTAL 28.47
*Days with or in. or more.	25	8	14	13	17	5	8	16	13	18	17	18	172
*Days with .04 in. or more.	18	7	9	12	11	2	7	12	11	17	15	16	133

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Harold W. Brewitt.

P.T.O.

Kept at Compton Hor in the County of West by Kenneth M. La

COMPTON

SUSSEX

1921-30

ANIZATION.

53° 40' W. m (G.M.T.)

Gauge 5 in. Ground 1 ft. 0 in. Sea Level 263.26 ft. tered to the previous day.

ted to add the end of rain gauges, Observers, 2, Camden Edinburgh.

Jan. 1, following.

IMPORTANT NOTE.—

If an Observer prefers not to the reading at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the British sent post-free on application Square, London, N.W. 1, or to T

Rec

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.26	.09	—	—	—	—	.05	—	—	.16	.23	1
2	.05	—	—	—	.03	—	—	.08	—	.02	.22	.02	2
3	.09	.01	.02	—	.18	.03	—	.15	—	.01	.24	—	3
4	.15	—	.01	—	.30	—	—	.17	—	—	.40	—	4
5	—	—	.03	—	.02	—	—	.37	—	—	.25	.04	5
6	.43	.01	.28	—	.24	—	—	—	—	—	.01	.02	6
7	.77	—	—	—	.39	—	—	—	—	—	.07	—	7
8	.73	—	.04	.01	.02	.01	—	—	—	—	.02	—	8
9	.01	—	.03	.03	.03	—	—	—	.14	.01	—	—	9
10	.17	—	.01	—	—	—	—	.02	—	—	—	—	10
11	.36	—	.02	—	.03	—	—	—	.68	—	—	.01	11
12	.34	—	.03	—	.01	—	—	.56	.04	—	—	.06	12
13	.08	—	.08	.22	.01	—	—	.12	.03	.02	.04	—	13
14	—	—	.01	.01	.06	—	.02	—	—	—	—	.21	14
15	—	—	—	.01	.01	—	.17	—	—	—	.08	.01	15
16	.18	—	.14	.41	—	—	—	.61	—	—	.98	.01	16
17	.15	—	.31	.02	—	—	.01	.17	.05	—	—	—	17
18	.10	—	—	.03	—	—	—	—	—	.04	—	—	18
19	—	—	.25	.06	—	—	—	—	—	.11	—	.10	19
20	.01	—	.05	—	—	—	—	—	—	.14	.04	—	20
21	.06	—	—	—	—	—	—	—	—	.01	.06	.05	21
22	—	—	—	.09	—	—	—	—	—	.04	—	.44	22
23	—	—	—	.17	—	—	.04	.39	—	.26	—	.05	23
24	.09	.03	—	—	—	—	.01	—	—	—	—	.18	24
25	.03	.07	—	—	.01	.04	—	—	—	—	—	.16	25
26	.04	—	—	—	—	—	—	—	—	—	—	.47	26
27	.01	—	.01	.02	—	—	—	.02	—	—	—	.10	27
28	.11	—	.28	—	.13	—	.12	—	—	—	—	.11	28
29	—	—	.16	—	.49	—	.02	—	—	—	—	.02	29
30	.28	—	—	.07	.10	—	—	—	—	—	.26	.21	30
31	.51	—	—	—	.01	—	.01	—	—	—	—	—	31
99 TOTAL	4.81	.38	1.85	1.15	2.07	.08	.40	2.71	.94	.66	2.83	2.50	YEAR'S TOTAL 20.38
Days with .01 in. or more	24	5	19	13	18	3	8	12	5	10	14	20	151
Days with .04 in. or more	20	2	10	6	8	1	3	10	4	5	12	14	95

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921

Kept at Compton House Compton

in the County of West Sussex

by Kenneth M. Langdale Esq^{re}

Lat. 50° 55' 40" Long 0° 53' 40" W.

Time of Observation 9 a.m. (G.M.T.)

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 263.26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.26	.09	—	—	—	—	.05	—	—	.16	.23	1
2	.05	—	—	—	.03	—	—	.08	—	.02	.22	.02	2
3	.09	.01	.02	—	.18	.03	—	.15	—	.01	.24	—	3
4	.15	—	.01	—	.30	—	—	.17	—	—	.40	—	4
5	—	—	.03	—	.02	—	—	.37	—	—	.25	.04	5
6	.43	.01	.28	—	.24	—	—	—	—	—	.01	.02	6
7	.77	—	—	—	.39	—	—	—	—	—	.07	—	7
8	.13	—	.04	.01	.02	.01	—	—	—	—	.02	—	8
9	.01	—	.03	.03	.03	—	—	—	.14	.01	—	—	9
10	.17	—	.01	—	—	—	—	.02	—	—	—	—	10
11	.36	—	.02	—	.03	—	—	—	.68	—	—	.01	11
12	.34	—	.03	—	.01	—	—	.56	.04	—	—	.06	12
13	.08	—	.08	.22	.01	—	—	.12	.03	.02	.04	—	13
14	—	—	.01	.01	.06	—	.02	—	—	—	—	.21	14
15	—	—	—	.01	.01	—	.17	—	—	—	.08	.01	15
16	.18	—	.14	.41	—	—	—	.61	—	—	.98	.01	16
17	.15	—	.31	.02	—	—	.01	.17	.05	—	—	—	17
18	.10	—	—	.03	—	—	—	—	—	.04	—	—	18
19	—	—	.25	.06	—	—	—	—	—	.11	—	.10	19
20	.01	—	.05	—	—	—	—	—	—	.14	.04	—	20
21	.06	—	—	—	—	—	—	—	—	.01	.06	.05	21
22	—	—	—	.09	—	—	—	—	—	.04	—	.44	22
23	—	—	—	.17	—	—	.04	.39	—	.26	—	.05	23
24	.09	.03	—	—	—	—	.01	—	—	—	—	.18	24
25	.03	.07	—	—	.01	.04	—	—	—	—	—	.16	25
26	.04	—	—	—	—	—	—	—	—	—	—	.47	26
27	.01	—	.01	.02	—	—	—	.02	—	—	—	.10	27
28	.11	—	.28	—	.13	—	.12	—	—	—	—	.11	28
29	—	X	.16	—	.49	—	.02	—	—	—	—	.02	29
30	.28	X	—	.07	.10	—	—	—	—	—	.26	.21	30
31	.51	X	—	X	.01	X	.01	—	X	—	X	—	31
99 TOTAL	4.81	.38	1.85	1.15	2.07	.08	.40	2.71	.94	.66	2.83	2.50	YEAR'S TOTAL 20.38
Days with ".01 in. or more	24	5	19	13	18	3	8	12	5	10	14	20	151
Days with ".04 in. or more	20	2	10	6	8	1	3	10	4	5	12	14	95

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Compton House, Compton
in the County of West Sussex
by Kenneth M. Langdale

Lat. 50° 55' 40" N Long. 0° 53' 40" W.
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Rowlands Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 263.26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
22 1	.01	.39	.15	—	.08	.02	.29	.09	.20	—	.49	—	1
2	.01	.35	.26	.27	—	—	.35	.01	—	—	.05	—	2
3	.08	.30	.31	1.03	.17	—	.06	.11	—	.03	.17	—	3
4	—	.35	.14	—	.44	—	.33	.06	.01	.61	—	—	4
5	—	—	.25	.02	—	—	1.71	.01	—	.08	.83	—	5
6	.14	—	.07	.03	—	—	.02	.66	—	—	.10	—	6
7	.15	—	.81	.25	—	—	—	.28	—	—	.04	—	7
8	.12	—	.07	.04	—	.04	.29	.02	—	—	.10	.02	8
9	.08	—	—	.21	—	—	—	.24	—	—	.05	—	9
10	.01	—	—	—	—	—	—	.03	—	.02	.61	—	10
11	.03	—	—	.07	.02	—	—	.07	—	—	—	—	11
12	—	.03	—	.89	—	—	—	.18	.68	—	—	.02	12
13	.14	—	—	.62	—	.38	.50	—	.09	—	—	—	13
14	.13	—	—	—	—	—	.46	—	.19	—	—	—	14
15	.63	.28	—	.06	—	—	.01	—	—	—	—	—	15
16	—	.14	—	.10	.34	—	.01	.06	.25	—	—	.36	16
17	—	.25	—	—	.17	—	.06	—	—	—	—	.15	17
18	1.24	.04	—	—	.12	—	—	—	.16	—	—	.17	18
19	.35	.14	.02	—	.03	—	—	—	.21	.05	—	.63	19
20	.10	.18	.02	—	—	—	—	—	.02	—	—	—	20
21	.47	.23	.02	.18	—	—	—	—	—	—	—	1.21	21
22	—	.09	—	.02	—	.02	—	.10	—	—	—	.16	22
23	—	.09	—	.11	—	.04	.02	—	.03	—	—	—	23
24	.07	—	.13	.05	.21	.18	—	.22	—	—	—	.03	24
25	.62	.02	—	.45	—	.49	—	—	.26	—	—	.18	25
26	.45	.38	.02	.13	—	.14	.17	—	.01	—	—	.20	26
27	.53	.52	.04	.03	—	.03	—	.23	.01	.03	—	.51	27
28	.28	.32	.01	.03	—	.30	—	.03	.06	—	—	.34	28
29	.08	X	—	—	—	.05	.02	.05	—	.13	—	.07	29
30	—	X	.06	—	—	.05	.01	.62	.09	—	.13	.73	30
31	.17	X	.22	X	—	X	—	.02	X	.26	X	.05	31
TOTAL	5.89	4.10	2.60	4.59	1.58	1.74	4.31	3.09	2.27	1.21	2.57	4.83	YEAR'S TOTAL
Days with .01 in. or more	23	18	17	20	9	12	16	20	15	8	10	16	184
Days with .04 in. or more	19	16	12	15	7	9	10	14	10	5	10	13	140

REGISTER OF RAINFALL IN 1923.

Kept at Compton House near Petersfield
Compton.
in the County of West Sussex
by Kenneth M. Langdale

Lat. 50° 55' 40" N. Long. 0° 53' 40" W.
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Rowlands Castle (L.S.W. & S.E. Section)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 263.26 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>23</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.06	.37	—	—	—	—	—	.03	.08	.07	.62	1
2	.22	.04	.07	—	.04	—	—	.03	—	.06	.03	—	2
3	—	—	.04	.01	—	—	—	—	.08	.77	.01	.20	3
4	—	—	—	—	—	—	—	—	.10	—	—	.36	4
5	.52	—	.01	.02	.01	.01	—	—	—	.11	.07	.08	5
6	.60	.17	.11	.15	—	.05	—	—	—	—	—	—	6
7	.70	1.08	.13	—	.09	—	—	—	—	.51	—	.77	7
8	.01	.06	.07	—	.16	—	—	—	—	.24	.23	—	8
9	.08	.39	—	—	.01	—	.20	—	—	.06	.02	—	9
10	—	.53	—	.59	.13	—	.03	—	—	.22	—	.06	10
11	—	.01	—	.93	—	—	—	—	—	.85	—	.06	11
12	—	.21	.61	.32	.22	.02	—	—	—	.62	—	—	12
13	—	.10	.19	.10	—	—	—	—	.01	—	.69	.02	13
14	—	—	.12	.16	.10	—	—	—	.34	—	.01	—	14
15	—	.01	.02	.16	.30	.36	.10	—	.19	—	.12	—	15
16	—	.28	—	.23	.11	—	—	—	—	—	.10	—	16
17	—	.33	—	—	—	—	—	.17	.15	.01	.04	.01	17
18	.05	.45	—	—	—	.03	—	.04	—	.01	.02	—	18
19	.07	.05	—	.01	.01	.01	.02	.02	.13	1.08	—	.01	19
20	.02	.38	.07	—	.03	—	—	.06	.18	.09	—	—	20
21	—	.02	—	.14	.02	—	—	—	.13	.37	—	.34	21
22	—	.55	.12	.01	—	—	—	.70	.53	.23	.03	.16	22
23	—	.67	.08	—	.32	—	.10	.70	.15	.70	—	.10	23
24	—	.12	.02	.10	.01	—	—	.62	.41	.13	—	.06	24
25	—	.59	—	.75	.06	.01	.03	.25	.07	.43	.04	.45	25
26	—	.14	—	.12	—	.04	—	.04	—	.46	—	.40	26
27	—	.17	.27	—	.01	—	.01	.04	—	.09	—	.13	27
28	—	.15	.06	.24	1.03	—	.37	.02	—	—	.05	—	28
29	.11	X	.16	.02	.78	—	.12	.63	—	.04	—	.16	29
30	—	X	.01	.01	—	.02	.07	.19	.01	.23	—	.22	30
31	.01	X	.01	X	—	X	.19	.01	X	.08	X	.07	31
99	1.95	6.56	2.54	4.07	3.44	0.55	1.24	3.52	2.51	7.47	1.53	4.28	YEAR'S TOTAL
TOTAL	12	24	20	19	19	9	11	15	15	24	15	20	203
Days with .01 in. or more	9	21	15	13	12	3	7	11	12	22	9	17	151

FORM 1090. AIR MINISTRY. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. REGISTER OF RAINFALL IN 1924.

County No. River Dist. Station No. 441

Kept at Compton House Compton in the County of W. Sussex by Kenneth M. Langdale

Lat. 50° 55' 40" N Long. 0° 53' 40" W Time of Observation 9 a.m. G.M.T. Nearest Railway Station Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft. in. Sea Level 263.26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
24	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.17	—	.04	.16	.26	.08	—	—	1.05	.26	1 RRR
2	.06	—	.17	—	.04	.04	—	.03	—	.02	—	.09	2 WR
3	—	—	.10	—	.12	.05	.17	.26	—	.08	—	—	3
4	—	—	—	—	.01	1.15	.04	—	—	.07	—	.56	4
5	—	—	.09	—	.08	—	.06	—	—	.27	—	.03	5
6	—	—	—	—	.02	—	—	.04	.13	.34	—	—	6
7	.03	—	—	—	.17	.64	—	—	.60	.32	—	—	7
8	.34	.25	—	—	.10	.06	.11	—	.03	.10	—	—	8
9	.23	.19	—	.15	.04	.05	—	—	.11	.02	—	—	9
10	.36	.01	—	—	.71	.33	—	—	.11	.04	—	—	10
11	.01	—	—	.27	.45	.26	—	—	.13	.04	.19	—	11
12	.02	—	—	.11	.18	.84	—	.08	.18	—	.04	—	12
13	.01	—	—	.90	.10	—	—	.24	.57	—	.06	.25	13
14	—	—	—	.20	—	—	—	.17	—	—	—	.05	14
15	—	.06	—	—	—	—	—	.25	.09	—	—	.85	15
16	.05	—	—	—	—	—	—	.26	.04	—	—	.10	16
17	.54	—	—	—	—	.25	1.15	.29	.06	—	—	.02	17
18	.78	.06	—	—	—	.11	—	.01	—	.12	.02	—	18
19	.01	—	—	—	—	—	—	.28	.01	.07	—	.03	19
20	.01	—	—	—	.05	—	.21	.05	.27	.18	—	—	20
21	.53	—	.04	—	.09	—	.04	.03	.34	.73	—	—	21
22	.35	—	.80	—	—	—	.20	—	.47	—	—	—	22
23	—	—	.58	—	.52	—	—	.15	.11	—	—	1.20	23
24	.53	.08	.08	.27	.28	—	—	—	.11	—	.02	.11	24
25	—	.02	—	.04	.05	—	.23	.02	2.29	.22	.10	.03	25
26	—	—	.06	.50	—	—	.17	.04	.15	.55	.46	.29	26
27	—	.06	—	.73	—	—	1.21	—	—	.22	.11	.90	27
28	—	—	—	—	—	—	1.10	.62	—	.04	.27	—	28
29	—	.02	—	.21	.29	—	.05	.42	.13	.95	.03	.30	29
30	—	X	—	.03	.22	—	—	.17	.35	.47	.36	.32	30
31	—	X	—	X	.50	X	—	.01	X	.32	X	.09	31 1177
99 TOTAL	3.86	0.75	2.09	3.41	4.06	4.04	5.00	3.50	6.28	5.17	2.70	5.48	YEAR'S TOTAL 46.34
Days with .01 in. or more.	16	9	9	11	21	12	14	21	21	21	12	18	185
Days with .04 in. or more	10	6	9	10	19	12	14	16	19	19	9	14	157

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Compton House, Compton
in the County of West-Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" Ground " Sea Level Two thousand

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
25	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.90	—	.02	.16	—	—	—	.43	.09	—	.98	—	1
2	.54	—	—	.08	—	—	.11	—	—	—	.91	—	2
3	.34	.03	—	—	.41	—	.07	—	—	—	.07	—	3
4	.03	—	—	.09	.36	—	—	.11	—	—	.26	—	4
5	—	.37	—	1.07	.21	—	—	.02	.25	—	.16	—	5
6	—	.20	—	.05	.33	—	.56	.22	.01	—	.92	.01	6
7	—	.29	—	—	.41	—	—	—	—	—	.16	.20	7
8	.11	.03	.03	—	.36	—	—	.03	.03	—	.01	.12	8
9	—	.11	—	.15	.04	—	.02	.20	.02	—	—	—	9
10	—	.07	.05	.09	.09	—	—	.68	.18	—	.21	—	10
11	—	.23	—	—	.03	—	—	.20	—	—	.71	—	11
12	—	1.34	—	—	—	—	—	.19	—	—	—	—	12
13	.08	.80	.04	.16	—	—	—	—	—	—	—	.03	13
14	.78	.07	.01	.36	—	—	—	—	—	—	.07	—	14
15	.07	.03	—	.09	—	—	—	—	—	.05	—	—	15
16	.11	.03	—	—	—	—	—	—	.15	.48	—	—	16
17	—	—	—	—	.03	—	.04	—	.08	—	—	—	17
18	—	.10	—	.08	.39	—	.03	.03	.05	.03	—	.03	18
19	—	—	—	.19	.02	—	—	—	.24	.92	—	.40	19
20	—	—	.06	—	—	—	—	.08	.65	.72	—	.13	20
21	—	—	.02	—	—	—	.28	.41	.80	.50	—	.62	21
22	—	.30	—	.32	.21	—	.70	.56	.55	.91	—	.30	22
23	.05	.27	.05	—	.39	—	—	1.85	—	.13	—	.20	23
24	.32	.39	.12	.12	.71	—	—	.02	—	.03	.08	.34	24
25	.45	1.01	.16	—	—	—	.08	—	.45	.07	—	.09	25
26	.11	.58	—	.10	.35	.02	.75	.18	—	.49	—	.21	26
27	.22	.01	—	.10	.67	—	.36	.07	—	—	.08	.09	27
28	.14	—	—	.09	.03	—	.07	—	—	—	—	.21	28
29	.17	X	—	—	.31	—	.23	—	.02	—	.08	.71	29
30	.01	X	.03	.09	—	—	.45	—	—	.06	.04	.29	30
31	.19	X	.04	X	—	X	.05	—	X	.02	X	.03	31
99													
TOTAL	5.62	6.26	0.63	3.39	5.35	0.02	3.80	5.28	3.07	4.41	4.69	4.01	YEARS TOTAL 46.53
Days with .01 in. or more.	18	20	12	18	19	1	15	17	15	13	15	18	181
Days with .04 in. or more.	16	15	7	18	15	0	13	13	11	10	13	14	145

(Signed) Kenneth M. Langdale P.T.O.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

406
441

Kept at COMPTON HOUSE, COMPTON
in the County of SUSSEX

July & Dec corr by Observer.
f 756146/27

Diameter of Funnel of Gauge.....five in.
Height of top of Gauge above Ground.....one ft. in.
" Ground " Sea Level 263.26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
<i>26</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.87	.11	-	-	-	.60	-	-	.12	-	.32	-	1
2	.14	-	-	-	-	.31	.17	-	.10	-	.37	-	2
3	.43	.11	.20	-	-	-	-	-	-	-	-	-	3
4	.08	.39	.10	.04	-	-	.10	-	-	-	.36	-	4
5	.17	.07	.15	-	1.02	-	.73	-	.02	-	.26	.20	5
6	.26	.50	-	.20	.03	.01	.10	.13	.08	.02	.12	-	6
7	.07	.06	-	.10	.19	.22	-	-	.15	-	.58	.03	7
8	-	-	-	.24	.02	.05	-	.05	-	.12	.66	-	8
9	-	-	.04	-	-	.40	.06	.03	-	.20	.70	-	9
10	-	-	-	-	.06	.12	.04	-	-	.02	.11	-	10
11	-	.08	-	-	.13	.25	-	.29	-	-	.11	-	11
12	-	-	-	-	-	.18	-	-	-	.44	.03	-	12
13	-	-	-	-	.11	.04	-	.02	-	-	1.53	.04	13
14	.05	.10	-	.44	.39	.10	-	-	.01	.64	.06	.02	14
15	.46	.12	-	.46	-	-	-	.01	-	.15	.15	-	15
16	.16	.07	-	.43	-	-	-	.25	-	.03	.02	-	16
17	.22	.81	-	.06	-	.63	.04	-	-	-	.19	.02	17
18	.35	.13	-	-	.20	-	.05	.15	-	-	.72	-	18
19	-	-	-	.03	.33	-	.43	.03	-	-	.37	-	19
20	-	-	-	.25	-	-	-	.30	-	-	.42	-	20
21	-	-	-	-	-	-	.02	.01	-	.02	.36	-	21
22	.68	-	-	.02	-	-	-	-	-	-	.29	-	22
23	.10	-	.01	-	-	-	-	-	-	-	-	-	23
24	.03	-	-	-	-	-	.09	-	.02	.68	-	-	24
25	.27	-	.22	.39	-	-	.24	-	-	.08	.30	.03	25
26	.05	-	.06	-	.02	-	.19	-	.04	-	.02	-	26
27	.14	.04	-	.04	.13	-	-	-	-	.12	.12	-	27
28	.82	-	-	.17	.03	-	.38	-	-	.22	.28	-	28
29	.04	-	-	.03	.30	-	-	-	-	.13	.12	-	29
30	.43	X	-	.14	.29	-	-	.05	-	-	.20	-	30
31	.54	X	-	X	-	X	-	.28	X	-	X	-	31
99 TOTAL	6.36	2.59	.78	3.04	3.25	2.91	2.64	1.60	.54	2.87	8.77	.34	YEARS TOTAL 35.69
Days with .01 in. or more.	22	13	7	16	15	12	15	13	8	14	27	65	165
Days with .04 in. or more.	21	13	6	13	11	11	12	8	5	10	24	2	136

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

399
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at COMPTON HOUSE COMPTON
in the County of SUSSEX (WEST)

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 263.26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
27	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.87	—	.02	—	—	1.00	.76	—	.60	.34	—	1
2	.01	—	.06	.28	—	—	—	—	—	.04	.02	—	2
3	.26	.01	.03	—	—	—	.08	—	—	—	—	—	3
4	.09	—	.08	.19	.04	—	.26	—	—	—	—	—	4
5	.22	.10	.19	.60	.54	.13	.02	.28	—	—	.11	—	5
6	.03	—	.53	.50	—	—	.02	.21	.23	—	.12	—	6
7	—	.33	—	.20	—	.14	—	.08	—	—	—	—	7
8	.02	—	.02	.45	.15	—	.53	.19	.16	—	.05	—	8
9	—	—	—	.06	—	—	.11	.06	.28	—	—	.01	9
10	—	—	.02	—	—	—	—	—	.17	—	—	—	10
11	—	—	—	—	—	—	—	.10	—	—	—	—	11
12	.21	—	—	—	—	—	.19	.07	—	—	—	—	12
13	.20	—	—	—	—	—	.34	.82	.26	.02	.07	.34	13
14	.03	—	—	.07	.05	—	.28	—	2.04	—	.03	.25	14
15	—	.02	—	—	.01	—	—	.29	.03	—	—	—	15
16	—	—	—	—	.16	.33	—	—	.35	—	—	—	16
17	.21	—	.18	—	—	.19	—	.35	.01	—	—	—	17
18	.12	—	—	—	—	.72	—	.17	.04	—	.70	—	18
19	—	.26	—	—	—	—	—	.32	—	.03	.72	—	19
20	.27	.11	—	—	—	—	.25	1.12	.05	—	.39	.33	20
21	—	.32	—	—	.01	.05	—	.27	.33	.46	.19	1.12	21
22	.36	.22	.38	.06	.07	.27	—	—	.74	.47	—	.75	22
23	.02	1.00	.22	—	—	.25	—	.08	1.22	—	.34	.13	23
24	—	.20	.42	.01	—	.20	.02	.08	.05	.10	.02	.57	24
25	—	.18	.23	—	—	.05	.02	.04	.07	.12	—	1.00	25
26	.25	.59	.08	—	.03	.25	.25	—	.04	.05	—	.72	26
27	.03	.88	—	—	.43	.26	.43	—	—	.95	—	—	27
28	.25	.11	.16	.10	—	.29	—	—	—	.07	.43	—	28
29	.13	X	.31	—	—	.88	—	.03	.71	—	.43	—	29
30	.15	X	.02	—	.02	.42	.03	—	.10	.53	—	—	30
31	—	X	.67	X	—	X	.10	—	X	.06	X	.23	31
99													YEARS TOTAL
TOTAL	2.87	5.10	3.60	2.54	1.51	4.43	3.93	4.79	7.18	3.50	3.06	5.45	48.86
Days with ".01 in. or more.	20	15	17	12	11	15	17	19	19	13	15	11	184
Days with ".04 in. or more.	13	13	13	10	7	15	12	18	17	11	12	10	151

Miss

(Signed)

Kathleen B. Langdale

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at COMPTON HOUSE, COMPTON
 in the County of SUSSEX (WEST)

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>28</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.03	.19	.05	—	—	—	.02	—	—	.02	—	1
2	1.33	.42	.09	.03	—	—	—	.04	—	—	.12	.04	2
3	—	—	—	.42	—	—	.14	1.01	—	—	.03	—	3
4	.03	.31	—	.02	—	.03	—	—	—	—	—	—	4
5	.12	.14	.13	—	—	—	.11	—	—	—	—	—	5
6	—	—	.04	—	—	.20	—	—	—	.01	—	.09	6
7	.04	.06	.06	.15	—	.30	—	.10	—	.03	—	—	7
8	.06	.06	—	.04	—	.61	.03	—	—	.04	—	—	8
9	.01	—	—	.07	—	.03	—	—	.58	.23	—	.05	9
10	.13	.21	—	.05	—	.04	—	.02	.01	.37	.25	.04	10
11	.09	—	—	.04	—	.02	—	—	—	.67	.10	.29	11
12	.53	.50	.09	.02	—	—	—	—	—	.10	.15	.06	12
13	—	.12	—	—	—	1.18	—	.08	—	—	.08	—	13
14	.24	.08	—	.39	.07	.17	—	.07	—	.72	.71	—	14
15	.13	—	—	.75	—	.09	—	—	—	.01	.42	—	15
16	—	.19	—	.15	.03	—	—	—	—	.39	.43	.45	16
17	.02	—	—	.02	1.05	—	—	—	—	.15	—	—	17
18	.75	—	.03	—	.28	.10	—	—	—	.74	.12	—	18
19	—	—	—	—	.07	.04	—	.15	—	.80	—	.21	19
20	.23	—	.12	—	.11	—	—	.04	—	.18	.25	—	20
21	.15	—	.17	.10	.11	.04	—	—	—	.90	.80	—	21
22	—	—	.30	—	—	—	—	—	—	.84	.38	.18	22
23	.62	—	.06	—	.03	—	—	—	—	.23	.33	—	23
24	.07	—	—	—	—	—	—	—	.22	.17	.08	.48	24
25	.13	—	—	—	—	.09	—	—	—	.09	.08	.27	25
26	.33	—	.03	—	.01	.02	.06	.95	—	2.15	.02	.08	26
27	—	—	.12	—	—	—	.98	—	.12	.40	.08	1.25	27
28	1.10	—	.06	—	—	—	—	.03	.33	—	—	.24	28
29	.40	.49	.77	.09	—	.01	.12	—	—	.17	.11	.34	29
30	.13	X	.27	—	—	.19	.25	—	—	.04	—	.10	30
31	.30	X	.30	X	—	X	.27	—	X	.07	X	.04	31
99													YEAR'S TOTAL
TOTAL	7.22	2.61	2.83	2.39	1.76	3.16	1.96	2.51	1.26	9.50	4.56	4.21	43.97
Days with .01 in. or more.	24	12	17	16	9	17	8	11	5	24	20	17	180
Days with .04 in. or more.	21	11	15	12	6	12	7	8	4	21	17	17	151

FORM 1090.

REGISTER OF RAINFALL IN 1929.

430
441

Kept at Compton House Compton
in the County of Sussex (West)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
,, Ground ,, Sea Level ft.

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
29	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.06	-	-	-	.02	-	.04	-	.33	-	.02	I
2	-	1.13	-	-	-	.15	.08	-	-	.30	.03	.70	2
3	-	-	-	-	-	.04	.65	.12	-	-	-	.27	3
4	-	-	.03	.05	.70	.16	.12	.05	-	.11	-	.47	4
5	-	-	-	-	1.85	.37	.76	1.09	-	.44	.36	.09	5
6	-	-	-	-	.74	.02	.06	.42	-	.06	.33	.59	6
7	-	-	-	-	.04	.10	-	.05	-	.52	.78	.82	7
8	-	-	-	-	-	-	-	-	-	.32	-	.51	8
9	.10	.15	-	.03	-	-	-	-	-	.01	.20	.33	9
10	.14	-	-	-	-	-	-	-	-	.05	-	.51	10
II	-	-	-	.06	.36	.05	-	-	-	-	1.32	.03	II
12	-	-	-	.10	.20	.15	-	-	-	-	-	-	12
13	.02	-	-	-	.25	.02	-	-	-	-	-	.05	13
14	-	-	-	-	.05	.18	-	-	-	-	-	.12	14
15	-	.10	-	-	-	.28	-	.41	.14	-	1.10	.04	15
16	-	-	-	-	-	-	-	-	.37	-	.10	-	16
17	.13	-	-	.04	-	-	-	-	-	-	-	-	17
18	-	-	-	-	-	-	-	.04	-	-	.52	-	18
19	-	-	-	-	-	-	-	-	.02	-	.07	-	19
20	.10	.05	-	-	-	-	.41	.05	-	.77	-	.38	20
21	.04	-	-	-	-	-	-	-	-	-	-	.26	21
22	-	.02	.08	-	-	-	.05	.02	-	-	.13	.02	22
23	-	.08	-	.02	-	-	-	-	-	.24	.40	.61	23
24	-	.04	-	-	-	-	-	-	-	.65	1.08	.41	24
25	-	-	.04	-	-	-	-	-	-	.16	.18	.04	25
26	-	-	-	.05	.03	-	-	-	-	-	.12	.19	26
27	-	-	-	.05	.19	-	-	-	-	.03	1.63	.09	27
28	.31	X	-	.08	-	-	.42	-	-	.63	.55	.75	28
29	.14	X	-	.35	-	.09	-	-	.02	.05	.38	.24	29
30	.02	X	-	-	-	.07	.09	-	.31	-	.40	.38	30
31	.50	X	-	X	-	X	.06	.02	X	-	X	.02	31
99													YEAR'S TOTAL
TOTAL	1.50	1.63	.15	.83	3.81	1.70	2.10	2.31	.86	4.07	9.68	7.94	39.18
Days with or in. or more.	10	8	3	10	10	14	10	11	5	16	19	26	142
Days with .04 in. or more.	8	7	2	8	9	11	10	9	3	14	18	22	122

Kept at Compton
in the County of West Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 263.26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>30</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.11	.63	—	.22	—	—	—	.02	—	—	.80	—	I
2	.07	—	.11	.04	.12	—	.28	.17	—	—	.38	—	2
3	.22	.11	—	.81	.27	—	—	.71	—	.07	.05	—	3
4	.93	—	—	.05	—	—	—	.30	—	.23	—	—	4
5	—	—	—	—	.06	—	—	.26	—	—	—	—	5
6	.02	—	.02	—	.05	—	—	.28	.32	—	—	—	6
7	.36	.02	—	—	.03	—	—	.10	—	.61	.47	.19	7
8	.10	—	—	.02	.41	—	—	—	.02	—	—	.35	8
9	.30	—	.02	—	—	—	—	.03	.16	—	—	—	9
10	.45	—	.10	—	.41	—	—	.06	—	—	—	.70	10
II	.20	—	—	.07	.03	—	.10	—	—	.03	—	1.09	II
I2	.21	—	—	.10	.15	—	—	.06	—	—	—	.30	I2
I3	.05	—	.05	.27	.07	—	.17	.30	.60	—	—	.04	I3
I4	.08	.10	.17	—	—	—	.44	—	—	—	—	—	I4
I5	.02	.03	.25	—	—	—	.56	—	—	.21	.29	.14	I5
I6	—	—	—	—	—	—	—	—	.27	—	—	.16	I6
I7	—	.03	.23	.20	—	—	—	—	.52	.16	—	—	I7
I8	—	—	.05	.03	.18	.08	—	—	.16	—	.31	.12	I8
I9	—	—	.10	.11	—	.02	—	.14	.35	.16	1.04	.02	I9
20	—	—	.07	.10	—	.01	1.07	.54	.24	.17	.27	—	20
21	—	—	.02	—	—	—	—	.17	.02	.18	.85	—	21
22	.57	—	—	.05	.10	.06	—	.70	.05	.36	.26	—	22
23	.40	—	.12	.29	—	.32	—	.02	.07	—	.25	.11	23
24	.34	—	—	.17	.07	.05	—	—	—	—	.30	.41	24
25	.04	.43	—	—	.07	—	—	—	.02	.10	.12	.02	25
26	.28	.03	—	—	—	—	.13	—	.04	—	.27	.25	26
27	—	—	.02	—	.03	—	—	—	—	.03	.33	.26	27
28	.07	—	.03	—	.02	—	—	—	—	—	.63	.06	28
29	.07	X	.08	—	—	—	—	.31	.04	.05	.02	.09	29
30	.08	X	—	—	.10	.03	.05	—	—	—	—	.46	30
31	.61	X	.16	X	.06	X	—	—	X	.12	X	.10	31
99													YEAR'S TOTAL
TOTAL	5.58	1.38	1.60	2.53	2.23	.57	2.80	4.17	2.88	2.48	6.64	4.87	37.73
* Days with or in. or more.	23	8	17	15	18	7	8	17	15	14	17	19	178
* Days with .04 in. or more.	21	4	12	13	14	4	8	14	12	12	16	17	147

Section **A**

FORM 1090.

Kept at COWBEECH P.S.
in the County

Diameter of Funnel
Height of top of
Ground

THE MO

An observer who
year in the space

547/5

SUSSEX
1930

FOR OFFICIAL USE.
H RAINFALL ORGANIZATION.
N 1930.

PREVIOUS DAY.

January 1st of the following

Jan. 1, following

Please read the Notes and Instructions on the Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I									—	—	.81	—	I
2									—	—	.41	—	2
3									—	—	—	—	3
4									.15	.15	—	—	4
5									—	—	—	—	5
6									.11	.01	—	—	6
7								+2.30	.1	.5	.33	.13	7
8									—	.04	—	.23	8
9									.01	—	—	.02	9
10									—	—	—	.13	10
11									—	.13	—	.7	11
12									—	—	—	.19	12
13								—	.49	—	—	—	13
14								—	—	—	—	—	14
15								—	—	.13	.09	—	15
16								—	.11	—	—	—	16
17								—	.22	—	—	—	17
18								—	.09	.03	.27	.08	18
19								—	.74	.1	.46	.01	19
20								.16	.30	.47	.47	—	20
21								.36	—	.28	.5	—	21
22								.22	.01	.23	.19	.03	22
23								.02	.02	—	.05	.21	23
24								—	—	—	.42	.17	24
25								—	.02	—	.5	—	25
26								—	.19	—	.2	.25	26
27								—	—	—	.38	.13	27
28								—	.16	—	.21	.13	28
29								.06	.1	.02	.38	.2	29
30		X						—	—	—	—	.67	30
31		X		X		X		—	X	.18	X	.01	31
TOTAL								(3.12) .82	2.82	2.27	5.67	3.26	14.84
* Days with or in. or more.													
* Days with or in. or more.													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

B. Holland

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1930.

555

Kept at Bowbeech Pumping Station
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 100 ft.

ask Blanford where this is
August 1st 12th Estimated by surrounding stations.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									—	—	.81	—	1
2									—	—	.41	—	2
3									—	—	—	—	3
4									.15	.15	—	—	4
5									—	—	—	—	5
6									.11	.01	—	—	6
7								+2.30	.1	.5	.33	.13	7
8									—	.04	—	.23	8
9									.01	—	—	.02	9
10									—	—	—	.13	10
11									—	.13	—	.7	11
12									—	—	—	.19	12
13								—	.49	—	—	—	13
14								—	—	—	—	—	14
15								—	—	.13	.09	—	15
16								—	.11	—	—	—	16
17								—	.22	—	—	—	17
18								—	.09	.03	.27	.08	18
19								—	.74	.1	.46	.01	19
20								.16	.30	.47	.47	—	20
21								.36	—	.28	.5	—	21
22								.22	.01	.23	.19	.03	22
23								.02	.02	—	.05	.21	23
24								—	—	—	.42	.17	24
25								—	.02	—	.5	—	25
26								—	.19	—	.2	.25	26
27								—	—	—	.38	.13	27
28								—	.16	—	.21	.13	28
29								.06	.1	.02	.38	.2	29
30		X						—	—	—	—	.67	30
31		X		X		X		—	X	.18	X	.01	31
TOTAL								(3.12) .82	2.82	2.27	5.67	3.26	14.84
*Days with or in. or more.													
*Days with .04 in. or more.													

Kept at "The Beeches", C

in the County of "West"

by "Norman Longley"

IMPORTANT NOTE.—Rain
previous day. If an Observer prefers
to add the reading at 9 a.m. on 1st
this paragraph. Full instructions
particulars as to the British Rainfall
on application to THE SUPERINTENDENT,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

CRAWLEY
"THE BEECHES"
SUSSEX

1922, 23, 25-30

ON.

L.B. Sec.

8' in.

1 ft. - in.

el 260 ft.

result entered to the

requested

end of

es, and

post-free

nistry,

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	T	.11	.39		.15		.06	.07		.01	.64	.11	1
2	.05	.21	.22	.23			.13	T	.06	T	.03	T	2
3		.04	.18	.66	.18		.11	.24			.07		3
4		.18	.20		.14		.21	.07		.35	T		4
5			.24				1.37		T	.19	.43		5
6	.17		.08				.02	.67		.02	.07		6
7	.13		.85	.23				.09			T	T	7
8	.15		.06	.04		.07	.44	.07			.05		8
9	.10							.15			T		9
10	.01								.01	T	.40		10
11	.06			T	.08						T		11
12				.79				.20	.62		T	.01	12
13	T _s			.45		.12	.15		.16			T	13
14	T _s			.01		.46	1.32	.08	.36				14
15	.54 _s	.29		.04		.01	.06	T			.01		15
16	T _s	.08		.17	.07				.08		T	.31	16
17		.37			.06			.01	.09			.14	17
18	.95	T			.02							.30	18
19	.72	.12	T						.38	.22		.69	19
20	.02	.08	T							T			20
21	.44	.23	.06 _s	.17								1.03	21
22	T	.08		.07			T	.14				.10	22
23		.02		.08		T	.07		T				23
24	.06		.24	.03		.10		.26					24
25	.42		.01 _s	.40		.11		T	.03			.08	25
26	.12	.35	.02	.15		.13	.23		.01		.01	.07	26
27	.30	.51	.06	.03		T		.25	.01	.02		.22	27
28	.20	.38	.04			.32		T	T	.01	T	.16	28
29	.05	X		.12		.10	T	.25		.10		.20	29
30	.01	X	.26			.12	.07	.20	.09	.03	.06	1.15	30
31	.07	X	.10 _s	X		X	.03	.14	X	.06	X	.24	31
TOTAL	4.57	3.05	2.95	3.67	0.70	1.54	4.27	2.91	1.90	1.01	2.27	4.81	YEAR'S TOTAL
Days with ".01 in. or more	20	15	16	17	7	10	14	16	12	10	10	15	33.65
Days with ".04 in. or more	17	14	14	14	6	9	12	15	8	5	7	13	162
													134

REGISTER OF RAINFALL IN 1922.

Kept at "The Biches", Crawley,

in the County of West Sussex.

by Norman Longley

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Crawley L.B. & S.C.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	T	.11	.39		.15		.06	.07		.01	.64	.11	1
2	.05	.21	.22	.23			.13	T	.06	T	.03	T	2
3		.04	.18	.66	.18		.11	.24			.07		3
4		.18	.20		.14		.21	.07		.35	T		4
5			.24				1.37		T	.19	.43		5
6	.17		.08				.02	.67		.02	.07		6
7	.13		.85	.23				.09			T	T	7
8	.15		.06	.04		.07	.44	.07			.05		8
9	.10							.15			T		9
10	.01								.01	T	.40		10
11	.06			T	.08						T		11
12				.79				.20	.62		T	.01	12
13	T _s			.45		.12	.15		.16			T	13
14	T _s			.01		.46	1.32	.08	.36				14
15	.54 _s	.29		.04		.01	.06	T			.01		15
16	T _s	.08		.17	.07				.08		T	.31	16
17		.37			.06			.01	.09			.14	17
18	.95	T			.02							.30	18
19	.72	.12	T						.38	.22		.69	19
20	.02	.08	T							T			20
21	.44	.23	.06 _s	.17								1.03	21
22	T	.08		.07			T	.14				.10	22
23		.02		.08		T	.07		T				23
24	.06		.24	.03		.10		.26					24
25	.42		.01 _s	.40		.11		T	.03			.08	25
26	.12	.35	.02	.15		.13	.23		.01		.01	.07	26
27	.30	.51	.06	.03		T		.25	.01	.02		.22	27
28	.20	.38	.04			.32		T	T	.01	T	.16	28
29	.05	X		.12		.10	T	.25		.10		.20	29
30	.01	X	.20			.12	.07	.20	.09	.03	.06	1.15	30
31	.07	X	.10 _s	X		X	.03	.16	X	.06	X	.24	31
TOTAL	4.57	3.05	2.95	3.67	0.70	1.54	4.27	2.91	1.40	1.01	2.27	4.81	YEAR'S TOTAL
Days with ".01 in. or more	20	15	16	17	7	10	14	16	12	10	10	15	33.65
Days with ".04 in. or more	17	14	14	14	6	9	12	15	8	5	7	13	162
													134

AIR MINISTRY.

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at The Beeches Crawley
in the County of Sussex
by Norman Longley

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Crawley L.B.S.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 260 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	.28			T				.03	.17	.54	1
2	.28	.07	T		T					.16	.02	.05	2
3	T					.02					.07	.02	3
4	T								.09	.81		.34	4
5	.48		.01	.12		T				.05	.03		5
6	.38	.11	.12	T					T		T	T	6
7	.11	1.38	.31		.04					.55		.47	7
8	.01	.23	T		.13					.32	.58		8
9	.15	.14	.02	T			2.94			.01	T		9
10		.45	T	.52	.11		.04			.29	.01	.08	10
11			T	.30	T					.57	T	T	11
12		.24	.46	.22	.13					.50	T		12
13	.01	.10	.22	.10		.03	.12			T	.67	.03	13
14		.03	.09	.11	.05			.02	.28	.04			14
15	.01		.01	.03	.30	.20	.01		.06		.31	T	15
16	T	.21		T	.16						.15		16
17		.10			.04			.11	.08	T			17
18	.09	.37				.02		.09	.01	.19	.02		18
19	.17	.03		T		T	.01		.08	.76			19
20		.22	.31		.01	.02		.01	.31	.20	T	.05	20
21		.18	.03	.12	.01				.08	.42	T	.20	21
22	T	.67	T					.03	.28	.25	.03	.08	22
23		.20	.09		.31		.11	.70	.16	.74		.06	23
24		.03	.27			T		.57	.27	.05		.05	24
25		.49	.09	.82	.06	.03	.05	.04	.06	.58		.47	25
26		.19		.29	.01			.07		.35		.28	26
27	T	.22	.15		T		.03	.02	T	.05		.21	27
28		.26	T	.17	1.27		.20	.01		.01	.14	T	28
29	.05	X	.18	.13	.51		.08	.63		T		.15	29
30		X					.07	T		.15	T	.21	30
31		X		X		X	.35	T	X	.06	X	.14	31
TOTAL	1.81	5.93	2.64	2.93	3.14	0.32	4.01	2.30	1.76	7.24	2.20	3.43	YEAR'S TOTAL
Days with .01 in. or more	12	23	16	12	15	6	12	12	12	24	12	18	174
Days with .04 in. or more	9	19	12	11	12	1	9	7	11	21	7	16	135

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at The Beeches, Crawley
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50		.05	.06			.07	.06	.07		.72	T	1
2	.52			.15	T		.06				.45		2
3	.36										.40		3
4				.95	.19			.16		T	.05		4
5		.21		.16	.20				T		.15		5
6		.19			.02		.41	.15	.06		.55		6
7		.22	.02		.21		T		T		T	.23	7
8	.11		T		.09						.02	.14	8
9		.02		.04	.19			.16	.03		.25		9
10		.06	.06	.07				.10	.05				10
11		.24			.07			.25			T		11
12		.65						.01	.04			T	12
13	.03	.56	.13	.12				.02					13
14	.55	.20	T	.29									14
15	.14	T		.19						.03	.15		15
16	.03	.12		T					.07	.19		.02	16
17				.02					.04				17
18	.02	.07					.33						18
19				.06	.16	T		.02		.75		.24	19
20			.05					.27	.72	.64		.20	20
21		T	T		T		.24	.17	.14	.53		.60	21
22		.16	.03	.14			.30	.21	.81	.17		.39	22
23	.02	.14	.14	.14	T			.65	T	.25	.06	.03	23
24	.10	.56	.05	T	.24	.10		.19		.02	.07	.27	24
25	.03	<u>1.44</u>		.25	.37				.30	.02		.24	25
26	.02	.20		.07			.46	.12		.50		.05	26
27	.26	T		.10	.10		.34	.02				.37	27
28	.23			.23	.74		T				.23	.73	28
29	.16			T	.02		.09					.35	29
30	.02	X	.01	.27	.25		.31				.02	T	30 911
31	.10	X		X		X	.17		X		X	.10	31 912
TOTAL	3.53	5.04	0.57	3.40	2.85	0.10	3.75	2.62	2.36	4.16	3.51	3.96	YEARS TOTAL 35.88
Days with .01 in. or more.	18	16	9	18	14	1	11	16	11	10	16	15	155
Days with .04 in. or more.	11	15	6	17	12	1	11	12	10	7	14	13	129

(Signed)

Norman Langley

[P.T.O.]

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at The Beeches - Bramley
in the County of Surrey

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft..... in.

„ Ground „ Sea Level.....220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.31				.33					.03		1
2	.06	T				.62			.07		.07		2
3	.31	.84	.04			.02							3
4		.19		.60			.29				.08		4
5	.04	.14	.18		.30		.06				.45	.22	5
6	.02	.39		.23	T		.07	.06	.11		.07		6
7	.37	.02		.16	.26	.12			.03		.48	.02	7
8		T		.15				.02		.03	.75		8
9		T				.59					.75		9
10		.02			.05	.07		.46		.07	.23		10
11		.14			.03	.22		.20		.02	.09		11
12		.04				.10				.43			12
13	Snow .04	.04			.28					T	1.40	.02	13
14	Snow .10	.08		.31	.28	.28				.57			14
15	Snow .05	.05		.35	T					.20	.12		15
16	Snow	.18		.25				.18			.03		16
17	.07	.55		.02	.02	.56					.08	.03	17
18	.20	.14		.12		.02	.30	.11			1.02		18
19		T		.16	.08		.20				.23		19
20				.34	.02			.15		.03	.60		20
21		T		T				T			.35		21
22	.50			.07	.23		.03				.12		22
23	.11	.02											23
24	.05				.15		T		.07	1.05			24
25	.06			.24			.28			.04	.07	.02	25
26	T	T					.28						26
27	.08	.03		.23	.04		.04			.02			27
28	.85			.15	T		.39			.27	.20		28
29	.05		.06	.10	.21					.07			29
30	.04	X		.11			.04			T	T	.03	30
31	.71	X		X		X		.73	X		X		31
TOTAL	4.37	3.18	0.28	3.59	1.95	2.93	1.98	1.91	0.28	2.80	7.22	0.34	YEARS TOTAL 30.83
Days with ".01 in. or more.	20	17	3	17	13	11	11	8	4	12	21	6	143
Days with ".04 in. or more.	19	13	3	16	10	9	10	7	3	8	19	1	118

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

533
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at The Beeches, Crawley
in the County of Surrey (West)
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level.....220 ft.

Dec. 1 1/2" low
Nov 2 1/2" low
Revised values suggested for adoption in
Nov. and Dec. from 9.6. 14/6/29.
No reply by 12/7/29 values adopted

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in. (frs)	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	1.46	-	-	-	-	1.00	.22	-	.20	.62	-	1
2	.07	-	.08	.23	-	-	-	-	-	.02	-	-	2
3	.17	-	.03	-	-	-	-	-	-	-	-	(.66)	3
4	.04	-	-	.05	T	-	.03	-	-	-	-	-	4
5	.15	.26	.25	.35	-	.05	-	.12	-	-	(.08)	T	5
6	.02	-	.38	.35	-	.18	.25	.11	.08	-	.03	-	6
7	.02	.27	.15	.30	-	.13	-	.30	-	-	.06	-	7
8	.03	-	-	.35	-	-	.08	.02	.03	-	(.16)	-	8
9	-	-	.02	.22	-	-	.31	.03	.17	-	-	-	9
10	-	F	-	-	-	-	-	.02	.31	-	-	-	10
11	-	-	-	-	-	-	-	.21	-	-	-	-	11
12	.10	-	-	-	-	-	-	.14	-	.02	-	-	12
13	.17	-	-	-	-	-	.15	.46	.14	.03	(.87)	.12	13
14	T	-	-	-	-	-	.38	.04	1.95	-	.03	(.38)	14
15	.04	.04	-	-	-	-	.08	.25	.09	-	-	-	15
16	.05	-	-	-	.15	-	-	-	.20	-	-	FR	16
17	.02	-	.07	-	-	.38	-	.02	.05	-	.05	FR	17
18	.24 ^s	-	-	-	-	.57	-	.25	T	-	.20	FA	18
19	.22 ^s	.15	-	-	-	.02	-	.03	-	T	(.30)	FR	19
20	.09	.16	-	-	.12	-	.14	.77	-	T	(.46)	.17	20
21	.21	.28	T	-	-	-	.02	.23	.26	.48	.35	1.08	21
22	T	.03	.64	-	.02	.17	-	.12	.22	.18	-	(.09)	22
23	-	.74	.43	-	-	.11	-	.19	1.05	.02	.05	.24	23
24	.02	.18	.60	T	-	.23	-	.05	-	T	.03	.48	24
25	T	.35	.55	-	-	.09	-	.16	.12	.09	T ^F	1.02	25
26	.23	.82	.10	-	.14	.21	.22	-	.12	.12	T ^F	.35 ^s	26
27	.05	.61	.02	-	.30	.21	.20	-	-	.59	-	-	27
28	.24	.37	.04	.09	-	.31	.10	-	-	.09	.35	-	28
29	.12	-	.22	-	-	.45	-	-	.62	-	(1.20)	-	29
30	.20	X	.11	-	-	.55	.12	-	.02	.26	-	-	30
31	-	X	.69	X	-	X	.07	-	X	.02	X	.12	(4131.93)
TOTAL	2.50	5.72	4.38	1.94	0.73	3.66	3.15	3.74	5.43	2.12	(3.92)	(4.64)	YEARS TOTAL
Days with ".01 in. or more.	22	14	17	8	5	15	15	21	16	13	106	811	164
Days with ".04 in. or more.	17	13	14	8	4	14	13	16	14	8	813	811	136

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

40-9999

(Signed)

~~P.T.O.~~

REGISTER OF RAINFALL IN 1929 .

Kept at The Beeches, Crawley
in the County of Surrey

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.03	-	-	-	-	-	.30	-	-	1
2	-	.53	-	-	-	.07	.08	.18	-	.43	-	.62	2
3	-	-	-	-	-	-	1.95	-	-	.48	-	.34	3
4	-	-	-	.15	.53	.25	.20	.07	-	.02	-	.58	4
5	-	-	-	-	1.18	.26	.18	.58	-	.36	.10	.39	5
6	-	-	-	-	.20	-	.24	.42	-	.15	.12	.75	6
7	-	-	-	-	.02	.07	-	.30	-	.56	.40	1.00	7
8	-	-	-	-	-	.16	-	-	-	.36	-	.52	8
9	.05	.12	-	-	-	-	-	-	-	-	-	.38	9
10	.19	-	-	.11	-	-	-	-	-	.05	.12	.73	10
11	-	-	-	.12	.04	-	-	.02	-	-	1.35	.15	11
12	-	-	-	.09	.42	.39	-	-	-	-	-	.02	12
13	-	-	-	-	.14	-	-	-	-	-	-	.06	13
14	-	<u>snow</u> .04	-	-	.04	.15	-	-	-	-	-	.24	14
15	.06	-	-	-	-	.12	-	-	-	-	.98	-	15
16	.04	-	-	-	-	-	-	.91	-	-	.60	-	16
17	-	-	-	-	-	-	-	-	-	-	-	-	17
18	-	-	-	-	-	-	-	-	.02	-	.49	-	18
19	-	-	-	-	-	-	-	-	-	-	.05	-	19
20	-	-	-	-	-	-	.05	-	-	.77	-	.60	20
21	-	-	.02	-	-	-	-	.05	-	-	.23	.40	21
22	-	-	-	-	-	-	-	.05	-	.54	-	-	22
23	-	.04	-	-	-	-	-	-	-	-	.60	.47	23
24	-	-	-	-	-	-	-	.02	-	1.10	.95	.55	24
25	.03	-	-	-	-	-	-	-	-	-	.17	.02	25
26	.04	-	-	.03	-	-	-	-	-	.08	.10	.20	26
27	.03	-	-	.02	-	-	-	-	-	-	1.00	-	27
28	-	-	-	T	-	-	.18	-	-	.37	.34	.67	28
29	.39	-	-	.34	-	.06	-	-	.10	-	.28	.24	29
30	.02	X	-	-	-	.14	-	-	.39	-	.38	.47	30
31	.48	X	-	X	-	X	.20	-	X	-	X	-	31
TOTAL	1.33	0.77	0.02	0.89	2.57	1.67	3.08	2.60	0.51	5.57	8.31	9.40	36.72
Days with "or in. or more.	10	5	1	8	8	10	8	10	3	14	18	2.2	117
Days with ".04 in. or more.	7	4	0	5	7	10	8	8	2	13	18	20	102

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Beeches, Crawley
in the County of Surrey

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.40	-	.20	-	-	-	T	-	-	-	-	1
2	-	.19	-	-	-	-	.17	.17	-	-	.67	-	2
3	.30	.22	-	.63	.31	-	-	.47	-	T	.82	-	3
4	.45	-	-	-	-	-	-	.17	.03	.03	.03	-	4
5	.03	-	-	.10	-	-	-	.30	-	.02	-	-	5
6	-	-	-	-	-	-	-	.05	.23	.03	-	.06	6
7	.23	-	-	-	-	-	-	-	.03	.53	-	-	7
8	-	-	-	-	-	-	-	-	-	-	-	.05	8
9	.43	-	-	-	.75	-	-	-	.08	-	-	-	9
10	.24	-	.22	.18	.29	-	-	.13	-	-	-	.50	10
11	.20	.22	-	-	.02	-	-	-	-	.02	-	-	11
12	-	-	-	-	.05	-	-	-	-	-	-	.03	12
13	.05	-	-	-	-	-	-	.30	.33	-	-	.88	13
14	.17	-	.22	-	-	-	.52	-	-	-	-	-	14
15	-	-	.75	.07	-	-	.43	-	-	.05	-	-	15
16	-	-	.03	-	-	-	T	-	.04	T	-	-	16
17	-	.02	.10	.14	-	-	-	-	.38	.20	-	-	17
18	-	-	.04	.10	.13	.03	-	-	.28	.15	.80	.09	18
19	-	-	-	.12	-	-	-	.17	.70	.11	.70	.02	19
20	-	-	-	.53	-	.02	1.09	.40	.30	.23	.30	-	20
21	-	-	-	.08	-	-	.02	.13	T	.11	.37	-	21
22	.15	-	-	.20	.28	.03	.03	.30	.03	.20	.40	.10	22
23	.30	-	.11	-	-	.42	T	-	-	-	.03	-	23
24	.37	-	-	-	.26	-	-	-	-	-	.37	.35	24
25	T	.11	-	-	.50	-	-	-	.04	-	.25	-	25
26	.19	-	-	-	-	-	.05	-	.10	-	.20	.26	26
27	-	-	-	-	.18	-	-	-	.29	.02	.38	.09	27
28	-	-	-	-	-	-	.09	-	.35	-	.40	.18	28
29	.14	-	-	-	-	-	.10	-	.26	.06	.19	-	29
30	.06	X	-	.05	.42	-	.25	.03	-	-	-	.48	30
31	.72	X	-	X	.07	X	-	-	X	-	X	.15	31
TOTAL	4.23	1.16	1.47	2.40	3.26	0.50	2.75	2.62	3.47	1.76	5.91	3.24	32.77
*Days with or in. or more.	17	6	7	12	12	4	10	12	16	14	15	14	139
*Days with or more.	16	5	6	12	11	1	8	11	14	9	13	12	118

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Norman Langley

[P.T.O.]

FORM A. 1. METEOROLOGICAL
REGIS

Kept at Worth Lodge
in the County of Sussex
by Charles Williams

CRAWLEY
("WORTH LODGE")
SUSSEX
1921-30

542
586
JAN 1922
2
3
ridges L.B.S.C.R.
5 in.
1 3 ft. in.
level 340 ft.
the previous day.
add
of
ges,
ges,
Jan. 1, following.

IMPORTANT NOTE.—Rain
If an Observer prefers not to conf
the reading at 9 a.m. on 1st Janua
this paragraph. Full instructions fe
and particulars as to the British
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.06	.07								.06	.14	1
2	.03				.21			.05			.35	.05	2
3	.03		.12		.28			.11			.20		3
4	.19	.01			.13			.07			.45		4
5	.01		.02					.22			.30	.03	5
6	.27	.01	.64		.19							.01	6
7	.39	.02	.01		.18								7
8	.03		.02	.04	.01								8
9	.23			.01					.06				9
10			.04							.17			10
11	.21	.01	.01		.02				.68			.02	11
12	.45		.09		.56			.79	.10			.09	12
13	.19		.10	.46				.20	.01	.04	.01	.01	13
14	.01		.03		.03			.02				.40	14
15				.06							.01	.01	15
16	.05		.02	.40				.20		.01	.24	.01	16
17	.21		.39	.09				.33					17
18	.07	.02							.01	.01			18
19			.20			.03				.15		.10	19
20	.02		.05			.01				.51			20
21											.08	.03	21
22				.19						.14		.28	22
23				.16			.03	.39		.30		.20	23
24	.03			.01								.07	24
25		.62			.35				.01		.01	.12	25
26	.07				.05					.01		.37	26
27	.01				.01			.01			.01	.07	27
28			.26		.28		.29					.09	28
29	.04	X	.20		.36		.01					.06	29
30	.28	X		.01	.16						.13	.12	30
31	.13	X		X	.03	X			X		X	.01	31
TOTAL	3.39	.75	2.27	1.43	2.85	.04	.33	2.39	.87	1.34	1.85	2.29	YEAR'S TOTAL 19.80
Days with .01 in. or more	23	7	17	10	16	2	3	11	6	9	12	22	138
Days with .04 in. or more	15	2	11	7	11	0	1	9	3	6	8	14	87

REGISTER OF RAINFALL IN 1921

Kept at Worth Lodge, Crawley
in the County of Sussex
by Charles William Nix

Lat. 51° 6' 10" N Long. 0° 7' 59" W
Time of Observation 9.00
Nearest Railway Station Three Bridges LBSCR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.06	.07								.06	.14	1
2	.03				.21			.05			.35	.05	2
3	.03		.12		.28			.11			.20		3
4	.19	.01			.13			.07			.45		4
5	.01		.02					.22			.30	.03	5
6	.27	.01	.64		.19							.01	6
7	.39	.02	.01		.18								7
8	.03		.02	.04	.01								8
9	.23			.01					.06				9
10			.04							.17			10
11	.21	.01	.01		.02				.68			.02	11
12	.45		.09		.56			.79	.10			.09	12
13	.19		.10	.46				.20	.01	.04	.01	.01	13
14	.01		.03		.03			.02				.40	14
15				.06							.01	.01	15
16	.05		.02	.40				.20		.01	.24	.01	16
17	.21		.39	.09				.33					17
18	.07	.02							.01	.01			18
19			.20			.03				.15		.10	19
20	.02		.05			.01				.51			20
21											.08	.03	21
22				.19						.14		.28	22
23				.16			.03	.39		.30		.20	23
24	.03			.01								.07	24
25		.62			.35				.01		.01	.12	25
26	.07				.05					.01		.37	26
27	.01				.01			.01			.01	.07	27
28			.26		.28		.29					.09	28
29	.04	X	.20		.36		.01					.06	29
30	.28	X		.01	.16						.13	.12	30
31	.13	X		X	.03	X			X		X	.01	31
TOTAL	3.39	.75	2.27	1.43	2.85	.04	.33	2.39	.87	1.34	1.85	2.29	YEAR'S TOTAL 19.80
Days with ".01 in. or more	25	7	17	10	16	2	3	11	6	9	12	22	138
Days with ".04 in. or more	15	2	11	7	11	0	1	9	3	6	8	14	87

Lat. $51^{\circ} 6' 10''$ N Long. $0^{\circ} 7' 59''$ W
Time of Observation 9.00 P.M.T.
Nearest Railway Station Worcester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. $—$ in.
" " " " Sea Level 340 ft.

Kept at North Lodge Worcester
in the County of Sussex
by C. W. Nix

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.



Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.10	.39		.21		.08	.05	.04	.02	.73	.12	1
2	.06	.22	.20	.26			.24	.02	.28		.01		2
3	.01	.05	.14	.73	.18		.07	.32		.03	.10		3
4		.19	.20		.13		.21	.09		.35			4
5			.16				1.40		.01	.26	.95		5
6	.15		.07				.01	.74		.06	.12		6
7	.13		.94	.25				.17			.01	.01	7
8	.16		.08	.05		.08	.46	.04			.05		8
9	.12							.27		.02	.01	.02	9
10	.02						.01		.07		.35		10
11	.05			.03	.10			.01			.01		11
12	.01			.77				.20	.65				12
13				.45		.15	.12		.13			.01	13
14				.02		.61	1.66	.09	.40		.01		14
15	.33	.28		.06		.02	.02				.01		15
16	.01	.08		.18	.05		.06		.14			.36	16
17		.34			.11		.06	.01	.03			.14	17
18	.89				.01				.09			.38	18
19	.82	.11	.01		.01				.30	.25		.67	19
20	.03	.17							.01	.02	.01		20
21	.41	.16	.07	.15								.97	21
22	.01	.08	.05	.11		.02	.03	.16		.01		.11	22
23		.02		.09		.01	.12		.01				23
24	.09		.25	.08	.04	.08		.25					24
25	.43		.02	.37		.14	.01	.01	.04	.02		.06	25
26	.12	.36	.01	.21		.14	.22		.03			.05	26
27	.31	.48	.09	.07		.01		.26	.02	.01	.02	.20	27
28	.22	.35	.05			.32	.01		.01	.08		.16	28
29	.08	~~X~~		.19		.12		.28		.14		.15	29
30	.01	~~X~~	.22			.14	.10	.23	.08	.03	.06	1.03	30
31	.08	~~X~~	.10	~~X~~		~~X~~	.05	.16	~~X~~	.11	~~X~~	.29	31
TOTAL	4.56	2.99	3.05	4.07	.84	1.84	4.94	3.36	2.34	1.41	2.45	4.73	YEAR'S TOTAL
Days with .01 in. or more	25	15	18	18	9	13	20	19	18	15	15	17	202
Days with .01 in. or more	17	14	15	16	7	9	14	15	11	7	7	14	146

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Worth Lodge, Crawley
in the County of Sussex
by C. W. Nix

Lat. 51° 6' 10" N Long. 0° 7' 59" W
Time of Observation 9.00 GMT
Nearest Railway Station Three Bridges S.R.
Diameter of Funnel of Rain Gauge 7 inch in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 340 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.



Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.03	.30							.03	.17	.53	1
2	.24	.04			.01					.28	.01	.05	2
3	.01					.02			.01	.77	.09	.10	3
4									.17	.01		.26	4
5	.47			.11						.06	.01		5
6	.38	.10	.13	.01								.01	6
7	.06	1.27	.24		.04					.52		.41	7
8	.04	.21	.01		.13					.27	.62		8
9	.14	.12	.03				3.18			.02	.01		9
10		.46		.51	.10		.03			.30		.03	10
11	.01	.03		.40						.55		.07	11
12		.27	.62	.18	.11	.03				.40		.03	12
13	.01	.11	.19	.13			.11				.60		13
14		.01	.08	.04	.08			.04	.24	.06		.01	14
15			.02	.02	.26	.19			.06		.23		15
16		.17			.15						.11		16
17	.02	.14						.10	.09	.02			17
18	.04	.31		.02		.03		.10	.01	.03	.01		18
19	.15	.02							.09	1.02		.04	19
20		.22	.20		.01			.01	.31	.20			20
21		.20	.11	.12	.01	.03			.04	.40	.01	.23	21
22		.51	.07					.02	.33	.25	.02	.04	22
23		.19	.02		.42		.10	.71	.22	.69		.03	23
24		.04	.13	.04				.61	.33	.13		.07	24
25		.48	.06	.73	.06	.03	.06	.04	.08	.55		.42	25
26		.25		.37	.01			.10		.30		.30	26
27		.26	.14		.03		.03	.04		.02		.21	27
28		.24	.02	.13	1.20		.20	.01		.01	.15		28
29	.07	X	.26	.14	.61		.08	.53	.02			.13	29
30		X				.02	.07	.01		.13		.21	30
31		X		X		X	.36		X	.07	X	.18	31
TOTAL	4.73	5.68	2.63	2.95	3.23	.35	4.22	2.32	2.00	7.09	2.04	3.36	37.60
Days with 01 in. or more	14	24	18	15	16	7	10	13	14	26	13	21	191
Days with 04 in. or more	10	20	13	12	11	1	8	9	11	19	7	16	137

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Worth Lodge, Worth
in the County of Sussex
by Charles William Air

County No. _____
River Dist. _____
Station No. 586

Lat. 51° 6' 10" N Long. 0° 7' 59" W
Time of Observation 9.00 G.M.T
Nearest Railway Station Three Bridges S.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.07		.01	.13	.10				.70	.18	1 RRR
2	.06		.19		.08	.43	.03	.02				.11	2 WRR
3	.01		.07		.26	.03	.30	.54	.06				3
4				.01	.28	.87	.02		.01	.11		.28	4
5		.02	.02		.05	.03	.02			.13			5
6		.04						.11	.06	.49			6
7	.04				.04	.53	.03		.07	.42			7
8	.12	.08			.15	.01			.06	.11			8
9	.23	.22		.12	.05	.03			.15				9
10	.18			.28	.50	.12			.04	.01	.01		10
11	.02			.40	.32	.42			.18	.05	.27	.02	11
12				.21	.07	.40		.37	.20		.57		12
13	.09			.41	.01		.04	1.05	.46		.12	.22	13
14	.03			.24				.08			.01	.01	14
15		.02		.01				.04	.05			.82	15
16	.01							.22	.02			.20	16
17	.32					.01	.89	.11	.03				17
18	.41	.09			.10	.17	.10	.04		.05	.01		18
19	.08	.01				.03		.14	.01	.02	.02		19
20	.22				.09		.10	.06	.13	.08			20
21	.02		.01		.05		.26	.02	.18	.74			21
22	.25		.47					.10	.25				22
23			.38		.43		.02	.36	.11			.70	23
24	.34	.19	.21	.11	.21			.04	.03		.04	.35	24
25		.04	.28	.05	.24		.94		.90	.03	.25	.07	25
26			.07	.54			.04	.09	.09	.12	.30	.22	26
27		.10		.65			.56	.03		.22	.36	.85	27
28				.01			.87	.33			.41		28
29		.03		.19	.21		.24	.22	.10	.92	.19	.12	29
30		X		.27	.09			.24	.57	.47	.36	.26	30
31	.01	X	.02	X	.82	X		.01	X	.21	X	.25	31 1038
TOTAL	2.45	.84	1.79	3.50	4.06	3.21	4.56	4.22	3.76	4.18	3.62	4.66	YEAR'S TOTAL 40.85
Days with ".01 in. or more.	19	11	11	15	21	14	17	22	23	17	15	16	201
Days with ".04 in. or more.	12	7	8	12	19	8	12	18	18	14	11	14	153

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

554
586

Kept at Worth Lodge, Worth
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 340 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.86		.07	.12	.03			.09	.07		.70	.05	1
2	.36			.13			.11				.74		2
3	.32				.15		.04				.09		3
4					.17			.27	.04		.08		4
5		.22		.91	.12			.01	.07		.20	.01	5
6		.12		.10	.20		.40	.16			.75		6
7		.23	.02		.11		.01		.01	.01	.01	.11	7
8	.10				.13				.04		.02	.12	8
9		.02		.02	.01			.16	.05		.04		9
10		.04	.05	.02	.09			.12	.11		.34		10
11		.26			.01			.26		.01	.69		11
12		.60						.02		.01			12
13	.05	.63	.12	.10				.01		.01		.01	13
14	.48	.22	.01	.27									14
15	.11	.02		.22	.08					.09			15
16	.01	.13							.10	.12		.02	16
17		.01		.01					.05				17
18	.02	.08		.01	.01		.43		.01	.02			18
19		.03		.06	.01				.21	.78		.24	19
20			.09				.01	.08	.48	.62		.20	20
21			.01				.29	.25	.21	.41		.52	21
22		.17	.03	.25	.03		1.18	.36	.70	1.13		.41	22
23	.02	.20	.11	.05	.27			.74	.01	.19		.05	23
24	.06	.41	.05	.06	.37	.11		.14		.03	.06	.24	24
25	.04	1.37	.01	.32			.04	.11	.31	.10		.07	25
26	.04	.18		.11	.10		.70			.48		.19	26
27	.28	.01		.07	.70		.31	.03		.01	.10	.05	27
28	.22	.01		.14	.03		.01		.03		.01	.30	28
29	.11	X		.03	.19		.09		.01		.08	.67	29
30		X	.02	.33			.34		.01		.02	.40	30
31	.11	X		X		X	.14		X		X		31
TOTAL	3.19	4.96	.59	3.33	2.81	.11	4.10	2.81	2.52	4.02	3.93	3.66	YEAR'S TOTAL 36.03
Days with .01 in. or more.	17	21	12	21	20	1	16	16	19	16	16	18	192
Days with .04 in. or more.	14	15	6	16	13	1	12	12	18	9	12	15	138

(Signed).....

C. W. R. I. S.

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

541
586

Kept at Worth Lodge, Worth
in the County of Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	.34				.39			.01		.03		1
2	.04	.01				.50	.01		.08		.05		2
3	.32	.72	.04										3
4	.02	.34	.01	.53			.33				.27		4
5	.05	.07	.17		.24				.01		.30	.22	5
6	.13	.35		.38			.06	.06	.13		.04		6
7	.19	.02		.15	.14	.10	.23		.04		.33	.04	7
8	.01	.02		.10	.01	.01				.03	.69		8
9		.01				.78		.40		.04	.66		9
10		.01			.03	.07		.06			.26		10
11		.12			.02	.31		.17		.01	.07		11
12		.06			.02	.04		.03		.48			12
13	.03				.12	.04				.01	1.48	.02	13
14	.17	.02		.53	.47	.32				.59	.11	.06	14
15	.04	.08		.34	.01				.01	.20	.13		15
16		.19		.24				.16	.01	.01	.02		16
17	.07	.52		.02	.05	.53					.09	.01	17
18	.20	.06		.06			.43	.13			.95		18
19	.01			.05	.02		.17				.26	.01	19
20	.01			.30	.01		.01	.15			.65		20
21				.05			.02	.01			.42	.01	21
22	.39	.01		.06						.01	.08	.05	22
23	.07	.02										.01	23
24	.03					.34	.01		.06	.86			24
25	.11			.27			.35	.02		.07	.06	.04	25
26	.01						.05		.01		.18		26
27	.11	.03	.08	.18	.05		.18		.05	.03	.01		27
28	.80			.18	.01		.42		.02	.23	.06	.01	28
29	.04	X		.22	.18		.01	.01		.11	.02		29
30	.23	X		.11	.25		.03			.01	.02		30
31	.40	X		X		X		1.24	X		X		31
TOTAL	4.10	3.00	.30	3.37	1.63	3.43	2.31	2.44	.43	2.69	7.24	.48	YEARS TOTAL 31.42
Days with '01 in. or more.	25	20	4	18	16	12	15	7	11	15	26	11	185
Days with '04 in. or more.	18	11	3	7	10	11	9	8	5	8	21	5	124

Please read the Notes and Instructions Overleaf.

(Signed) C. White [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Worth Lodge, Worth
in the County of Lancs
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
,, Ground ,, Sea Level.....340.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.55	.01	.03			.80	.21		.16	.50		1
2	.02	.01	.05	.15		.10				.02		.01	2
3	.18		.03				.01					.05	3
4	.04		.03	.05			.10					.01	4
5	.12	.10	.22	.35	.25	.04	.01	.27			.08		5
6	.01		.42	.38		.21	.28	.06	.05		.03	.01	6
7	.03	.28	.07	.29		.17	.01	.36			.01		7
8	.04			.33			.30	.15	.03	.01	.08		8
9			.01	.17			.05	.17	.18				9
10			.02					.04	.35	.01			10
11			.02				.05	.25			.01		11
12	.10		.01				.04	.11		.03			12
13	.16	.01					.09	.46	.13	.01	.06	.13	13
14	.02			.09	.01		.41	.02	1.90		.01	.28	14
15	.01	.01					.07	.30	.02		.01	.01	15
16	.04				.14			.01	.22			.01	16
17	.12		.03			.32		.66	.01				17
18	.26					.53		.25	.01	.01	.20		18
19		.16				.03		.15			.32		19
20	.23	.17					.13	.71	.01		.40	.16	20
21	.08	.28	.01		.04	.02	.01	.22	.23	.41	.30	1.12	21
22	.22	.05	.57		.02	.16	.02	.17	.14	.70		.62	22
23	.01	.71	.43	.01		.14		.26	1.02	.01	.15	.23	23
24		.16	.63	.03		.23	.01	.06	.01	.01	.02	.48	24
25		.40	.38		.21	.08		.11	.11	.07		1.25	25
26	.28	.82	.15		.21	.18	.15		.11	.05	.01	.56	26
27	.03	.67	.01			.23	.35		.01	.49			27
28	.22	.25	.05	.10		.33	.02			.06	.30		28
29	.04	X	.16			.44		.06	.60		1.13		29
30	.23	X	.13			.73	.11		.01	.21			30
31		X	.61	X	.01	X	.04		X	.03	X	.16	31
TOTAL	2.49	5.63	4.05	1.98	.89	3.94	3.06	5.06	5.15	2.29	3.62	5.09	YEARS TOTAL
Days with '01 in. or more.	23	16	23	12	8	17	22	23	20	17	18	16	215
Days with '04 in. or more.	16	13	13	9	8	15	15	21	12	8	11	11	149

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Worth Lodge, Worth
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.28	.25				.35			.28	.01	1
2	.99	.38	.07		.07			.03			.01	.01	2
3		.01		.20	.02		.49	1.44			.10	.01	3
4		.12		.01		.04		.09					4
5	.20	.20	.21				.04						5
6	.01					.26					.01	.10	6
7			.03	.14		.20		.10		.01		.01	7
8		.03	.05	.01		.57	.03		.01	.26			8
9	.05	.37	.02	.01		.04			.28	.34		.02	9
10	.12		.02	.18	.03	.07		.02	.01	.28	.27		10
11	.13	.01	.01	.10				.03		.44	.14	.17	11
12	.24	.30	.06	.03	.01			.02		.01	.02	.22	12
13	.01	.08				.73		.30			.15	.08	13
14	.09	.17		.36	.17	.15		.01		.69	.57	.01	14
15	.03			.48	.15	.01			.01	.01	.34		15
16	.01	.12		.06	.11					.12	.15	.28	16
17				.02	.18					.15			17
18	.48		.04	.02	.21	.40				.50	.03	.01	18
19					.15	.01		.11		.51	.03	.08	19
20	.11				.10			.06		.39	.12	.14	20
21	.15		.12	.06	.06			.01		.47	.48		21
22			.22		.01			.01		.70	.30	.10	22
23	.47		.03		.09			.01		.26	.19		23
24	.08							.03	.27	.17	.03	.24	24
25	.11					.07				.34		.25	25
26	.09					.30	.25	.70		1.34	.01	.10	26
27	.01		.09				.84	.10	.02	.14	.02	.72	27
28	.65		.04						.60			.22	28
29	.14	.11	.62	.16		.02	.06			.07	.07	.75	29
30	.05	X	.47	.03		.21	.19			.03	.01	.09	30
31	.19	X	.36	X		X	.12		X	.25	X	.16	31
TOTAL	4.53	1.90	2.74	2.12	1.36	3.08	2.02	3.42	1.20	7.48	3.33	3.78	YEAR'S TOTAL
Days with .01 in. or more.	24	12	18	17	14	15	8	18	7	23	22	23	201
Days with .04 in. or more.	19	9	13	10	10	12	7	9	3	19	13	16	140

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

586

Kept at Worth Lodge, Worth
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.03		.01		.18		.39			1
2	.01	<u>.43</u>				.06	.07			.27	.03	.60	2
3			<u>.01</u>				<u>3.56</u>	.02		.03		.38	3
4	.01			.17	.50	<u>.40</u>	.10	.07		.01		.51	4
5					<u>1.17</u>	.21	.17	.55		.34	.04	.20	5
6	.01				.16		.12	.44		.16	.12	.52	6
7					.03	.08		.24		.56	.39	<u>.95</u>	7
8						.05				.26		.58	8
9	.03	.11									.09	.39	9
10	.25	.04		.05						.06	.03	.65	10
11				.17	.04	.02					<u>1.03</u>	.10	11
12				.11	.36	.40					.01	.13	12
13	.03				.20	.04						.08	13
14					.02	.12						.12	14
15	.05	.04		.02		.12					1.02	.15	15
16	.02							<u>.82</u>			.59		16
17	.03										.01		17
18	.01							.01	.56		.44		18
19	.01										.03		19
20							.03	.01		.77		.17	20
21	.08		<u>.01</u>			.01		.08			.01	.70	21
22	.02							.05			.35	.06	22
23	.01	.05								.37	.44	.39	23
24	.01							.02		<u>.92</u>	.84	.41	24
25		.02						.01		.16	.09	.08	25
26				.03	.01					.01	.23	.20	26
27				.02							.89	.10	27
28	.19			.08			.17			.31	.56	.49	28
29	.16	X		<u>.29</u>		.13			.07		.33	.25	29
30	.02	X				.14	.04		<u>.62</u>		.59	.47	30
31	<u>.44</u>	X		X		X	.18		X		X	.01	31
TOTAL	1.39	.71	.02	.97	2.49	1.79	4.44	2.50	1.25	4.62	8.16	8.69	YEAR'S TOTAL 37.03
Days with .01 in. or more.	19	7	2	10	9	14	9	13	3	15	23	26	150
Days with .04 in. or more.	6	5	—	6	6	11	8	8	3	12	17	25	107

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Worth Lodge, Worth
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15	.29		.09				.01			.60		I
2	.01	.33			.04		.24	.17			.57		2
3	.12	.22		.70				.44		.02	.05		3
4	.38	.10		.01				.10	.03	.23			4
5	.05			.08	.15			.50		.02		.01	5
6			.05		.40			.03	.23	.03			6
7	.18	.11						.26	.02	.36	.43	.05	7
8	.15	.01						.03				.25	8
9	.41	.03	.07		.37				.04		.02		9
10	.55	.03	.16		.25			.01				.20	10
11	.20	.02			.04		.04			.02		.63	11
12	.28			.19	.04			.02	.01			.31	12
13	.06		.06	.02	.11		.15	.18	.36	.01			13
14	.15	.13	.07				.35						14
15		.02	.78	.07			.44			.04	.17		15
16			.01			.01	.02		.06	.01			16
17			.09	.14		.06			.37	.28	.01		17
18			.03	.09	.02		.01	.01	.25		.21	.06	18
19				.12				.20	.72	.12	.62	.02	19
20				.41	.02	.01	1.00	.46	.23	.28	.32	.01	20
21	.01		.02				.03	.68	.01	.18	.44		21
22	.18			.08	.33	.01	.06	.29	.03	.23	.27	.01	22
23	.24			.18		.45		.03	.06		.16	.05	23
24	.39	.01	.09	.01	.06	.01					.46	.39	24
25	.06	.09			.53				.01		.21	.02	25
26	.22	.02					.03		.24		.18	.23	26
27					.05				.18	.02	.30	.15	27
28			.01						.40	.02	.50	.13	28
29	.18	X	.01		.02		.06	.81	.18	.03	.22	.07	29
30	.06	X			.32		.41				.01	.39	30
31	.66	X	.09	X	.09	X			X	.18	X	.14	31
TOTAL	4.69	1.41	1.54	2.19	2.84	.55	2.84	4.23	3.43	2.03	5.75	3.12	34.62
*Days with or more.	29	24	14	14	17	6	13	18	19	18	20	19	194
*Days with or more.	120	7	9	11	14	2	9	11	13	9	17	14	136

40-9999

(Signed) C. W. W. W.

[P.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Worth Lodge, Worth
in the County of Lussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15	.29		.09				.01			.60		I
2	.01	.83			.04		.24	.17			.57		2
3	.12	.22		.70				.46		.02	.05		3
4	.38	.10		.01				.10	.03	.23			4
5	.05			.08	.15			.50		.02		.01	5
6			.05		.40			.03	.23	.03			6
7	.18	.11						.26	.02	.86	.43	.05	7
8	.15	.01						.03				.25	8
9	.41	.03	.07		.37				.04		.02		9
10	.55	.03	.16		.25			.01				.20	10
11	.20	.02			.04		.04			.02		.63	11
12	.28			.19	.04			.02	.01			.31	12
13	.06		.06	.02	.11		.15	.18	.36	.01			13
14	.15	.13	.07				.35						14
15		.02	.78	.07			.44			.04	.17		15
16			.01			.01	.02		.06	.01			16
17			.09	.14		.06			.87	.28	.01		17
18			.03	.09	.02		.01	.01	.25		.21	.06	18
19				.12				.20	.72	.12	.62	.02	19
20				.41	.02	.01	1.00	.46	.23	.28	.32	.01	20
21	.01		.02				.03	.68	.01	.18	.44		21
22	.18			.08	.33	.01	.06	.29	.03	.23	.27	.01	22
23	.24			.18		.45		.03	.06		.16	.05	23
24	.39	.01	.09	.01	.06	.01					.46	.39	24
25	.06	.09			.53				.01		.21	.02	25
26	.22	.02					.03		.24		.18	.23	26
27					.05				.18	.02	.30	.15	27
28			.01						.40	.02	.50	.13	28
29	.18	X	.01		.02		.06	.81	.18	.03	.22	.07	29
30	.06	X			.32		.41				.01	.39	30
31	.66	X	.09	X	.09	X			X	.18	X	.14	31
TOTAL	4.69	1.41	1.54	2.19	2.84	.55	2.84	4.23	3.43	2.03	5.75	3.12	34.62
*Days with .01 in. or more.	29	14	14	14	17	6	13	18	19	18	20	19	194
*Days with .04 in. or more.	20	7	9	11	14	2	9	11	13	9	17	14	136

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. W. R. A.

P.T.O.

Kept at The Grangein the County of Gloucestershireby J. H. Buckle

(THE GRANGE)

1921-30

4° 32' W

7 am

Grange Road

Gauge 5 in.

Ground 9 ft. 9 in.

Sea Level 430 ft.

entered to the previous day.

ed to add

the end of

rain gauges,

Observers,"

Jan. 1, following.

IMPORTANT NOTE

If an Observer prefers not to enter the reading at 9 a.m. on 1st of each month, he should enter the reading at 9 a.m. on 2nd of each month. Full instructions and particulars as to the use of this form are sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'57	'02	'06	—	—	—	—	—	—	—	'03	'14	1
2	'01	—	—	—	'21	—	—	'04	'01	—	'33	'02	2
3	'04	—	'10	—	'13	—	—	'15	—	—	'18	—	3
4	'21	—	'01	—	'21	—	—	'07	—	—	'42	—	4
5	'01	—	'02	—	—	—	—	'22	—	—	'27	'01	5
6	'29	—	'54	—	'27	—	—	—	—	—	—	—	6
7	'38	'01	—	—	'25	—	—	—	—	—	—	—	7
8	'03	—	—	'02	'03	—	—	—	—	—	—	—	8
9	—	—	—	'01	—	—	—	—	'04	—	—	—	9
10	'21	'01	'05	—	—	—	—	—	—	'25	—	—	10
11	'21	'01	—	—	'03	—	—	—	'69	—	—	'01	11
12	'53	—	—	—	'53	—	—	'42	'04	—	—	'07	12
13	'19	—	'17	'36	—	—	—	'10	'05	'03	—	—	13
14	—	—	'03	—	—	—	—	'01	—	—	—	'36	14
15	—	—	—	'08	—	—	—	—	—	—	'01	'01	15
16	'07	—	'03	'27	—	—	—	'28	—	—	'23	—	16
17	'16	—	'37	'20	—	—	—	'26	—	—	—	—	17
18	'02	'01	—	—	—	—	—	—	'02	—	—	—	18
19	—	—	'15	—	'01	'03	—	—	—	'21	—	'10	19
20	—	—	'12	'01	—	—	—	—	—	'49	—	—	20
21	—	—	—	—	—	—	—	—	—	'01	'07	—	21
22	'01	—	—	'07	—	—	—	—	—	'08	—	'32	22
23	—	—	—	'21	—	—	'08	'34	—	'28	—	'14	23
24	'01	—	—	'02	—	—	—	—	—	—	—	'08	24
25	'01	'65	—	—	'04	—	—	—	—	—	—	'21	25
26	'04	—	—	—	'04	'02	—	—	—	—	—	'27	26
27	'01	—	—	—	—	—	—	—	—	—	—	'06	27
28	—	—	'27	—	'25	—	'34	—	—	—	—	'05	28
29	'06	—	'15	—	'36	—	'01	—	—	—	—	'06	29
30	'22	—	—	—	'27	—	—	—	—	—	'17	'08	30
31	'13	—	—	—	'02	—	—	—	—	—	—	—	31
TOTAL	3.38	'71	2.07	1.25	2.67	'05	'43	1.89	85	135	1.71	1.99	YEAR'S TOTAL 18.35
Days with '01 in. or more	23	6	14	10	15	2	3	10	6	7	9	17	12.2
Days with '04 in. or more	15	1	10	6	11	—	2	9	4	5	7	13	8.3

REGISTER OF RAINFALL IN 1921.

Kept at The Grange Crawley Town
 in the County of Sussex
 by J. W. Buckley

Lat. 51° 6' 58" N Long. 0° 4' 32" W
 Time of Observation 9.0 am
 Nearest Railway Station Gauge Road
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 9 ft. 9 in.
 " " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'57	'02	'06	—	—	—	—	—	—	—	'03	'14	1
2	'01	—	—	—	'21	—	—	'04	'01	—	'33	'02	2
3	'04	—	'10	—	'13	—	—	'15	—	—	'18	—	3
4	'21	—	'01	—	'21	—	—	'07	—	—	'42	—	4
5	'01	—	'02	—	—	—	—	'22	—	—	'27	'01	5
6	'29	—	'54	—	'27	—	—	—	—	—	—	—	6
7	'38	'01	—	—	'25	—	—	—	—	—	—	—	7
8	'03	—	—	'02	'03	—	—	—	—	—	—	—	8
9	—	—	—	'01	—	—	—	—	'04	—	—	—	9
10	'21	'01	'05	—	—	—	—	—	—	'25	—	—	10
11	'21	'01	—	—	'03	—	—	—	'69	—	—	'01	11
12	'53	—	—	—	'53	—	—	'42	'04	—	—	'07	12
13	'19	—	'17	'36	—	—	—	'10	'05	'03	—	—	13
14	—	—	'03	—	—	—	—	'01	—	—	—	'36	14
15	—	—	—	'08	—	—	—	—	—	—	'01	'01	15
16	'07	—	'03	'27	—	—	—	'28	—	—	'23	—	16
17	'16	—	'37	'20	—	—	—	'26	—	—	—	—	17
18	'02	'01	—	—	—	—	—	—	'02	—	—	—	18
19	—	—	'15	—	'01	'03	—	—	—	'21	—	'10	19
20	—	—	'12	'01	—	—	—	—	—	'49	—	—	20
21	—	—	—	—	—	—	—	—	—	'01	'07	—	21
22	'01	—	—	'07	—	—	—	—	—	'08	—	'32	22
23	—	—	—	'21	—	—	'08	'34	—	'28	—	'14	23
24	'01	—	—	'02	—	—	—	—	—	—	—	'08	24
25	'01	'65	—	—	'04	—	—	—	—	—	—	'21	25
26	'04	—	—	—	'04	'02	—	—	—	—	—	'27	26
27	'01	—	—	—	—	—	—	—	—	—	—	'06	27
28	—	—	'27	—	'25	—	'34	—	—	—	—	'05	28
29	'06	—	'15	—	'36	—	'01	—	—	—	—	'06	29
30	'22	—	—	—	'27	—	—	—	—	—	'17	'08	30
31	'13	—	—	—	'02	—	—	—	—	—	—	—	31
TOTAL	3.38	'71	2.07	1.25	2.67	'05	'43	1.89	85	1.35	1.71	1.99	YEAR'S TOTAL
Days with '01 in. or more	23	6	14	10	15	2	3	10	6	7	9	17	18.35
Days with '04 in. or more	15	1	10	6	11	—	2	9	4	5	7	13	83

REGISTER OF RAINFALL IN 1922.

Kept at The Grange Rawley St.
in the County of Sussex
by J. H. Buckler

Lat. 57° 6' 56" N Long. 0° 4' 32" W
Time of Observation 9.0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		09	30		20		07	04		01	84	15	1
2	14	20	23	06			18	01	12				2
3		05	18	76	17		13	27			08		3
4		15	15		15		21	16		33			4
5			19	01	02		132			24	98		5
6	12		06				02	72		05	08		6
7	14		81	22				23					7
8	12		05	05		07	47	12			08	03	8
9	08							23		02	35	01	9
10									13				10
11	05				08								11
12	01			74				17	65			01	12
13				52		11	09	23	05				13
14				03		34	191	37	37				14
15	36	26		03		04							15
16	01	11		12	06		02		06			42	16
17	01	34		01	10		07	01	06			12	17
18	78				01				31			35	18
19	97	09			01				01	23		72	19
20	01	04	01							01			20
21	52	24		40								102	21
22		09		11	02	03		72				07	22
23		03		06			08		02				23
24	05		19	09	08	10		23					24
25	42			37		06		01	04			05	25
26	22	46		10		20	20		03	01		04	26
27	27	40	04	12				27	02		01	17	27
28	35	50	03			27		01		10		16	28
29	10			05		07		17		16		13	29
30		X	20			11	10	29	08	02	04	85	30
31	10	X	08	X		X	03	10	X	06	X	28	31
TOTAL	483	305	252	355	90	140	490	376	195	124	246	458	YEAR'S TOTAL 3514
Days with 01 in. or more	21	15	14	19	11	11	15	20	14	12	8	17	177
Days with 04 in. or more	17	14	12	15	7	10	12	16	10	7	7	14	141

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at The Grange Crawley Down
in the County of Sussex
by J. H. M. Buckley

Lat. _____ Long. _____
Time of Observation 9.0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.02	.32	—	—	—	—	—	—	.03	.19	.49	1
2	.28	.03	—	—	.01	—	—	—	—	.28	.01	.09	2
3	—	—	—	—	—	.02	—	—	.01	.75	.06	.05	3
4	.01	—	—	—	—	—	—	—	.08	—	—	.36	4
5	.41	—	—	.09	—	.02	—	—	—	.07	.01	.01	5
6	.30	.09	.13	.01	—	—	—	—	—	—	—	—	6
7	.03	1.37	.26	—	.04	—	—	—	—	.51	—	.49	7
8	.12	.25	—	—	.14	—	—	—	—	.26	.68	—	8
9	—	.12	.02	—	—	—	2.09	—	—	.01	.01	—	9
10	—	.49	—	.53	.10	—	.19	—	—	.31	—	.02	10
11	.01	.02	—	.29	.01	—	—	—	—	.58	—	.09	11
12	—	.31	.62	.19	.12	.03	—	—	—	.54	—	.04	12
13	.03	.13	.16	.12	—	—	.10	—	—	—	.76	—	13
14	—	.03	.05	.08	.04	—	—	.05	.29	.02	—	.02	14
15	—	—	.01	.02	.23	.20	—	—	.10	—	.27	—	15
16	—	.14	—	—	.16	—	—	—	—	—	.10	—	16
17	.01	.12	—	—	—	—	—	.11	.10	.01	—	—	17
18	.05	.31	—	.03	—	.03	—	.01	.01	.03	.01	—	18
19	.16	.03	—	—	—	—	.01	—	.08	.88	—	.02	19
20	—	.18	.16	—	.01	.02	—	.01	.31	.15	—	—	20
21	.01	.26	.24	.13	.01	—	—	—	.04	.36	.01	.21	21
22	—	.47	.08	.01	—	—	—	.03	.34	.23	.03	.02	22
23	—	.17	.03	—	.49	—	.09	.45	.23	.89	—	.04	23
24	—	.05	.07	.03	—	—	—	1.18	.33	.08	—	.08	24
25	—	.32	.12	.82	.11	.06	.07	.06	.04	.49	—	.45	25
26	—	.40	.16	.32	—	—	—	.14	—	.25	—	.30	26
27	—	.25	.11	.01	.03	—	.03	.03	—	.85	—	.18	27
28	—	.19	.04	.08	1.04	—	.33	.02	—	.01	.15	—	28
29	.09	X	.25	.24	.65	—	.08	.47	—	—	—	.14	29
30	—	X	—	—	—	.01	.09	.01	—	.04	—	.16	30
31	.01	X	—	X	—	X	.35	—	X	.06	X	.16	31
TOTAL	1.60	5.75	2.83	2.98	3.19	.39	3.43	2.57	1.96	6.99	2.29	3.37	YEAR'S TOTAL 37.35
Days with .01 in. or more	15	24	18	17	16	8	11	13	13	25	13	21	194
Days with .04 in. or more	8	19	15	11	11	2	9	7	11	19	7	16	135

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at The Grange Crawley Down
in the County of Sussex
by W. Buckler

Lat. 51° 6' 58" Long. 0° 4' 52" W
Time of Observation 9 a.m.
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	—	06	—	—	13	09	—	—	—	69	25	RRR
2	10	—	25	—	05	43	06	10	—	—	—	15	802
3	—	—	07	—	29	03	31	47	22	—	—	—	3
4	—	—	—	01	24	96	—	—	03	04	—	33	4
5	—	01	03	—	06	—	02	—	—	15	—	01	5
6	—	08	—	—	—	—	—	14	—	47	—	—	6
7	02	—	—	—	06	61	01	—	19	41	—	—	7
8	06	05	—	02	45	—	—	—	03	09	—	—	8
9	20	25	—	04	06	03	—	—	18	—	—	—	9
10	12	—	—	30	43	02	—	—	15	01	—	—	10
11	03	—	—	40	36	44	—	—	73	06	31	—	11
12	—	—	—	24	07	28	04	43	23	—	47	—	12
13	10	—	—	53	02	01	—	28	49	—	23	13	13
14	05	—	—	25	—	—	—	09	—	—	02	—	14
15	—	02	—	01	—	—	—	02	03	—	—	90	15
16	—	—	—	—	—	—	—	10	02	—	—	10	16
17	33	—	—	—	—	01	86	14	02	—	—	—	17
18	46	09	—	—	04	17	05	11	—	06	02	—	18
19	09	—	—	—	09	05	—	08	—	04	02	—	19
20	01	—	—	—	—	—	—	10	16	06	—	—	20
21	23	—	01	—	12	—	11	02	12	72	—	—	21
22	29	—	45	—	01	64	17	12	27	—	—	—	22
23	—	—	52	01	38	—	07	33	11	—	—	74	23
24	35	15	30	07	36	—	—	10	—	—	06	54	24
25	—	02	53	03	21	—	83	—	79	03	24	15	25
26	—	—	07	53	—	—	17	09	15	14	28	24	26
27	—	08	—	72	—	—	44	02	—	26	41	92	27
28	—	01	—	—	—	—	101	40	—	—	48	01	28
29	—	02	—	14	50	—	36	29	25	94	21	16	29
30	—	X	—	23	15	—	—	18	61	39	15	41	30
31	01	X	01	X	60	X	—	01	X	20	X	21	31
TOTAL	246	78	230	353	1426	381	460	362	408	402	359	535	4240
Days with 01 in. or more	17	11	11	16	20	14	16	22	20	17	14	16	194
Days with 04 in. or more	12	6	8	11	18	9	14	18	15	15	11	15	152

REGISTER OF RAINFALL IN 1924.5

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 210 ft.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.96	trace	.18	.08	.11	—	—	.05	.08	.01	.69	.04	1
2	.45	—	.01	.17	—	—	.16	—	—	—	.92	—	2
3	.36	—	—	trace	.17	—	.08	—	trace	—	.11	—	3
4	—	—	—	—	.20	—	trace	.30	.03	.01	.11	—	4
5	—	.17	—	.84	.03	—	—	.02	.10	—	.25	.01	5
6	—	.13	—	.18	.38	—	.40	.10	.01	—	.42	—	6
7	—	.19	trace	trace	.05	—	.02	—	.02	.01	.01	.17	7
8	.10	trace	trace	—	.20	—	—	—	.05	—	.01	.19	8
9	—	.01	—	.01	.06	—	—	.14	.05	—	.05	—	9
10	—	.06	.07	.01	.05	—	—	.08	.18	—	.23	—	10
11	—	.27	.01	—	.01	—	—	.28	trace	—	.49	—	11
12	.01	.69	—	—	.01	—	—	.03	—	.01	—	—	12
13	.03	.71	.01	.09	—	—	—	.01	—	trace	—	.01	13
14	.54	.22	.01	.27	—	—	—	—	—	—	—	—	14
15	.15	.06	—	.18	—	—	—	—	—	.06	—	trace	15
16	.02	.16	—	—	—	—	—	—	.15	.12	—	.01	16
17	.01	trace	—	.01	.16	—	trace	—	.05	—	—	—	17
18	.01	.09	—	trace	—	—	.27	.01	trace	.01	—	—	18
19	trace	—	—	.04	trace	—	trace	.01	.14	.82	—	.25	19
20	—	—	.09	—	trace	—	trace	.14	.72	.78	—	.22	20
21	—	—	.01	—	trace	—	.06	.20	.18	.47	—	.52	21
22	—	.09	.07	.14	—	—	.25	.22	.67	.30	—	.41	22
23	.01	.21	.12	.14	trace	—	—	.46	trace	.20	—	.06	23
24	.04	.47	.05	.10	.35	.73	—	.18	.01	.03	.06	.22	24
25	.05	.34	—	.15	.36	—	.03	—	.33	.09	—	.08	25
26	.05	.22	—	.10	—	—	.59	.11	trace	.58	—	.20	26
27	.31	.01	—	.08	.10	—	.41	.03	—	trace	.08	.05	27
28	.23	—	—	.11	.94	—	trace	trace	.02	—	—	.28	28
29	.10	X	—	.03	.03	—	.15	—	.01	—	.09	.64	29
30	trace	X	.06	.29	.27	—	.30	—	—	—	.01	.43	30
31	.10	X	—	X	—	X	.21	—	X	—	X	—	31
TOTAL	353	510	79	302	348	13	393	237	280	450	387	379	3727
Days with .01 in. or more.	19	18	12	20	18	1	13	18	18	15	15	18	1857
Days with .04 in. or more	13	16	8	16	14	1	11	12	12	9	12	15	139

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

538

Kept at The Grange, Crawley Down
 in the County of Sussex

Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level 430.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70	.38	—	—	—	.23	—	—	.02	—	.04	—	1
2	.05	.01	—	—	—	.87	.02	—	.15	—	.03	—	2
3	.35	.71	.04	—	—	.02	—	—	—	—	trace	—	3
4	.02	.19	—	.41	—	—	.14	—	trace	—	.17	—	4
5	.05	.15	.16	—	.23	—	trace	—	.12	—	.50	.23	5
6	.04	.36	—	.47	—	.01	.08	.08	.04	—	.04	.07	6
7	.26	.01	—	.13	.12	.12	trace	—	—	—	.36	.04	7
8	.01	.01	—	.06	.01	.01	—	.01	—	.03	.85	—	8
9	—	trace	.01	—	.04	.56	—	.01	—	.08	.79	—	9
10	—	.01	—	—	.04	.09	trace	.43	—	—	.20	—	10
11	—	.12	—	—	.06	.28	—	.15	—	.01	.09	—	11
12	—	.25	—	—	—	.03	—	.02	.01	.45	trace	—	12
13	.01	.06	—	—	.11	.33	—	—	—	.02	1.48	.02	13
14	.13	.03	—	.30	.44	—	—	—	—	.57	.20	.05	14
15	.03	.18	—	.47	trace	trace	—	—	—	.20	.13	—	15
16	—	.84	.01	.26	trace	—	—	.19	.05	trace	.02	trace	16
17	.04	.07	—	.02	.07	.49	—	—	—	—	.09	.01	17
18	.20	.06	—	.07	.01	.05	.08	.15	—	—	.17	—	18
19	trace	—	—	.04	—	—	.79	—	—	.01	.21	—	19
20	—	trace	—	.34	—	.01	.01	.79	—	—	.82	—	20
21	—	—	—	.02	.10	—	.03	.01	—	—	.48	.01	21
22	.40	.01	—	.08	—	—	—	—	—	—	.08	.04	22
23	.09	.01	—	—	—	trace	—	—	—	trace	trace	—	23
24	.03	—	—	—	—	—	.02	—	.04	.74	—	—	24
25	.10	—	—	.28	—	.66	.13	.05	—	.13	.04	.05	25
26	.01	trace	—	.01	—	trace	.15	—	.01	—	.18	—	26
27	.08	.02	.08	.79	.08	—	.05	—	.05	.04	—	trace	27
28	.82	—	—	.19	.02	—	.40	—	.11	.27	.11	.01	28
29	.05	—	—	.34	.22	—	trace	—	—	.13	.02	—	29
30	.22	X	—	.12	.29	—	.02	.04	—	—	.02	—	30
31	.39	X	—	X	—	X	—	.83	X	—	X	—	31
TOTAL	4.08	3.03	.30	3.40	1.84	3.76	1.32	3.15	.50	2.65	8.12	.47	YEARS TOTAL 13.02
Days with .01 in. or more.	23	20	5	19	15	15	13	12	10	13	25	10	180
Days with .04 in. or more.	14	12	3	16	12	11	8	9	6	9	21	5	129

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1928.

County No.

River Dist.

Station No.

Kept at The Grange Crawley Down
 in the County of Sussex
 by J H W Buckley

Lat. _____ Long. _____
 Time of Observation 9 a m
 Nearest Railway Station Grange Road
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 9 ft. 9 in.
 " " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	008	—	027	021	—	—	—	052	—	—	026	Trace	1
2	1.10	045	006	—	Trace	—	—	001	—	—	003	Trace	2
3	Trace	—	—	026	011	—	059	092	—	—	005	001	3
4	Trace	022	—	001	002	004	—	040	—	—	—	—	4
5	Trace	025	024	—	—	—	004	Trace	—	—	—	—	5
6	Trace	Trace	Trace	—	—	031	—	—	—	Trace	Trace	008	6
7	Trace	Trace	003	015	—	021	—	009	—	Trace	—	—	7
8	—	003	004	—	—	057	003	—	001	027	—	—	8
9	002	—	001	Trace	—	005	—	—	018	038	—	001	9
10	010	028	001	023	002	010	—	001	—	026	024	—	10
11	012	002	—	009	—	Trace	—	003	—	047	013	016	11
12	033	027	008	022	—	—	—	003	—	—	003	020	12
13	Trace	011	—	006	—	0.69	—	041	—	—	013	007	13
14	011	016	—	019	024	017	—	004	—	075	054	—	14
15	003	—	—	042	008	Trace	—	—	—	Trace	033	—	15
16	001	010	—	007	014	—	—	—	—	011	032	031	16
17	—	—	—	002	020	—	—	—	—	021	Trace	Trace	17
18	048	—	003	002	031	024	—	—	—	057	004	Trace	18
19	Trace	—	—	—	013	005	—	013	—	057	002	018	19
20	014	—	—	—	018	—	—	003	—	053	009	0.15	20
21	018	—	011	003	002	Trace	—	002	—	037	063	Trace	21
22	Trace	—	018	—	Trace	Trace	—	Trace	—	079	030	0.11	22
23	062	—	003	—	006	—	—	—	—	033	025	Trace	23
24	008	—	—	—	—	—	—	004	026	018	003	034	24
25	011	—	Trace	—	—	010	—	—	—	020	Trace	028	25
26	010	—	—	—	—	027	033	059	—	049	—	012	26
27	Trace	—	010	—	—	0.21	083	009	001	014	—	079	27
28	078	—	004	—	—	0.01	—	—	046	—	—	027	28
29	016	011	065	012	—	001	005	006	001	007	005	075	29
30	009	X	074	002	—	022	020	—	—	007	Trace	015	30
31	022	X	037	X	—	X	010	016	X	014	X	019	31
TOTAL	5.03	2.00	2.99	2.12	1.51	3.04	2.17	3.58	0.93	7.83	3.47	4.06	YEAR'S TOTAL
Days with "01 in. or more.	21	11	17	16	12	15	8	18	6	20	18	18	180
Days with "04 in. or more	18	9	12	11	9	13	7	12	3	20	14	16	144

REGISTER OF RAINFALL IN 1929.

Kept at *The Grange Crawley Down*
in the County of *Surrey*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft. *9* in.
,, Ground ,, Sea Level *430* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
000

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>0.19</i>	<i>0.45</i>					<i>0.16</i>	<i>0.22</i>		<i>0.56</i>	<i>0.03</i>	<i>0.50</i>	I
2	<i>Trace</i>	<i>0.04</i>		<i>0.03</i>				<i>0.40</i>		<i>0.32</i>		<i>0.01</i>	2
3	<i>0.01</i>	<i>0.40</i>				<i>0.05</i>	<i>0.09</i>			<i>0.31</i>		<i>0.68</i>	3
4			<i>0.01</i>	<i>Trace</i>			<i>1.86</i>			<i>0.04</i>		<i>0.32</i>	4
5		<i>Trace</i>		<i>0.17</i>	<i>0.55</i>	<i>0.44</i>	<i>0.26</i>	<i>0.08</i>				<i>0.49</i>	5
6					<i>1.60</i>	<i>0.22</i>	<i>0.18</i>	<i>0.54</i>		<i>0.23</i>	<i>0.02</i>	<i>0.23</i>	6
7					<i>0.19</i>	<i>0.01</i>	<i>0.03</i>	<i>0.65</i>		<i>0.16</i>	<i>0.09</i>	<i>0.57</i>	7
8					<i>0.01</i>	<i>0.03</i>		<i>0.28</i>		<i>0.55</i>	<i>0.46</i>	<i>0.95</i>	8
9				<i>Trace</i>		<i>0.08</i>				<i>0.23</i>		<i>0.57</i>	9
10	<i>0.03</i>	<i>0.10</i>		<i>Trace</i>						<i>Trace</i>	<i>0.03</i>	<i>0.44</i>	10
11	<i>0.25</i>	<i>0.02</i>		<i>0.04</i>						<i>0.05</i>	<i>0.09</i>	<i>0.70</i>	11
12				<i>0.17</i>	<i>0.02</i>	<i>Trace</i>					<i>1.32</i>	<i>0.06</i>	12
13				<i>0.10</i>	<i>0.39</i>	<i>0.38</i>						<i>0.12</i>	13
14	<i>0.02</i>			<i>Trace</i>	<i>0.22</i>	<i>0.01</i>						<i>0.07</i>	14
15					<i>0.02</i>	<i>0.15</i>						<i>0.77</i>	15
16	<i>0.04</i>	<i>0.04</i>		<i>0.01</i>							<i>1.21</i>	<i>0.14</i>	16
17	<i>0.01</i>							<i>0.82</i>			<i>0.52</i>		17
18	<i>0.03</i>												18
19	<i>0.01</i>								<i>0.24</i>		<i>0.49</i>		19
20											<i>0.05</i>		20
21							<i>0.03</i>	<i>0.01</i>		<i>0.75</i>		<i>0.09</i>	21
22	<i>0.09</i>		<i>0.02</i>					<i>0.08</i>				<i>0.77</i>	22
23	<i>0.01</i>						<i>0.01</i>	<i>0.04</i>			<i>0.41</i>	<i>0.07</i>	23
24	<i>Trace</i>	<i>0.02</i>			<i>Trace</i>					<i>0.31</i>	<i>0.41</i>	<i>0.41</i>	24
25					<i>Trace</i>			<i>0.01</i>		<i>0.81</i>	<i>0.31</i>	<i>0.46</i>	25
26		<i>0.01</i>								<i>0.19</i>	<i>0.12</i>	<i>0.06</i>	26
27				<i>0.02</i>	<i>0.01</i>						<i>0.12</i>	<i>0.24</i>	27
28				<i>0.03</i>				<i>0.01</i>		<i>0.01</i>	<i>0.94</i>	<i>0.08</i>	28
29	<i>0.16</i>			<i>0.04</i>			<i>0.20</i>			<i>0.37</i>	<i>0.70</i>	<i>0.63</i>	29
30	<i>0.18</i>	<i>X</i>		<i>0.29</i>		<i>0.09</i>			<i>0.08</i>		<i>0.48</i>	<i>0.20</i>	30
31	<i>0.01</i>	<i>X</i>		<i>X</i>		<i>X</i>	<i>0.03</i>		<i>X</i>		<i>X</i>	<i>0.46</i>	31
TOTAL	<i>1.04</i>	<i>1.08</i>	<i>0.03</i>	<i>0.90</i>	<i>3.01</i>	<i>1.46</i>	<i>2.85</i>	<i>3.14</i>	<i>0.32</i>	<i>4.89</i>	<i>7.80</i>	<i>10.09</i>	36.61
Days with "01 in. or more.	<i>14</i>	<i>8</i>	<i>2</i>	<i>10</i>	<i>9</i>	<i>10</i>	<i>10</i>	<i>12</i>	<i>2</i>	<i>15</i>	<i>19</i>	<i>27</i>	<i>88</i>
Days with "04 in. or more.	<i>6</i>	<i>5</i>	<i>0</i>	<i>6</i>	<i>5</i>	<i>7</i>	<i>6</i>	<i>9</i>	<i>2</i>	<i>14</i>	<i>16</i>	<i>26</i>	<i>98</i>

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Grange Crawley Down
in the County of Sussex

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft.,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

0.10

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.68	-	0.09	-	0.04	-	-	-	Trace	0.09	0.01	1
2	0.14	0.25	-	0.15	-	-	-	0.04	-	-	0.58	-	2
3	Trace	0.21	-	-	0.01	-	0.11	0.11	-	-	0.65	-	3
4	0.10	0.18	-	0.61	Trace	-	-	0.66	-	0.02	0.03	-	4
5	0.34	0.08	-	0.01	-	-	-	0.03	0.01	0.24	-	-	5
6	0.03	-	-	-	0.15	-	-	0.43	-	0.01	-	0.01	6
7	-	-	-	0.01	0.35	-	-	0.01	0.22	-	-	-	7
8	0.23	0.26	-	-	-	-	-	0.32	0.02	0.42	0.43	0.04	8
9	0.13	-	-	-	-	-	-	-	-	-	-	0.24	9
10	0.41	0.02	0.05	-	0.40	-	-	-	0.02	-	0.02	0.02	10
11	0.61	0.01	0.12	-	0.29	-	-	0.01	-	-	-	0.20	11
12	0.20	0.01	-	-	0.04	-	0.03	-	-	0.01	-	0.71	12
13	0.30	-	-	0.16	0.02	-	-	0.08	-	-	-	0.34	13
14	0.07	-	0.04	0.02	0.09	-	0.09	0.16	0.35	-	-	-	14
15	0.14	0.10	0.05	0.03	-	-	0.39	-	0.01	-	-	-	15
16	-	-	0.62	0.03	-	-	0.51	-	-	0.04	0.17	-	16
17	-	-	0.10	0.12	-	0.01	0.03	-	0.05	0.01	-	-	17
18	-	-	0.08	-	-	0.10	-	-	0.40	0.30	-	-	18
19	-	-	0.02	0.05	0.01	-	-	0.01	-	-	0.22	-	19
20	-	-	-	0.14	-	-	-	0.18	1.02	-	0.67	0.06	20
21	-	-	-	0.25	Trace	0.02	1.14	0.47	0.28	0.22	0.34	0.01	21
22	-	-	-	-	-	-	0.01	0.68	Trace	0.07	0.54	-	22
23	0.16	-	-	0.04	0.37	-	0.05	-	0.02	0.24	0.20	Trace	23
24	0.26	-	0.11	0.25	-	0.46	-	0.05	0.07	0.01	0.35	0.04	24
25	0.44	0.01	-	0.02	0.04	0.01	-	-	-	Trace	0.56	0.40	25
26	0.06	0.06	-	0.01	0.56	-	-	-	-	-	0.28	0.01	26
27	0.20	0.04	-	-	Trace	-	0.05	-	0.24	-	0.14	0.27	27
28	Trace	-	-	-	0.11	-	-	-	0.18	0.01	0.28	0.22	28
29	0.01	-	-	-	-	-	-	-	0.34	0.01	0.46	0.10	29
30	0.14	X	0.01	-	-	-	0.18	0.44	0.10	0.02	0.26	0.12	30
31	0.04	X	-	X	0.33	X	0.18	-	X	-	X	0.39	31
TOTAL	4.01	1.91	1.20	1.98	2.77	0.64	2.77	2.65	3.33	1.63	6.27	3.19	YEAR'S TOTAL
*Days with or in. or more.	20	13	10	17	14	6	12	16	16	15	19	18	176
*Days with or in. or more.	18	9	8	10	10	3	9	11	9	7	17	14	135

40-9999

*See Instruction 2 (f) on other side.

Miss
(Signed)

L. J. A. Buckley

[P.T.O.]

Section

FORM 1090.

445

Kept at
in the Coun
Diameter of
Height of to
" G

CROSS Bush. ~~Warrington~~
SUSSEX
1925 - 30.

THE

An observer
following year

Jan Feb cov
for pt-w.D

FOR OFFICIAL USE.

ALL ORGANIZATION.
1925.

(4273)

are requested to read the instructions
af before filling in this form.

Observer should fill in section C

E PREVIOUS DAY.

made on January 1st of the

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.112		.03	.15					.12		.54		1
2	.70			.11			.14	.20			.70		2
3	.55				.21		.29				.05		3
4		.01			.20			.04	.08		.58		4
5				.78	.03			.01	.24		.25		5
6		.17	.02	.12	.24		.32	.14			.70	.01	6
7		.15			.16						.04	.05	7
8		.24			.01				.02			.08	8
9	.14			.16				.23	.08			.01	9
10		.12	.07	.18			.05	.10	.05		.06		10
11		.01		.01	.02			.26	.01		.43		11
12		.49						.05					12
13		.52	.03	.12								.02	13
14	.05	.61	.01	.29							.05		14
15	.37	.14		.14						.05			15
16	.15	.04							.15	.34			16
17	.14						.08		.06	.01			17
18		.02		.01	.50		.25	.02	.01	.05		.01	18
19	.03	.03		.18	.02		.02	.03	.21	.80		.42	19
20			.07				.17	.04	.34	.28		.20	20
21			.01				.39	.35	.30	.26		.89	21
22		.18	.03	.13	.17		.69	.45	.43	.89		.31	22
23	.02	.22	.10	.18	.30		.84		.13		.05		23
24	.02	.48	.15	.29		.04	.11		.01	.04	.35		24
25	.61	.25			.56		.09		.38	.13	.10		25
26	.29	.14		.02	.22	.05	.29	.09		.62	.26		26
27	.34	.01		.13	.80	.01	.32	.07		.03	.10		27
28	.19	.01		.33			.04		.01		.38		28
29	.18			.02	.11		.22		.02		.07	.78	29
30	.12	X	.01	.28			.57			.02	.01	.56	30 985
31	.04	X		X		X	.15		X		X		31
TOTAL	5.04	4.54	.53	3.63	3.55	0.10	4.08	3.03	2.46	3.59	3.53	4.68	38.78
Days with 01 in. or more.	17	20	11	20	15	3	17	17	17	13	14	18	182
Days with 04 in. or more.	15	14	4	16	11	2	16	14	12	10	14	15	139

(Signed)

L. B. Orme

[P.T.O.]

Section



AIR MINISTRY.

Jan Feb corr
for pt-w.D

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4273

Register of Rainfall in 1925.

Kept at Cross Bush, Arundel

in the County of Sussex

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. three in.

Ground Sea Level 150 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.12		.03	.15					.12		.54		1
2	.70			.11			.14	.20			.70		2
3	.55				.21		.29				.05		3
4		.01			.20			.04	.08		.58		4
5				.78	.03			.01	.24		.25		5
6		.17	.02	.12	.24		.32	.14			.70	.01	6
7		.15			.16						.04	.05	7
8		.24			.01				.02			.08	8
9	.14			.16				.23	.08			.01	9
10		.12	.07	.18			.05	.10	.05		.06		10
11		.01		.01	.02			.26	.01		.43		11
12		.49						.05					12
13		.52	.03	.12								.02	13
14	.05	.61	.01	.29							.05		14
15	.37	.14		.14						.05			15
16	.15	.04							.15	.34			16
17	.14						.08		.06	.01			17
18		.02		.01	.50		.25	.02	.01	.05		.41	18
19	.03	.03		.18	.02		.02	.03	.21	.80		.42	19
20			.07				.17	.04	.34	.28		.20	20
21			.01				.39	.35	.30	.26		.89	21
22		.18	.03	.13	.17		.69	.45	.43	.89		.31	22
23	.02	.22	.10	.18	.30			.84		.13		.05	23
24	.01	.48	.15	.29	.04			.11		.01	.04	.35	24
25	.61	.95			.56		.09		.38	.13		.10	25
26	.29	.14		.02	.22	.05	.29	.09		.62		.26	26
27	.34	.01		.13	.80	.01	.32	.07			.03	.10	27
28	.19	.01		.33			.04		.01			.38	28
29	.18			.02	.11		.22		.02		.07	.78	29
30	.12	X	.01	.28			.57			.02	.01	.56	30
31	.04	X		X		X	.15		X		X		31
TOTAL	5.04	4.54	.53	3.63	3.55	0.10	4.08	3.03	2.46	3.59	3.55	4.68	38.78
Days with ".01 in. or more.	17	20	11	20	15	3	17	17	17	13	14	18	182
Days with ".04 in. or more.	15	14	4	16	11	2	16	14	12	10	14	15	141

(Signed) J. B. Orme [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Canonberies Crossbush, Arundel
in the County of Sussex

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. three in.
Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.60					1.21	.16		.31	.23		1
2	.03		.04	.19		.01	.01			.02	.02	.01	2
3	.13		.62								.01		3
4	.15			.15									4
5	.10	.09	.22	.63	.01	.14		.02			.30		5
6	.03		.48	.44			.07	.15	.12		.02	.03	6
7		.29	.01	.12		.26	.03	.30					7
8	.07	.01		.24	.92		.11	.04	.07		.08	.01	8
9				.02					.22				9
10	.01		.04	.02			.41		.33				10
11			.01				.21						11
12	.10									.02	.02		12
13	.13						.34	.57	.27	.01	.06	.29	13
14							.39		2.28		.01	.38	14
15	.02				.06		.02	.54	.52		.01		15
16	.08				.14		.01		.44				16
17	.03		.06			.38		.42	.11		.01		17
18	.12		.01			.38		.28	.06		.27		18
19		.22						.20			.67		19
20	.26	.13					.26	.89			.31	.41	20
21		.19	.02		.13	.01	.02	.06	.10	.32	.18	.84	21
22	.27	.02	.49	.04	.02	.09		.02	.22	.43		.37	22
23	.02	.39	.25						.95		.18	.13	23
24		.19	.54	.02		.32	.04	.17		.04	.04	.60	24
25	.02	.69	.18	.01				.22	.22	.03		.87	25
26	.26	.79	.02				.25		.04	.02		1.05	26
27	.03	.33	.36		.23	.17	.16			.30	.02		27
28	.20	.08	.15	.06		.19	.01			.04	.40		28
29	.09	X				.58		.07	.75	.02	.57		29
30	.28	X			.14	.47	.06		.03	.31			30
31	.05	X	.45	X		X	.08	.01	X	.07	X	.09	31
TOTAL	2.50	4.02	3.35	1.94	1.65	2.94	3.48	4.33	6.73	1.94	3.41	5.08	41.37
Days with '01 in. or more.	24	14	18	12	8	12	18	18	17	14	20	13	188
Days with '04 in. or more.	15	12	12	8	6	10	12	15	16	8	12	10	136

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

416
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Canterbury, Gosport, Arundel

in the County of Sussex

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. three in.

Ground Sea Level 150 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

nil

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.02	.16	.17			—	.03			.17		1
2	.92	.40	.02	—			—	.04			.04	.02	2
3	.01	—	—	.38			.21	1.09			.06		3
4	.02	.09	—	.01		.02		.05			—		4
5	.22	.11	.14	.02		—					.02	.01	5
6	.02	.01	.03	—		.20	.08				—	.09	6
7	.03	.02	.07	.12		.26	—	.03		.02			7
8	.02	.04	—	.01		.43	.03		.01	.27			8
9	.01	.01	.02	—		.04			.16	.15			9
10	.05	.18	—	.09				.01		.35	.29	.02	10
11	.08	.01	—	.10		.07			.01	.57	.10	.33	11
12	.31	.53	—	—		—				.03	.03	.05	12
13	.01	.01	.02	—		—		.07		—	.07		13
14	.10	.11		.36	.28	1.23				.55	.76		14
15	.18	—		.42	.07	.09		.04		.01	.51		15
16	.01	.07		.27	.08	.04				.09	.27	.30	16
17	.01			.01	.53	—				.18	—	.01	17
18	.75		.03	—	.09	.07				.42	.07		18
19	.14		—	—	.08	.02		.06		.44	.03	.18	19
20	—		.10	—	.07			.02		.61	.08	.01	20
21	.07		.15	.16	.07	.02				.77	.36	—	21
22	—		.15	—	—			.01		.54	.36	.09	22
23	.42		.06	—	.04					.18	.36	—	23
24	.04		.01	—				.04	.32	.07	.03	.32	24
25	.19		—	—		.09				.38	.05	.14	25
26	.10		—	—		.02	.03	.53		1.38	.01	.08	26
27	.01		.06	.08			.91	.03	.01	.18		118	27
28	.67		—	.02			—	—	.43	—		.15	28
29	.30	.24	.55	.07		.01	.37	—	.02	.05	.03	.75	29
30	.04	X	.53	—			.24	—	—	.03		.04	30
31	.19	X	.26	X		X	.32	—	X	.01	X	.12	31
TOTAL	5.07	1.85	2.36	2.29	1.31	2.61	2.19	2.05	.96	7.28	3.70	3.89	YEAR'S TOTAL 35.56
Days with '01 in. or more.	29	815	817	165	—9	155	82	146	74	235	216	195	193
Days with '04 in. or more.	19	9	11	11	9	10	6	8	3	18	15	14	133

Section



for the entry of Daily Observations.

434
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Crosshatch, Arundel

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 120 ft.

days - 21

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

11

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.02		.01		.40		.02	1
2		1.15				.24	.08	.		.37	.04	.40	2
3							.75	.04		.07		.37	3
4				.05	.42	.24	.21	.08		.04		.34	4
5					1.05	.43	.16	.87		.65	.28	.23	5
6					.11		.25	.43		.10	.12	.41	6
7					.04	.05		.12		.39	.48	.91	7
8		.01				.07				.09		.21	8
9	.04	.47			.41						.08	.32	9
10	.23	.02		.07				.01		.10	.01	.35	10
11				.09	.09	.10					1.24	.01	11
12				.07	.32	.55							12
13	.03				.15			.01				.09	13
14					.17	.05					1.03	.12	14
15	.02	.13		.01	.01	.29						.04	15
16	.03							.80	.01		.57	.01	16
17	.06			.01						.02			17
18	.02								.22	.01	.32		18
19	.01												19
20	.03		.04				.04	.05		.61	.02	.30	20
21	.04		.03									.39	21
22			.01				.01				.09	.05	22
23		.05		.03						.52	.47	.28	23
24		.02	.04							.57	.64	.27	24
25		.02	.01							.54	.26	.11	25
26				.06					.01		.09	.10	26
27				.02	.15						1.06	.08	27
28	.42			.04			.40			.63	.27	.48	28
29	.19	X		.33		.13			.11	.03	.30	.11	29
30	.01	X				.21	.06		.33		.25	.30	30
31	.33	X		X		X	.10		X		X	.01	31
TOTAL	1.46	1.89	.13	.78	2.62	2.38	2.06	2.42	.68	5.14	7.62	6.31	YEAR'S TOTAL 33.49
Days with 0.1 in. or more.	14X	9X	5X	11X	11X	12X	10X	10X	5X	17X	20X	27X	36.151
Days with 0.4 in. or more.	7	4	2	7	10	11	9	7	3	14	18	23	115

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at *Crossbush, Arundel*
in the County of *Sussex*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *3* in.
,, Ground ,, Sea Level *125* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

.02

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.11	.23		.17				.01			.50		I
2	.01	.25	.03	.16			.24	.24			.33		2
3	.01	.16		.45	.11			.67		.08			3
4	.27	.07		.17				.18		.19	.01		4
5	.07			.02	.27			.50		.01		.01	5
6			.15		.02			.14	.45				6
7	.24	.17						.07		.67	.45	.17	7
8	.17									.03	.01	.31	8
9	.31		.06		.30			.01	.03				9
10	.45		.12		.34			.03				.45	10
11	.12	.02			.02		.07			.10		.53	11
12	.14			.21	.14			.06		.02		.10	12
13	.03		.01	.26	.13		.20	.20	.48		.01	.02	13
14	.05	.16	.08	.01			.25		.02			.01	14
15	.04	.03	.77				.39			.24	.12	.06	15
16	.01		.86				.01		.30	.01	.01	.11	16
17			.17	.08					.24	.30		.01	17
18			.03	.03	.08		.02		.10	.01	.30	.09	18
19			.20	.07				.04	.45	.17	.70	.01	19
20				.05		.05	.75	.34	.12	.40	.31		20
21	.02		.62					.65		.01	.50		21
22	.20			.09	.08	.04		.51	.07	.39	.32		22
23	.23		.07	.37	.04	.57		.01	.03		.17	.17	23
24	.32			.07	.06	.01				.01	.21	.37	24
25	.07	.26		.02	.10					.01	.37	.01	25
26	.29	.01			.02		.01		.08		.27	.16	26
27							.17			.07	.25	.07	27
28	.02		.03				.02		.31	.01	.37	.07	28
29	.15				.03		.01		.06	.04	.09	.06	29
30	.09	x			.18	.01	.15					.32	30
31	.42	x	.15	x	.02	x			x	.10	x	.12	31
TOTAL	3.84	1.36	3.85	2.23	1.94	.68	2.29	3.65	2.74	2.87	5.30	3.23	32.88
Days with or in. or more.	825	310	375	416	377	25	373	416	314	921	420	822	194
Days with or in. or more.	19	7	1011	12	12	3	8	12	11	12	16	16	139

CROWBOROUGH (BEACON SCHOOL)

Kept at **Crow**
in the County of

SUSSEX

1930

Diameter of Funnel
Height of top of Gauge
Ground

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.23	.10	-	.12	-	.02	.01	-	-	-	.60	-	I
2	.02	.20	trace	.02	.02	-	.09	.55	-	-	.95	-	2
3	.11	.16	-	.62	.20	-	-	.94	-	.06	.04	-	3
4	.32	.06	-	.03	-	-	.02	.11	-	.34	-	-	4
5	.03	-	-	trace	.15	-	-	.35	-	.02	-	-	5
6	.01	trace	trace	-	.09	-	-	.09	.37	.04	-	.01	6
7	.22	.39	trace	-	.01	-	-	.20	.40	.54	.70	.13	7
8	.10	-	-	-	-	-	-	-	-	trace	trace	.29	8
9	.44	trace	.04	-	.47	-	trace	.01	.06	trace	.03	.03	9
10	.70	trace	.18	-	.32	trace	-	.04	-	-	-	.13	10
11	.25	.03	-	-	.03	-	.12	-	-	.16	-	.72	11
12	.32	trace	trace	.26	.05	-	trace	.10	.01	trace	-	.35	12
13	.06	.02	.02	.33	.20	-	.31	.32	.45	trace	-	.03	13
14	.15	.10	.05	.57	-	-	.48	-	trace	trace	-	.04	14
15	.02	.03	.47	.01	trace	-	.57	-	-	.13	.19	-	15
16	-	trace	.02	-	-	.01	.06	-	.12	-	-	-	16
17	-	.05	.19	.15	-	.29	-	-	.31	.09	-	-	17
18	trace	trace	.24	.09	.12	-	.07	.02	.02	.02	.26	.08	18
19	-	-	.02	.12	trace	-	-	.10	1.14	.15	.71	.03	19
20	-	-	-	.16	.03	.09	1.28	.26	.55	.28	.51	.02	20
21	.02	-	-	-	trace	.02	.02	.65	.01	.07	.69	-	21
22	.07	-	-	.10	.38	-	.08	.36	.07	.22	.32	.01	22
23	.23	trace	.13	.35	.01	.55	.02	.06	.07	trace	.08	.09	23
24	.42	.12	-	.01	.14	.28	.06	-	trace	trace	.61	.22	24
25	.04	.02	-	trace	.51	-	-	-	.04	trace	.52	-	25
26	.28	.02	-	-	.02	.09	.12	-	.24	-	.32	.31	26
27	-	-	-	-	.14	-	.05	-	.05	.05	.50	.17	27
28	.01	-	trace	-	-	-	.04	-	.41	.03	.28	.18	28
29	.16	-	.04	-	-	-	.13	.07	.17	.03	.46	.04	29
30	.06	X	-	-	.31	trace	.13	-	-	-	.02	.69	30
31	.65	X	.13	X	.38	X	-	-	X	.16	X	.04	31
TOTAL	4.92	1.30	1.53	2.44	3.58	1.35	3.66	4.23	4.49	2.39	7.79	3.61	YEAR'S TOTAL 41.29
Days with -or in. or more.	25	13	12	15	20	8	19	17	18	17	19	21	204
Days with -or in. or more.	20	8	9	11	14	5	15	15	15	13	17	15	157

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at X Crowborough (BEACON SCHOOL) X 968 643/29
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	.10	-	.12	-	.02	.01	-	-	-	.60	-	1
2	.02	.20	trace	.02	.02	-	.09	.55	-	-	.95	-	2
3	.11	.16	-	.62	.20	-	-	.94	-	.06	.04	-	3
4	.32	.06	-	.03	-	-	.02	.11	-	.34	-	-	4
5	.03	-	-	trace	.15	-	-	.35	-	.02	-	-	5
6	.01	trace	trace	-	.09	-	-	.09	.37	.04	-	.01	6
7	.22	.39	trace	-	.01	-	-	.20	.40	.54	.70	.13	7
8	.10	-	-	-	-	-	-	-	-	trace	trace	.29	8
9	.44	trace	.04	-	.47	-	trace	.01	.06	trace	.03	.03	9
10	.70	trace	.18	-	.32	trace	-	.04	-	-	-	.13	10
11	.25	.03	-	-	.03	-	.12	-	-	.16	-	.72	11
12	.32	trace	trace	.26	.05	-	trace	.10	.01	trace	-	.35	12
13	.06	.02	.02	.33	.20	-	.31	.32	.45	trace	-	.03	13
14	.15	.10	.05	.07	-	-	.48	-	trace	trace	-	.04	14
15	.02	.03	.47	.01	trace	-	.57	-	-	.13	.19	-	15
16	-	trace	.02	-	-	.01	.06	-	.12	-	-	-	16
17	-	.05	.19	.15	-	.29	-	-	.31	.09	-	-	17
18	trace	trace	.24	.09	.12	-	.07	.02	.02	.02	.26	.08	18
19	-	-	.02	.12	trace	-	-	.10	1.14	.15	.71	.03	19
20	-	-	-	.16	.03	.09	1.28	.26	.55	.28	.51	.02	20
21	.02	-	-	-	trace	.02	.02	.65	.01	.07	.69	-	21
22	.07	-	-	.10	.38	-	.08	.36	.07	.22	.32	.01	22
23	.23	trace	.13	.35	.01	.55	.02	.06	.07	trace	.08	.09	23
24	.42	.12	-	.01	.14	.28	.06	-	trace	trace	.61	.22	24
25	.04	.02	-	trace	.51	-	-	-	.04	trace	.52	-	25
26	.28	.02	-	-	.02	.09	.12	-	.24	-	.32	.31	26
27	-	-	-	-	.14	-	.05	-	.05	.05	.50	.17	27
28	.01	-	trace	-	-	-	.04	-	.41	.03	.28	.18	28
29	.16	-	.04	-	-	-	.13	.07	.17	.03	.46	.04	29
30	.06	X	-	-	.31	trace	.13	-	-	-	.02	.69	30
31	.65	X	.13	X	.38	X	-	-	X	.16	X	.04	31
TOTAL	4.92	1.30	1.53	2.44	3.58	1.35	3.66	4.23	4.49	2.39	7.79	3.61	YEAR'S TOTAL 41.29
Days with .01 in. or more.	25	13	12	15	20	8	19	17	18	17	19	21	204
Days with .04 in. or more.	20	8	9	11	14	5	15	15	15	13	17	15	157

Kept at Jarvis Brook

in the County of Sussex

by

SUSSEX

1921-30

Gauge in.

Ground ft. in.

Sea Level ft.

Refer to the previous day.

IMPORTANT NOTE

If an Observer prefers to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	14	07								02	22	1
2	02				35			02			25	02	2
3	08		12		03			15		01	20		3
4	24		04		10			11			56		4
5	01							25			50	04	5
6	52	03	27		11							03	6
7	33				24								7
8	08		03	05	02								8
9				03					02				9
10	41		02	04					03	47			10
11	32				04				67			03	11
12	28		15		01			137	08			10	12
13	44	03	14	41				06	08	02			13
14			18					01				48	14
15				12				48				02	15
16	10			28				12			16		16
17	21		49	42				14					17
18	05	04											18
19			24		02	02				09		18	19
20			06							136			20
21	04										15	03	21
22										13		45	22
23				29				42		23		11	23
24	03			02								18	24
25		57											25
26					19							50	26
27	06		01					03				16	27
28			45		13		68	05				15	28
29	07	X	13		31		02					07	29
30	31	X			18						14	22	30
31	24	X		X	01	X			X		X	02	31
TOTAL	441	81	240	166	174	02	70	321	88	231	198	301	2313
Days with 01 in. or more	21	5	15	9	14	1	2	13	5	7	8	19	119
Days with 04 in. or more	18	3	12	7	9	0	1	10	3	5	7	13	88

REGISTER OF RAINFALL IN 1921.....

Kept at Jarvis Brook, Crowborough
 in the County of Sussex
 by

Lat..... Long.....
 Time of Observation.....
 Nearest Railway Station.....
 Diameter of Funnel of Rain Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 " " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	14	07								02	22	1
2	02				35			02			25	02	2
3	08		12		03			15		01	20		3
4	24		04		10			11			56		4
5	01							25			50	04	5
6	52	03	27		11							03	6
7	33				24								7
8	08		03	05	02								8
9				03					02				9
10	41		02	04					03	47			10
11	32				04				67			03	11
12	28		15		01			137	08			10	12
13	44	03	14	41				06	08	02			13
14			18					01				48	14
15				12				48				02	15
16	10			28				12			16		16
17	21		49	42				14					17
18	05	04											18
19			24		02	02				09		18	19
20			06							136			20
21	04										15	03	21
22										13		45	22
23				29				42		23		11	23
24	03			02								18	24
25		57											25
26					19							50	26
27	06		01					03				16	27
28			45		13		68	05				15	28
29	07	X	13		31		02					07	29
30	31	X			18						14	22	30
31	24	X		X	01	X			X		X	02	31
TOTAL	4.41	81	2.40	1.66	1.74	02	70	3.21	88	2.31	1.98	3.01	23.13
Days with 01 in. or more	21	5	15	9	14	1	2	13	5	7	8	19	119
Days with 04 in. or more	18	3	12	7	9	0	1	10	3	5	7	13	88

54

AIR MINISTRY.

566 559

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1922.

566

Kept at Jarvis Brook
in the County of Sussex
by

Lat. Long.
Time of Observation.
Nearest Railway Station.
Diameter of Funnel of Rain Gauge. in.
Height of top of Gauge above Ground. ft. in.
" " " " Sea Level. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	09			26		07	04	02		81	07	1
2	15	33	40				13	01	26				2
3		08	15	118	21		23	15		07	15		3
4		13	15		18		17	01		41			4
5		01	18	02			123			36	85		5
6	08	01	15				03	20		13	07		6
7	33		72	20				11			01		7
8	16		09	03		10	35	12			10	01	8
9	08			13			33	40		03		01	9
10							06		20		28		10
11	11				04								11
12				63				16	64				12
13	05			49		19			06				13
14				03		25	09	09	45				14
15	64	43		01			59					02	15
16	01	07		05	02		02		15		01	43	16
17		29		01	20		10	02	05			14	17
18	71				04		02		01			39	18
19	57		03		07				36			74	19
20	03	21							01	08			20
21	62	38	30						02	01		122	21
22	02	15		15		03		18		09		10	22
23		17		11		18	09		11				23
24	04			13	10	13	01	34	01			04	24
25	23		22	44		05		01	04				25
26	10	40	05	26		20	19		04		02	05	26
27	43	60	06	21		05		31	07	07		25	27
28	16	23	03	01		24			08			17	28
29	17	X				08	01	54		40		25	29
30	01	X	21			07	07	57	11		10	32	30
31	04	X		X		X		26	X	13	X	40	31
TOTAL	4.76	3.58	2.74	4.09	1.12	1.57	3.79	3.52	2.69	1.78	2.40	4.61	36.65
Days with "01 in. or more	23	16	14	18	9	12	19	18	19	11	10	17	186
Days with "04 in. or more	18	14	12	12	8	11	14	14	14	9		14	147

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Crowborough, near Brook
in the County of Sussex
by Crowborough District Water Co.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 325 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	08	32								19	43	1
2	20	04	04		04					19	04	12	2
3		01				05				65	03	05	3
4									25			40	4
5	41			02						13	06		5
6	34	07	13			01							6
7	16	116	40		07					72		61	7
8	04	26	08		20					33	70		8
9	10	10	02	05	02		1.08			05	03		9
10		28	01	42	11		08			30	01	07	10
11				46	03					63		14	11
12		33	57	21	25	08				35		08	12
13	07	08	19	13	05		09				84		13
14		05	06		33			03	66				14
15			01	03	40	23	09		07		33	04	15
16		21			21	03					14		16
17		07					02	20	12				17
18	15	27		04				13		04			18
19	12	05				02			10	76		10	19
20		11	08		12	02		02	45	13			20
21		28	68	26					06	38		16	21
22		45	08	06	01			06	49	22	01	02	22
23		13	12		20		08	40	14	1.13		05	23
24		05		04				62	40	32			24
25		29	03	1.35	05	10	06	03	04	57		78	25
26		58		04	33			33		14		30	26
27	02	08	08				12	48		12		20	27
28		18	04	07	1.08		28	11					28
29	05	X	02	17	73		08	45			19	24	29
30		X					11	01		22		19	30
31		X		X	03	X	36		X	09	X	22	31
TOTAL	1.80	5.21	2.96	3.35	4.26	5.4	2.45	2.87	2.78	7.47	2.57	4.20	40.46
Days with 01 in. or more	12	24	19	15	19	8	12	13	11	21	12	19	185
Days with 04 in. or more	11	23	14	13	15	4	11	9	11	24	8	18	158

REGISTER OF RAINFALL IN 1924.

Kept at Jarvis Brook
in the County of Sussex
by Growborough District Water Company

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15		10		05	19	12	02			85	08	RRR ¹
2	10		32		18	38	19	25				19	2
3				03	52	05	44	59	03				3
4				05	05	82	30	01	02	13		44	4
5			06		16		04			52			5
6								14	01	110			6
7	03	17			01	28			72	34			7
8	20	07			22		34		12	08			8
9	05	30		06	05	06			49				9
10	22			28	44	04			19				10
11	02			33	33	25			18		46		11
12				39	08	70		07	05		50		12
13	15			44					21		12	29	13
14	04			24				14			01		14
15		05		02				12	10			76	15
16				07				16	02			10	16
17	31						106	30	05				17
18	62	18			06	30		05		10			18
19						13	02	10	04	14	04	05	19
20					28		05	15	15	07			20
21	23				13			12	28	86			21
22	25		43		02				16				22
23			59	02	47			16	40			74	23
24	43	26	26	08	63			07	01			25	24
25		02	15	04	04		93		45	04	33	03	25
26		03	06	49			22	12	21	13	43	36	26
27		10		82			24	05		16	43	153	27
28							100	33		06	64		28
29	02	05		14	43		26	34	07	100	37	10	29
30		X		25	03			28	34	40		55	30
31		X		X	71	X		05	X	25	X	25	117531
TOTAL	2.82	1.23	1.97	3.75	4.89	3.20	5.21	3.62	4.30	5.38	4.18	5.72	46.27
Days with 01 in. or more	15	10	8	17	21	11	14	22	23	16	11	15	183
Days with 04 in. or more	12	6	8	14	14	11	13	20	18	16	10	14	163
													YEAR'S TOTAL

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No. _____

River Dist. _____

Station No. _____

Kept at Browborough (Jarvis Brook)in the County of Sussexby Browborough District Water Co.Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.11		.38	.07	.03			.16	.11		.58	.03	1
2	.86	.01		.15							.95		2
3	.55				.22		.24				.15		3
4	.07				.19			.04		.03	.22		4
5		.25		.67				.07	.07		.32		5
6		.08		.14	.33		.44	.04			.70		6
7		.22		.11	.06		.12		.01	.01	.03	.04	7
8	.09				.23				.02			.06	8
9		.07						.09	.11		.02	.05	9
10		.05	.09		.30			.19	.15		.20		10
11		.19						.05	.05				11
12		.41						.02					12
13	.03	.83	.20	.17				.02					13
14	.61	.10	.02	.34				.04					14
15	.14	.09		.14						.07			15
16	.05								.08				16
17	.01	.05			.03				.12				17
18	.02	.07					.42	.03		.02		.01	18
19		.01		.13		.02		.02	.18	.85		.32	19
20			.14				.06		.65	.68		.29	20
21			.14				.05	.15	.09	.70		.70	21
22		.10		.14			1.85	.44	.52	1.46		.44	22
23		.19	.21	.24	.35			.46	.03	.53		.19	23
24	.07	.76	.15	.24	.18	.19		.23	.01	.05	.06	.21	24
25	.02	1.45		.25			.02		.40			.07	25
26	.04	.18		.14	.17	.01	.46	.07	.01	.57		.32	26
27	.13	.02		.27	1.06		.61	.15			.10	.06	27
28	.21		.02						.01			.48	28
29	.17	X		.09	.30		.13		.01		.15	1.12	29
30		X		.43			.26					.50	30
31	.10	X		X		X	.13		X		X		31
TOTAL	4.28	5.13	1.21	3.72	3.45	.22	4.79	2.27	2.63	4.97	3.48	4.89	YEAR'S TOTAL 41.94
Days with ".01 in. or more.	18	20	8	17	13	3	13	18	19	11	12	17	169
Days with ".04 in. or more	14	17	6	17	11	1	12	14	12	8	10	15	137

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

526
566

Kept at Jarvis Brook
in the County of Sussex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.36	-	-	-	.45	-	-	-	-	.04	-	1
2	-	.02	-	-	-	.69	-	-	.22	-	.03	-	2
3	.28	.70	.14	-	-	.02	-	-	-	-	-	-	3
4	-	.22	.02	.40	-	-	.02	-	-	-	.06	-	4
5	.05	.08	.22	-	.26	-	-	-	.04	-	.45	.30	5
6	.06	.24	.01	.38	-	.01	.26	.06	.16	-	.03	-	6
7	-	.01	-	.12	.32	.16	-	.01	.03	-	.15	.02	7
8	-	.01	-	.20	-	.04	-	-	-	.02	.85	-	8
9	.12	.02	.08	-	-	.82	-	.01	-	.39	.83	-	9
10	-	.01	-	-	.05	.11	.04	.47	-	-	.03	-	10
11	-	.06	-	-	.16	.16	-	.65	-	-	.25	-	11
12	-	.06	-	-	.11	.03	-	.01	.16	.51	-	-	12
13	.08	-	-	-	.05	.11	-	.02	.04	.01	1.72	-	13
14	.20	.03	-	.04	.10	.25	-	-	-	.50	.04	-	14
15	.10	.13	-	.53	-	.03	-	-	.03	.30	.15	-	15
16	-	.05	-	.40	-	-	-	.50	-	.01	.01	-	16
17	-	.75	-	-	.08	.54	-	-	-	-	.10	.07	17
18	.29	.11	-	.13	.04	-	.31	.21	-	-	.92	-	18
19	-	-	.01	.09	.04	-	.42	-	-	-	.23	-	19
20	-	-	-	.55	.03	-	-	-	-	-	1.06	-	20
21	-	-	-	.05	-	-	.05	.03	-	-	.69	-	21
22	.70	.03	-	.13	.03	-	-	-	-	.05	-	.15	22
23	.14	-	-	.02	-	-	-	-	-	-	.05	-	23
24	.04	-	-	-	-	.18	.06	-	.12	.67	-	-	24
25	.16	-	-	.72	-	-	.21	-	-	.17	.07	.06	25
26	.01	.01	-	.07	-	-	.20	-	.02	-	.17	-	26
27	.10	.07	.06	.23	.20	-	.02	-	.26	.10	.02	-	27
28	.85	-	-	.48	-	-	.36	-	.02	.35	.20	.01	28
29	.03	X	-	.75	.43	-	.03	-	-	.17	.03	-	29
30	.19	X	-	.06	.31	-	.02	-	-	-	-	-	30
31	.39	X	-	X	-	X	-	.05	X	-	X	-	31
TOTAL	4.42	2.97	.054	1.535	2.21	3.60	2.00	2.02	1.10	3.25	8.18	.61	36.25
Days with ".01 in. or more.	19	20	7	19	15	15	13	11	11	13	25	6	174
Days with ".04 in. or more.	17	12	4	18	13	11	9	6	7	10	19	4	130
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.

Kept at Crowthorough, Jarvis Brook
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.43	.02	.03		.04	.65	.26		.33			1
2	.02	.02	.12	.17			.01				.02	.01	2
3	.24		.02			.06						.01	3
4	.02		.04	.14			.15						4
5	.31	.15		.52	.09	.07		.11			.14		5
6	.05		.47	.40		.10	.55	.05	.07		.07		6
7		.26	.14	.22		.10		.15			.05		7
8	.09			.33				.19	.12		.08		8
9			.01	.17			.20	.20	.14				9
10			.14					.03	.21				10
11				.02		.08	.27	.49					11
12	.18						.01	.17		.05	.04		12
13	.14						.08	.53	.34	.01	.03	.03	13
14				.06			.54	.03	1.69		.01	.32	14
15	.08				.01		.11	.37	.06				15
16	.02	.02			.18			.05	.54			.03	16
17	.17		.09			.52		.50	.08				17
18	.24		.02			.53		.25	.01		.19		18
19		.12				.05		.07		.01			19
20	.17	.17					.16	1.44			.47	.51	20
21	.10	.33	.01		.09		.06	.34	.21	.60	.18	.80	21
22	.19	.03	.33	.04	.05	.29	.05	.19	.04	.98		.76	22
23	.02	.61	.57			.13			.84		.30	.24	23
24		.19	.79	.01		.51		.02	.01	.05		.54	24
25		.45	.54			.15		.02		.14	.12	1.46	25
26	.27	1.06	.12		.13	.10	.06		.08	.05		.76	26
27	.03	.50	.01		.24	.30	.20			.69			27
28	.22	.20	.06	.10		.61	.02			.08	.28		28
29	.14	X	.23			.45		.05	.61		1.00		29
30	.20	X	.15			1.32	.05			.16			30
31	.02	X	1.18	X	.07	X	.04		X	.03	X	.11	31
TOTAL	2.92	5.54	5.06	2.21	.86	5.41	3.21	5.51	5.05	3.18	2.98	5.58	47.51
Days with ".01 in. or more.	22	15	21	13	8	18	18	22	16	13	15	13	194
Days with ".04 in. or more.	16	12	15	10	7	18	15	18	14	10	12	9	156

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Growthborough, Jarvis Brook
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.17	.32	.01			.03			.47		1
2	1.16	.28		.38							.13	.01	2
3					.21		.71	.50			.13		3
4	.02	.28						.39					4
5	.24	.17	.08				.04						5
6	.02		.02	.02		.31		.01					6
7	.07	.05	.01	.14		.30		.10					7
8		.10				.49	.05			.14			8
9	.09					.30			.21	.12		.11	9
10		.23		.26	.02					.36	.38		10
11			.05	.10				.06		.47	.20	.11	11
12	.58	.31	.05					.01		.03	.06	.09	12
13		.12				1.24		.16			.13	.02	13
14	.13	.21		.28	.10	.09		.09		.63	1.04		14
15	.20			.62	.13						.50		15
16	.10	.16			.07					.18		.40	16
17					.30					.22	.38		17
18	.71			.04	.08	.72				.60	.05		18
19	.02				.13	.02		.18		.66	.08	.32	19
20	.16				.02			.03		.70	.07		20
21	.21		.10	.16	.41					1.08	.32		21
22			.19		.01			.02		.82	.90	.40	22
23	.66		.07		.07					.24			23
24									.19	.17	.49	.36	24
25			.03			.10				.46		.34	25
26	.49					.09	.01	.40		1.23		.21	26
27			.10				.78	.09		.15		.74	27
28	1.22		.02						.27			.18	28
29	.17	.25	.69	.13			.10		.04	.13	.05	.83	29
30		X	.34	.07		.17	.19	.04		.12		.05	30
31	.23	X	.24	X		X	.12		X	.06	X	.35	31
TOTAL	6.57	2.16	2.16	2.52	1.56	3.83	2.00	2.11	.71	8.57	5.38	4.52	42.09
Days with ".01 in. or more.	20	11	15	12	13	11	8	15	4	21	17	16	163
Days with ".04 in. or more.	17	11	11	11	9	10	7	10	4	20	17	14	141

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Farvis Brook

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 325 ft.

CROWBOROUGH
DISTRICT WATER
COMPANY.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.07	—	0.05	—	—	—	0.34	—	0.40	—	—	1
2	—	0.22	—	—	—	0.11	0.08	—	—	0.56	0.07	0.57	2
3	—	—	—	—	—	0.01	0.25	—	—	0.11	—	0.34	3
4	—	—	—	0.28	0.36	0.23	0.28	0.17	—	0.02	—	0.43	4
5	—	—	—	—	1.15	0.22	0.29	0.61	—	0.36	—	0.38	5
6	—	—	—	0.02	0.22	0.04	0.37	0.75	—	0.21	0.20	0.62	6
7	—	—	—	—	0.03	0.03	—	0.11	—	0.52	0.75	0.60	7
8	—	—	—	—	—	0.12	—	—	—	0.36	—	0.44	8
9	0.06	0.20	—	—	—	—	—	—	—	0.01	0.01	0.58	9
10	0.31	0.03	—	0.12	—	—	—	0.01	—	0.06	0.12	0.61	10
11	—	—	—	0.32	—	0.01	—	—	—	—	1.59	0.14	11
12	—	—	—	0.12	0.47	0.26	—	—	—	—	—	—	12
13	0.06	—	—	0.01	0.21	—	—	—	—	—	—	0.08	13
14	—	—	—	—	0.09	0.06	—	—	—	—	—	0.14	14
15	—	—	—	—	—	0.23	—	—	—	—	1.15	0.14	15
16	0.07	—	—	—	—	—	—	1.50	—	—	1.47	—	16
17	0.12	—	—	—	—	—	—	—	—	—	—	—	17
18	0.01	—	—	—	—	—	—	—	0.12	—	0.39	—	18
19	0.07	—	—	—	—	—	—	—	0.02	—	0.10	—	19
20	—	—	—	—	—	—	0.08	0.02	—	0.75	—	—	20
21	0.13	—	0.09	—	—	—	—	0.02	—	—	—	0.26	21
22	0.01	—	—	—	—	—	0.02	0.03	—	—	0.20	0.05	22
23	—	0.04	—	—	—	—	—	—	—	0.06	0.63	0.41	23
24	—	—	—	—	—	—	—	—	—	0.67	0.76	0.47	24
25	0.01	0.03	—	—	—	—	—	—	—	0.67	0.15	0.03	25
26	—	—	—	0.02	0.04	—	—	—	—	—	0.16	0.17	26
27	—	—	—	0.01	—	—	—	0.01	—	—	0.93	0.10	27
28	0.25	—	—	0.05	—	—	0.33	—	—	0.48	0.75	0.60	28
29	0.20	X	—	0.18	—	—	—	—	0.29	0.01	0.62	0.13	29
30	—	X	—	—	—	0.10	0.03	—	0.35	—	0.32	0.32	30
31	0.40	X	—	X	2.57	X	0.26	—	X	—	X	—	31
TOTAL	1.60	0.69	0.09	1.18	2.57	1.52	1.99	3.57	0.78	5.25	10.87	8.21	37.82
Days with 0.1 in. or more.	13	6	1	11	8	12	10	11	4	16	19	23	34
Days with 0.4 in. or more.	6	4	—	7	7	9	8	6	3	13	18	22	108

Kept at Crowthorough, Jarvis Brook
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.10		.11							.54		1
2	.02	.17		.02	.02		.05	.91			.83		2
3	.07	.16		.59	.21			1.13		.06	.04		3
4	.35	.03			.18			.20		.27			4
5	.02				.20			.58					5
6								.11	.53	.07			6
7	.20	.63						.15	.02	.50	.67	.18	7
8	.08									.02		.26	8
9	.57				.46				.11		.03	.02	9
10	.74		.22		.30	.02		.04				.15	10
11	.18	.03			.03		.08			.35		.75	11
12	.37			.25	.05			.05				.31	12
13	.06		.14	.29	.08		.22	.36	.41			.07	13
14	.10	.04	.05	.04			.50					.03	14
15		.05	.45	.04			.47			.15	.24		15
16							.01			.10			16
17		.09	.28	.12		.30			.27	.09			17
18	.02		.20	.10	.04		.02	.01	.11		.23	.16	18
19			.08	.06				.01	1.03	.16	.53	.03	19
20				.24	.02		1.19	.22	.46	.21	.63		20
21						.08		.52			.65		21
22	.09			.18	.40		.08	.22	.06		.22		22
23	.22		.17	.30		.48	.01	.05	.06	.23	.08	.08	23
24	.44				.18	.22	.09				.58		24
25	.07	.10			.42						.56		25
26	.25	.03				.13	.09		.26		.47	.28	26
27									.06		.53	.22	27
28			.01						.44	.06	.26	.17	28
29	.14	X	.06				.18		.12	.04	.63	.06	29
30	.13	X			.34		.08				.01	.54	30
31	.59	X	.11	X	.29	X			X	.10	X	.03	31
TOTAL	4.99	1.43	1.77	2.34	3.22	1.23	3.07	4.56	4.04	2.31	7.73	3.34	40.03
Days with .01 in. or more.	22	11	11	13	16	6	14	15	15	14	19	17	173
Days with .04 in. or more.	19	8	10	12	13	5	11	15	14	13	17	13	148

'SMALL FIELD'

ORGANIZATION.

21.

No. 9.15 E

on Crowborough

Rain Gauge 5 in.

above Ground 2 ft. in.

,, Sea Level 600 ft.

It entered to the previous day.

requested to add
it at the end of
of rain gauges,
infall Observers,"
on, 62, Camden

Jan. 1. following.

Form.

Kept at Small

in the County of

by John

IMPORTANT NOTE

If an Observer prefers
the reading at 9 a.m. on
this paragraph. Full ins
and particulars as to the
sent post-free on applica
Square, London, N.W. 1.

CROWBOROUGH

SUSSEX

1921-1925

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	.21	.02	nil	nil	.02	nil	.03	.02	nil	.03	.24	1
2	.03	.01	.01	nil	.35	.01	nil	.02	.01	nil	.30	.03	2
3	.01	Trace	.13	nil	.35	Trace	nil	.31	nil	nil	.15	nil	3
4	.33	.02	Trace	Trace	.02	.02	nil	.04	nil	nil	.47	nil	4
5	.01	Trace	.02	nil	.01	.03	nil	.35	nil	nil	.54	.02	5
6	.06	nil	.21	nil	.14	.02	nil	nil	nil	nil	nil	Trace	6
7	.34	nil	.01	nil	.32	nil	nil	nil	nil	nil	nil	nil	7
8	.02	Trace	.02	nil	.29	nil	nil	nil	.01	nil	nil	nil	8
9	.03	nil	nil	.03	nil	nil	nil	nil	.02	nil	nil	Trace	9
10	.23	nil	Trace	nil	nil	nil	nil	.01	.09	.75	nil	Trace	10
11	.30	nil	.04	nil	.04	nil	nil	.03	0.80	nil	nil	nil	11
12	.47	.82	.17	nil	nil	Trace	nil	1.04	.02	nil	nil	.19	12
13	.31	nil	.11	.32	nil	Trace	nil	.12	.19	nil	nil	nil	13
14	nil	nil	.14	.17	.05	Trace	Trace	.03	nil	Trace	nil	.47	14
15	nil	Trace	.01	.28	.02	nil	nil	.03	nil	.01	nil	.04	15
16	.07	nil	.04	.49	.02	nil	nil	.24	nil	Trace	.09	nil	16
17	.15	.03	.41	.04	nil	nil	nil	.10	nil	Trace	nil	nil	17
18	.02	.02	.05	.02	nil	nil	nil	.02	nil	nil	nil	nil	18
19	.01	nil	.17	.03	nil	nil	nil	nil	nil	.10	.16	.17	19
20	nil	nil	.04	nil	nil	.02	nil	nil	nil	.64	nil	nil	20
21	.01	nil	.02	Trace	nil	nil	nil	.02	nil	.02	.10	.04	21
22	.02	nil	nil	.21	nil	nil	nil	.45	nil	.10	nil	.23	22
23	Trace	.02	nil	nil	nil	nil	nil	.03	nil	.23	nil	.42	23
24	Trace	.02	nil	nil	nil	nil	nil	nil	nil	nil	nil	.06	24
25	.02	.52	nil	Trace	nil	0.15	nil	nil	nil	nil	nil	.20	25
26	.03	.02	nil	nil	.07	0.02	nil	nil	nil	nil	nil	.31	26
27	.02	Trace	.02	nil	.14	nil	nil	nil	nil	nil	nil	.27	27
28	.04	.02	.40	nil	.09	nil	.61	.02	nil	.03	nil	.10	28
29	.03	X	.15	Trace	.37	nil	.03	.01	nil	nil	nil	.15	29
30	.13	X	nil	nil	.20	nil	nil	nil	nil	nil	.11	.19	30
31	.13	X	nil	X	Trace	X	Trace	nil	X	nil	X	.03	31
TOTAL	3.82	1.49	2.14	1.59	2.98	.32	.64	2.90	1.22	1.88	1.95	2.29	22.87
Days with 01 in. or more	26	10	21	9	16	9	2	19	8	8	9	19	156
Days with 04 in. or more	13	8	13	6	12	1	1	6	3	5	8	15	84

REGISTER OF RAINFALL IN 1921.

Kept at Smalefield
Crowborough
in the County of Sussex
by John Godfrey

Lat. 51.4 N Long. 9.15 E
Time of Observation 9 a.m.
Nearest Railway Station Crowborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured ~~daily~~ at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	.21	.02	nil	nil	.02	nil	.03	.02	nil	.03	.24	1
2	.03	.01	.01	nil	.35	.01	nil	.02	.01	nil	.30	.03	2
3	.01	Trace	.13	nil	.35	Trace	nil	.31	nil	nil	.15	nil	3
4	.33	.02	Trace	Trace	.02	.02	nil	.04	nil	nil	.47	nil	4
5	.01	Trace	.02	nil	.01	.03	nil	.35	nil	nil	.54	.02	5
6	.06	nil	.21	nil	.14	.02	nil	nil	nil	nil	nil	Trace	6
7	.34	nil	.01	nil	.32	nil	nil	nil	nil	nil	nil	nil	7
8	.02	Trace	.02	nil	.29	nil	nil	nil	.01	nil	nil	nil	8
9	.03	nil	nil	.03	nil	nil	nil	nil	.02	nil	nil	Trace	9
10	.23	nil	Trace	nil	nil	nil	nil	.01	.09	.75	nil	Trace	10
11	.30	nil	.04	nil	.04	nil	nil	.03	0.80	nil	nil	nil	11
12	.47	.82	.17	nil	nil	Trace	nil	1.04	.02	nil	nil	.19	12
13	.31	nil	.11	.32	nil	Trace	nil	.12	.19	nil	nil	nil	13
14	nil	nil	.14	.17	.05	Trace	Trace	.03	nil	Trace	nil	.47	14
15	nil	Trace	.01	.28	.02	nil	nil	.03	nil	.01	nil	.04	15
16	.07	nil	.04	.49	.02	nil	nil	.24	nil	Trace	.09	nil	16
17	.15	.03	.41	.04	nil	nil	nil	.10	nil	Trace	nil	nil	17
18	.02	.02	.05	.02	nil	nil	nil	.02	nil	nil	nil	nil	18
19	.01	nil	.17	.03	nil	nil	nil	nil	nil	.10	.16	.17	19
20	nil	nil	.04	nil	nil	.02	nil	nil	nil	.64	nil	nil	20
21	.01	nil	.02	Trace	nil	nil	nil	.02	nil	.02	.10	.04	21
22	.02	nil	nil	.21	nil	nil	nil	.45	nil	.10	nil	.23	22
23	Trace	.02	nil	nil	nil	nil	nil	.03	nil	.23	nil	.42	23
24	Trace	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	.06	24
25	.02	.52	nil	Trace	nil	0.15	nil	nil	nil	nil	nil	.20	25
26	.03	.02	nil	nil	.03	0.02	nil	nil	nil	nil	nil	.21	26
27	.02	Trace	.02	nil	.14	nil	nil	nil	nil	nil	nil	.27	27
28	.04	.02	.40	nil	.09	nil	.61	.02	nil	.03	nil	.10	28
29	.03	X	.15	Trace	.37	nil	.03	.01	nil	nil	nil	.15	29
30	.12	X	nil	nil	.20	nil	nil	nil	nil	nil	.11	.19	30
31	.33	X	nil	X	Trace	X	Trace	nil	X	nil	X	.03	31
TOTAL	3.82	1.49	2.14	1.59	2.98	.32	.64	2.90	1.22	1.98	1.95	2.29	
Days with .01 in. or more	26	10	21	9	16	9	2	19	8	8	9	19	
Days with .04 in. or more	13	8	13	6	12	1	1	8	3	5	8	15	

Smalfield ~~Sumner~~
Crowborough
S. H. 22

The Sup^t
British Rainfall Com^{tee}
London W.C. 2

Dear Sir,

In reply to your letter
of April 5, the daily entries
of Form A1 for 1921, which
we sent to you, are correct.

We have not kept a copy
of this, but believe they
add to 1.79 for February.

We might mention that we
are peculiarly situated,
and often get rain when
the surrounding districts
including other parts of Crowborough
get none, and vice versa.

Yours faithfully
John Godfrey

REGISTER OF RAINFALL IN 1922.

Kept at Smalfield
Crowthorne
 in the County of Sussex
 by John E. Adgey

Lat. 51.4N Long. 9.15E
 Time of Observation 9 a.m.
 Nearest Railway Station Crowthorne
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 2 ft. — in.
 " " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.63	.20	nil	.16	nil	.05	.15	.05	nil	.87	.14	1
2	.19	.38	.26	.22	.20	nil	.48	.23	.03	nil	nil	nil	2
3	nil	.13	.22	.81	nil	nil	.38	.30	Trace	.07	.21	nil	3
4	nil	.06	.17	nil	0.10	nil	.15	.10	nil	.51	nil	nil	4
5	nil	nil	.19	nil	nil	nil	1.13	.04	nil	.11	.75	nil	5
6	.06	nil	.12	Trace	nil	nil	nil	.19	nil	.17	.10	nil	6
7	.17	nil	1.00	.20	nil	nil	.51	.15	Trace	nil	nil	Trace	7
8	.11	nil	.07	.03	nil	.09	.40	.06	nil	nil	.09	nil	8
9	.10	nil	nil	nil	nil	nil	.03	.57	nil	Trace	nil	nil	9
10	Trace	nil	nil	nil	nil	nil	nil	nil	.20	nil	.21	Trace	10
11	.08	nil	nil	nil	nil	nil	nil	Trace	nil	nil	nil	nil	11
12	nil	nil	nil	.85	nil	nil	nil	.28	.65	nil	nil	nil	12
13	Trace	nil	nil	.47	nil	0.18	.09	.15	Trace	nil	nil	nil	13
14	nil	nil	nil	.04	nil	.25	.97	.29	.45	nil	nil	nil	14
15	nil	.33	nil	.04	nil	nil	Trace	.23	.03	nil	Trace	nil	15
16	nil	.07	nil	.07	nil	nil	Trace	nil	.08	nil	nil	nil	16
17	nil	.34	nil	nil	.27	nil	.11	Trace	.05	nil	nil	.09	17
18	.76	nil	nil	nil	nil	nil	nil	nil	.04	Trace	nil	.31	18
19	.85	.14	.04	nil	nil	nil	nil	nil	.41	.30	nil	.80	19
20	.04	nil	Trace	nil	nil	nil	nil	Trace	nil	.07	nil	Trace	20
21	.60	.40	.13	nil	nil	.04	nil	nil	nil	.02	Trace	1.50	21
22	Trace	nil	nil	.16	0.05	nil	nil	0.10	nil	.06	nil	.07	22
23	Trace	.10	nil	nil	nil	.07	.09	nil	.08	nil	nil	Trace	23
24	.02	nil	.28	nil	.26	.18	Trace	.45	Trace	nil	nil	Trace	24
25	.37	nil	.02	.45	nil	.03	nil	nil	.04	nil	nil	.06	25
26	.13	.40	Trace	.26	nil	.20	.21	nil	.07	nil	Trace	nil	26
27	.46	.60	.06	.13	nil	.03	.03	.39	.05	Trace	Trace	.31	27
28	.18	.36	nil	nil	nil	.26	.04	.04	.04	.27	nil	.22	28
29	.20	Trace	Trace	nil	nil	.19	Trace	.85	nil	.25	nil	.29	29
30	nil	Trace	.24	nil	nil	.04	.05	.44	nil	Trace	.07	.32	30
31	Trace	Trace	.66	.06	nil	Trace	.02	.29	Trace	.06	Trace	.40	31
TOTAL	4.97	3.44	3.06	3.73	1.04	1.67	4.34	5.07	2.27	1.89	2.30	5.12	38.90
Days with ".01 in. or more	19	13	15	13	6	12	17	20	15	11	7	13	160
Days with ".04 in. or more	17	13	14	12	6	11	14	20	13	10	7	13	149
YEAR'S TOTAL													

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Smallfield
Crowborough
 in the County of Sussex
 by John Godfrey

Lat. 51.4 N Long. 9.15 E
 Time of Observation 9 am
 Nearest Railway Station Crowborough
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 2 ft. 0 in.
 " " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	Nil	.33	Nil	Nil	.04	Nil	Nil	Nil	.05	.21	.14	1
2	.26	Nil	.03	Nil	Trace	Nil	Nil	Nil	Nil	.20	.20	.22	2
3	.24	Nil	Nil	Nil	Nil	.05	Nil	Nil	Trace	.66	Trace	.07	3
4	.03	Nil	Nil	Nil	.02	Nil	Nil	Nil	.11	.10	Nil	.43	4
5	.40	Nil	Trace	.06	.03	Nil	Nil	Nil	Nil	.15	.02	.03	5
6	.21	.07	.12	.15	Nil	.06	Nil	Nil	Nil	.20	Nil	.04	6
7	.06	1.32	.29	Nil	.05	Nil	Nil	Nil	Nil	.55	Nil	.52	7
8	.25	.21	Nil	Trace	.19	Nil	Nil	Nil	Nil	.28	.73	Nil	8
9	.12	.05	.07	.05	.02	Nil	1.50	Nil	Nil	.04	.04	Nil	9
10	Nil	.05	.02	.45	.11	Trace	.45	Nil	Nil	.30	.07	Nil	10
11	.05	.04	Trace	.39	.12	Nil	Nil	Nil	Nil	.54	Nil	.16	11
12	.05	.51	.62	.21	.24	.09	Nil	Nil	Nil	.40	Nil	.05	12
13	Trace	.09	.16	.08	.02	Nil	.21	Trace	Nil	.10	.79	.05	13
14	Nil	.18	.05	.02	.21	Nil	Nil	Nil	.60	Trace	.03	.16	14
15	.03	Nil	Trace	.02	.30	.21	Nil	Nil	.27	Nil	.28	.02	15
16	Nil	.11	.03	.02	.19	Nil	Nil	Nil	Nil	Nil	.33	.05	16
17	.02	.05	Nil	Nil	Nil	Nil	Nil	.21	.11	Nil	Nil	Nil	17
18	.11	.25	Nil	.05	Nil	Nil	Nil	.09	.04	.03	Nil	Nil	18
19	.14	.05	.04	Nil	Nil	Nil	Nil	Nil	.15	.04	Nil	Nil	19
20	.03	.15	.07	Nil	Nil	Nil	Nil	.04	.50	.23	Nil	.16	20
21	Trace	.17	.86	.04	Nil	.03	Nil	Nil	Trace	.55	Nil	.03	21
22	Trace	.39	.07	Nil	Nil	Nil	Nil	Nil	.45	.26	.05	.08	22
23	Nil	.16	.11	Nil	.10	Nil	.07	Nil	.21	.98	.17	.05	23
24	Nil	.06	Nil	.03	.03	Nil	Nil	.72	.30	.30	Trace	.51	24
25	Nil	.33	Nil	1.32	.11	.20	.10	.10	Nil	.35	Trace	.32	25
26	Nil	.53	Nil	.31	Nil	Nil	Nil	.23	Nil	.27	Nil	.22	26
27	Nil	.10	.10	Nil	.05	Nil	Nil	.11	Nil	.08	Nil	.03	27
28	Nil	.07	Trace	.09	1.20	Nil	.05	.04	Nil	Nil	.25	.31	28
29	.06	X	Trace	.14	.75	Nil	Nil	.59	Nil	Nil	Nil	.37	29
30	.02	X	Trace	Nil	Nil	Nil	Nil	Nil	Nil	.24	Nil	.15	30
31	Trace	X	Trace	X	.04	X	X	X	X	.17	X	.04	31
TOTAL	2.11	4.89	3.65	2.48	4.15	0.68	2.38	2.29	2.74	7.87	3.17	4.53	YEAR'S TOTAL 41.94
Days with "01 in. or more	17	21	25	17	20	7	5	10	2	25	13	25	189
Days with "04 in. or more	12	21	14	13	15	6	6	10	10	24	11	21	163

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Smallfield
Crowthorpe
in the County of Sussex
by John Goodfry

Lat. 51.4 N Long. 9.15 E
Time of Observation 9 a.m.
Nearest Railway Station Crowthorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 600 in.
" " " " Sea Level 600 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	nil	.10	nil	Grace	.25	nil	nil	nil	nil	.25	.10	1
2	.07	nil	.30	nil	.26	.75	.92	.09	Grace	Grace	.70	.25	2
3	nil	nil	.11	.15	.50	.08	.45	.39	.28	nil	nil	Grace	3
4	nil	nil	nil	.05	.15	.75	.11	.20	nil	.10	nil	.25	4
5	nil	nil	.05	nil	.10	nil	.04	nil	nil	.45	nil	.02	5
6	nil	.12	nil	nil	.05	nil	Grace	.25	.05	.85	nil	nil	6
7	.04	nil	nil	.05	.02	.45	Grace	nil	.25	.50	nil	nil	7
8	.22	.15	nil	.05	.55	.03	.20	nil	.32	.05	Grace	nil	8
9	.15	.52	nil	.10	.06	.05	nil	nil	.25	.05	nil	Grace	9
10	.20	nil	nil	.30	.40	.03	nil	nil	.09	Grace	.02	nil	10
11	.07	nil	nil	.52	.50	.40	nil	Grace	.02	nil	.03	nil	11
12	nil	nil	nil	.20	.04	.35	nil	.35	.10	nil	.27	nil	12
13	.15	nil	nil	.45	.15	nil	Grace	nil	.35	nil	.53	nil	13
14	.05	nil	nil	.35	.10	nil	nil	nil	nil	nil	.17	.04	14
15	nil	.20	nil	.05	nil	nil	nil	nil	.05	nil	nil	.65	15
16	nil	nil	nil	.04	Grace	nil	nil	.15	.01	nil	nil	.12	16
17	.25	.04	nil	nil	Grace	Grace	.90	.20	.11	nil	nil	nil	17
18	.45	.15	nil	Grace	.10	.25	.03	.64	.05	.15	.02	nil	18
19	.10	.02	nil	Grace	nil	nil	Grace	.03	.05	.05	.05	.02	19
20	nil	nil	nil	nil	.35	nil	.11	Grace	.21	.12	nil	nil	20
21	.32	nil	.02	nil	.15	nil	.05	.10	.25	.05	nil	nil	21
22	.32	nil	.35	nil	.05	nil	Grace	Grace	.20	nil	nil	nil	22
23	Grace	nil	.52	.42	.65	nil	.04	.32	.30	.04	nil	.65	23
24	.52	.25	.25	.15	.50	nil	nil	.10	.04	nil	.10	.50	24
25	nil	.05	.60	.10	.05	nil	.75	nil	.95	nil	.45	.05	25
26	nil	.19	.18	.40	nil	nil	.40	.24	.30	.05	.50	.42	26
27	nil	.15	nil	.72	nil	nil	.40	nil	nil	.12	.65	1.25	27
28	nil	nil	nil	.05	nil	.04	.95	.27	Grace	.20	.49	.02	28
29	nil	.05	nil	.15	.65	nil	.05	.33	.05	.25	.65	.25	29
30	nil	X	nil	.60	.16	.02	Grace	.25	.25	.38	.10	.70	30
31	nil	X	.06	X	.70	X	Grace	.04	X	.40	X	.20	31
TOTAL	2.96	2.09	2.54	4.50	6.24	3.45	4.53	3.15	4.53	4.64	4.98	5.69	YEAR'S TOTAL
Days with "1 in. or more	15	13	11	20	23	13	15	17	23	18	16	18	49.30
Days with ".04 in. or more	15	12	10	19	22	10	14	16	22	18	13	15	29.2
													18.6

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Smallfield
CrowboroughLat. 51.4N Long. 9.15ETime of Observation 9 amNearest Railway Station CrowboroughDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 2 ft. _____ in." " " " Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.95	nil	1.25	.27	.01	nil	nil	.17	.08	nil	.35	nil	1
2	.55	nil	.03	.25	.03	nil	.15	Trace	Trace	nil	.82	nil	2
3	.40	Trace	.01	nil	.30	nil	.22	Trace	Trace	nil	.15	nil	3
4	Trace	nil	nil	.02	.28	nil	nil	.18	nil	.05	.20	nil	4
5	nil	.15	nil	.60	.87	nil	nil	Trace	.16	nil	.45	nil	5
6	nil	.14	nil	.25	.38	nil	.53	Trace	nil	nil	.62	.05	6
7	nil	.25	Trace	.10	.10	nil	.05	nil	nil	nil	Trace	.13	7
8	Trace	Trace	nil	.02	.35	nil	nil	nil	nil	nil	Trace	.20	8
9	nil	.02	nil	.05	.04	nil	nil	.22	.11	nil	.15	.03	9
10	nil	.10	.12	nil	.20	nil	nil	.30	.10	nil	.58	.02	10
11	nil	.29	.03	nil	.02	nil	nil	.05	.12	nil	.32	nil	11
12	nil	.75	nil	nil	nil	nil	nil	.04	nil	.03	nil	nil	12
13	.03	.76	.22	.17	nil	nil	nil	Trace	nil	.02	nil	.02	13
14	.50	.25	.06	.20	nil	nil	nil	.15	nil	nil	nil	nil	14
15	.25	.14	nil	.19	nil	nil	nil	nil	nil	.20	nil	nil	15
16	.03	.10	nil	nil	nil	nil	nil	nil	.15	.18	nil	.03	16
17	.04	.30	nil	nil	nil	nil	nil	nil	.05	nil	nil	nil	17
18	.02	.15	nil	.16	.27	nil	.45	.01	nil	nil	nil	nil	18
19	nil	.02	Trace	.03	.01	nil	.04	.02	.25	.76	nil	.27	19
20	nil	nil	.15	nil	nil	nil	.21	.02	.59	.65	nil	.28	20
21	nil	Trace	nil	nil	nil	nil	0.15	.21	.03	.95	nil	.72	21
22	nil	.05	.10	.30	nil	nil	1.61	.45	.60	.40	nil	.50	22
23	nil	.24	.25	.25	.42	nil	Trace	.52	nil	Trace	nil	.22	23
24	.03	.65	.35	.14	.25	nil	.01	.15	Trace	.03	.14	.29	24
25	.02	1.25	.10	.07	Trace	nil	.01	nil	.30	.05	nil	.25	25
26	.08	.30	Trace	.23	.45	nil	.65	.10	Trace	.66	nil	.18	26
27	.22	nil	.11	Trace	.81	nil	.54	Trace	nil	nil	.15	.05	27
28	.15	.05	.05	nil	.05	nil	nil	nil	Trace	nil	nil	.27	28
29	.22	X	nil	nil	.17	nil	.11	nil	.01	nil	.11	.85	29
30	.05	X	.12	.25	nil	nil	.52	nil	.01	nil	.02	.50	30
31	.17	X	nil	X	nil	X	.25	nil	X	nil	X	nil	31 1087
TOTAL	3.59	5.97	1.93	3.67	4.18	nil	5.30	2.59	2.47	3.98	4.26	4.66	YEAR'S TOTAL 42.80
Days with 0.1 in. or more.	17	29	15	19	19	0	16	15	14	12	13	19	179
Days with 0.4 in. or more	12	18	12	17	15	0	13	12	11	9	12	15	146

Kept at "Ye Whare"

in the County of.....

by Miss R.

"TE WHARE"

CROWBOROUGH

SUSSEX

1921 - 1928

IMPORTANT NOTE
If an Observer prefers
the reading at 9 a.m. on
this paragraph. Full ins
and particulars as to the
sent post-free on applica
Square, London, N.W. 1,

ong.....

on.....

Rain Gauge.....in.

above Ground.....ft.....in.

Sea Level.....ft.

ult entered to the previous day.

requested to add

it at the end of

g of rain gauges,

infall Observers,"

ion, 62, Camden

Place, Edinburgh.

form.

Jan. 1, following.

47

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	50	01								03		1
2	05				37		46	15	02		29		2
3	08	01	10		10	21	15	15			(20)		3
4	28		10		05		10	10			52		4
5	01		05				30	30			55	05	5
6	59		10		29							04	6
7	32	02	10		40							01	7
8	09		15	18	05							01	8
9	01		01	01					05				9
10	35	01	01						02	75		01	10
11	39	01			10				81			05	11
12	20		18				1.53	1.53	15			05	12
13	09		18	45	01		10	10	04	04			13
14	06	01	15						01			47	14
15	01			10	02						01	02	15
16	10		02	35						01	18	01	16
17	25		53	17			21	21	01			01	17
18	05	01	01	05			16	16	02				18
19	01	02	24			04			01	17		20	19
20			13	07		02				93			20
21	01			01							13	05	21
22	03			06						20		49	22
23	05		01	26			05			25		05	23
24				03				73	01		01	05	24
25	02	61		01	01	24					02	45	25
26	07		01		23				02		02	37	26
27	03										02	27	27
28	02	01	47		27		76	02	01		01	01	28
29	05		17		33		01				20	15	29
30	05				23			01			15	17	30
31	10				02							01	31
TOTAL	3.94	1.21	2.73	1.73	2.46	3.1	82	3.46	1.18	2.35	2.34	3.00	25.53
Days with -01 in. or more	29	10	21	13	15	43	3	11	14	7	15	23	164
Days with -04 in. or more	29	2	14	9	11	2	2	9	4	6	8	15	102

Kept at *"Le Luan" Cambourne*
in the County of *Surrey*
by *Miss R. James*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
47

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	50	01								03		1
2	05				37		15	15	02		24		2
3	08	01	10		10	01	15	15			(20)		3
4	28		10		05		10	10			52		4
5	01		05				30	30			55	05	5
6	59		10		29							04	6
7	32	02	10		40							01	7
8	09		15	18	05							01	8
9	01		01	01					05				9
10	35	01	01						02	75		01	10
11	39	01			10				81			05	11
12	20		18				1.53	1.53	15			05	12
13	09		18	45	01		10	10	04	04			13
14	00	01	15						01			47	14
15	01			10	02						01	02	15
16	10		02	35						01	18	01	16
17	25		53	17			21	21	01			01	17
18	05	01	01	05			16	16	02				18
19	01	02	24			04			01	17		20	19
20			13	07		02				93			20
21	01			01							13	05	21
22	03			05						20		49	22
23	05		01	25			05			25		05	23
24				03				73	01		01	05	24
25	02	61		01	01	24					02	45	25
26	07		01		23				02		02	37	26
27	03										02	27	27
28	02	01	47		27		76	02	01		01	01	28
29	05		17		33		01				20	15	29
30	05	X			23			01			15	17	30
31	10	X		X	02	X			X		X	01	31
TOTAL	3.94	1.21	2.73	1.73	2.46	3.1	82	3.46	1.18	2.35	2.34	3.00	YEAR'S TOTAL
Days with 01 in. or more	29	10	21	13	15	4	3	11	13	7	15	23	25.43
Days with 04 in. or more	20	2	14	9	11	2	2	9	4	6	8	15	164

no reply recd 28/4/28

cut by rain state
for auth

581

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at "Le Wharf" Crawborough
in the County of Sussex
by Miss R. Haines

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	19	10	05	16	29	09	12	16	01	71	08	1
2	19	43	30	04	..	22	22	03	13	..	..	..	2
3	..	10	20	1.19	03	..	23	21	..	08	14	..	3
4	..	02	18	01	23	..	22	01	01	35	..	..	4
5	..	..	10	02	21	..	(101)	01	..	44	02	..	5
6	05	01	18	..	..	..	28	30	..	10	88	..	6
7	42	..	94	22	..	..	02	03	..	..	03	(03)	7
8	13	..	12	02	..	06	45	09	..	01	13	03	8
9	09	..	..	13	..	..	03	47	..	..	04	01	9
10	03	..	..	..	..	..	..	01	28	..	37	..	10
11	03	..	..	03	05	..	01	01	..	..	01	..	11
12	02	..	..	71	..	18	10	29	77	..	..	..	12
13	..	..	01	22	..	24	10	01	05	01	01	03	13
14	..	..	..	49	..	05	72	09	42	..	..	..	14
15	05	60	..	03	..	01	01	..	..	01	01	..	15
16	01	10	..	02	10	..	02	01	16	01	..	47	16
17	01	35	..	09	23	..	12	03	10	..	01	09	17
18	1.18	..	..	02	03	..	02	01	05	01	..	51	18
19	83	05	02	..	07	..	..	..	30	05	..	87	19
20	06	25	01	..	..	..	..	..	01	08	01	03	20
21	67	30	04	06	..	..	..	..	03	01	..	1.13	21
22	05	12	01	14	..	20	..	19	15	03	..	15	22
23	..	03	..	11	..	..	14	..	08	01	..	..	23
24	04	05	45	(10)	43	18	01	34	03	01	..	05	24
25	33	..	03	46	..	01	02	03	01	..	..	02	25
26	14	37	02	29	..	19	21	..	10	..	..	03	26
27	45	72	04	35	..	08	..	37	08	13	03	25	27
28	27	42	05	05	..	24	..	05	05	30	02	24	28
29	22	..	01	03	..	11	..	83	01	03	02	15	29
30	02	X	20	..	..	11	10	37	13	03	08	87	30
31	05	X	05	X	..	X	..	33	X	15	X	33	31
TOTAL	5.37	4.11	3.06	4.88	1.54	1.66	4.13	4.24	3.11	1.86	2.52	5.37	YEAR'S TOTAL 41.85
Days with 01 in. or more	25	17	21	26	10	13	22	25	22	21	17	20	238
Days with 04 in. or more	08	03	09	09	02	02	07	11	06	12	08	06	156
	18	14	14	17	8	11	14	14	16	9	7	14	

REGISTER OF RAINFALL IN 1923.

Kept at Le Wharf, Canterbury
in the County of Sussex
by Miss R. Hames

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Canterbury
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 795 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.03

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.03	.37	..	..	.03	..	..	.01	..	.15	.55	1
2	.25	.09	.04	..	.04	.05	..	..	..	.13	.05	.20	2
3	..	.01	.01	..	..	.03	..	..	.04	.67	.08	.26	3
4	.01	..	..	..	..	..	..	..	.24	.23	..	.20	4
5	.46	.03	..	.10	.01	..	..	..	..	.14	.09	..	5
6	.43	.09	.27	.13	..	..	..	..	.01	..	..	.05	6
7	.10	1.40	.40	..	.05	..	..	..	..	.70	..	.75	7
8	.07	.30	.06	.03	.20	..	..	..	..	.35	.70	.01	8
9	.13	.11	.05	.04	.01	..	1.40	..	..	.03	.03	.01	9
10	.03	.35	..	.47	.12	..	.42	..	..	.25	.03	.09	10
11	.05	..	..	.35	.02	..	..	..	..	.65	.05	.07	11
12	.01	.01	.66	.25	.23	..	..	..	..	.40	.04	.13	12
13	.05	.40	.23	.13	.01	..	.09	..	..	..	.80	.02	13
14	.01	.11	.08	..	.39	..	..	..	.64	..	.05	.04	14
15	.01	.23	.03	..	.29	.24	.09	..	.08	..	.40	.05	15
16	..	.02	..	..	.13	.01	..	..	..	..	.14	.01	16
17	.01	.10	..	..	.02	.01	..	.18	..	..	..	.01	17
18	.05	.30	..	.05	..	..	..	.21	..	.05	..	..	18
19	.25	.09	.01	..	..	.01	..	..	.03	.78	.01	.11	19
20	.03	.11	.09	..	..	.02	..	..	.11	.35	.01	.10	20
21	.02	.23	.26	.35	..	..	..	.03	.15	.30	.02	.10	21
22	.03	.21	.12	.05	..	..	..	.12	.01	.58	.01	.03	22
23	.01	.39	.11	..	.25	..	.13	.45	.24	.75	..	.03	23
24	..	.15	.01	.05	..	..	..	.70	.36	.23	..	.09	24
25	..	.40	..	1.35	.02	..	.06	.07	.02	.38	..	.73	25
26	..	.59	.25	.05	.48	..	..	.33	..	.28	..	.23	26
27	..	.11	.09	..	.05	.14	.03	.38	..	.04	.15	.21	27
28	..	.29	.06	.15	1.20	.01	.40	.68	..	..	.01	.05	28
29	.08	..	.40	.23	.73	..	.11	.01	..	..	..	.10	29
30	..	X	..	.02	..	..	.20	..	.05	.06	.02	.20	30
31	.01	X	..	X	.05	X	.28	..	X	.30	X	.33	31
TOTAL	2.25	6.15	3.59	3.80	4.22	5.5	321	3.16	11.99	7.65	2.81	4.78	44.76
Days with ".01 in. or more	23	26	21	17	20	10	11	11	14	22	20	29	212.4
Days with ".04 in. or more	12	21	17	15	14	3	10	9	9	21	12	22	166

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Le Whare Cornbury
in the County of Sussex
by Miss R. Hames

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

5 - JAN 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	..	.05	.03	.02	.20	..	.17	..	.25	.25	.23	1 RVV
2	.10	..	.03	..	.20	.44	.26	.67	.02	..	.88	.08	2 SW
3	.02	..	.05	..	.50	.05	.48	.23	.08	.02	.01	..	3
4	..	..	.45	..	.09	.83	.15	..	.02	..	..	.47	4
5	..	.07	.05	.02	.08	..	.07	..	.01	.45	..	.08	5
6	.02	..	..	..	..	..	.01	.16	..	.88	..	.02	6
7	.03	..	..	..	.02	.40	.11	..	.80	.35	..	.01	7
8	.04	.16	..	.03	.18	.02	..	..	.07	.07	.01	.01	8
9	.05	.25	..	.27	.06	.03	..	..	.24	..	.36	..	9
10	.30	.03	..	..	.38	.05	..	..	.28	..	..	..	10
11	.40	..	..	.25	.43	.45	..	..	.01	..	.77	.02	11
12	..	..	..	.28	.11	.29	..	.25	.02	..	.03	..	12
13	.03	..	..	.55	.03	.02	..	..	.05	..	.02	.29	13
14	.20	.01	..	.30	..	..	..	.21	.23	..	.01	.03	14
15	.01	.05	..	.03	..	..	..	.28	.11	.01	..	.88	15
16	..	..	..	.07	..	..	..	.21	.01	..	..	.09	16
17	..	.02	..	..	..	..	1.12	.23	..	..	..	.01	17
18	.10	.06	..	..	..	.13	.02	.05	.01	.10	.08	..	18
19	.62	.05	..	..	..	.16	..	.25	.04	.15	..	.07	19
20	.45	..	..	..	.09	..	..	.05	.14	.10	..	..	20
21	.01	..	.10	..	.20	..	..	.21	.01	1.08	..	..	21
22	.34	..	.50	..	.02	..	..	..	.25	..	..	.01	22
23	.09	.01	.65	..	.40	..	..	.11	.27	..	.03	.35	23
24	.10	..	.02	..	.65	..	.01	.04	.05	..	.07	..	24
25	.45	..	.20	.05	.03	..	.97	..	.60	.05	.24	.88	25
26	..	..	..	.63	..	..	.23	.13	.23	.18	.33	.48	26
27	..	.05	..	.80	..	..	.03	.03	.01	.19	.64	1.27	27
28	..	.05	.03	.01	.36	..	1.09	.42	..	.08	.50	..	28
29	.03	.10	.05	.21	.05	..	.17	.21	.10	1.08	.35	.22	29
30	.01	X	.09	.05	.03	.05	..	.37	.27	.48	.03	.68	30
31	..	X	..	X	.85	X	.01	.02	X	.27	X	.10	31 1211
TOTAL	3.43	.41	2.27	3.58	4.78	3.12	4.73	4.29	3.93	5.79	4.58	6.27	YEAR'S TOTAL 4768
Days with .01 in. or more.	22	13	13	16	22	14	15	21	26	18	18	22	220
Days with .04 in. or more	14	9	10	11	16	11	10	14	17	16	10	15	158

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

540

Register of Rainfall in 1925.

Kept at "Ye Wharfe" *Cumborough*
in the County of *Sussex*

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.26	..	.03	.08	.02	..	.17	.44	.15	..	.02	..	1
2	.66	..	..	.12	..	..	.22	..	.01	..	1.13	..	2
3	.57	.02	..	..	.30	..	..	..	.01	..	.17	..	3
4	.03	.17	.02	..	.15	..	..	.01	.01	.08	.36	..	4
5	.03	.05	..	.03	.05	..	.53	.09	.08	.01	.33	..	5
6	.03	..	..	.09	.21	..	.05	.13	..	..	.70	..	6
7	..	.25	..	.08	.09	..	..	..	.01	.02	..	.10	7
8	.11	.05	..	..	.33	..	..	..	.04	..	..	.20	8
9	..	.07	..	..	..	..	..	.02	.16	..	.07	.02	9
10	..	..	.03	..	.15	..	..	.23	..	..	.45	..	10
11	..	.20	.02	..	..	..	..	.11	..	.01	.13	..	11
12	.03	.58	..	..	..	..	..	.04	..	.02	..	..	12
13	.04	.79	..	.13	..	..	..	..	.18	.03	.03	.02	13
14	.70	.07	.25	.35	..	..	..	..	.01	..	.05	..	14
15	.17	.10	.03	.14	.03	..	..	.11	..	.21	..	..	15
16	.09	.07	..	.02	..	..	..	..	.17	.23	.03	..	16
17	.03	.05	..	..	..	..	.02	..	.01	.01	.05	.03	17
18	..	.02	..	.09	..	..	.32	.07	..	.05	..	.06	18
19	1.02	.03	..	..	..	..	..	.04	.23	.15	..	.32	19
20	.01	.03	.01	.30	.02	..	..	..	.78	.68	..	.28	20
21	.01	.04	.03	.10	..	..	..	.36	.11	.76	..	.75	21
22	.01	.05	.03	.23	..	..	1.80	..	.75	1.17	..	.02	22
23	.03	.17	.01	.51	.31	..	..	.50	.04	.27	.03	.48	23
24	.01	.65	.01	.43	.21	.17	..	.18	..	.05	.07	.05	24
25	.05	1.31	.04	.13	.02	..	.03	..	.60	..	..	.35	25
26	..	.20	.07	.01	.30	.02	.47	.15	.03	.74	..	.31	26
27	.06	.07	..	.23	1.01	..	.73	.06	..	.03	.02	.23	27
28	.40	.27	..	.13	.03	..	.02	.01	..	..	.20	.65	28
29	.03	.01	.02	.02	..	..	.15	..	.09	..	.09	1.17	29
30	.17	X	.03	.36	..	..	.31	..	.08	.02	..	.55	30
31	.15	X	.09	X	..	X	.14	..	X	..	X	.05	31
TOTAL	4.70	5.05	.72	3.08	3.23	1.9	4.96	2.58	3.55	5.33	3.92	5.63	41.31
Days with 01 in. or more.	25	25	16	21	16	2	14	17	21	19	18	79	212
Days with 04 in. more.	13	19	4	16	11	1	11	14	14	10	13	15	141

(Signed) *H. A. ...*

P.T.O.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

"Le Wharf" Crayke 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

An examination of your rainfall return for 1925 suggests that the entry of .27 inch on 28th February is an error in copying, as shown by the table below.

We have no reason to the contrary we would recommend ^{as adopted} ~~the~~ ^{the} ~~entry~~ ^{entry} in the end of the year.

	Jarvis	Bigg	Crabtree	Crabtree	Suggested values
Feb. 25	1.45	1.31	1.25	1.26	1.31
" 26	.18	.20	.30	.22	.20
" 27	.02	.07	-	.07	.07
" 28	-	.27	.05	.02	.01
" 29	X	.01	X	X	X

There is also discrepancies between the totals for the months of September and October and the sums of the daily values.

The totals for the months that have been amended are February 5.05, September 3.55, October 5.33 and for the year 42.94 inches. ^{for 1925}

REPLY.

S. V. says it was an error in copying

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

Section



for the entry of Daily Observations.

W W W CW

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

528

Kept at Le Whare Cumborough
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.76	.25	—	—	.07	.63	—	—	.10	.01	—	.03	1
2	.08	.68	—	—	—	.59	—	—	.01	—	.04	—	2
3	.31	.07	—	—	—	—	—	.02	.26	—	.39	—	3
4	.09	.69	.10	.65	—	.01	—	—	.01	—	—	—	4
5	.08	.26	.10	.05	—	.05	—	—	—	—	.87	—	5
6	.15	.29	.03	.36	.01	—	.27	—	.05	.01	.34	.44	6
7	.03	.13	.09	.10	.06	.17	—	.01	.17	—	.05	—	7
8	.02	.14	.05	.33	.30	.03	.01	—	.04	.01	.15	.03	8
9	.01	.25	.04	—	—	.79	.02	—	.01	.07	.60	.01	9
10	.03	.06	—	—	—	.42	.03	.10	—	.32	1.00	—	10
11	—	.68	—	—	.02	.02	—	.01	—	.01	.05	—	11
12	—	.04	—	—	.05	.03	—	.45	.03	.01	.27	—	12
13	—	—	—	—	.10	.03	—	.01	.06	.50	.01	—	13
14	—	—	—	.36	—	.48	—	.01	.01	.01	1.72	.02	14
15	—	.09	—	.55	.05	.05	—	—	—	.63	.06	.05	15
16	—	.15	—	.35	.02	—	—	—	.03	.25	.18	—	16
17	.10	.07	—	.07	—	.69	—	.40	—	.01	.02	.02	17
18	.09	.25	.01	.07	.05	.05	.32	—	.01	—	.16	.02	18
19	.03	.47	.01	.10	—	—	.48	.24	—	—	.77	—	19
20	.01	.05	.01	.50	—	—	.03	.02	—	—	.45	—	20
21	.09	.03	—	.01	—	—	—	.28	—	.02	.70	—	21
22	.35	.01	—	.06	—	—	—	.03	—	—	.03	—	22
23	.25	.05	—	—	—	—	—	—	—	.03	.02	—	23
24	.09	.07	—	—	—	—	.06	—	—	—	.01	—	24
25	.17	.17	—	.20	—	—	.02	—	.10	.61	.12	.23	25
26	.15	.09	—	.02	.19	—	.03	.01	—	.13	.24	—	26
27	.30	.08	—	.14	—	—	.03	—	.02	—	.01	—	27
28	.20	.04	—	.19	—	—	.39	—	.35	.07	.18	.01	28
29	.30	—	—	.40	—	—	.03	—	.03	.38	.02	—	29
30	.40	X	—	.19	.70	—	.01	—	—	.16	—	—	30
31	.11	X	—	X	.07	X	—	—	X	—	X	.86	31
TOTAL	4.22	.79	.44	.40	1.44	1.46	1.73	1.36	3.24	7.60	.86		YEARS TOTAL
Days with 01 in. or more.	25	26	9	20	13	15	14	13	17	19	27	10	208
Days with 04 in. or more.	19	24	5	18	10	11	5	5	8	10	20	3	138

Please read the Notes and Instructions Overleaf.

(Signed) R. Hamus

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Ye Whim Carborough
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. 0
Ground Sea Level.....ft. 96

Observer states that 3A file 742013/27
record requires adjustment. Asked
that it be filled in. Will do
better in 1928. Record adjusted.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.1	1.4	0.3	0.3	—	0.7	(50)	3.2	—	(40)	1.4	—	1
2	—	—	1.0	—	—	—	0.1	—	—	—	0.5	0.1	2
3	0.5	1.50	5	1.9	1.0	0.4	0.2	—	—	0.5	—	4.5	3
4	1.8	1.1	—	1.5	—	0.1	—	—	—	0.1	—	—	4
5	0.9	0.4	—	5.1	—	1.0	0.2	0.8	—	—	—	0.3	5
6	2.2	1.7	7.3	4.2	—	0.8	5.4	—	0.8	0.3	—	—	6
7	0.6	5.0	—	2.3	—	1.5	0.3	2 days	—	—	1.2	—	7
8	0.4	1.5	3.1	4.2	—	—	0.1	3.5	0.8	—	—	—	8
9	0.7	—	0.1	1.5	—	0.7	0.9	1.3	—	—	0.8	0.1	9
10	—	—	—	0.1	—	—	—	0.7	(35)	0.3	—	—	10
11	—	—	1.3	0.2	—	—	5.7	3.8	0.3	0.1	—	—	11
12	—	—	—	0.2	—	—	0.2	1.0	—	0.1	—	—	12
13	2.0	—	—	—	—	—	2 days	5.7	0.1	0.1	0.1	1.0	13
14	1.5	0.2	—	0.7	—	—	(75)	0.3	(2.00)	0.5	0.3	3.0	14
15	0.3	0.1	—	—	—	—	1.0	5.3	—	0.3	—	—	15
16	0.6	—	0.1	—	—	—	0.5	0.5	0.3	0.3	0.2	0.5	16
17	0.1	—	1.0	—	1.0	5.5	0.3	8.3	—	0.2	0.3	—	17
18	1.9	0	1.0	—	—	5.7	—	0.7	—	0.1	2.0	—	18
19	2.5	—	—	—	—	0.5	—	—	3.1	0.1	2.5	—	19
20	—	0.1	—	—	0.1	0.2	2 days	2 days	3 days	—	4.5	—	20
21	4.8	1.3	0.2	—	1.8	1.8	2.7	(1.54)	1.43	6.5	—	(90)	21
22	—	1.7	3.5	—	—	5.5	0.2	4.7	0.1	8.5	2.1	8.5	22
23	2.6	3.9	5.6	0.3	—	—	—	0.5	4.7	0.3	2.0	3.0	23
24	0.1	0.2	2.8	0.2	—	2.0	—	0.7	0.2	—	2.2	4.0	24
25	—	5.6	1.0	0.2	—	1.8	0.1	0.9	0.1	2.0	—	(1.25)	25
26	—	1.9	—	—	2 days	3.4	0.9	—	—	0.6	0.5	—	26
27	2.9	4.5	—	—	(3.4)	7.1	3.3	—	0.2	3.2	0.2	3.0	27
28	0.3	9.0	1.0	—	—	—	—	—	2.4	0.3	4.5	1.0	28
29	2.8	6.1	2.3	—	—	2 days	—	0.7	1.2	—	9.5	—	29
30	0.1	X	2.7	—	—	(1.66)	—	—	1.22	—	—	—	30
31	—	X	1.12	X	2.7	X	0.3	—	X	0.3	X	—	31
TOTAL	2.97	5.38	(5.10)	2.30	1.05	(5.61)	3.51	5.83	(5.05)	2.87	3.84	(5.05)	42.51
Days with "01 in. or more.													
Days with "04 in. or more.													

569

534A
FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION. *Sumner*

FALL IN 1928.

CROWBOROUGH (THE MANOR)
SUSSEX
1928-30

1929 *late*

TO THE PREVIOUS DAY.

Jan. 1, following.

reading made on January 1st of the

following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.21	.33				.05			.50		1
2	1.28	.26	.05					.01			.18	.02	2
3	.02			.38	.17		.79	.16			.30	.01	3
4	.02	.26		.16		.02		1.08					4
5	.23	.21	.08	.02			.04						5
6	.03		.03			.15						.17	6
7	.06	.04	.02	.15		.38		.12					7
8		.09	.03			.58	.06			.03			8
9	.13					.44			.18	.42			9
10	.14	.23		.27	.02	.02		.05	.02	.21	.41		10
11	.03			.12				.02		.60	.19		11
12	.41	.18		.02						.03	.06	.28	12
13	.01	.29		.04		1.05		.12			.18		13
14	.26	.21	.09	.19	.12	.11		.15		.74	.95		14
15	.10	.01		.37	.09	.01					.58		15
16	.02	.11		.54	.09					.18	.58	.60	16
17				.01	.26					.29			17
18	.74			.03	.05	.66				.73			18
19	.01				.12	.03		.12		.37	.13	.39	19
20	.15				.32			.03		.84	.08	.19	20
21	.33		.11	.17	.24	.01				1.19	.91		21
22			.15					.03		1.00	.47	.23	22
23	.60		.11		.07					.30	.47		23
24	.12		.02		.02			.03	.21	.13	.10	.44	24
25	.22		.01			.13				.47		.33	25
26	.27					.18	.01	.53		1.25		.24	26
27			.14				.88	.11		.16		.75	27
28	1.13		.02							.36		.18	28
29	.24	.12	.70	.14			.05		.05	.15	.06	.62	29
30	.02	X	.35	.05		.21	.28	.03		.08			30
31	.25	X	.22	X		X	.15	.23	X	.13	X	.38	31
TOTAL	6.82	2.03	2.34	2.99	1.57	3.98	2.26	2.87	.82	9.30	6.15	4.83	YEAR'S TOTAL 45.96
Days with .01 in. or more.	26	13	17	17	12	15	8	17	5	21	17	15	183
Days with .04 in. or more.	18	11	11	13	10	10	7	11	4	19	17	13	144

S

534A
FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Crowthorne (The Manse).

in the County of Sursex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.21	.33				.05			.50		1
2	1.28	.26	.05					.01			.18	.02	2
3	.02			.38	.17		.79	.16			.30	.01	3
4	.02	.26		.16		.02		1.08					4
5	.23	.21	.08	.02			.04						5
6	.03		.03			.15						.17	6
7	.06	.04	.02	.15		.38		.12					7
8		.09	.03			.58	.06			.03			8
9	.13					.44			.18	.42			9
10	.14	.23		.27	.02	.02		.05	.02	.21	.41		10
11	.03			.12				.02		.60	.19		11
12	.41	.18		.02						.03	.06	.28	12
13	.01	.29		.04		1.05		.12			.18		13
14	.26	.21	.09	.19	.12	.11		.15		.74	.95		14
15	.10	.01		.37	.09	.01					.58		15
16	.02	.11		.54	.09					.18	.58	.60	16
17				.01	.26					.29			17
18	.74			.03	.05	.66				.73			18
19	.01				.12	.03		.12		.37	.13	.39	19
20	.15				.32			.03		.84	.08	.19	20
21	.33		.11	.17	.24	.01				1.19	.91		21
22			.15					.03		1.00	.47	.23	22
23	.60		.11		.07					.30	.47		23
24	.12		.02		.02			.03	.21	.13	.10	.44	24
25	.22		.01			.13				.47		.33	25
26	.27					.18	.01	.53		1.25		.24	26
27			.14				.88	.11		.16		.75	27
28	1.13		.02						.36			.18	28
29	.24	.12	.70	.14			.05		.05	.15	.06	.62	29
30	.02	X	.35	.05		.21	.28	.03		.08			30
31	.25	X	.22	X		X	.15	.23	X	.13	X	.38	31
TOTAL	6.82	2.03	2.34	2.99	1.57	3.98	2.26	2.87	.82	9.30	6.15	4.83	YEAR'S TOTAL 45.96
Days with ".01 in. or more.	26	13	17	17	12	15	8	17	5	21	17	15	183
Days with ".04 in. or more.	18	11	11	13	10	10	7	11	4	19	17	13	144

Section



for the entry of Daily Observations.

556
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at

Crowborough

in the County of

Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.10	—	.03	—	—	—	.39	—	.43	—	.01	1
2	—	.41	—	—	—	.08	.10	—	—	.56	.07	.63	2
3	—	—	.07	—	—	.03	.04	—	—	.16	—	.36	3
4	—	—	—	.22	.41	.21	.35	.11	—	.02	—	.30	4
5	—	—	—	.01	1.30	.26	.26	.51	—	.29	.03	.45	5
6	—	—	—	—	.22	.06	.25	.93	—	.24	.26	.55	6
7	—	—	—	—	.06	—	—	.09	—	.52	.70	.42	7
8	—	—	—	—	—	.16	—	—	—	.30	.10	.53	8
9	—	.21	—	.01	.01	—	—	—	—	—	—	.58	9
10	.50	.03	—	.08	—	—	—	—	—	.07	.15	.60	10
11	—	—	—	.32	.01	—	—	—	—	—	1.57	.21	11
12	—	—	—	.14	.57	.32	—	—	—	—	—	.02	12
13	.05	—	—	—	.24	—	—	—	—	—	—	.16	13
14	—	.01	—	—	.06	.07	—	—	—	—	—	.09	14
15	—	.03	—	—	.05	.32	—	—	—	—	.98	.23	15
16	—	—	—	—	—	—	—	1.43	—	—	1.75	—	16
17	—	—	—	—	—	—	—	—	—	.02	—	—	17
18	.13	—	—	—	—	—	—	—	—	—	.33	—	18
19	—	—	—	—	—	—	—	—	—	—	.18	—	19
20	—	—	—	—	—	—	.07	—	—	.75	—	—	20
21	.17	—	.06	—	—	—	.02	.05	—	—	.03	.75	21
22	—	—	—	—	—	—	.02	.04	—	—	.15	.09	22
23	—	.03	—	—	—	—	—	—	—	.05	1.18	.40	23
24	—	—	—	—	.06	—	—	.02	—	.70	.66	.53	24
25	—	—	.02	—	—	—	—	—	.15	.58	.22	.10	25
26	—	.03	—	.03	.02	—	—	—	—	—	.16	.22	26
27	—	—	—	.01	—	—	—	.06	—	—	.97	.09	27
28	—	—	—	.02	—	—	.35	—	—	.47	.89	.53	28
29	.49	—	—	.27	—	.07	—	—	.28	.02	.86	.16	29
30	—	×	—	—	—	.10	—	—	.33	—	.61	.42	30
31	.41	×	—	×	—	×	.36	—	×	.01	×	—	31
TOTAL	1.75	.85	.15	1.14	3.01	1.68	1.82	3.63	.76	5.19	11.75	8.43	YEAR'S TOTAL 40.16
Days with ".01 in. or more.	6	8	3	11	12	11	10	10	3	17	21	25	137
Days with ".04 in. or more.	6	3	2	5	9	10	8	9	3	13	19	23	110

Section

A

for the entry of Daily Observations.

579
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Growthbridge
in the County of Surrey

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
,, Ground ,, Sea Level 726 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<i>in 100 8 in</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	27	10	—	8	—	5	—	2	—	—	50	—	1
2	3	23	—	7	3	—	10	6	—	—	101	—	2
3	12	17	—	63	23	—	—	147	—	7	4	—	3
4	31	7	—	5	—	—	72	13	—	33	—	—	4
5	6	—	—	—	15	—	—	38	—	2	—	—	5
6	2	—	—	—	10	—	—	10	30	5	—	—	6
7	8	49	—	—	1	—	—	22	3	57	68	15	7
8	25	—	—	—	—	—	—	—	1	2	—	28	8
9	48	—	5	—	46	—	—	2	7	—	4	3	9
10	73	—	20	—	31	—	—	4	—	—	—	5	10
11	19	5	—	—	5	—	13	3	—	18	—	72	11
12	34	—	—	27	5	—	—	10	3	—	—	36	12
13	8	—	5	34	11	—	30	43	44	—	—	3	13
14	15	—	5	8	—	—	48	—	3	—	—	5	14
15	3	13	48	2	2	—	59	—	—	14	21	1	15
16	—	—	—	—	—	2	6	—	15	2	—	—	16
17	—	—	26	17	—	29	—	—	32	11	—	1	17
18	2	7	14	4	12	—	7	2	—	2	25	14	18
19	—	—	12	23	—	—	—	11	117	16	25	2	19
20	—	—	—	18	3	9	123	27	55	28	92	2	20
21	3	—	—	—	1	2	7	65	2	8	70	—	21
22	6	—	—	—	38	—	9	13	8	24	28	2	22
23	29	—	14	45	1	56	2	18	4	—	—	9	23
24	43	13	—	1	16	27	8	—	5	—	64	20	24
25	5	3	—	1	53	—	—	—	5	3	44	4	25
26	29	3	—	—	2	10	12	—	26	—	40	30	26
27	—	—	—	—	13	—	6	—	6	5	48	19	27
28	4	—	2	—	—	—	3	—	30	4	27	6	28
29	17	X	5	—	—	—	13	8	33	4	47	17	29
30	7	X	—	—	33	—	14	—	—	—	2	67	30
31	61	X	13	X	40	X	—	—	X	13	X	4	31
TOTAL	520	150	169	261	364	140	370	444	429	258	760	365	YEAR'S TOTAL 42.30
*Days with or in. or more.	26	11	12	12	22	8	17	19	20	20	18	23	208
*Days with or in. or more.	21	9	11	9	15	6	15	15	15	15	17	16	164

40-9999

*See Instruction 2 (f) on other side.

(Signed)

29 Brief

[P.T.O.]

565

FOR OFFICIAL USE.

E.—BRITISH RAINFALL ORGANIZATION.

525A

CROWBOROUGH {TUDOR LODGE}

SUSSEX

1926 - 30

RAINFALL IN 1926.

Cons for Auth
Ok notified

" agrees f675840/26.

ED TO THE PREVIOUS DAY.

ing made on January 1st of the following

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.34	.	.	.	.36	.	.	.01	.	.02	.	1
2	.06	.02	.	.	.	.73	.	.	.23	.	.03	.	2
3	.27	.81	.17	.	.	.01	.	.	.	.	.	.	3
4	.	.21	.01	.68	.	.	.01	.	.	.	.06	.	4
5	.07	.09	.22	.	.23	.	.	.	.03	.	.47	.41	5
6	.06	.27	.01	.34	.	.	.26	.06	.17	.	.05	.01	6
7	.15	.02	.	.12	.32	.17	.04	.01	.03	.01	.16	.02	7
8	.	.01	.08	.16	.	.05	.	.	.	.	.69	.	8
9	.	.03	.	.	.	.70	.	.	.	.42	.96	.	9
10	.	.	.	.	.03	.15	.03	.39	.	.	.03	.	10
11	.	.06	.	.	.16	.18	.	.92	.01	.	.26	.	11
12	.	.04	.	.	.09	.	.	.01	.14	.50	.	.	12
13	x .24	.04	.	.	.03	.01	.	.	.01	.	1.69	.01	13
14	x .24	.04	.	.26	.07	.33	.	.	.01	.50	.04	.05	14
15	.	.14	.	.53	.02	.04	.	.	.02	.30	.16	.	15
16	.	.03	.	.34	.	.	.	.49	.01	.01	.02	.	16
17	x .11	.76	.	.02	.10	.61	.	.	.	.	.09	.01	17
18	.21	.12	.	.09	.	.01	.26	.23	.	.	.76	.	18
19	.01	.	.02	.04	.02	.	.43	.	.	.	.27	.	19
20	.01	.	.	.63	.01	.	.	.30	.	.01	.98	.	20
21	.	.	.	.06	.	.	.03	.02	.	.	.60	.	21
22	.68	.02	.	.12	.01	.	.	.	.	.04	.05	.16	22
23	.17	.	.	.02	.	.	.	.	.01	.	.	.	23
24	.05	.	.	.	.01	.05	.04	.	.10	.58	.	.	24
25	.17	.	.	.75	.	.	.18	.	.	.14	.08	.07	25
26	.01	.01	.	.06	.	.	.23	.	.01	.	.18	.	26
27	.08	.06	.05	.18	.17	.	.02	.	.18	.09	.02	.	27
28	.85	.	.	.33	.03	.	.38	.	.02	.35	.16	.01	28
29	.03	.	.	.87	.40	.	.04	.	.	.17	.03	.	29
30	.19	X	.	.05	.38	.	.05	.01	.	.	.02	.	30
31	.39	X	.	X	.	X	.	.09	X	.	X	.	31
TOTAL	4.44	3.10	0.56	5.65	2.08	3.40	2.00	2.53	0.99	3.12	7.88	0.75	YEAR'S TOTAL
Days with ".01 in. or more.	22	19	7	20	17	14	14	11	16	13	26	9	36.50
Days with ".04 in. or more.	18	13	4	18	9	10	10	7	5	10	19	4	188
	22	19	7	20	17	14	14	11	16	13	26	9	187
	22	19	7	20	17	14	14	11	16	13	26	9	126
	22	19	7	20	17	14	14	11	16	13	26	9	128

Please read the Notes and Instructions Overleaf.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1926.

525A

Kept at Cumbria (Zedon Lodge)
in the County of Surrey
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft. in.
" Ground " Sea Level..... 620 ft.

Con for Auth
Ok notified
" agrees f67584/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.34	.	.	.	.36	.	.	.01	.	.02	.	1
2	.06	.02	.	.	.	.73	.	.	.23	.	.03	.	2
3	.27	.81	.17	.	.	.01	.	.	.	.	.	.	3
4	.	.21	.01	.08	.	.	.01	.	.	.	.06	.	4
5	.07	.09	.22	.	.23	.	.	.	.03	.	.47	.41	5
6	.06	.27	.01	.34	.	.	.26	.06	.17	.	.05	.01	6
7	.15	.02	.	.12	.32	.17	.04	.01	.03	.01	.16	.02	7
8	.	.01	.08	.16	.	.05	.	.	.	.	.69	.	8
9	.	.03	.	.	.	.70	.	.	.	.42	.96	.	9
10	.	.	.	.	.03	.15	.03	.39	.	.	.03	.	10
11	.	.06	.	.	.16	.18	.	.92	.01	.	.26	.	11
12	.	.04	.	.	.09	.	.	.01	.14	.50	.	.	12
13	x .24	.04	.	.	.03	.01	.	.	.01	.	1.69	.01	13
14	x .24	.04	.	.26	.07	.33	.	.	.01	.50	.04	.05	14
15	.	.14	.	.53	.02	.04	.	.	.02	.30	.16	.	15
16	.	.03	.	.34	.	.	.	.49	.01	.01	.02	.	16
17	x .11	.76	.	.02	.10	.61	.	.	.	.	.09	.01	17
18	.21	.12	.	.09	.	.01	.26	.23	.	.	.76	.	18
19	.01	.	.02	.04	.02	.	.43	.	.	.	.27	.	19
20	.01	.	.	.63	.01	.	.	.30	.	.01	.98	.	20
21	.	.	.	.06	.	.	.03	.02	.	.	.60	.	21
22	.68	.02	.	.12	.01	.	.	.	.	.04	.05	.16	22
23	.17	.	.	.02	.	.	.	.	.01	.	.	.	23
24	.05	.	.	.	.01	.05	.04	.	.10	.58	.	.	24
25	.17	.	.	.75	.	.	.18	.	.	.14	.08	.07	25
26	.01	.01	.	.06	.	.	.23	.	.01	.	.18	.	26
27	.08	.06	.05	.18	.17	.	.02	.	.18	.09	.02	.	27
28	.85	.	.	.33	.03	.	.38	.	.02	.35	.16	.01	28
29	.03	.	.	.87	.40	.	.04	.	.	.17	.03	.	29
30	.19	X	.	.05	.38	.	.05	.01	.	.	.02	.	30
31	.39	X	.	X	.	X	.	.09	X	.	X	.	31
TOTAL	4.44	3.10	0.56	5.65	2.08	3.40	2.00	2.53	0.99	3.12	7.88	0.75	YEARS TOTAL
Days with "01 in. or more.	22	19	7	20	17	14	14	11	16	13	26	9	36.50
Days with "04 in. or more.	18	13	4	18	9	10	10	7	5	10	19	4	188
													126
													128

Please read the Notes and Instructions Overleaf.

Frank Howard

Section **A**

for the entry of Daily Observations.

516
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Cumbria
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 620 in.
" Ground " Sea Level 620 ft.


THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.42		.01		.05	.67	.32		.28	.50		1
2	.02		.11	.16			.01			.07	.02	.02	2
3	.22		.01			.04	.01					.02	3
4	.01		.04	.14			.07						4
5	.81	.16	.13	.51	.05	.08	.01	.04			.15		5
6	.06		.49	.32	.15	.09	.53	.04	.08		.08		6
7	.03	.28	.15	.30		.12		.17					7
8	.08			.39				.18	.10		.07		8
9			.01	.11			.08	.13	.09				9
10			.08					.02	.21				10
11				.01		.06	.39	.29					11
12	.18		.01					.17		.04	.03		12
13	.12	.02					.07	.58	.32	.01	.03	.03	13
14	.02	.01		.06			.51		1.76			.35	14
15	.08						.08	.44	.01		.01	.01	15
16	.09				.19		.01	.06	.33			.02	16
17	.17	.01	.08			.56		.59	.14				17
18	.29		.02			.54		.27	.01		.17		18
19	.01	.13				.06		.08		.01	.24		19
20	.21	.16					.19	1.38	.01		.48	.16	20
21	.12	.36	.01		.07	.01	.04	.17	.19	.54	.18	1.17	21
22	.19	.02	.35	.03	.01	.21	.03	.21	.08	.90		.70	22
23	.01	.55	.49			.16		.03	1.13	.01	.30	.31	23
24	.01	.17	.75	.01		.45	.03	.04	.01	.04	.08	.57	24
25		.41	.52			.15		.08	.07	.14		1.27	25
26	.29	.88	.14		.13	.18	.06		.05	.04	.01	.55	26
27	.02	.50	.01		.24	.37	.27			.68	.01		27
28	.21	.19	.06	.10		.72				.07	.34		28
29	.16	X	.25			.43		.05	.64		1.01		29
30	.26	X	.14			1.30	.03			.19			30
31	.01	X	1.06	X	.08	X	.05		X	.02	X	.11	31
TOTAL	3.18	5.27	4.91	2.15	.92	5.58	3.14	5.34	5.23	3.04	3.71	5.29	YEAR'S TOTAL 47.76
Days with ".01 in. or more.	26	16	22	13	8	19	20	22	18	15	18	14	2.11
Days with ".04 in. or more.	17	11	16	9	7	18	13	20	14	11	12	9	157



Section

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928 (1928)

Kept at Cranbury

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.01	.19	.33	..	..	..	.23	..	..	.47	..	1
2	1.12	.25	.03	..	..	..	..	..	..	..	.14	.01	2
3	.01	..	..	.38	.16	..	.75	.79	..	..	.21	..	3
4	.01	.24	..	.15	..	..	..	.44	..	..	..	..	4
5	.25	.20	.07	.01	..	..	.04	..	..	..	..	..	5
6	.02	..	.01	..	..	.32	..	..	..	.01	.01	.12	6
7	.07	.04	.01	.13	..	.30	..	.11	..	..	..	..	7
8	..	.10	.03	..	..	.57	.06	..	..	.17	..	.01	8
9	.10	..	.01	.01	..	.40	..	..	.16	.18	..	.01	9
10	.13	.23	..	.27	..	..	..	.06	..	.32	.40	..	10
11	.01	..	.01	.11	.02	..	..	.01	..	.52	.21	.11	11
12	.41	.30	.05	.03	..	..	..	..	..	.03	.07	.12	12
13	..	.14	..	..	..	1.15	..	.11	..	..	.16	.03	13
14	.23	.22	..	.28	.13	.11	..	.10	..	.73	1.00	..	14
15	.09	.01	..	.74	.09	..	..	..	..	..	.48	.01	15
16	.01	.11	..	.22	.08	..	..	..	..	.17	.40	.45	16
17	..	..	..	.01	.28	..	..	..	..	.23	..	.01	17
18	.72	.11	.01	.04	.04	.66	..	..	..	.64	.06	.01	18
19	.02	..	..	..	.16	.02	..	.15	..	.56	.05	.32	19
20	.16	..	..	..	.20	..	..	.03	..	.60	.07	.20	20
21	.25	..	.08	.24	.35	.01	..	..	..	1.14	.73	.01	21
22	..	..	.15	..	.01	..	..	.02	..	.90	.53	.19	22
23	.61	..	.10	..	.05	..	..	..	..	.28	.37	..	23
24	.07	..	.01	..	.01	..	..	.01	.23	.13	.15	.35	24
25	.19	..	.01	..	..	.12	..	..	..	.48	.01	.35	25
26	.23	..	..	..	..	.17	.01	.48	..	1.18	..	.22	26
27	..	..	.11	..	..	..	.84	.08	..	.11	..	.67	27
28	1.14	..	.02	.01	..	..	..	..	.32	..	..	.14	28
29	.20	.10	.65	.13	..	..	.09	..	.05	.12	.05	.71	29
30	..	X	.31	.04	..	.14	.18	.01	..	.09	..	.05	30
31	.22	X	.27	X	..	X	.14	.11	X	.08	X	.40	31
TOTAL	6.36	1.95	2.13	3.13	1.58	3.97	2.11	2.54	0.76	8.67	5.52	4.50	43.22
Days with "01 in. or more.	25	13	20	18	13	12	8	16	4	22	20	23	194
Days with "04 in. or more.	19	11	10	12	9	10	7	10	4	20	17	15	144

REGISTER OF RAINFALL IN 1929.

Kept at Tudor Lodge, Crowborough
in the County of Sussex
Diameter of Funnel of Gauge 5 in. (Bureau)
Height of top of Gauge above Ground 1 ft.
,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.06	-	.03	-	-	-	.37	-	.42	-	.01	I
2	-	.38	-	-	-	.11	.10	-	-	.54	.07	.60	2
3	-	-	-	-	-	.01	.10	-	-	.11	-	.33	3
4	-	.01	-	.23	.39	.21	.30	.07	-	.01	-	.41	4
5	-	-	-	-	1.11	.27	.32	.65	-	.36	.01	.28	5
6	-	-	-	-	.20	.05	.32	.75	-	.19	.24	.51	6
7	-	-	-	-	.06	.04	-	.10	-	.55	.79	.57	7
8	-	-	-	-	-	.12	-	-	-	.61	-	.45	8
9	.01	.22	-	-	.01	-	-	-	-	-	-	.50	9
10	.16	.04	-	.10	-	-	-	.01	-	.06	.14	.56	10
11	-	-	-	.37	.01	-	-	-	-	-	1.48	.19	11
12	-	-	-	.13	.63	.34	-	-	-	-	-	.01	12
13	.05	-	-	.01	.23	-	-	-	-	-	-	.16	13
14	.01	-	-	-	.10	.05	-	-	-	-	-	.17	14
15	.05	.02	-	.38	.01	.34	-	-	-	-	1.06	.14	15
16	.05	-	-	-	-	-	-	1.40	-	-	1.64	-	16
17	.01	-	-	-	-	-	-	-	-	-	-	-	17
18	.02	-	-	-	-	-	-	-	.12	-	.37	-	18
19	.01	-	-	-	-	-	-	-	.01	-	.08	-	19
20	-	-	-	-	-	-	.06	.01	-	.73	-	-	20
21	.12	-	.05	-	-	-	.01	.03	-	-	-	.71	21
22	.01	-	-	-	-	-	.01	.03	-	-	.13	.05	22
23	.01	.03	-	-	-	-	-	-	-	.05	1.05	.40	23
24	-	-	-	-	.04	-	-	.01	-	.68	.72	.49	24
25	-	.04	-	-	-	-	-	-	-	.61	.16	.05	25
26	-	.05	-	.02	.01	-	-	-	-	-	.11	.18	26
27	-	-	-	.01	-	-	-	.09	-	-	.95	.09	27
28	.25	-	-	.04	-	-	.34	-	-	.43	.76	.59	28
29	.19	-	-	.22	-	.08	-	-	.23	-	.79	.14	29
30	.01	X	-	-	-	.05	.02	-	.37	-	.28	.31	30
31	.42	X	-	X	-	X	.28	-	X	-	X	.01	31
TOTAL	1.38	0.85	0.5	1.16	2.80	1.67	1.86	3.52	0.73	5.35	10.83	7.91	38.11
Days with "or in. or more.	16	9	1	10	12	12	11	12	4	14	19	26	146
Days with "or in. or more.	8	6	1	6	8	11	8	7	3	13	18	23	112

Section

A

for the entry of Daily Observations.

576
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Crowthorne
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.06	..	.09	..	.02	..	.01	..	..	.60	..	1
2	.01	.22	..	.06	.02	..	.08	.41	..	..	.92	..	2
3	.06	.14	..	.63	.24	..	..	1.13	..	.07	.53	..	3
4	.29	.04	..	.02	..	..	.01	.19	..	.30	..	..	4
5	.01	..	..	..	.26	..	..	.37	..	.01	..	..	5
6	..	..	..	..	.10	..	..	.08	.34	.07	..	.01	6
7	.19	.52	..	..	..	..	..	.18	.02	.53	.75	.12	7
8	.12	..	..	..	..	..	..	..	..	..	..	.28	8
9	.48	..	.02	..	.45	..	..	..	.07	..	.03	.02	9
10	.65	..	.19	..	.30	..	..	.04	..	..	..	.16	10
11	.19	.03	..	..	.02	..	.07	..	..	.24	..	.66	11
12	.34	..	..	.25	.05	..	..	.09	.02	..	..	.31	12
13	.06	..	.06	.38	.09	..	.25	.33	.44	..	..	.03	13
14	.11	.11	.04	.07	..	..	.40	..	..	..	..	.05	14
15	.01	.03	.41	.01	..	..	.49	..	..	.14	.20	.01	15
16	..	..	..	..	..	..	.02	..	.13	.01	..	..	16
17	..	.03	.25	.17	..	.29	..	..	.30	.07	..	..	17
18	..	..	.18	.08	.07	..	.03	.01	.02	..	.23	.14	18
19	..	..	.02	.13	..	..	..	.04	1.20	.15	.64	.03	19
20	..	..	..	.28	.01	.08	1.19	.24	.51	.25	.52	.01	20
21	.01	..	..	..	..	.03	..	.61	..	.09	.59	..	21
22	.07	..	..	.04	.45	..	.08	.20	.07	.26	.25	.01	22
23	.23	..	.12	.38	..	.56	.01	.07	.07	..	.09	.07	23
24	.44	.11	..	..	.14	.32	.05	..	..	..	.54	.21	24
25	.05	.01	..	..	.45	..	..	..	.03	.01	.52	.01	25
26	.26	.02	..	..	.01	.09	.09	..	.24	..	.33	.27	26
27	..	..	..	..	..	..	.04	..	.07	.04	.49	.16	27
28	.02	..	..	..	..	..	.01	..	.43	.03	.29	.17	28
29	.17	..	.03	..	..	..	.09	.09	.23	.03	.50	.04	29
30	.06	X	..	..	.34	..	.15	..	..	..	.01	.61	30
31	.56	X	.11	X	.35	X	..	..	X	.13	X	.05	31
TOTAL	4.65	1.32	1.43	2.61	3.35	1.39	3.06	4.09	4.19	2.43	7.53	3.43	YEAR'S TOTAL 3948
*Days with or in. or more.	24	12	11	14	17	7	17	17	17	18	19	23	196
*Days with .04 in. or more.	19	7	8	12	13	5	12	15	13	13	16	15	148

40-9999

*See Instruction 2 (f) on other side.

FRANK HOLROYD

(Signed)

Frank Holroyd

P.T.O.

CROWBOROUGH - (UCKFIELD LODGE)

SUSSEX

Kept at Crowboroughin the County of Sussexby A. M.

1921-26, 28-30

in.
d. ft. in.
level. ft.

IMPORTANT NOTE: Rain should be measured daily and the result entered on the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	63	20	07								03	18	1
2	03				36			05	03		27	04	2
3	08	01	13		04			29		03	25		3
4	28		05		11			12			54		4
5			03					28			53	03	5
6	46	01	34		17							04	6
7	41	01			35								7
8	07		03	09	03								8
9	01			07					05				9
10	34		01						03	58		03	10
11	33	03			09				81				11
12	36		17					1.48	09			14	12
13	34		12	45	01			09	09	03		01	13
14	01		15									46	14
15				12	03								15
16	10		01	23				30			16	03	16
17	22		52	26				15					17
18	06	02							02	03			18
19			28			04			01	17		20	19
20			06	06						92			20
21	06										13	04	21
22										20		44	22
23				28			06	71		23		12	23
24	03			03								16	24
25	01	58			03	17						22	25
26	05				22							36	26
27	03							02				21	27
28	01		57		17		60	02			03	10	28
29	07		17		39		01	01				08	29
30	19	~~XX~~			23						11	31	30
31	26	~~XX~~		~~XX~~	02	~~XX~~			~~XX~~		~~XX~~	-	31
TOTAL	4.44	86	2.71	1.59	2.25	21	67	3.52	1.13	2.19	2.05	3.20	24.82
Days with 0.1 in. or more	21	7	16	9	15	2	3	12	8	8	9	20	134
Days with 0.4 in. or more	18	2	12	8	10	2	2	9	4	5	7	16	95

BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921.....

Kept at Cromborough
in the County of Sussex
by A. M. Dyerberg

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	63	20	07								03	18	1
2	03				36			05	03		27	04	2
3	08	01	13		04			29		03	25		3
4	28		05		11			12			54		4
5			03					28			53	03	5
6	46	01	34		17							04	6
7	41	01			35								7
8	07		03	09	03								8
9	01			07					05				9
10	34		01						03	58		03	10
11	33	03			09				81				11
12	36		17					1.48	09			14	12
13	34		12	45	01			09	09	03		01	13
14	01		15									46	14
15				12	03								15
16	10		01	23				30			16	03	16
17	22		52	26				15					17
18	06	02							02	03			18
19			28			04			01	17		20	19
20			06	06						92			20
21	06										13	04	21
22										20		44	22
23				28			06	71		23		12	23
24	03			03								16	24
25	01	58			03	17						22	25
26	05				22							36	26
27	03							02				21	27
28	01		57		17		60	02			03	10	28
29	07		17		39		01	01				08	29
30	19				23						11	31	30
31	26				02								31
TOTAL	4.44	86	2.71	1.59	2.25	21	67	3.52	1.13	2.19	2.05	3.20	24.82
Days with 01 in. or more	25	7	16	9	15	2	3	12	8	8	9	20	134
Days with 04 in. or more	18	2	12	8	10	2	2	9	4	5	7	16	95

Kept at Crowborough Uckfield Lodge
in the County of Sussex
by A. M. Dilling

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	15	16		18		07	09	02		78		1
2	17	36	33	22			13	03	13				2
3		11	22	93	22		30	20		08	14		3
4		16	15		15		20			44			4
5			14	02	06		1.21			34	86		5
6	09		12				04	27			04		6
7	34		85	21				02					7
8	19		07	01		08	43	09			14		8
9	11			12			05	53		12			9
10									25		38	1.92	10
11	05				05								11
12				65				20					12
13	03			48		19	13						13
14				03		23	82	07					14
15	35	41		02		04	03		1.19				15
16	02	08		08	09		01		16		03		16
17		31			23		12		07				17
18	77			01	05								18
19	73	24	05		05				40	08			19
20	05									02			20
21	65	36	35	04						01		1.00	21
22	01	16		15		03		21		08		12	22
23		16		10		20	15		13				23
24	03		26	15	42	18		33	01			03	24
25	28			48		05			01				25
26	11	48	05	26		22	22		08			07	26
27	42	65	05	29		07		36	08	06		25	27
28	13	32	03	01		24		04	03	14		18	28
29	19					11		52		24		31	29
30		X	22			10	10	63	12	04	08	30	30
31	07	X	05	X		X		17	X	10	X	28	31
TOTAL	4.80	3.95	3.10	4.26	1.50	1.74	4.01	3.76	2.68	1.75	2.46	4.46	38.46
Days with 0.1 in. or more	22	14	16	20	10	13	16	16	14	13	8	(19)	(181)
Days with 0.1 in. or more	17	14	15	14	10	12	14	14	10	11	7	(13)	(151)

REGISTER OF RAINFALL IN 1923.

Kept at Crowboroughin the County of Sussexby A. M. Dreiberg

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	+	.08	.35		.03					.05	.17	.51	1
2	+	.06	.04		.04					.20	.05	.22	2
3						.04				.65	.04	.06	3
4	✓											.39	4
5	+		.01	.10						.15	.08		5
6	+	.10	.14	.03									6
7	+	1.23	.36		.06					.72		.69	7
8	+	.30	.06		.19	.02			.25	.36	.69		8
9	+	.05	.03	.09	.01		1.33						9
10	✓	.35		.45	.14		.48				.06	.09	10
11	+			.38	.04					1.04		.15	11
12	✓	.34	.62	.24	.21	.09				.43		.12	12
13	+	.08	.25	.13	.04		.09				.86		13
14	✓	.05	.07		.32				.70		.03	.04	14
15	✓		.01	.02	.43	.25	.09		.07		.28		15
16	1.57	.26			.16	.03					.13		16
17	.02	.10						.22	.10	.03			17
18	.15	.25		.05				.20		.04			18
19	.15	.05		.03		.03			.17	.83		.10	19
20		.11	.10		.12				.46	.15			20
21	.01	.27	.40	.26					.09	.47	.04	.18	21
22		.37	.08	.06					.45	.24		.03	22
23		.15	.16		(.26)		+		.18	1.26	.04	.04	23
24		.05		.05				1.35	.38	.23			24
25		.28	.03	1.33	.03	.14	+	.06	.03	.47		.77	25
26		.64		.06	.39			.30		.22		.31	26
27		.10	.09		.05		✓	.42		.08		.26	27
28		.27	.05	.10	1.09		+	.06			.16		28
29	.07		.33	.18	.93		+	.59				.27	29
30		×					+			.21		.19	30
31	.01	×		×	.04	×	1.27		×	.12	×	.23	31
TOTAL	1.98	5.54	3.18	3.56	4.55	.63	3.26	3.20	2.88	7.95	2.63	4.65	YEAR'S TOTAL
Days with .01 in. or more	(2P)	23	19	17	19	8	(P)	8	11	21	13	19	(190)
Days with .04 in. or more	(12)	23	15	14	17	4	(10)	8	10	20	13	18	(164)

Dec. 6/31 from C's

under for with
not notified
& otherwise agreed

533

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Crowborough

in the County of Sussex

by W. A. M. Deiberger

Lat. 51.3.14 Long. 9.30 37"E

Time of Observation 9 A.M.

Nearest Railway Station Crowborough

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 790 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	-	0.10	-	0.03	0.20	0.16	0.02	-	-	0.87	0.12	1 <u>WV</u>
2	0.09	-	0.38	0.04	0.23	0.43	0.16	0.19	-	-	-	0.17	2 <u>JS</u>
3	-	-	0.14	0.06	0.51	0.04	0.47	0.65	0.10	-	-	-	3 <u>CC</u>
4	-	-	-	0.03	0.07	0.77	0.16	-	0.02	0.05	-	0.49	4 <u>BTB</u>
5	-	0.03	0.08	-	0.11	-	0.08	-	0.01	0.51	-	0.05	5
6	-	0.12	-	-	-	-	-	0.14	-	0.98	-	-	6
7	0.07	-	-	-	0.03	0.29	0.02	-	0.53	0.33	-	-	7
8	0.20	0.05	-	-	0.20	0.03	0.08	-	0.08	0.08	-	-	8
9	0.18	0.40	-	0.06	0.07	0.04	-	-	0.26	-	-	-	9
10	0.23	-	-	0.35	0.45	0.05	-	-	0.22	-	-	0.05	10
11	0.03	-	-	0.34	0.46	0.46	-	-	0.09	-	0.30	-	11
12	-	-	-	0.36	0.13	0.24	-	0.24	0.08	-	0.79	-	12
13	0.15	-	-	0.57	-	0.02	-	-	0.21	0.01	0.16	0.34	13
14	0.05	-	-	0.32	-	-	-	x	-	-	-	0.05	14
15	-	0.06	-	0.03	-	-	-	x	0.14	-	-	0.81	15
16	-	-	-	0.08	-	-	-	x	0.04	-	-	9-	16
17	0.42	-	-	-	-	-	1.17	x	0.09	-	-	0.15	17
18	0.70	0.09	-	-	0.15	0.15	0.03	x	-	0.10	0.05	-	18
19	0.12	0.02	-	-	-	0.16	-	x	0.07	0.14	0.03	-	19
20	-	-	-	-	0.31	-	x.06	x.1.30	0.15	0.07	-	-	20
21	0.27	-	0.02	-	0.09	-	0.03	0.23	0.24	1.05	-	0.07	21
22	0.28	-	0.51	-	0.03	-	-	-	0.15	-	-	-	22
23	-	-	0.54	0.03	0.54	-	0.02	0.11	0.39	-	-	0.89	23
24	0.45	0.22	0.32	0.10	0.44	-	1.05	0.07	0.02	-	0.06	0.33	24
25	-	0.06	0.09	0.03	0.11	-	0.18	-	0.64	0.04	0.25	-	25
26	-	0.08	0.12	0.65	-	-	0.33	0.13	0.18	0.18	0.37	-	26
27	-	0.10	-	0.86	-	-	1.15	✓	-	0.20	0.59	1.49	27
28	-	-	-	-	-	-	0.15	x	-	0.08	0.59	0.02	28
29	0.04	0.05	-	0.17	0.37	-	-	x	0.10	1.08	0.37	0.13	29
30	-	x	-	0.35	0.04	-	-	x.1.16	0.25	0.43	0.03	0.52	30
31	-	x	-	x	0.78	x	5.80	0.04	x	0.27	x	0.31	31 1246
TOTAL	3.32	1.28	2.30	4.43	5.15	2.88	4.30	4.28	4.06	5.60	4.47	5.99	YEAR'S TOTAL 49.05
Days with "1 in. or more.	16	12	10	18	21	13	17	(21) ✓	23	17	13	17	187 ✓
Days with "0.1 in. or more	15	10	9	14	18	11	13	(19) ✓	20	16	11	16	172 ✓

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Browborough
in the County of Sussex
by A. M. Dreiberg

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.12		.29	.13				.37	.14		.64	.02	1
2	.73		.03	.18			.03				.89		2
3		.01			.30		.26				.21		3
4	.57				.16			.04		.03	.28		4
5		.18		.57	.01		.10	.08			.40		5
6		.17		.14	.25		.49	.05			.67		6
7		.23		.08	.04		.12			.01	.04	.10	7
8	.11				.32				.03		.01	.14	8
9	.01	xx						.16	.14		.03		9
10			.08	.01	.15			.20	.21		.24		10
11		xx	.03					.10			.36		11
12		xx						.02	.02	.01			12
13	.04	1.54	.18	.14				.05					13
14	.68	.13	.03	.35									14
15	.18	.10		.15	.06					.06			15
16	.08	.06							.16	.16		.01	16
17	.02	.01					.03		.10				17
18	.01	.06			.01		.35	.07		.02		.02	18
19	.01			.11		.01		.02	x	.93		.29	19
20			.15				.07		xx	.75		.20	20
21			.05				.01	.10	xx	.54		.75	21
22		.06	.10	.20	.02		1.79	.35	xx	1.04		.55	22
23	.04	.25	.18	.20	.33			.45	x	.35		.16	23
24	.05	.61	.08	.26	.18	.20		.21		.04	x	.06	24
25	.03	1.26		.41			.03		xx	.06		.09	25
26	.04	.22		.15	.20	.03	.57	.07	xx	.61		.31	26
27	.18	.07		.28	1.09		.64	.12			.18	.06	27
28	.23	.02		.11								.54	28
29	.17			.04	.33		.15		x	2.48	.12	1.10	29
30		X	.03	.40			.28					.49	30
31	.13	X		X		X	.20		X		X		31
TOTAL	4.43	4.98	1.23	3.91	3.45	.24	5.02	2.48	3.36	4.61	4.07	4.89	YEAR'S TOTAL
Days with 01 in. or more	20	20	12	19	15	3	15	17	(16)	14	13	17	182
Days with 04 in. or more	15	17	8	18	12	1	11	15	(12)	10	12	14	145

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Crowthorne, Uckfield Lodge
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	70	x				40					x		1
2	06	✓				77			28		✓		2
3	29	x	19								x		3
4		x		59					01		x		4
5	08	1.50	21		17				05		x		5
6	08	28		32			25	07	17		✓	70	6
7	14	04		16	35	18			04		✓	17	7
8	02			16		05				10		61	8
9		05	10			80				35		98	9
10					04	33	05	20			04	42	10
11		08			15	15		62	03		27		11
12		07			10			02	07	x			12
13	11					03				absent	1.70	02	13
14	21	07		29	07	41				1.13	07	06	14
15	09	16		55		06			04	31	18		15
16		03		35				41			02		16
17	06	78		05	13	74					11	02	17
18	23	12		09	02		27	26			77		18
19			02	05	03		49				23		19
20			01	64				32			95		20
21				04			07	03			65		21
22	73	03		14						05	05	17	22
23	17												23
24	06	02			05	05	06		10	58			24
25	17			77			19			14	11	08	25
26				08			24				25		26
27	12	07	08	27	17		03		39	08			27
28	91			44	05		37			39	18		28
29	03			83	42		05			16	04	01	29
30	21	X		07	86						03		30
31	45	X		X		X		09	X		X		31
YEAR'S TOTAL													
TOTAL	4.92	3.30	61	5.89	2.11	3.97	2.07	2.02	1.18	3.29	8.11	78	38.25
Days with "01 in. or more.	21	18	6	19	14	12	11	9	10	10	21	7	164
Days with "04 in. or more.	19	14	4	19	12	11	10	7	8	10	21	4	149

Please read the Notes and Instructions Overleaf.

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Crowthorn

In the County of Sussex

Diameter of Funnel 8 in.

Height of Top above Ground 1 ft. — in.

Height of Ground above Sea Level 796 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
Inches.	Inches.	Date	'01 in. or more or more
JAN.	4.92	0.91	28 21 19
FEB.	0.61	0.21	5 6 4
MAR.	3.30	0.78	17 4
APR.	5.89	0.83	29 19 19
MAY	2.11	0.42	29 14 12
JUNE	3.97	0.80	9 12 11
JULY	2.07	0.49	19 11 10
AUG.	2.02	0.62	11 9 7
SEPT.	1.18	0.39	27 10 8
OCT.	3.29		
NOV.	8.11	1.70	13
DEC.	0.78		
Total	38.25		

Signature A. M. Drifney

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. A. M. Drifney
Wentfield Lodge, Crowthorn

Latitude of Station 51. 3. 14 Longitude 9. 30. 37

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Crowthorn Distance 1 1/2 miles Direction E.S.E.

Nearest Parish Church St. Andrew's Distance 500 yards Direction E.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....


Nature of objects nearest to gauge Tree

Heights of objects 6 to 20 ft.

Distances 30 to 40 ft.

Directions N. S. E. W.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

There may be a slight error
0.01 or 0.02 in Dec's amount
I was away from home from
the 28th - I had the amount
me & included it on the monthly
card but forgot to register the amount
for my self.

D INSTRUCTIONS.

1. Advice as to the selection of the site for a rain gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B). (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

Section



for the entry of Daily Observations.

534
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928 .

Kept at Crowborough, Uckfield Lodge
in the County of Sussex

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11		.22	.32				.04			.46		1
2	1.12	.25	.05								.16		2
3				.43	.16		.78	.93			.21		3
4	.01	.25		.13		.02		.32				.03	4
5	.23	.19	.07				.04						5
6						.31							6
7	.09	.05		.15		.33		.12					7
8		.11	.08			.57	.04		.04	.18			8
9	.14					.25			.17	.23			9
10	.13	.23		.29				.05	.02	.26	+	.17	10
11			.02	.12				.02			.57	.15	11
12	.44	.24	.05	.03							.08	.14	12
13		.22	.02	.02		1.09		.13			.17	.03	13
14	.25	.21		.26	.15	.12					.94		14
15	.10			.62	.10						.50		15
16		.13		.11	.09					1.44	.38	.44	16
17			.02		.28					.25			17
18	.73		.02		.02	.61				.69	.06		18
19	.02			.04	.11	.03		.22		.48	.07	.34	19
20	.15				.31			.03		.74	.29	.19	20
21	.28		.10	.20	.26					1.17	.83		21
22			.16					.02		.80	.57	.20	22
23	.59		.10		.06					.30	.37		23
24			.02					.03	.24	.14	.12	.37	24
25						.13				.45		.34	25
26	+					.18		.56		1.20		.20	26
27			.14				.90	.11		.10			27
28	+								.42			.85	28
29	+	.12	.68	.14			.04		.05	.15	.06	.73	29
30		X	.37	.05		.23	.28	.04		.09		.08	30
31	2.01	X	.25	X		X	.15	.20	X	.10	X	.47	31
TOTAL	6.40												YEAR'S TOTAL
Days with .01 in. or more.	19	11	17	15	10	12	7	15	6	18	18	17	44.32
Days with .04 in. or more.	17	11	12	13	9	10	7	11	5	18	18	15	146

Section



for the entry of Daily Observations.

how. Obs. away from home value erid.

FOR OFFICIAL USE.

555

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Limbrough Uckfield Lodge
in the County of Sussex

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

*since overflowed
never informed
actual*
400
*Estimate for Nov supplied by memo,
encl 3A file 968643/29*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		07		03				36		41			1
2		41				11	10			61		30	2
3							21			08		36	3
4				22	49	23	17	11				43	4
5					116	27	27	68		37		28	5
6					21	05	24	82		15		51	6
7					05	05		09		52		57	7
8						12				24		43	8
9	05	22										42	9
10	18	02		09				02		06		58	10
11				34								19	11
12				13	57	33							12
13	06	02			24							18	13
14					10	07						17	14
15	03	04				33						15	15
16	12							144					16
17										02			17
18	04								16				18
19													19
20			02				07			72		03	20
21	14		07					04				75	21
22	02							03				07	22
23		03								06		40	23
24					02					69		50	24
25		02								56		10	25
26		06		03	01							20	26
27								05				09	27
28	25			05			37			45		54	28
29	23			23		11			32			20	29
30		X				05	03		32			29	30
31	46	X		X		X	35		X		X		31
TOTAL	1.58	89	09	1.12	2.85	1.72	1.81	3.64	80	4.94	(11.32)	7.74	(38.50)
Days with 01 in. or more.	11	9	2	8	9	11	9	10	3	14	(20)	24	(13.0)
Days with 04 in. or more.	9	5	1	6	7	11	8	8	3	13	(19)	23	(11.2)

M

(Signed) A. H. Drinberg

REGISTER OF RAINFALL IN 1930 .

Kept at Crowthorne, Uckfield Lodge
in the County of Reading

400

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	28	08		13		01					56		1
2		24			02		11	38			89		2
3	13	17		64	18			123		06	03		3
4	31	07		03				12		31			4
5					15			33					5
6					09			09	29	05		03	6
7	x	55						19	02	53	64	14	7
8	x									02		28	8
9	x		05		47				x		04	02	9
10	x		19		30			05				11	10
11	x	04			03		10			17		67	11
12	x			27	05			09				32	12
13	x		05	33	08		31	31	x	01	01	03	13
14	218	10	05	09			44					04	14
15		02	47	02			59			13		01	15
16			01				05		x				16
17		07	21	17		29			x	10			17
18			22	09	11		07		x	02	43	13	18
19	03			15				12	x	16	64	03	19
20				17	03	08	124	29	x	30	53	02	20
21	01					01		64		08	70		21
22	10			06	40		08	21	263	22	33	01	22
23	25		14	37		56		10	07		08	09	23
24	43	11			14	25	06				55	25	24
25	04	03			52				04	01	52	01	25
26	27	02			01	09	11		24		33	30	26
27					13		05		05	05	49	17	27
28	02						02		42	03	32	17	28
29	16		05				12	07	20	03	49	06	29
30	06	x			35		14				02	68	30
31	60	x	13	x	42	x			x	13	x	05	31
TOTAL	487	150	157	252	348	129	349	422	396	241	760	362	YEAR'S TOTAL 4053
Days with "or in. or more.	22	12	11	13	18	7	15	15	16	19	19	23	190
Days with "or in. or more.	19	9	10	11	14	5	14	15	15	13	16	15	156

CUCKFIELD

Kept at Henm. ad.in the County of Sussexby Mrs. Marshall C.

THE MORNING MEAS

An observer who does not conform
following year in the space on the r

Records ta

E.

472

County No.

ION.

River Dist.

Station No.

in.

ft. in.

vel. ft.

AY.

of the

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	142	-	10	12	5	-	-	15	12	-	71	5	1
2	66	1	-	13	-	-	5	-	-	-	83	-	2
3	40	-	-	4	27	-	17	-	-	-	11	-	3
4	-	1	-	-	12	-	-	10	6	-	25	-	4
5	-	13	-	70	4	-	-	3	60	-	50	-	5
6	-	15	-	17	15	-	44	12	-	-	75	-	6
7	-	13	-	-	6	-	-	-	2	-	8	-	7
8	11	-	-	-	22	-	-	-	2	-	2	-	8
9	-	3	-	6	1	-	-	18	14	-	-	13	9
10	-	7	7	3	30	-	-	9	22	-	13	13	10
11	-	39	-	-	2	-	-	5	-	-	27	1	11
12	-	60	-	-	-	-	-	4	-	2	-	-	12
13	6	57	14	16	-	-	-	1	-	-	-	-	13
14	50	13	-	46	-	-	-	-	-	-	-	-	14
15	60	11	-	7	13	-	-	-	-	3	-	-	15
16	6	5	-	-	-	-	-	-	-	20	-	-	16
17	2	-	-	-	-	-	4	-	14	-	-	-	17
18	2	4	-	2	-	-	32	2	7	-	-	-	18
19	1	1	-	16	2	-	-	-	-	89	-	26	19
20	-	-	5	-	-	4	2	8	18	62	-	21	20
21	-	-	-	-	-	-	35	19	38	46	-	51	21
22	-	17	12	11	-	-	157	41	8	91	-	32	22
23	2	22	16	19	-	-	-	71	46	28	-	7	23
24	28	47	3	6	28	-	17	11	9	3	9	14	24
25	6	119	-	12	35	10	5	-	44	11	1	10	25
26	3	14	-	2	-	2	38	14	-	57	-	21	26
27	20	3	-	15	18	-	50	6	-	-	10	8	27
28	19	1	-	11	110	-	2	-	2	-	-	32	28
29	7	-	-	2	2	-	12	-	2	-	8	85	29 963
30	-	X	2	25	28	-	30	-	-	-	1	33	30
31	11	X	X	X	-	X	13	-	X	-	X	1	31
TOTAL	402	466	69	311	360	16	463	237	256	432	344	515	YEAR'S TOTAL
Days with 01 in. or more.	19	21	8	20	18	3	16	17	17	12	15	17	37.91
Days with 04 in. or more	14	16	6	16	14	1	11	14	13	8	12	15	183
													149

✓

REGISTER OF RAINFALL IN 1928.

County No.

River Dist.

Station No. _____

Kept at Hennard Hall

in the County of Surrey

by Mrs Marcelle Campbell

Lat. _____ Long. _____

Time of Observation.....

Nearest Railway Station

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground ft. in.

Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

[illegible]



AIR MINISTRY, METEOROLOGICAL OFFICE.

AIR MINISTRY.

26 JUN 1926

INGTON,
W. 7.

QUERY FORM.

SOUTH KENSINGTON, LONDON, S.W. 7.

On examination of the return of observations made at
Kenmead Hall 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

REPLY.

A comparison of your rainfall return for 1925, with neighbouring stations suggests that an omission has occurred on 5th November as shown below

Beeding . 35 in.

Kenmead Hall -

Haywards Heath . 54 in.

It is recommended that a value of .50 in. be adopted for that day. The total for August is not in agreement with the sum of the daily values (2.47 in). If you concur in these amendments, the totals will become August 2.47, November 3.94, and for the year 37.91 inches. We shall be glad to have your comments on these points.

H. S. Carter

23.6.26.

Returned without comment.
 Adopt suggested amendments

R. L.

26.6.26.

Letter subsequently read.
 on file 699831/26.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926

456

Kept at Hemstead Hall
in the County of Essex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level ft.

This is the
correct fall

Corr for Anst.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	60	35	0	0	11	0	0	0	48	0	0	0	1
2	08	01	0	0	0	38	0	0	02	0	0	0	2
3	23	75	18	0	0	0	04	0	04	0	15	0	3
4	05	09	05	0	0	18	0	0	0	0	0	0	4
5	08	26	23	35	0	0	20	0	0	0	0	0	5
6	14	45	02	18	47	0	04	0	04	0	54	30	6
7	16	03	0	48	0	0	10	09	28	0	0	0	7
8	00	01	0	13	39	0	0	40	08	0	34	05	8
9	01	0	03	10	01	04	0	0	0	0	90	0	9
10	0	0	0	0	0	65	0	50	0	34	70	0	10
11	02	04	0	0	04	31	0	02	0	0	15	10	11
12	0	11	0	06	0	28	0	0	0	0	08	0	12
13	0	01	0	20	0	04	0	0	05	30	0	05	13
14	0	06	0	15	04	35	0	0	0	0	15	0	14
15	20	09	0	0	23	22	0	0	05	60	05	0	15
16	0	04	0	0	0	0	0	25	0	24	15	0	16
17	20	52	0	0	01	0	0	05	02	0	05	0	17
18	20	14	0	19	05	62	0	0	0	0	05	0	18
19	0	0	0	0	0	0	34	26	0	0	85	15	19
20	02	0	0	0	05	0	35	05	0	0	0	0	20
21	0	01	0	0	0	0	0	0	0	0	93	15	21
22	45	0	0	0	0	0	0	0	0	0	53	0	22
23	09	0	0	05	0	0	03	0	0	05	10	10	23
24	3	0	0	09	0	0	0	0	0	0	0	0	24
25	14	0	0	0	0	11	0	0	0	55	0	0	25
26	02	02	0	0	0	0	0	0	0	0	0	0	26
27	11	04	02	0	0	0	32	0	0	0	23	0	27
28	85	0	0	10	08	0	15	0	08	0	0	0	28
29	05	0	0	12	4	0	38	0	10	35	10	0	29
30	23	X	0	15	28	0	0	0	0	05	02	0	30
31	30	X	0	X	0	X	0	0	X	0	X	0	31
TOTAL	426	306	53	235	180	318	178	162	154	248	707	90	YEARS TOTAL
Days with 01 in. or more.	23	19	6	14	13	11	10	11	11	8	19	7	149
Days with 04 in. or more.	18	13	3	14	11	11	9	7	9	8	18	7	128

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1924.

Kept at Hanmer Hall Cuckfield
in the County of Surrey

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....3 ft.....in.
,, Ground ,, Sea Level ft.

Dec. 24 - 1" 60
Corn for W.O. (12) suggested for 14th Dec and (1.40") for 26th-27th Dec. and 31st Dec. requested of O.G. from 906 14/6/28
Obs. confirms no rain on 14th and does not dispute

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

699831/24

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	2	19	5.5	+	1	80	12	X	X	3	X	1
2	+	133	2	4	+	X	93	23	+	25	57	X	2
3	+	+	10	11	+	X	+	X	1	4	2	X	3
4	2.5	+	+	+	X	X	1	X	X	X	X	X	4
5	+	+	5	16	+	1	2	X	X	X	X	6	5
6	2.9	9	12	4.3	21	6	1	50	X	X	12	X	6
7	2.1	+	4.8	3.6	X	5	20	10	8	X	4	X	7
8	2	2.5	4	3.5	X	12	2	36	X	X	X	X	8
9	5	+	4	3.5	X	X	11	11	4	X	+	X	9
10	+	+	1	1.9	5	+	2.1	3	1.4	X	+	X	10
11	+	+	4	+	X	X	0	3	2.4	X	+	X	11
12	1	+	+	1	+	4	0	3.3	X	X	+	X	12
13	10	+	+	+	+	+	2	3	X	X	X	X	13
14	10	+	+	+	X	X	4	5.3	2.9	2	12	X	14
15	1	2	+	4	X	X	4.2	8	2.31	X	X	4.6	15
16	1	+	+	+	1	+	6	2.6	1.3	X	2	X	16
17	5	+	+	+	1.3	X	+	2	2.8	X	X	X	17
18	+	+	5	+	X	4.5	X	5.5	3	X	X	X	18
19	3.2	+	+	+	X	5.1	X	4.4	2	X	2.4	X	19
20	+	1.8	+	+	X	X	X	1.0	1	1	3.4	X	20
21	2.1	2.2	+	+	X	1	1.2	10.6	1	X	4.3	4.8	21
22	—	2.4	+	+	1.8	X	2	2.2	1.9	3.8	2.3	9.5	22
23	3.6	5	5.3	2	3	1.5	X	9	1.6	4.2	X	9.5	23
24	2	6.6	3.5	+	X	+	X	1	10.6	1	3.4	3.5	24
25	—	1.5	4.1	+	X	4.1	X	3.8	3	1	4	6.8	25
26	+	6.0	5.3	+	X	9	2	6	2	1.1	X	4.0	26
27	3.4	4.0	1.4	X	X	1.1	1.1	X	2	4	X	4.0	27
28	2	6.0	4	X	4.1	6.1	2.1	X	X	5.2	2	X	28
29	1.8	+	+	1.2	+	9.0	1	X	X	6	4.5	X	29
30	1.2	X	2.4	X	+	4.4	5	9	6.1	X	1.1.2	X	30
31	2.3	X	2	X	+	X	+	X	X	2.9	X	3.1	31
TOTAL	2.41	5.31	3.80	2.21	1.03	3.94	3.42	5.43	5.78	2.41	4.19	3.83	44.45
Days with .01 in. or more.	2.73	14	20	12	7.8	16	20	2.23	21	1.3	15	10	19.2
Days with .04 in. or more.	13	12.13	16	4.10	5	14	12	1.18	12	9	12	8.10	14.2

Please read the Notes and Instructions Overleaf.

(Signed) J. H. Price H. J. Gardner P.T.O.

**Register of Rainfall in 1928.**

Kept at Hemlock Hall farm
in the County of Cuckfield & Sussex

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. See overleaf 22/3/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

2

See over

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	31	18	12	31	7	X	X	14	X	X	33	X	1
2	10	1	24	15	X	X	X	X	X	X	14	X	2
3	112	34	2	1	X	X	39	4	X	X	15	X	3
4	1	X	X	23	5	X	X	95	X	X	4	X	4
5	X	21	X	16	X	X	6	30	X	X	X	X	5
6	23	15	15	2	X	X	X	X	X	X	X	2	6
7	1	X	X	X	X	19	6	X	X	X	X	12	7
8	8	1	4	15	X	33	X	9	X	X	X	X	8
9	X	6	X	X	X	5-5	X	X	X	46	X	X	9
10	5	X	X	X	X	3	X	X	19	13	X	X	10
11	5	24	X	19	X	4	X	3	X	32	29	X	11
12	X	X	X	13	X	6	X	1	X	59	20	16	12
13	34	33	3	9	X	X	X	3	X	X	5	13	13
14	X	15	X	X	X	78	X	15	X	X	15	X	14
15	14	21	X	23	35	10	X	34	X	75	31	X	15
16	8	X	X	37	X	X	X	3	X	X	30	X	16
17	X	6	X	10	24	X	X	X	X	9	38	36	17
18	X	X	X	3	35	X	X	X	X	19	X	X	18
19	64	X	2	2	24	19	X	X	X	53	6	X	19
20	X	X	X	X	10	3	X	13	X	50	3	X	20
21	14	X	X	X	18	X	X	5	X	50	90	18	21
22	16	X	12	14	3	1	X	X	X	65	43	18	22
23	X	X	14	X	X	X	X	3	X	70	46	13	23
24	59	2	6	X	9	X	X	X	X	24	25	X	24
25	4	X	X	X	X	X	X	2	X	5	2	23	25
26	17	X	X	X	X	10	X	X	29	42	0	10	26
27	10	X	X	X	X	8	4	53	X	130	1	20	27
28	3	X	13	1	X	X	65	9	X	10	X	90	28
29	62	X	X	X	X	X	X	X	44	X	X	23	29
30	21	X	51	14	X	6	3	7	1	11	5	68	30
31	3	X	52	X	X	X	22	X	X	12	X	20	31
TOTAL	528	204	210	248	144	255	145	306	93	445	484	382	YEARS TOTAL 37.98
Days with "01 in. or more.	23	13	13	18	10	14	8	17	4	20	19	15	174
Days with "04 in. or more.	19	10	10	13	9	11	7	11	3	20	16	14	143

(Signed) J. H. P. H. P. H. P. (P.T.O.)

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1929.

Kept at Hemmead Hall, London
in the County of Middlesex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
" Ground " Sea Level.....ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. WD John adjusted by anemometer 699831/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	
1	x	33	x	8	x	x	35	16	x	36	x	2	1
2	x	3	x	x	x	x	x	x	x	50	x	62	2
3	x	53	x	x	x	7	16	x	x	9	7	31	3
4	x	x	x	x	40	x	215	15	x	2	x	48	4
5	x	x	x	16	130	15	49	48	x	33	x	35	5
6	x	x	x	x	23	42	33	92	x	7	28	44	6
7	x	x	x	x	x	3	x	x	x	59	60	62	7
8	x	x	x	x	2	4	x	x	x	11	8	48	8
9	x	x	x	x	x	9	x	x	x	1	x	37	9
10	x	15	x	4	x	x	x	1	x	5	13	41	10
11	23	x	x	12	7	x	x	x	x	x	155	23	11
12	x	x	x	5	37	2	x	x	x	x	x	x	12
13	x	x	x	x	17	57	x	x	x	x	x	13	13
14	x	x	x	x	7	2	x	x	x	x	1	11	14
15	x	x	x	x	x	13	x	x	x	x	123	8	15
16	x	7	x	x	1	23	x	81	x	x	63	x	16
17	x	x	x	x	x	x	x	x	x	x	x	x	17
18	22	x	x	x	x	x	x	6	47	x	40	x	18
19	x	x	x	x	x	x	x	x	x	x	10	x	19
20	x	x	x	x	x	x	x	x	1	62	x	x	20
21	15	x	x	x	x	x	68	6	x	x	x	15	21
22	x	x	2	x	x	x	x	3	x	x	30	60	22
23	x	x	x	x	x	x	x	x	x	29	54	45	23
24	x	9	x	x	x	x	1	x	x	86	63	48	24
25	x	x	x	x	x	x	x	x	x	45	19	8	25
26	x	x	x	x	x	x	x	x	x	x	17	16	26
27	x	2	x	1	x	x	x	x	x	x	84	10	27
28	x	x	x	2	1	x	x	x	x	35	51	44	28
29	30	x	x	20	x	x	32	x	6	x	50	10	29
30	25	x	x	0	x	x	1	x	46	1	40	40	30
31	x	x	x	x	x	x	23	x	x	x	x	x	31
TOTAL	113	116	2	68	265	177	468	269	100	471	916	761	YEARS TOTAL
Days with '01 in. or more.	6	6	1	8	10	12	9	10	4	16	20	24	126
Days with '04 in. or more.	6	3	0	6	7	9	7	7	3	13	18	23	102

(Signed) H. Price Hemmead Hall, London (P.T.O.)

Hemmead Hall, London

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930

Kept at Hennard Hall Inds
in the County of Purser

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

1930

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	25	0	15	0	1	0	0	0	0	50	0	1
2	1	10	0	10	3	3	25	17	0	0	70	0	2
3	10	16	0	58	4	0	0	60	0	3	3	0	3
4	24	7	0	0	0	0	0	10	3	15	0	0	4
5	5	0	0	10	22	0	0	49	0	9	0	0	5
6	0	0	3	0	26	0	0	13	37	0	0	1	6
7	21	10	0	0	0	0	0	34	1	43	45	9	7
8	15	0	0	0	0	0	0	0	0	2	0	0	8
9	29	2	4	0	40	0	0	2	3	0	3	26	9
10	50	0	13	0	26	0	0	3	0	0	0	27	10
11	16	0	0	0	3	0	11	0	0	5	0	47	11
12	27	1	1	34	6	0	0	5	0	1	0	28	12
13	7	0	7	31	14	0	12	25	36	0	0	0	13
14	9	14	6	3	0	0	51	0	0	0	0	3	14
15	1	6	89	5	1	0	49	0	0	7	0	0	15
16	X	0	4	0	0	0	0	0	25	2	13	0	16
17	X	1	11	13	0	0	2	0	32	25	0	2	17
18	X	0	6	7	8	0	13	1	0	0	26	13	18
19	X	0	2	10	0	0	1	10	110	15	83	3	19
20	X	0	0	32	0	5	82	46	20	28	40	0	20
21	1	0	0	0	0	0	7	61	1	13	43	0	21
22	6	0	0	5	25	1	3	28	15	27	16	0	22
23	34	0	11	21	0	61	0	6	7	0	21	9	23
24	42	1	0	3	9	0	0	0	1	0	36	44	24
25	6	15	0	0	59	0	0	0	13	0	31	4	25
26	20	1	0	0	0	0	7	0	20	0	21	27	26
27	X	0	0	0	0	0	5	0	1	7	23	14	27
28	2	0	0	0	0	0	3	0	41	2	40	6	28
29	13		0	0	0	0	2	37	4	2	26	10	29
30	3	X	2	0	32	0	10	0	0	0	0	62	30
31	60	X	10	X	6	X	0	0	X	10	X	9	31
TOTAL	492	112	169	257	284	71	283	407	368	218	590	344	YEAR'S TOTAL
Days with "01 in. or more.	24	13	4	15	16	5	16	16	18	18	18	19	19.2
Days with "04 in. or more.	19	8	10	13	13	2	11	13	12	12	16	15	14.4

H O Gardner
To Mrs Maxwell Campbell.
(Signed) J H Price

Kept at Dewhurst
in the County of Sussex
by Mr. Whitty

DEWHURST
SUSSEX
1923

Rain should be measured
An Observer who prefers not to
January 1st of the following year
Full instructions for the
particulars as to the British Rainfall
on application to THE SUPERINTENDENT
Kingsway, London, W.C.2, or to

Public June 1924
Dewhurst
Gauge 5 in.
Sound 10 1/2 in.
Sea Level ft.

previous day.
at 9 a.m. on

Jan. 1, following.

.11

ges, and par-
ent post-free
Air Ministry,
e, Edinburgh.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.02	.21	—	.01	.03	—	.32	—	—	.11	—	1
2	.15	.05	.28	—	—	.04	—	—	—	.04	.22	.37	2
3	.22	.03	.02	—	.04	—	—	—	—	.25	.07	.28	3
4	—	—	—	—	—	.06	—	—	—	.79	.04	.05	4
5	—	—	—	—	—	—	—	—	.15	—	—	.33	5
6	.42	—	.02	.04	—	—	—	—	—	.11	.04	—	6
7	.24	.08	.13	.03	—	.04	—	—	—	—	—	.02	7
8	.11	1.27	.21	—	.08	—	—	—	—	.53	—	.50	8
9	.04	.32	.03	—	.18	—	—	—	—	.28	.65	—	9
10	.12	.06	.03	.02	.02	—	1.34	—	—	.04	.03	—	10
11	—	.24	—	.37	.15	—	.08	—	—	.38	.04	.05	11
12	.05	.02	.02	.33	.02	—	—	—	—	.66	—	.23	12
13	.01	.33	.59	.11	.19	.10	—	—	—	.37	.02	.03	13
14	.05	.09	.21	.11	.06	—	.05	—	—	—	.98	—	14
15	—	.05	.07	—	.34	—	—	.02	.72	.05	.05	.05	15
16	.02	.01	.01	.03	.55	.20	.06	.01	.05	—	.33	—	16
17	—	.15	—	—	.28	.02	—	.01	—	—	.12	.01	17
18	—	.05	—	—	.04	—	.02	.22	.10	—	—	—	18
19	.14	.28	—	.05	—	—	—	.09	.02	.06	.01	—	19
20	.13	.04	—	—	—	—	.01	—	.15	.72	—	.18	20
21	—	.11	.08	—	.13	.04	—	.03	.44	.16	—	—	21
22	.05	.23	.03	.24	.01	.01	—	—	.06	.28	.03	.15	22
23	.02	.60	.11	.04	.02	—	—	.06	.41	.28	.04	.04	23
24	—	.09	.13	—	.21	—	.08	.38	.14	1.17	.01	.05	24
25	—	.04	—	—	—	—	—	1.05	.38	.28	—	.06	25
26	—	.26	.07	1.43	.09	.14	.07	.04	.02	.56	—	.59	26
27	—	.62	—	.29	.17	—	—	.32	.02	.16	—	.34	27
28	—	.14	.11	—	—	—	.08	.40	—	.07	.02	.20	28
29	—	X	.02	.06	1.00	—	.31	.05	—	.01	.23	—	29
30	.06	X	.10	.12	.67	—	.09	.40	—	.01	—	.26	30
31	—	X	—	X	—	X	.10	.02	X	.24	X	.21	31
TOTAL	2.15	5.18	2.48	3.27	4.26	.68	2.29	3.42	2.66	7.50	3.04	4.00	YEAR'S TOTAL
Days with 0.1 in. or more	17	25	21	15	21	10	12	16	13	24	19	21	214
Days with .04 in. or more	13	21	14	12	16	7	11	10	10	22	14	18	167

MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.Kept at Dewhurst
in the County of Sussex
by Mr. WhittyLat. _____ Long. _____
Time of Observation 9 a.m. Public Time 1924
Nearest Railway Station Wadhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10½ ft.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.11

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.02	.21	—	.01	.03	—	.32	—	—	.11	—	1
2	.15	.05	.28	—	—	.04	—	—	—	.04	.22	.37	2
3	.22	.03	.02	—	.04	—	—	—	—	.25	.07	.28	3
4	—	—	—	—	—	.06	—	—	—	.79	.04	.05	4
5	—	—	—	—	—	—	—	—	.15	—	—	.33	5
6	.42	—	.02	.04	—	—	—	—	—	.11	.04	—	6
7	.24	.08	.13	.03	—	.04	—	—	—	—	—	.02	7
8	.11	1.27	.21	—	.08	—	—	—	—	.53	—	.50	8
9	.04	.32	.03	—	.18	—	—	—	—	.28	.65	—	9
10	.12	.06	.03	.02	.02	—	1.34	—	—	.04	.03	—	10
11	—	.24	—	.37	.15	—	.08	—	—	.38	.04	.05	11
12	.05	.02	.02	.33	.02	—	—	—	—	.66	—	.23	12
13	.01	.33	.59	.11	.19	.10	—	—	—	.37	.02	.03	13
14	.05	.09	.21	.11	.06	—	.05	—	—	—	.98	—	14
15	—	.05	.07	—	.34	—	—	.02	.72	.05	.05	.05	15
16	.02	.01	.01	.03	.55	.20	.06	.01	.05	—	.33	—	16
17	—	.15	—	—	.28	.02	—	.01	—	—	.12	.01	17
18	—	.05	—	—	.04	—	.02	.22	.10	—	—	—	18
19	.14	.28	—	.05	—	—	—	.09	.02	.06	.01	—	19
20	.13	.04	—	—	—	—	.01	—	.15	.72	—	.18	20
21	—	.11	.08	—	.13	.04	—	.03	.44	.16	—	—	21
22	.05	.23	.03	.24	.01	.01	—	—	.06	.28	.03	.15	22
23	.02	.60	.11	.04	.02	—	—	.06	.41	.28	.04	.04	23
24	—	.09	.13	—	.21	—	.08	.38	.14	1.17	.01	.05	24
25	—	.04	—	—	—	—	—	1.05	.38	.28	—	.06	25
26	—	.26	.07	1.43	.09	.14	.07	.04	.02	.56	—	.59	26
27	—	.62	—	.29	.17	—	—	.32	.02	.16	—	.34	27
28	—	.14	.11	—	—	—	.08	.40	—	.07	.02	.20	28
29	—	X	.02	.06	1.00	—	.31	.05	—	.01	.23	—	29
30	.06	X	.10	.12	.67	—	.09	.40	—	.01	—	.26	30
31	—	X	—	X	—	X	.10	.02	X	.24	X	.21	31
TOTAL	2.15	5.18	2.48	3.27	4.26	.68	2.29	3.42	2.66	7.50	3.04	4.00	40.93
Days with ".1 in. or more	17	25	21	15	21	16	12	16	13	24	19	21	214
Days with ".4 in. or more	13	21	14	12	16	7	11	10	10	22	14	18	167

Section



for the entry of

FORM 1090.

METEOROLOGICAL

FOR OFFICIAL USE.

STATION.

470 A

Kept at Ditchling
in the County of Sussex

Diameter of Funnel of Gauge...

Height of top of Gauge above G

Ground " Se

THE MORNING M

An observer who does not con
following year in the space on

Records

SUSSEX

1925-1926

to read the instructions
in this form.

ld fill in section C

DAY.

y 1st of the

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	25.2	0.2	1.3	2.5	1.5	—	—	3.1	4.4	—	21.1	0.7	1
2	20.3	0.1	t	3.9	—	—	0.2	—	—	—	38.2	—	2
3	13.8	0.1	—	0.3	8.6	—	5.6	—	—	—	3.7	—	3
4	0.2	t	—	—	4.9	—	—	1.1	0.9	—	6.1	—	4
5	—	5.0	—	19.7	1.5	—	—	—	4.7	—	8.7	—	5
6	—	3.9	—	4.1	4.3	—	7.5	2.3	—	—	27.6	0.3	6
7	t	8.3	—	—	3.2	—	—	—	—	—	0.8	0.8	7
8	2.1	—	0.1	—	2.2	—	—	—	0.3	—	0.1	3.1	8
9	t	1.8	—	1.2	t	—	—	4.0	1.2	—	t	—	9
10	—	1.8	1.6	0.2	—	—	—	2.9	5.8	—	5.1	—	10
11	—	5.0	0.3	0.1	0.2	—	—	0.1	—	—	5.9	—	11
12	0.4	13.7	—	—	—	—	—	0.7	—	—	—	—	12
13	1.2	21.6	2.7	4.2	—	—	—	—	—	t	—	—	13
14	21.4	6.7	—	11.0	—	—	—	—	—	—	—	—	14
15	4.1	0.9	—	2.0	8.0	—	—	—	—	2.0	—	—	15
16	12.4	1.7	—	—	—	—	—	—	2.4	6.1	—	—	16
17	0.7	—	—	0.2	—	—	0.5	—	2.3	—	—	—	17
18	0.3	0.8	—	—	5.4	—	8.8	0.6	0.4	4.3	—	0.3	18
19	—	0.3	—	6.0	0.9	0.6	—	0.5	4.5	23.5	—	8.8	19
20	—	—	2.9	—	—	—	0.5	4.4	13.9	16.1	—	6.9	20
21	—	—	1.1	—	—	—	18.6	3.5	6.0	27.3	—	17.3	21
22	0.2	3.8	—	5.6	3.0	—	37.4	21.0	9.5	25.2	—	11.4	22
23	—	9.4	1.2	1.4	5.3	—	—	14.6	—	10.3	—	4.9	23
24	7.9	21.4	3.0	2.2	7.6	2.2	—	1.3	—	1.2	1.3	8.2	24
25	1.0	36.9	3.6	1.1	—	—	1.1	—	12.7	1.7	—	1.9	25
26	3.5	5.9	—	0.4	8.4	—	12.9	1.9	—	15.1	—	6.5	26
27	4.2	—	—	10.0	27.4	—	13.6	0.3	0.7	—	2.3	1.3	27
28	5.3	—	—	1.3	0.2	—	1.0	—	—	—	—	14.9	28
29	3.5	X	—	0.9	7.5	—	5.0	—	—	—	2.5	41.2	29
30	—	X	0.3	5.6	—	—	10.3	—	—	—	0.1	19.1	30
31	(2.6)	X	—	X	—	X	3.7	—	X	—	X	0.1	31
TOTAL	118.7	149.4	18.1	83.7	99.9	2.8	126.7	62.3	69.7	129.8	123.5	147.7	1132.3
Days with 0.2 mm. or more.	19 ^x	19	10	21	18	2	15	15	15	11	12	17	175.74
Days with 1 mm. or more.	14.5	15	8	16	15	1	12	11	11	11	11	13	138.139

* Days with 0.1 mm. not reckoned.

467 588 71 330 394 - 11

(Signed)

4.99 2.45 274 511 4.86 5.82

(P.T.O.)

Section

for the entry of

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Ditchling (Broadmeadow)
in the County of SussexDiameter of Funnel of Gauge 5 in. (M.O. 160)
Height of top of Gauge above Ground 12 ft. in.
" Ground " Sea Level 200 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres ~~should be entered on Form 1091~~

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	25.2	0.2	1.3	2.3	1.3	—	—	3.1	4.4	—	21.1	0.7	1
2	20.3	0.1	t	3.9	—	—	0.2	—	—	—	38.2	—	2
3	13.8	0.1	—	0.3	8.6	—	5.6	—	—	—	3.7	—	3
4	0.2	t	—	—	4.9	—	—	1.1	0.9	—	6.1	—	4
5	—	5.0	—	19.7	1.5	—	—	—	4.7	—	8.7	—	5
6	—	3.9	—	4.1	4.3	—	7.5	2.3	—	—	27.6	0.3	6
7	t	8.3	—	—	3.2	—	—	—	—	—	0.8	0.8	7
8	2.1	—	0.1	—	2.2	—	—	—	0.3	—	0.1	3.1	8
9	t	1.8	—	1.2	t	—	—	4.0	1.2	—	t	—	9
10	—	1.8	1.6	0.2	—	—	—	2.9	5.8	—	5.1	—	10
11	—	5.0	0.3	0.1	0.2	—	—	0.1	—	—	5.9	—	11
12	0.4	13.7	—	—	—	—	—	0.7	—	—	—	—	12
13	1.2	21.6	2.7	4.2	—	—	—	—	—	t	—	—	13
14	21.4	6.7	—	11.0	—	—	—	—	—	—	—	—	14
15	4.1	0.9	—	2.0	8.0	—	—	—	—	2.0	—	—	15
16	1.4	1.7	—	—	—	—	—	—	2.4	6.1	—	—	16
17	0.7	—	—	0.2	—	—	0.5	—	2.3	—	—	—	17
18	0.3	0.8	—	—	5.4	—	8.8	0.6	0.4	8.3	—	0.3	18
19	—	0.3	—	6.0	0.9	0.6	—	0.5	4.5	23.5	—	8.8	19
20	—	—	2.9	—	—	—	0.5	4.4	13.9	16.1	—	6.9	20
21	—	—	1.1	—	—	—	18.6	3.5	6.0	27.3	—	17.3	21
22	0.2	3.8	—	5.6	3.0	—	37.4	21.0	9.5	25.2	—	11.4	22
23	—	9.4	1.2	1.4	5.3	—	—	14.6	—	10.3	—	4.9	23
24	7.9	21.4	3.0	2.2	7.6	2.2	—	1.3	—	1.2	1.3	8.2	24
25	1.0	36.9	3.6	1.1	—	—	1.1	—	12.7	1.7	—	1.9	25
26	3.5	5.9	—	0.4	8.4	—	12.9	1.9	—	15.1	—	6.5	26
27	4.2	—	—	10.0	27.4	—	13.6	0.3	0.7	—	2.3	1.3	27
28	5.3	—	—	1.3	0.2	—	1.0	—	—	—	—	14.9	28
29	3.5	X	—	0.9	7.5	—	5.0	—	—	—	2.5	41.2	29
30	—	X	0.3	5.6	—	—	10.3	—	—	—	0.1	19.1	30
31	(2.6)	X	—	X	—	X	3.7	—	X	—	X	0.1	31
TOTAL	118.7	149.4	18.1	83.7	99.9	2.8	126.7	62.3	69.7	129.8	123.5	147.7	YEARS TOTAL 1132.3
Days with 0.2 mm. or more.	19 ^x	19	10	21	18	2	15	15	15	11	12	17	175 174
Days with 1 mm. or more.	14 15	15	8	16	15	1	12	11	11	11	11	13	128 139

* Days with 0.1 mm. not recorded.

4.67 5.88 71 3.30 3.94 - 11

(Signed)

H. Fayle

P.T.O.

4.99 2.45 2.74 5.11 4.86 5.82

Kept at Broadmeadow Ditchling
in the County of Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level.....200 ft.

July Aug Sept
corr by surrounding stn
Observer informed
encl 2A. File 739320/27.
and concs encl 3A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	21.9	9.8	—	—	—	11.3	—				2.2	—	1
2	2.1	0.2	0.2	—	—	17.0	0.1				0.8	—	2
3	13.0	17.8	2.2	—	—	0.1	—				—	—	3
4	2.5	5.2	0.4	8.2	—	—	15.6				4.0	—	4
5	1.0	2.3	4.1	—	11.1	—	2.2				11.8	4.8	5
6	2.4	10.2	0.3	8.5	—	—	3.9				1.1	0.1	6
7	3.5	1.0	—	2.1	5.0	4.8	1.5				8.5	1.3	7
8	0.1	0.4	—	7.1	0.7	0.7	—				15.3	—	8
9	—	0.1	1.3	—	—	19.1	—				28.5	—	9
10	—	0.1	—	—	0.6	3.6	—				3.7	—	10
11	—	1.8	—	—	4.9	6.1	—				3.7	—	11
12	—	2.6	—	—	3.4	—	—				—	—	12
13	0.6	—	—	—	3.3	t	—			13.2✓	49.0	0.2	13
14	1.7	1.7	—	8.5	3.7	4.5	—			21.6	2.1	0.2	14
15	1.2	3.1	—	14.2	—	—	—			5.1	9.0	—	15
16	—	4.2	—	7.0	—	—	—			0.4	0.2	—	16
17	4.7	15.5	—	0.6	0.9	14.6	—			—	2.3	~~0.6~~	17
18	8.5	2.1	—	1.9	3.3	0.2	4.2			—	31.6	—	18
19	0.1	—	—	0.4	1.5	—	12.4			—	8.3	0.6	19
20	0.2	—	0.3	13.2	—	—	—			0.6	17.6	2.8	20
21	—	0.3	—	0.6	—	—	1.6			—	15.9	t	21
22	21.1	t	—	3.0	6.3	—	—			—	1.8	0.3	22
23	2.6	—	—	—	—	—	—			—	0.1	—	23
24	0.9	—	—	—	—	6.8	0.6			20.8	—	—	24
25	4.0	—	—	6.0	—	—	5.2			0.2	0.4	0.5	25
26	0.2	0.2	—	t	—	—	3.0			—	2.9	—	26
27	1.6	0.7	0.3	5.6	2.2	—	~~67.6~~			2.4	0.2	—	27
28	26.7	—	—	5.0	1.1	—	11.0			8.6	1.7	—	28
29	1.0	—	—	5.7	11.3	—	on 4 days			4.7	1.4	—	29
30	8.6	X	—	2.0	14.7	—	from 27-31st			—	0.2	—	30
31	15.4	X	—	X	0.1	X	47.3			X	X	—	31
TOTAL	145.6	79.3	9.1	99.6	74.1	88.8	61.3	76.2	17.0	77.6	224.3	8.0	966.9
Days with 0.2 mm. or more.	23✓	18✓	8✓	18✓	16✓	11✓	14	13	9	12✓	26✓	7✓	170
Days with 1.0 mm. or more.	19✓	13✓	3✓	15✓	13✓	9✓	13	12	7	9✓	21✓	2✓	132
	5.73	3.12	.36	3.92	2.92	3.50	2.41	3.00	.67	3.06	8.83	.31	37.83



Register of Rainfall in 1926.

Kept at Ditchling
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level 210 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *Readings from a gauge 1/2 mile from 453*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								—	1.32	—			1
2								—	—	—			2
3								—	.05	—			3
4								—	—	—			4
5								—	—	—			5
6								—	—	—			6
7								.07	—	—			7
8								~~.38~~	.18	—			8
9								~~.22~~	—	.06			9
10								~~.22~~	—	.04			10
11								~~.38~~	—	—			11
12								~~.22~~	.07	—			12
13								—	.12	.42			13
14								.02	.05				14
15								—	—				15
16								—	.01				16
17								.21	—				17
18								—	—				18
19								.28	—				19
20								—	—				20
21								.36	—				21
22								.03	—				22
23								—	—				23
24								—	—				24
25								—	—				25
26								—	—				26
27							.25	—	—				27
28							.06	—	.08				28
29							.32	—	.11				29
30		X					—	—	—				30
31		X		X		X	.05	.11	X		X		31
TOTAL							0.68	1.68	2.99	0.52			YEAR'S TOTAL
Days with .01 in. or more.							4	9	9	3			
Days with .04 in. or more.							4	7	8	3			

REGISTER OF RAINFALL IN 1927.

Kept at Broadmeads Ditchling
 in the County of Sussex
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....1 ft. in.
 „ Ground „ Sea Level.....200 ft.

*Values adjusted per
 letter of File 669430/26
 11 Regularly Sept 1930
 from 6 Sept 1930
 before adjustment*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	22.0	—	0.5	—	—				20.7	7.9	0.2	1
2	0.8	0.2	3.8	5.5	—	—				0.8	0.2	0.2	2
3	6.0	—	0.3	—	—	—				—	—	0.3	3
4	1.7	—	1.6	5.8	—	0.5				—	—	—	4
5	4.5	2.3	3.1	11.1	5.0	3.2				—	7.8	—	5
6	0.7	—	13.0	8.0	—	0.2				—	5.6	0.2	6
7	0.3	6.5	0.3	6.7	—	3.0				—	—	—	7
8	1.1	—	0.4	9.5	3.6	—				—	2.5	—	8
9	—	—	0.4	2.6	—	—				—	—	—	9
10	—	—	0.6	—	—	—				0.1	—	—	10
11	—	—	—	0.2	—	2.3				—	—	—	11
12	3.9	—	—	—	—	—				0.5	0.3	—	12
13	4.9	—	—	—	—	—				0.2	1.9	6.1	13
14	0.2	0.5	—	1.4	0.1	—				—	0.1	9.0	14
15	0.3	—	—	—	—	—				—	0.3	—	15
16	1.7	—	—	—	1.6	0.4				—	—	—	16
17	1.4	—	2.5	—	—	12.9				—	—	—	17
18	3.0	—	0.7	—	—	18.2				—	7.7	—	18
19	—	4.4	—	—	—	0.2				—	11.5	—	19
20	9.3	3.0	—	—	1.6	—				0.1	11.4	6.8	20
21	1.0	11.5	0.2	—	3.3	2.2				21.0	4.7	35.1	21
22	5.7	1.6	12.5	—	0.4	3.3				20.5	—	14.8	22
23	0.2	16.9	10.7	—	—	3.9				0.1	12.7	5.0	23
24	—	5.5	27.8	0.3	—	—				1.3	1.3	16.0	24
25	0.2	11.7	10.3	—	—	2.9				3.3	—	22.6	25
26	6.6	30.3	1.1	—	2.6	12.8				0.9	0.3	12.6	26
27	0.7	18.0	—	—	5.5	—				17.2	0.3	6.8	27
28	6.8	3.4	0.9	1.6	—	—				2.2	9.1	—	28
29	5.6	×	7.0	—	—	57.7				—	28.3	—	29
30	6.3	×	1.9	—	0.4	—				8.1	—	—	30
31	1.1	×	25.4	×	0.3	×			×	1.0	×	2.1	31
TOTAL	74.0	131.8	124.5	53.2	24.4	123.7	(52.6)	(124.2)	(198.4)	98.0	113.9	137.8	YEAR'S TOTAL
Days with 0.2 mm. or more.	25	15	21	12	10	18	(17)	(21)	(19)	13	18	15	(203)
Days with 1.0 mm. or more.	17	13	13	9	7	14	(14)	(18)	(15)	9	13	11	(152)

(144w) 2.91 5.43 4.90 2.09 .96 4.87 (2.07) (4.89) (7.81) 3.86 4.49 5.43 (49.71)

40—9999. (Signed) W. Taylor [P.T.O.]

*Print in ital. all values
 see encl 50 lines 669430/26*

FORM 1091.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Neston Ditchling
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

Note read July as under
1st 0.47
4th 0.03
5th 0.04
6th 0.01
7th 0.18
8th 0.27
9th 0.04

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	Inches	Inches	Inches	Inches	mm.	mm.	mm.	
1								.20					1
2						.02	.47		—				2
3						—		—	—				3
4						.03	.03	—	—				4
5						.13	.04	.03	—				5
6						.01	.01	.16	.04				6
7						.13	.18	.39	—				7
8						—	.27	.09	.12				8
9						—	.27	.04	.14				9
10						—	—	.06	.19				10
11						.11	—	.23	—				11
12							—	.02	—				12
13							.06	.64	.30				13
14							.30	—	2.52				14
15							.07	.22	.08				15
16							—	.04	.76				16
17						.54	—	.70	.03				17
18						.76	—	.46	.03				18
19						—	—	.23	—				19
20						—	.20	.92	.04				20
21						.01	—	.13	.35				21
22						.11	.07	.14	.19				22
23						.13	—	.03	1.74				23
24						.16	.02	—	.01				24
25						.09	—	.09	.12				25
26						.10	.06	—	.07				26
27						.45	.13	—	—				27
28						.30	—	—	—				28
29						.44	—	.07	1.05				29
30		X				1.45	.07	—	.03				30
31		X		X		X	.05	—	X		X		31
TOTAL						4.97	2.07	4.89	7.81				YEAR'S TOTAL
Days with 0.2 mm. or more.						18	17	21	19				
Days with 1.0 mm. or more.						14	14	18	15				

Section

FORM 1090

FOR OFFICIAL USE.

SH RAINFALL ORGANIZATION.

LL IN 1927.

Kept at
in the C
Diameter o
Height of

491
DITCHLING "NESTON"
SUSSEX
1927-30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		8.5		0.2			4.7	2.0		8.2	3.0		1
2	0.5		1.6	2.3		0.2				0.3	0.1	0.1	2
3	2.0		0.3				0.3					0.2	3
4	0.7		0.7	2.0	1.8	0.3	0.4						4
5	1.8	1.0	1.2	3.7		1.3	0.1	0.3			3.3		5
6	0.3		5.2	3.2		0.1	1.8	1.6	0.4		2.0		6
7	0.2	2.6	0.2	3.0	1.1	1.3		3.9					7
8	0.5		0.1	3.7			2.7	0.9	1.2		1.2		8
9			0.2	1.1			0.4	0.4	1.4				9
10			0.3					0.6	1.9				10
11				0.1		1.1		2.3					11
12	1.7							0.2		0.3	0.3		12
13	2.2						0.5	4.4	3.0	0.1	0.8	2.5	13
14				0.5			3.0		2.52			3.5	14
15	0.2				0.7		0.7	2.2	0.8				15
16	0.5							0.4	7.6				16
17			0.9			5.4		7.0	0.3				17
18	2.1					7.6		4.6	0.3		3.3		18
19		1.7			0.7			2.3			4.9		19
20	3.5	1.3			1.4		2.0	9.2	0.4		4.5	2.7	20
21		4.4			0.2	0.1		1.3	3.5	8.5	1.9	1.37	21
22	2.4	0.7	4.6	0.2		1.1	0.7	1.4	1.9	7.9		6.2	22
23		7.2	4.3			1.3		0.3	1.74		4.3	2.2	23
24	0.2	2.2	1.10			1.6	0.2		0.1	0.4	0.9	6.7	24
25		4.5	4.4		1.0	0.9		0.9	1.2	1.3		8.9	25
26	2.7	1.09	0.4		2.3	1.0	0.6		0.7	0.3	0.3	8.5	26
27	2.4	6.1				4.5	1.3			6.5	0.1		27
28	2.1	1.9	0.5	0.7		3.0				1.0	3.5		28
29	2.6		2.5			4.4		0.7	1.05		1.14		29
30		X	0.5		0.3	1.45	0.7		0.3	3.2			30
31	0.4	X	1.05	X		X	0.5		X	0.6	X	0.7	31
TOTAL	2.00	5.30	4.94	2.07	0.95	4.97	2.07	4.89	7.81	3.86	4.58	5.59	49.93
Days with "01 in. or more.	20 X	13	19 X	12 X	9 X	18 X	17 X	21 X	19 X	13 X	17 X	12	37 190
Days with "04 in. or more.	16	13	15	9	7	14	14	18	15	9	13	10	153
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at Delphing
in the County of Delaware
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level Ab. msh. 170 ft.

days

Jan. 1, following.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		85		02			47	20		82	30		1
2	05		16	23		02				03	01	01	2
3	20		03				03					02	3
4	07		07	20	18	03	04						4
5	18	10	12	37		13	01	03			33		5
6	03		52	32		01	18	16	04		20		6
7	02	26	02	30	11	13		39					7
8	05		01	37			27	09	12		12		8
9			02	11			04	04	14				9
10			03					06	19				10
11				01		11		23					11
12	17							02		03	03		12
13	22						06	64	30	01	08	25	13
14				05			30		2-52			35	14
15	02				07		07	22	08				15
16	05							04	76				16
17			09			54		70	03				17
18	21					76		46	03		33		18
19		17			07			23			49		19
20	35	13			10		20	92	04		45	27	20
21		44			02	01		13	35	85	19	1-37	21
22	24	07	46	02		11	07	14	19	79		62	22
23		72	43			13		03	1-74		43	22	23
24	02	22	1-10			16	02		01	04	09	67	24
25		45	64		10	09		09	12	13		89	25
26	27	1-09	04		23	10	06		07	03	03	85	26
27	24	61				45	13			65	01		27
28	21	19	05	07		30				10	35		28
29	26		25			44		07	1-05		1-14		29
30		X	05		03	1-45	07		03	33			30
31	04	X	1-05	X		X	05		X	06	X	07	31
TOTAL	2-00	5-30	4-94	2-07	0-95	4-97	2-07	4-89	7-81	3-86	4-58	5-59	49-93
Days with "01 in. or more.	20 X	13	19 X	12 X	9 X	18 X	17 X	21 X	19 X	13 X	17 X	12	37 190
Days with "04 in. or more.	16	13	15	9	7	14	14	18	15	9	13	10	153
YEAR'S TOTAL													

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Dutchling
in the County of Essex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level about 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.04		.13									1
2	1.35	.24	.29		.01						.37		2
3			.03	.42			.44	.99			.03		3
4	.02	.35		.07	.24			.20			.06	.01	4
5	.15	.14	.10	.01		.01	.06		.03				5
6						.11						.15	6
7	.05	.02	.05	.23		.25		.11					7
8		.08				.61	.05			.23			8
9						.25			.20	.10		.03	9
10	.06	.19		.22		.01		.02		.45	.23		10
11	.04	.02		.06		.14				.71	.18	.22	11
12	.40	.38	.03	.31						.09	.07	.07	12
13		.08				1.02		.14			.09		13
14	.42	.16		.49	.09	.10		.02		.65	1.20		14
15	.15			.45	.05			.06			.42		15
16	.03	.10		.09	.10					.22	.44	.58	16
17				.01	.36					.23			17
18	.68		.03	.02	.28	.13				.67	.17		18
19	.02				.10			.01		.67	.05	.16	19
20	.30		.01		.24			.06		.89	.12		20
21	.19		.21	.31	.15					1.31	.56		21
22			.20							.58	.35	.15	22
23	.78		.08		.07					.24	.44		23
24	.08		.01		.02				.19	.22	.02	.36	24
25	.27					.10				.28		.28	25
26	.17					.06	.02	.48		1.55		.11	26
27			.11				1.00	.11	.07	.32		.99	27
28	1.14		.02	.01				.03	.29			.17	28
29	.30	.20	.91	.19			.11			.13	.06	.70	29
30	.02	X	.19	.07		.15	.16			.18		.01	30
31	.24	X	.37	X		X	.24		X	.11	X	.22	31
TOTAL	7.01	2.00	2.64	3.09	1.71	2.94	2.08	2.23	.75	9.79	4.56	4.22	YEARS TOTAL
Days with ".01 in. or more.	23	13	16	17	12	13	8	12	4	22	18	16	174
Days with ".04 in. or more.	23	12	10	13	10	11	7	8	4	21	16	13	144

John Brown

Section



for the entry of Daily Observations.

474
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Sitchling, (Neston)

in the County of Lancs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

„ Ground „ Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08		.05		.02				.52			1
2		.72				.05	.09	.12		.44	.09	.76	2
3						.04	.43			.11		.43	3
4				.14	.46	.29	.21	.18		.03		.26	4
5	.01				.88	.37	.26	.82		.46	.20	.14	5
6					.21	.04	.08	.73		.16	.18	.48	6
7					.02	.04		.05		.43	.66	.67	7
8				.01		.12				.27		.30	8
9		.27		.03								.36	9
10	.11			.03						.06	.10	.68	10
11				.18	.13	.01					1.80		11
12				.05	.34	.32							12
13	.03				.29						.03	.13	13
14					.15	.11						.11	14
15	.02	.09		.02		.38					1.87	.13	15
16	.05							1.14			.41		16
17													17
18	.03							.06	2.06		.80		18
19											.05		19
20							.02	.04		1.01		.12	20
21	.12		.03								.01	1.04	21
22							.04	.02			.29	.20	22
23		.03								.02	.55	.77	23
24										.62	.62	.45	24
25		.05								.51	.17	.06	25
26				.02	.05						.10	.28	26
27					.15			.19			1.16	.07	27
28	.48			.01			.29			.52	.52	.67	28
29	.20			.39		.19			.19		.65	.27	29
30	.01	X				.05	.09		.35	.01	1.09	.30	30
31	.41	X		X		X	.23		X		X		31
TOTAL	1.47	1.24	.03	.93	2.68	2.03	1.74	3.35	2.60	5.17	11.35	8.68	41.27
Days with 0.1 in. or more.	11	6	1	11	10	14	10	10	3	15	21	23	135
Days with 0.4 in. or more.	6	6	0	5	9	12	9	9	3	12	19	23	118

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at "Norton" *Selchling*
in the County of *Supra*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *1* in.
,, Ground ,, Sea Level *170* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.14	.22		.19		.02		.02			.72		I
2		.09					.23	.54			.45		2
3	.09	.15		.63				1.24		.06			3
4	.21	.06		.05				.20		.24			4
5	.06				.18			.53					5
6			.01		.02			.04	.20	.02		.01	6
7	.31	.18						.10	.15	.60	.45	.10	7
8	.05											.21	8
9	.34		.04		.38				.04		.02	.03	9
10	.45		.23		.35			.01				.38	10
11	.33				.01		.06			.20		.80	11
12	.38			.14	.10			.09				.24	12
13	.16			.22	.18		.17	.29	.61			.02	13
14	.11	.15	.05	.01			.29		.01	.01			14
15	.07	.05	.83	.03			.79			.08	.10		15
16			.06			.01	.03		.18			.02	16
17			.19	.07					.32	.22		.07	17
18			.16	.08	.22		.16	.03	.23		.36		18
19			.07	.07			.01	.02	.83	.15	.68	.02	19
20			.01	.10	.01	.09	1.42	.42	.17	.51	.44		20
21								.62	.01	.05	.57		21
22	.15		.07	.09	.22		.02	.43	.04	.24	.33		22
23	.22		.20	.26		.68		.06	.06		.17	.22	23
24	.55	.06		.09	.07	.02					.42	.36	24
25	.03	.14		.01	.12						.52	.01	25
26	.29	.02				.01	.16		.17		.38	.29	26
27										.03	.39	.15	27
28	.02						.02		.35	.02	.31	.05	28
29	.14				.02			.28	.71	.02	.37	.05	29
30	.07	X			.23		.31					.64	30
31	.76	X	.18	X	.16	X			X	.08	X	.06	31
TOTAL	4.93	1.12	2.03	2.04	2.27	.83	3.67	4.92	4.08	2.53	6.68	3.73	38.83
Days with ".01 in. or more.	22	X 10	X 12	X 15	X 15	X 6	X 13	X 17	X 16	X 16	X 14	X 20	179
Days with ".04 in. or more.	20	9	10	X 12	11	2	9	14	14	11	16	14	143

Kept at Durford
in the County of.....
by John H

IMPORTANT NOTE
If an Observer prefers
the reading at 9 a.m. of
this paragraph. Full in-
formation and particulars as to
sent post-free on application
Square, London, N.W. 1

DURFORD ABBEY FARM

SUSSEX

1921

ORGANIZATION.

21.....
Long.....
9 a.m.
tion Petersfield S.W.R.
of Rain Gauge 5 in.
ge above Ground 4 ft. in.
,, Sea Level 156 ft.
sult entered to the previous day.
requested to add
or it at the end of
ing of rain gauges,
Rainfall Observers,"
ation, 62, Camden
y Place, Edinburgh.
s form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	52	6	9					3			14	26	1
2	1				5			12			15	6	2
3	12		1		31	8		5			25		3
4	18				9			12			50		4
5			2					35			25		5
6	60		27		18								6
7	50				40						5		7
8	8		2		5	1							8
9				3	1				9				9
10	25												10
11	27		1		1				68				11
12	26		5		22			54	2			9	12
13	21		9	26	1			13	3		1		13
14			3		9							19	14
15				1	3		12				10		15
16	20		10	41				79			45		16
17	18		22				8	20	5				17
18	3									11			18
19			16	5						40		11	19
20			5							17	2		20
21	1										6	1	21
22				5						8		25	22
23				5				61		34		8	23
24	4	5										8	24
25		8				9						15	25
26	3	1	1									50	26
27				1	1							6	27
28			25		5		7					10	28
29	12		13		32							1	29
30	25				12						28	12	30
31	26				8								31
TOTAL	412	20	151	87	203	18	27	295	87	110	226	207	YEAR'S TOTAL
Days with 0.1 in. or more	20	4	16	8	17	3	3	10	5	5	12	15	118
Days with 0.4 in. or more	16	3	10	5	12	2	3	9	3	5	10	13	94

FORM 1090 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921

JAN 1922

Kept at Durford Abbey Farm
in the County of Sussex
by John Harmsworth

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Petersfield S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. _____ in.
" " " " Sea Level 156 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	52	6	9					3			14	26	1
2	1				5			12			15	6	2
3	12		1		31	8		5			25		3
4	18				9			12			50		4
5			2					35			25		5
6	60		27		18								6
7	50				40						5		7
8	8		2		5	1							8
9				3	1				9				9
10	23												10
11	27		1		1				68				11
12	26		5		22			54	2			9	12
13	21		9	26	1			13	3		1		13
14			3		9							19	14
15				1	3		12				10		15
16	20		10	41				79			45		16
17	18		22				8	20	5				17
18	3									11			18
19			16	5						40		11	19
20			5							17	2		20
21	1										6	1	21
22				5						8		25	22
23				5				61		34		8	23
24	4	5										8	24
25		8				9						15	25
26	3	1	1									50	26
27				1	1							6	27
28			25		5		7					10	28
29	12		13		32							1	29
30	25				12						28	12	30
31	26				8								31
TOTAL	412	20	151	87	203	18	27	295	87	110	226	207	1843
Days with "01 in. or more	20	4	16	8	17	3	3	10	5	5	12	15	118
Days with "04 in. or more	16	3	10	5	12	2	3	9	3	5	10	13	94

EASTBOURNE

(ARUNDEL ROAD)

SUSSEX

1921-30

ORGANIZATION.

0.17 E
7 a.m.
Eastbourne
Rain Gauge 8 in.
above Ground 1 ft. 6 in.
Sea Level 87 ft.
entered to the previous day.

Jan. 1, following.

IMPORTANT NOTE.—Rain

If an Observer prefers not to continue the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	—	.05	.01	—	.04	—	—	.03	.01	.33	—	1
2	.02	—	—	—	.06	—	—	—	—	.01	.14	—	2
3	.12	—	.17	—	.08	—	—	.25	—	—	.69	—	3
4	.02	—	—	—	—	—	—	.15	—	—	—	—	4
5	.01	—	.01	—	—	.08	—	.19	—	—	—	.05	5
6	.24	.02	—	—	.10	—	—	—	—	—	.59	.05	6
7	.22	.01	.07	—	.32	—	.01	.01	—	—	—	.01	7
8	.12	—	.07	.04	.01	—	—	—	—	—	—	—	8
9	.02	—	.02	.01	—	.01	—	—	—	—	—	—	9
10	.65	—	.02	—	—	—	—	—	.26	.39	—	.04	10
11	.12	—	—	—	—	—	—	—	.35	—	—	.01	11
12	.12	—	.07	—	.07	—	—	.12	—	—	—	.17	12
13	.26	—	.09	.44	.01	—	—	.01	.03	—	—	.04	13
14	.01	—	.07	—	—	—	—	.08	—	.04	.16	—	14
15	—	—	.02	.04	.10	—	.06	—	—	.01	—	.48	15
16	.07	—	—	.28	—	—	—	.12	—	.01	.46	.04	16
17	.12	—	.16	.24	—	—	.16	.40	—	.01	.13	.01	17
18	.02	—	—	—	—	—	—	—	.03	—	—	.02	18
19	—	.01	.27	—	.01	—	—	—	.01	—	—	.14	19
20	.04	—	.07	—	—	—	—	—	—	.06	—	.02	20
21	—	—	.02	.02	—	—	—	—	—	—	—	.19	21
22	—	—	—	—	—	—	.01	—	—	.42	.06	.19	22
23	—	—	—	.04	—	—	.01	.12	—	.18	.01	.09	23
24	.01	—	.02	.14	—	—	—	—	—	—	—	—	24
25	.02	.56	—	—	—	—	—	—	—	—	—	.08	25
26	.04	—	—	.01	—	—	—	—	—	—	—	.08	26
27	.02	—	—	—	—	—	—	.02	—	—	—	.15	27
28	.02	—	.32	.08	—	—	—	.03	—	—	—	.05	28
29	.03	—	.16	—	.20	—	.20	.04	—	—	—	.05	29
30	.12	×	—	—	.07	—	—	—	—	.01	—	.12	30
31	.35	×	.01	×	—	×	—	—	×	—	×	—	31
TOTAL	3.10	.60	1.69	1.35	1.03	.13	.45	1.54	.71	1.15	2.11	2.08	YEAR'S TOTAL 15.94
Days with 0.1 in. or more	26	4	19	12	11	3	6	13	6	11	8	22	141
Days with 0.1 in. or more	15	1	12	8	8	2	3	9	2	5	7	17	89

FORM 1090 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.

Kept at Woodside, 7axmnd R^d Eastbourne
in the County of Sussex
by Gertrude J Woodd

Lat. 50.46 N Long. 0.17 E
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 87 ft.

5 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	—	.05	.01	—	.04	—	—	.03	.01	.33	—	1
2	.02	—	—	—	.06	—	—	—	—	.01	.14	—	2
3	.12	—	.17	—	.08	—	—	.25	—	—	.69	—	3
4	.02	—	—	—	—	—	—	.15	—	—	—	—	4
5	.01	—	.01	—	—	.08	—	.19	—	—	—	.05	5
6	.24	.02	—	—	.10	—	—	—	—	—	.59	.05	6
7	.22	.01	.07	—	.32	—	.01	.01	—	—	—	.01	7
8	.12	—	.07	.04	.01	—	—	—	—	—	—	—	8
9	.02	—	.02	.01	—	.01	—	—	—	—	—	—	9
10	.65	—	.02	—	—	—	—	—	.26	.39	—	.04	10
11	.12	—	—	—	—	—	—	—	.35	—	—	.01	11
12	.12	—	.07	—	.07	—	—	.12	—	—	—	.17	12
13	.26	—	.09	.44	.01	—	—	.01	.03	—	—	.04	13
14	.01	—	.07	—	—	—	—	.08	—	.04	.16	—	14
15	—	—	.02	.04	.10	—	.06	—	—	.01	—	.48	15
16	.07	—	—	.28	—	—	—	.12	—	.01	.46	.04	16
17	.12	—	.16	.24	—	—	.16	.40	—	.01	.13	.01	17
18	.02	—	—	—	—	—	—	—	.03	—	—	.02	18
19	—	.01	.27	—	.01	—	—	—	.01	—	—	.14	19
20	.04	—	.07	—	—	—	—	—	—	.06	—	.02	20
21	—	—	.02	.02	—	—	—	—	—	—	—	.19	21
22	—	—	—	—	—	—	.01	—	—	.42	.06	.19	22
23	—	—	—	.04	—	—	.01	.12	—	.18	.01	.09	23
24	.01	—	.02	.14	—	—	—	—	—	—	—	—	24
25	.02	.56	—	—	—	—	—	—	—	—	—	.08	25
26	.04	—	—	.01	—	—	—	—	—	—	—	.08	26
27	.02	—	—	—	—	—	—	.02	—	—	—	.15	27
28	.02	—	.32	.08	—	—	—	.03	—	—	—	.05	28
29	.03	—	.16	—	.20	—	.20	.04	—	—	—	.05	29
30	.12	—	—	—	.07	—	—	—	—	.01	—	.12	30
31	.35	—	.01	—	—	—	—	—	—	—	—	—	31
TOTAL	3.10	.60	1.69	1.35	1.03	.13	.45	1.54	.71	1.15	2.11	2.08	YEAR'S TOTAL 15.94
Days with ".01 in. or more	26	4	19	12	11	3	6	13	6	11	8	22	141
Days with ".01 in. or more	15	1	12	8	8	2	3	9	2	5	7	17	89

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Woodside 7 Arundel Road
in the County of Eastbourne
by Miss Gertrude Woodall

Lat. 50-46 N Long. 0-17 E
Time of Observation 9-41
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 87-100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.16	.10	—	—	.02	—	—	.11	—	.52	.14	1
2	—	.45	.29	.36	.14	—	—	—	.01	—	.01	—	2
3	—	.15	.04	1.08	—	—	.09	.06	.06	.04	.25	—	3
4	—	.24	.02	—	.10	—	—	.07	—	.34	.01	—	4
5	—	—	.02	.05	.01	—	.08	—	—	.04	.59	—	5
6	.10	—	.11	.01	—	—	.65	.50	—	.05	.26	—	6
7	.29	—	.55	.18	—	—	—	—	—	.01	.15	—	7
8	.25	—	—	.02	—	.22	.06	.05	—	—	.15	.02	8
9	.11	—	—	.01	—	—	.30	.65	—	.09	—	—	9
10	.05	—	—	—	—	—	.07	—	.06	—	.14	—	10
11	—	—	—	—	.02	—	—	—	—	.01	—	—	11
12	—	—	.01	.35	—	—	.01	.06	.59	—	—	—	12
13	—	—	—	.31	—	#	—	—	.13	—	—	—	13
14	.01	—	—	—	—	.57	—	—	—	—	—	—	14
15	.61	.28	—	—	—	.13	.37	—	.01	—	—	.04	15
16	—	.08	.01	.09	.01	—	—	—	.03	—	—	.26	16
17	—	.08	.01	—	.30	—	.26	—	—	—	—	.25	17
18	.44	—	—	.01	.01	—	.08	.03	—	—	.02	.24	18
19	.70	.28	—	—	.06	—	—	—	.47	.16	—	.55	19
20	.10	.02	—	—	—	—	—	—	.01	.01	—	.16	20
21	.14	.18	.15	.07	—	—	—	—	—	—	—	.50	21
22	.01	.25	—	.09	—	—	—	—	—	.01	—	—	22
23	—	.08	—	.03	.01	—	—	—	.61	.01	—	.10	23
24	.22	.01	.13	—	.01	—	—	.50	—	—	—	—	24
25	.05	—	.09	.45	—	.15	—	.05	.01	—	—	.18	25
26	.06	.22	.06	—	—	.31	—	—	.06	—	.02	—	26
27	.48	.23	.02	.20	—	.16	.19	.33	—	.03	—	.16	27
28	.14	.04	—	.04	—	—	—	.01	—	—	—	.30	28
29	.34	—	—	—	—	.23	—	.71	—	.34	—	.10	29
30	.42	X	.11	—	—	.27	.06	.33	—	—	—	.12	30
31	.04	X	.04	X	—	X	.03	—	X	.20	X	.24	31
TOTAL	4.16	2.75	1.76	3.35	.67	2.06	2.25	3.35	2.16	1.34	2.12	3.36	YEAR'S TOTAL
Days with ".01 in. or more	20	16	17	17	10	9	13	13	13	14	11	16	29.33
Days with ".04 in. or more	17	14	11	12	4	8	11	11	8	8	7	15	169
													126

REGISTER OF RAINFALL IN 1923.

Kept at Woodrich & Arundel Rd
 in the County of Sussex Eastbourne
 by (Min) Gertrude Woodd

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Eastbourne
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 84 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.16	.24	—	—	.06	.02	.10	—	.01	.04	—	1
2	.13	—	.04	—	.08	.15	—	—	.10	.01	.07	.50	2
3	.01	.01	—	—	.02	—	—	—	—	.23	.02	.16	3
4	.01	—	—	—	—	.04	—	—	.10	.78	.05	.18	4
5	.32	—	.04	.01	—	.02	—	—	—	.03	.47	.25	5
6	.47	—	.10	.04	.04	.09	—	—	—	.09	—	—	6
7	.13	.64	.23	—	.10	.01	—	—	—	.69	—	.03	7
8	.05	.22	—	—	.54	.02	—	—	—	.33	.37	.27	8
9	.05	.02	.06	—	.01	—	—	—	—	.06	—	—	9
10	—	—	—	.28	.14	—	1.57	—	—	.38	.10	—	10
11	.05	—	—	.18	.03	—	.28	—	—	.94	—	—	11
12	.01	.32	.55	.11	.50	.04	—	—	—	.19	—	.10	12
13	.05	.11	.12	.08	.11	—	—	.01	—	.01	.56	—	13
14	—	.03	.13	—	.23	—	.18	—	—	—	—	—	14
15	—	.02	—	.01	.22	.26	—	.63	—	—	.23	.06	15
16	—	.18	—	—	.06	—	.18	—	.18	—	.42	—	16
17	—	.17	—	—	.01	—	.08	.45	.30	.03	.01	—	17
18	.19	.33	—	.07	—	.01	—	.26	.13	—	—	—	18
19	—	.06	—	.03	—	.02	—	.03	.40	.31	—	.06	19
20	.02	.08	—	—	.09	—	—	—	.33	—	—	.01	20
21	—	.10	.07	.20	—	—	—	.12	—	.45	.01	.08	21
22	—	.70	.31	.06	—	—	—	.16	.04	.20	—	.09	22
23	.01	.15	.07	—	—	—	—	.34	.90	1.44	.04	.06	23
24	—	.10	.01	—	—	—	.34	.12	.13	.60	—	.12	24
25	—	.50	—	1.05	—	—	.01	.08	.14	.50	—	.60	25
26	—	.14	.05	.02	—	.05	.05	.34	.09	.05	.05	.31	26
27	—	.02	.14	—	.14	—	—	.12	—	.01	.01	.27	27
28	—	.44	.02	.04	.06	—	.12	.24	—	.04	.16	.01	28
29	.06	X	.01	.18	.59	—	.28	.18	—	—	.01	.25	29
30	—	X	—	.01	.19	—	.05	.10	.01	.26	—	.17	30
31	—	X	.01	X	—	X	.10	.01	X	.33	X	.15	31
TOTAL	1.61	4.50	2.20	2.37	3.16	.77	3.24	2.04	2.77	7.97	2.62	3.73	38.23
Days with .01 in. or more	16	22	18	16	19	12	13	16	14	25	17	21	209
Days with .04 in. or more	10	17	14	11	15	7	11	13	13	19	12	18	160

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Woodside, Tarrant R^d
Eastbourne
in the County of Sussex
by Gertrude Woodall

Lat. 50° 46' N Long. 1° 17' E
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·19	—	·09	·32	·11	·04	·02	·21	1·34	·14	1 RRR
2	·01	—	·30	—	·02	·02	—	·12	—	—	—	·05	2 805
3	·10	—	·19	·03	·04	·04	·27	·63	—	—	—	—	3
4	—	—	·01	·01	·10	·83	·01	·01	—	·02	—	·48	4
5	—	·01	·04	—	·01	·01	—	—	—	·16	—	·10	5
6	—	·01	—	—	·10	—	—	·08	—	1·03	—	·01	6
7	·03	—	—	—	·08	·08	—	·01	·23	·50	—	—	7
8	·19	·20	—	—	·07	—	—	—	·22	·16	—	—	8
9	·07	·04	—	·06	·04	·04	—	—	·03	—	—	—	9
10	·29	—	—	·04	·30	·08	—	—	·17	—	—	·02	10
11	·01	·02	—	·44	·25	·28	—	·11	·03	—	·22	—	11
12	—	·04	—	·04	—	—	—	—	·01	—	—	—	12
13	·01	—	—	·58	—	—	—	—	·42	—	—	·26	13
14	—	—	—	·40	—	—	—	·17	—	—	—	·01	14
15	·01	·05	—	·01	—	—	—	—	·06	—	—	·48	15
16	—	—	—	—	—	—	—	·11	·01	·02	—	·12	16
17	·28	—	—	—	—	—	·74	·29	—	—	—	·01	17
18	·72	·04	—	—	·03	·01	—	—	·02	·03	—	—	18
19	·02	—	—	—	—	·06	—	·15	—	·24	—	—	19
20	·01	—	·04	—	·19	—	·04	·23	·10	·22	—	—	20
21	·22	—	·03	—	·11	—	—	·34	·45	·76	—	—	21
22	·22	·01	·34	—	·11	—	—	·66	·15	—	—	—	22
23	·01	—	·22	—	·64	—	—	·11	·41	·02	—	·79	23
24	·42	·07	·59	—	—	—	—	·04	·05	·05	·13	·28	24
25	·01	—	·01	·06	—	—	·49	·01	·96	—	·16	·01	25
26	·01	—	·31	·05	—	—	·04	·01	·11	·11	·21	·20	26
27	·01	—	·02	·38	—	—	—	·02	·01	·16	·42	1·24	27
28	—	·13	·03	·59	—	—	·78	·20	—	·01	·28	·07	28
29	·01	·01	—	·01	·39	—	—	·41	·02	·96	—	·15	29
30	—	X	·01	—	·21	—	·13	·29	—	·68	·31	·30	30
31	—	X	—	X	·41	X	—	—	X	·55	X	·15	31 945
TOTAL	2·66	·54	2·33	2·70	3·19	1·77	2·61	4·04	3·46	5·89	3·07	4·92	YEAR'S TOTAL 37·20
Days with ·01 in. or more.	21	13	15	14	19	11	9	22	20	19	8	20	191
Days with ·04 in. or more.	9	7	9	10	16	8	8	17	12	14	8	15	133

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at "Woodside" 7am Rd R³ Eastbourne
in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 86 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.90	—	—	.08	.01	—	—	.34	.16	—	.48	.03	1
2	.60	.05	—	.12	—	—	x —	—	—	.01	.85	—	2
3	.83	.02	—	—	.30	—	x —	—	—	—	.17	—	3
4	.13	.01	—	—	.25	—	—	.01	.01	.08	.35	—	4
5	.01 ^{dew}	.14	—	.32	.03	—	—	.34	.31	—	.16	—	5
6	.01 ^{frost}	.07	—	.34	.36	—	x .65 .75	.04	.06	—	.63	.01 ^{frost}	6
7	—	.23	—	—	.07	—	—	—	—	—	—	.02	7
8	.13	—	—	.01	.25	—	—	—	—	—	—	—	8
9	.01	—	—	.02	.01	—	—	—	.02	—	.03	—	9
10	.01 ^{frost}	—	.12	—	.01	—	—	.13	.23	—	.12	—	10
11	.01 ^{frost}	.16	.01	—	—	—	—	—	—	—	—	.05	11
12	.01 ^{frost}	.45	—	—	—	—	—	.02	—	.02	.17	—	12
13	.03	—	.20	.01	—	—	—	—	—	.02	.02	—	13
14	.36	.82	—	.16	—	—	—	—	—	—	—	—	14
15	.20	.05	—	.44	—	—	—	—	—	.13	—	.01 ^{snow}	15
16	.08	.14	—	.03	—	—	—	—	.11	.28	—	—	16
17	.01 ^{dew}	.04	—	—	—	—	.03	—	.11	—	—	—	17
18	.01 ^{dew}	—	—	.03	—	—	—	.04	—	.08	—	.06	18
19	—	—	—	.21	.01	—	—	.02	.06	1.06	—	.29	19
20	—	—	—	—	—	—	—	.01	1.49	.27	—	.49	20
21	—	.04	—	—	—	—	.06	—	.25	.28	—	1.20	21
22	—	.17	.09	.12	.02	—	1.14	.32	.32	.70	—	.54	22
23	—	.12	.13	.18	.35	—	—	.34	—	.78	—	.24	23
24	.55	1.12	—	.05	.19	.10	—	.14	—	.38	.05	.23	24
25	—	.77	—	—	—	—	.03	—	.42	.02	—	.12	25
26	.05	.12	—	.15	.20	—	1.03	.02	—	.42	—	.30	26
27	.24	—	—	.25	1.00	—	—	.07	—	.02	.09	.20	27
28	.10	.05	—	.02	.01	—	—	—	.01	—	—	.34	28
29	.09	—	.01	.04	.06	—	.06	—	.03	.02	.13	1.27	29
30	—	X	—	.25	—	—	.66	—	—	—	—	.42	30
31	—	X	—	X	—	X	.30	—	X	—	X	.01	31
TOTAL	4.37	4.57	.56	2.83	3.13	.10	3.86	1.84	3.59	4.57	3.25	5.75	38.42
Days with ".01 in. or more.	22	19	6	20	17	1	11	14	15	17	13	19	174
Days with ".04 in. or more.	13	17	4	14	10	1	9	9	11	11	11	14	124

(Signed) Gertrude J. Woodall

P.T.O.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Woodside, 7 Arsenal Rd - Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....6.....in.
" Ground " Sea Level.....86.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.57	—	—	—	.70	—	—	.18	—	.06	—	1
2	.06	.01	tra	—	—	.43	—	—	.14	—	.01	—	2
3	.46	.87	.20	—	—	—	.08	.01	—	—	—	—	3
4	.07	.18	.10	.28	—	—	—	—	—	—	.13	—	4
5	.08	.02	.11	—	.62	—	.71	.04	.07	—	.23	.24	5
6	.04	.22	.01	.37	—	.43	.11	—	.43	—	—	.04	6
7	.17	.05	—	.07	.05	.19	—	—	—	—	.12	.02	7
8	—	.01	—	.09	—	.01	.02	.01	tra	.06	.48	—	8
9	.01	.03	.05	—	—	.41	—	—	.02	.04	.61	tra	9
10	.01	.04	—	—	.02	.19	.04	.17	—	.20	—	.01	10
11	.02	.03	—	—	.12	.14	—	.22	.05	.18	.29	—	11
12	—	.01	—	—	.11	—	—	—	.01	.32	tra	—	12
13	—	.01	—	—	—	.01	—	—	.02	.10	<u>1.47</u>	.06	13
14	~~.04~~	.02	—	—	—	.04	—	.04	.01	.67	.02	.18	14
15	.04	.03	—	.74	.01	—	—	—	.01	.30	.14	—	15
16	.13	.37	—	—	.07	tra	.17	.88	tra	.04	.04	tra	16
17	.17	.81	—	.28	—	.67	—	.24	tra	—	—	.04	17
18	.27	.12	—	.37	.11	—	—	.02	—	—	.06	—	18
19	—	.01	.01	.03	.19	—	.56	—	—	—	.81	.02	19
20	—	—	—	.30	—	—	—	.23	—	.14	1.10	—	20
21	—	—	tra	.03	—	—	.03	.03	—	.01	.76	—	21
22	.50	tra	—	.24	—	—	—	—	—	—	.13	.13	22
23	.09	—	—	.02	—	—	—	—	—	.12	.02	—	23
24	—	—	—	—	—	—	—	—	—	.71	tra	—	24
25	.15	—	—	.22	—	.26	.11	—	tra	—	.05	.06	25
26	—	.02	—	.01	—	—	.19	—	.04	—	.43	—	26
27	.03	.04	.07	.24	.03	—	.05	—	.20	.21	.04	—	27
28	.69	—	—	.03	.03	—	.31	—	—	.35	.13	.01	28
29	.18	X	.01	.70	.53	—	.03	—	—	.15	.08	tra + .09	29
30	.10	X	—	.09	.21	—	—	—	—	—	—	—	30
31	.26	X	—	X	—	X	.06	—	X	—	X	—	31
TOTAL	4.01	3.47	.56	4.11	2.10	3.48	2.47	1.89	1.08	3.60	7.21	.81	YEARS TOTAL 34.79
Days with .01 in. or more.	23	21	8	18	13	12	14	11	12	16	23	11	182
Days with .04 in. or more.	19	10	5	13	9	10	11	7	7	15	~~14~~ 20	7	~~132~~ 133

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Woodside, 7, Ansdell Rd., Eastbourne
in the County of Sussex

note - 30th Dec. corr. by sum. shg. to agree with obs. total.

Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....6.....in.
" Ground " Sea Level.....8.6 - 100.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>tra</i>	.52	.02	.03	<	.01	—	.40	—	.31	.18	—	1
2	.08	.01	.05	.30	—	.07	.90	—	—	.03	.08	—	2
3	.21	.01	.01	—	—	—	—	—	—	—	—	—	3
4	.04	.01	.04	.30	.01	—	.01	—	<i>tra</i>	—	.01	—	4
5	.17	.13	.16	.35	.51	.21	.33	.53	—	—	.48	—	5
6	.04	.01	.53	.27	—	.00	.36	.17	—	—	.36	—	6
7	.04	.26	.02	.47	—	.29	—	.31	—	<i>duo</i> .01	—	—	7
8	.13	—	.03	.15	—	.01	—	.19	.14	—	.21	—	8
9	.01	—	.02	.25	—	—	.10	.10	.18	—	.01	—	9
10	.01	<i>front</i> <i>tra</i>	<i>tra</i>	—	—	—	.22	<i>tra</i>	.27	—	—	—	10
11	.02	<i>front</i> <i>tra</i>	—	—	—	.07	—	.06	—	—	—	—	11
12	.03	.01	.01	—	—	—	—	—	—	.04	<i>front</i> .01	—	12
13	.10	.01	—	.10	—	—	.01	.54	.50	<i>tra</i>	.01	.17	13
14	.02	—	—	—	—	—	.12	.06	1.30	—	.02	.56	14
15	.02	—	—	—	—	—	.42	.13	.15	—	<i>tra</i>	—	15
16	.21	—	—	—	.09	.01	.12	—	.74	—	—	—	16
17	.35	.01	.28	—	—	.43	—	.15	.38	—	—	.01	17
18	.14	—	.01	—	—	.51	—	.15	.07	—	.17	—	18
19	<i>front</i> .01	.13	—	—	—	—	—	—	—	.04	.16	—	19
20	.36	.14	<i>tra</i>	—	—	—	.24	1.35	.04	.02	.47	.32	20
21	.09	.19	—	—	.16	—	.01	.12	.04	.18	.33	.84	21
22	.06	.03	.45	—	.01	.13	.01	.06	.01	.69	<i>tra</i>	.42	22
23	.04	.25	.60	—	—	.28	.02	—	.66	.05	.19	.25	23
24	.01	.14	.38	<i>tra</i>	—	.06	.04	.05	.09	—	.08	—	24
25	.01	.34	.15	.02	—	.04	.01	.01	.30	—	.08	—	25
26	.05	.65	.05	—	.08	.20	—	—	.10	—	.01	—	26
27	.18	.29	.01	—	.26	.17	.14	—	.13	.10	.02	—	27
28	.13	.04	—	.03	—	.09	.01	—	—	.01	.70	—	28
29	.22	X	.48	—	—	.30	—	.02	—	—	—	—	29
30	.33	X	—	—	—	.93	.01	—	.50	.11	—	—	30
31	.06	X	.78	X	—	X	.05	—	X	.13	X	.00	31
TOTAL	3.17	3.18	4.08	2.27	1.12	3.91	3.13	4.40	5.60	1.72	3.57	5.03	YEARS TOTAL 41.12
Days with ".01 in. or more.	30	20	20	11	7	19	20	18	18	13	20	11	197
Days with ".04 in. or more.	21	12	12	8	5	16	12	16	17	9	12	10	150

Please read the Notes and Instructions Overleaf.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Woodside, Arunde Road
in the County of Sussex **EASTBOURNE**
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 86-100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.08	—	—	—	—	—	—	.30	—	1
2	1.10	.40	.15	—	—	—	—	.45	—	—	.26	.01	2
3	.01	—	.16	.18	—	—	.34	—	—	—	.19	—	3
4	.06	.09	—	.15	.02	.02	—	—	—	.01	—	—	4
5	.32	.17	—	.07	—	.01	.04	—	—	—	.05	.04	5
6	.01	.01	—	—	—	.31	—	.26	—	—	—	.08	6
7	.08	.07	.09	.10	—	.17	—	.05	—	—	.02	—	7
8	.07	.04	—	—	.01	.50	.03	—	.01	.20	.01	—	8
9	.02	.02	.16	.03	—	.20	—	—	.05	.27	—	.13	9
10	.07	.20	—	.25	.02	—	—	—	—	.59	.30	—	10
11	.03	.07	.02	.05	—	.01	—	.02	—	1.25	.12	.19	11
12	.37	—	.07	.07	—	1.19	—	—	—	.14	.03	.04	12
13	.01	.55	—	—	—	—	—	—	—	—	.23	—	13
14	.24	—	—	.29	.12	—	—	.13	—	.69	.75	.01	14 Frost
15	.32	.22	—	.40	.04	—	—	—	—	—	.83	—	15
16	—	—	—	.23	.08	—	—	—	—	.07	.60	.28	16
17	.84	—	—	.01	.25	—	—	—	—	.24	Tr	—	17
18	.01	—	.01	—	.10	.12	—	—	—	.83	.02	.01	18
19	.10	—	—	—	.22	.03	—	.09	—	.47	.13	.15	19
20	.12	—	—	—	.03	—	—	.18	—	.59	.03	.20	20
21	—	—	—	.03	.50	—	—	—	—	1.25	.28	.01	21
22	—	—	.26	Tr	.01	—	—	—	—	.32	.39	.16	22
23	.39	—	.14	—	.11	—	—	—	.02	.11	.19	—	23
24	.08	—	.04	—	.07	—	—	.05	.07	.21	.02	.16	24
25	.38	—	—	—	Tr	.08	—	.02	.08	.30	.04	.13	25
26	.20	—	—	—	—	—	—	.13	—	.70	.01	.17	26
27	.78	—	.05	—	—	—	—	—	.02	.04	.02	1.03	27
28	—	—	.01	—	—	—	.60	—	.27	—	—	.17	28
29	.09	—	.82	.13	—	—	.14	—	.02	.26	.03	.22	29
30	.02	X	.15	.07	Tr	—	—	—	—	.06	—	.03	30
31	.08	X	.48	X	—	X	.17	—	X	—	X	.02	31
TOTAL	5.74	1.84	2.61	2.14	1.58	2.64	1.32	1.38	.54	8.60	4.85	3.24	YEAR'S TOTAL 36.48
Days with .01 in. or more.	26	11	15	16	14	11	6	10	9	21	24	21	183
Days with .04 in. or more.	18	9	12	13	9	7	5	8	4	20	15	15	135

Section

A

for the entry of Daily Observations.

513
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Woodside, 7 Arundel Road
in the County of EASTBOURNE
SUSSEX

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.05	.03	—	.03	—	—	.30	—	—	.32	—	tra	I
2	.01	—	—	—	—	.31	—	.16	—	.58	.13	.38	2
3	—	.43	—	—	—	.05	.30	—	—	.16	—	.48	3
4	—	.02	—	.14	.18	.17	.02	—	—	.18	—	.31	4
5	—	—	—	.06	.62	.50	.06	.10	—	.21	tra	.41	5
6	—	—	—	—	.30	.07	—	.58	—	.24	.13	.55	6
7	—	—	—	—	.07	.09	.02	—	—	.32	.47	.21	7
8	—	—	—	.01	—	.13	—	—	—	.42	—	1.02	8
9	.02	—	—	—	.05	—	—	—	—	—	—	.31	9
10	.03	.32	—	—	—	—	—	—	—	.13	.18	.88	10
11	—	—	—	.14	—	—	—	—	—	—	.85	.04	11
12	—	—	—	.05	.31	.22	—	—	—	—	.30	—	12
13	—	—	—	—	.15	.03	—	.03	—	.02	.38	.18	13
14	—	—	—	—	.35	—	—	—	—	—	—	.18	14
15	.03	.02	—	—	—	.51	—	—	—	—	1.81	.08	15
16	.03	—	—	.07	—	—	—	.54	—	—	.37	tra	16
17	.04	—	—	—	—	—	—	—	—	.14	—	—	17
18	.05	—	—	—	—	—	—	—	—	—	.25	—	18
19	.01	—	—	—	—	—	—	—	.02	tra	—	—	19
20	.05	—	.01	—	—	—	.09	.04	.02	.76	—	—	20
21	.14	—	.01	—	—	—	—	.05	—	—	—	.71	21
22	—	—	—	—	—	—	—	.03	—	—	.06	.32	22
23	—	.10	—	—	—	—	—	—	—	.01	.24	.28	23
24	—	.05	.01	—	tr	—	—	—	—	.34	.66	.22	24
25	—	.06	—	—	—	—	—	—	—	.63	.06	.18	25
26	—	—	.01	—	.04	—	—	—	—	tra	.35	.13	26
27	.45	—	—	.07	.10	—	—	—	—	—	.98	.07	27
28	.17	—	—	.03	—	—	.42	—	—	.52	.53	.48	28
29	.04	—	—	.40	—	.06	—	—	.56	—	.19	.06	29
30	—	X	—	.01	—	—	.18	—	.16	—	.28	.83	30
31	.30	X	—	X	—	X	.12	—	X	tra	X	.03	31
TOTAL	1.42	1.03	.04	1.01	2.17	2.14	1.31	1.53	.76	4.98	8.22	8.34	YEAR'S TOTAL 32.95
Days with ".01 in. or more.	15	8	4	11	10	11	9	8	4	16	19	24	139
Days with ".04 in. or more.	9	5	0	7	10	10	7	6	2	14	19	23	112

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Woodside 7 Arundel Road*
in the County of *Sussex* *Eastbourne*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *6* in.
,, Ground ,, Sea Level *8.6* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.25	—	—	—	.02	—	—	—	—	.95	—	1
2	<i>tra</i>	.17	.01	.23	—	—	.04	.21	—	—	.70	—	2
3	.11	.48	—	.53	—	—	—	<u>1.25</u>	—	.04	—	—	3
4	.10	.20	—	.01	<i>tra</i>	—	—	—	.04	—	—	—	4
5	.10	.11	.01	.01	—	—	—	.41	—	—	—	—	5
6	<i>tra</i>	.07	.04	—	.17	—	—	.35	.28	—	—	—	6
7	.14	.18	—	—	—	—	—	.01	—	.92	.48	.15	7
8	.16	—	—	—	<i>tra</i>	—	—	—	—	.11	<i>tra</i>	.60	8
9	.24	—	.01	—	.43	—	—	.01	.01	—	—	.07	9
10	.32	—	.20	—	<i>tra</i>	—	—	.06	.07	—	—	.18	10
11	.23	.04	.01	—	—	—	.01	.01	—	—	—	.54	11
12	.19	—	.04	.17	.14	<i>tra</i>	—	—	—	—	—	.15	12
13	.10	—	.02	.11	.13	.05	.18	.48	.27	.01	—	—	13
14	.03	.15	.49	.03	—	—	—	—	—	—	—	.01	14
15	—	.05	.03	.01	.01	—	.53	—	—	.09	.17	—	15
16	—	.03	.04	—	—	—	—	—	.37	.01	—	—	16
17	—	—	.33	.02	.03	.14	—	—	.15	—	—	—	17
18	—	.01	.47	.02	—	—	—	—	.09	.04	.34	.10	18
19	—	—	.20	.16	—	—	—	—	.83	.10	.54	.21	19
20	—	—	<i>tra</i>	—	.14	—	—	.11	.33	—	<u>1.07</u>	.01	20
21	—	—	—	—	<i>tra</i>	—	<u>1.12</u>	.34	—	.60	.67	—	21
22	—	—	—	.10	.34	—	—	.23	.08	.08	.49	—	22
23	.02	.02	.36	.13	—	.35	.03	.05	—	.42	.14	.04	23
24	.35	.26	—	—	.30	—	—	—	.02	—	.34	.39	24
25	.70	.05	—	.03	.13	—	.07	—	—	—	.25	—	25
26	.22	—	—	—	.66	.26	—	—	.13	—	.30	.18	26
27	.02	—	.01	—	—	—	.08	—	<i>tra</i>	.57	.44	.15	27
28	.24	—	—	—	—	—	—	—	.34	.04	.14	.07	28
29	.28	X	<i>tra</i>	—	—	—	.10	—	.09	.02	.46	.04	29
30	—	X	—	—	.35	—	—	—	—	—	—	.68	30
31	.40	X	.15	X	.09	X	—	—	X	.15	X	.09	31
TOTAL	3.53	2.07	2.42	1.56	2.92	.82	2.16	3.52	3.10	3.20	7.68	3.66	36.64
*Days with .01 in. or more.	20	15	17	14	13	5	9	13	15	15	16	18	170
*Days with .04 in. or more.	17	12	10	7	11	4	7	10	13	12	16	16	135

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Gertrude Woodall

P.T.O.

FORM 1090.

B

ARUNDEL ROAD

EAST BOURNE

SUSSEX

1925-1927-1928

* * The following register of month &c., is required if daily values cannot be given on side.

RAINFALL IN 192

NOTE.—Records taken in millimet be entered on Form 109

At 24 Arundel Road, East

In the County of.....Sussex.....

Diameter of Funnel.....


Height of Top above Ground.....1.....ft.

Height of Ground above Sea Level.....

Month.	Total Depth.	Greatest Fall in 24 hours.	or more	or more
Inches.	Inches.	Date.		
JAN.	4.50			
FEB.	4.10			
MAR.	.77			
APR.	2.35			
MAY	3.19			
JUNE	.12			
JULY	4.14			
AUG.	1.94			
SEPT.	3.41			
OCT.	4.04			
Nov.	2.52			
DEC.	4.41			
Total	35.49	927		

Heights of objects
Distances
Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall ?
- (b) What note was made of the times of beginning and end of this fall ?
- (c) When was the measurement made ?

M.O. 7

-4 JAN1926

Signature.....

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumshough Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

- (a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
- (b) *The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).*
 - (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) *On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.*
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.*
- (f) *The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."*
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 28, Abingdon Street, London, S.W.1 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1925

NOTE.—Records taken in millimetres should be entered on Form 1091.

At 24 Arundel Road, Eastbourne

In the County of Sussex

Diameter of Funnel.....5.....in.

Height of Top above Ground.....1.....ft.....7.....in.

Height of Ground above Sea Level.....70.....ft

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.	<u>4.50</u>				
FEB.	<u>4.10</u>				
MAR.	<u>.77</u>				
APR.	<u>2.35</u>				
MAY	<u>3.19</u>				
JUNE	<u>.12</u>				
JULY	<u>4.14</u>				
AUG.	<u>1.94</u>				
SEPT.	<u>3.41</u>				
OCT.	<u>4.04</u>				
NOV.	<u>2.52</u>				
DEC.	<u>5.41</u>				
	<u>4.41</u>				
Total	<u>36.49</u>	<u>9.27</u>			

Signature.....

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Ex. Ald. J. C. Wright
24 Arundel Road, Eastbourne.

Latitude of Station..... Longitude..... Hour of observation.....

Nearest Railway Station..... Distance..... Direction.....


Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....
Heights of objects.....
Distances... ..
Directions... ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-4 JAN 1926

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 }

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.



AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.

QUERY FORM.

On examination of the return of observations made at

24 Arundel Rd Eastbourne 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

A comparison of your rainfall return for 1925, with other stations in Eastbourne indicates that the total for December is low by at least an inch.

A comparison is given below.

Wilmington Sq	5.50
7 Arundel Rd	5.75
24 Arundel Rd	4.41
Mulnthorpe Rd	5.84

If you have no reason to the contrary it is proposed to adopt a value of 5.41 inches for the month, making a total for the year of 36.49 inches.

f. 2.4

REPLY.

During December '25 I observed a slight leakage in my recorder - this has now been remedied.

I note that you are adopting a value of 5.41 for the month: probably you will adhere to this value & I shall be glad to know.

J. C. Wright

14. 2p. 1926.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

**** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.**

RAINFALL IN 1926....

NOTE.—Records taken in millimetres should be entered on Form 1091.

At 24 Dundel Road, Eastbourne

In the County of Sussex

Diameter of Funnel in.

Height of Top above Ground ft. in.

Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	'01 in. or more	'04 in. or more
JAN.	2.89				
FEB.	3.24				
MAR.	1.47				
APR.	3.79				
MAY	2.13				
JUNE	2.92				
JULY	2.55				
AUG.	1.93				
SEPT.	1.83				
OCT.	3.76				
NOV.	7.46				
DEC.	1.77				
Total	32.74				

Signature.....

J.C. Wright

*** Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—**

Name and Address to which any inquiry relating to this register should be sent:—

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....


Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

Section

A

for the entry of Daily Observations.

478
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Holmedine, Grindel Rd., Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

„ Ground „ Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.01	.19			.10			1
2	.01	.52	.01				1.54	.40		.30	.18		2
3			.04	.26			.01			.02			3
4	.27	.01		.01								.01	4
5	.15	.01		.11			.37	.01					5
6	.14	.14	.16	.63	.52	.19		.52			.50		6
7	.04	.01	.50	.51		.12	.37	.19	.07		.29		7
8	.03	.23	.01			.26	.01	.64					8
9	.11					.01	.01	.16	.05		.19		9
10			.02					.08	.18				10
11							.25		.26	.01			11
12	.02					.06		.04					12
13	.05						.01			.02			13
14	.10							.50			.02		14
15	.01						.61	.07	1.69			.67	15
16	.10						.01	.17	.43			.01	16
17	.21				.06		.01		.69				17
18	.37		.26			.40		.13					18
19	.12		.01			.50		.19	.13	.05	.16		19
20	.32	.12				.02	.01	.11					20
21		.13					.19	.72* .50	.03	.02	.61	.29	21
22		.18	.01		.13		.01	.09	.05		.32		22
23	.29	.02	.47			.10		.09	.20	.31		.40	23
24	.01	.19	.68		.01	.27			.61		.79	.24	24
25		.16	.47	.73		.01	.05	.04	.06	.06	.26	.87	25
26	.32	.37	.12			.04		.01	.31	.02	.01	.74	26
27	.04	.65	.03			.16			.16		.01	.56	27
28	.04	.28		.02	.32	.16	.11			.10	.01		28
29	.04	.02	.14			.07	.03			.01			29
30	.18	X	.31			.28		.01	.50	.14	.91	.08	30
31	.24	X	.82	X	.04	X	.03		X	.07	X		31
TOTAL	3.21	3.04	4.07	2.27	1.08	2.66	3.82	4.37	5.42	1.23	4.26	3.87	YEAR'S TOTAL 39.30
Days with ".01 in. or more.	24	16	17	7	6	13	19	20	16	14	14	10	180
Days with ".04 in. or more.	19	6.25	10.27	12.54	13.62	16.28	20.10	24.47	29.89	31.12	35.38	39.25	131

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at 24 Mundel Rd. Eastbournein the County of SussexDiameter of Funnel of Gauge five in.Height of top of Gauge above Ground 1 ft. — in.„ Ground „ Sea Level 70 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.16										1
2			.12	.05				.01			.31	.01	2
3	1.14	.40			.01								3
4	.01			.31			.31	.57					4
5	.02	.15		.06		.01		.01					5
6	.31	.05	.08	.10	.01		.02				.60	.04	6
7	.01		.01			.03						.18	7
8	.09		.01	.10		.23		.04					8
9	.04	.13	.40			.60			.01	.30			9
10	.01	.04	.01	.03	.01	.08	.02		.03	.18		.12	10
11		.14		.26	.02			.01		.59	.31		11
12	.04		.07	.03						1.25	.13	.15	12
13	.37					1.20				.10	.01	.02	13
14	.01	.52											14
15	.24	.23		.33	.10	.05		.11		.69	1.50	.01	15
16				.53	.10			.01					16
17	.32			.02	.01						.86	.27	17
18			.01		.26						.01		18
19	.81			.01	.04	.10				1.08		.01	19
20	.01				.17	.03		.09		.51	.12	.20	20
21	.11							.18		.60		.12	21
22	.11		.22	.01	.50				.02	1.30	.28	.01	22
23	.11		.13						.07			.13	23
24	.39		.03		.07			.02	.06	.36	.60		24
25	.06									.20		.16	25
26	.39	.05				.08		.02	.17	.30	.04	.16	26
27	.20				.05	.10	.01	.12	.01	.56		.13	27
28	.01		.02				.60			.02		.98	28
29	.75											.19	29
30	.07	X	.81	.18		.12	.14		.08	.25		.08	30
31	.12	X	.15	X		X	.14		X	.06	X	.20	31
YEAR'S TOTAL													
Total	5.75	1.71	1.93	2.02	1.35	2.51	1.24	1.19	.45	8.35	4.80	3.17	34.47
Days with rain or more.	26	9	15	14	13	12	7	12	8	17	12	20	165
	19	9	9	9	8	9	4	6	4	16	10	15	118

Kept at EAST

in the County of.....

by Chas.

IMPORTANT NOTE

If an Observer prefers to send the reading at 9 a.m. on this paragraph. Full ins and particulars as to the sent post-free on application to the Meteorological Office, Square, London, N.W. 1,

BAKEWELL RD.
EASTBOURNE

SUSSEX

1921-1926

ORGANIZATION.

21.....

long

9 a.m.

ion

1/2 mile - Eastbourne

f Rain Gauge

8 in.

e above Ground

1 ft. - in.

Sea Level

8.5 ft.

ult entered to the previous day. Done C.H.

requested to add it at the end of g of rain gauges, infall Observers," on, 62, Camden Place, Edinburgh.

orm.

Jan. 1, following

Date	Jan.	Feb.	M.	Apr.	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				-	-	-	-	T	0.04	-	0.03	0.14	1
2				-	0.04	-	-	0.02	-	-	0.32	-	2
3				-	0.08	-	-	0.18	-	-	0.35	-	3
4				-	0.06	-	-	0.16	-	-	0.42	-	4
5				-	-	0.07	-	0.20	-	-	0.56	0.07	5
6				-	0.06	-	-	-	-	-	-	0.03	6
7				-	0.31	-	-	0.01	-	-	-	-	7
8				0.03	-	-	-	-	-	-	-	-	8
9				-	-	-	-	-	-	-	-	-	9
10				-	-	-	-	-	0.24	0.40	-	0.03	10
11				-	0.05	-	-	-	0.38	-	-	-	11
12				-	-	-	-	0.11	0.01	-	-	0.13	12
13				0.40	-	-	-	0.01	0.02	0.01	0.15	-	13
14				0.05	-	-	-	0.10	-	0.03	T	0.45	14
15				0.02	0.07	-	T	T	-	-	0.01	-	15
16				0.45	-	-	-	0.10	-	-	0.14	0.03	16
17				0.14	-	-	0.17	0.40	-	-	-	-	17
18				-	-	-	-	-	0.03	T	-	0.02	18
19				T	T	0.03	-	-	0.01	0.01	-	0.13	19
20				-	-	-	-	-	-	0.03	T	-	20
21				-	-	-	-	-	-	T	0.10	0.08	21
22				0.01	-	-	T	-	-	0.40	-	0.25	22
23				0.19	-	-	0.01	0.09	-	0.18	-	0.20	23
24				-	-	-	-	-	-	-	-	0.20	24
25				-	-	-	-	-	-	-	-	0.16	25
26				-	T	-	-	-	-	-	-	0.13	26
27				0.07	-	-	-	0.01	-	-	-	0.12	27
28				-	-	-	0.17	0.05	-	-	-	0.06	28
29				-	0.16	-	0.07	0.04	-	-	-	0.05	29
30				-	0.07	-	-	-	-	-	0.17	0.10	30
31				-	0.03	-	-	-	-	-	-	-	31
TOTAL	(3.12)	(0.62)	(1.69)	1.36	0.93	0.14	0.42	1.48	0.73	1.06	2.25	2.38	YEAR'S TOTAL (16.18) (12.5) 82 (86) 57
Days with "01 in. or more	22	5	16	9	10	2	4	14	7	7	10	19	
Days with "04 in. or more	14	2	11	6	9	2	3	10	3	3	8	15	

REGISTER OF RAINFALL IN 1921.....

1 FEB 1922

Kept at EASTBOURNE
in the County of SUSSEX
by Chas. Harding

Lat..... Long.....
Time of Observation 9 a.m.
Nearest Railway Station 1/2 mile Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. *Done C.H.*
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				-	-	-	-	T	0.04	-	0.03	0.14	1
2				-	0.04	-	-	0.02	-	-	0.32	-	2
3				-	0.08	-	-	0.18	-	-	0.35	-	3
4				-	0.06	-	-	0.16	-	-	0.42	-	4
5				-	-	0.07	-	0.20	-	-	0.56	0.07	5
6				-	0.06	-	-	-	-	-	-	0.03	6
7				-	0.31	-	-	0.01	-	-	-	-	7
8				0.03	-	-	-	-	-	-	-	-	8
9				-	-	-	-	-	-	-	-	-	9
10				-	-	-	-	-	0.24	0.40	-	0.03	10
11				-	0.05	-	-	-	0.38	-	-	-	11
12				-	-	-	-	0.11	0.01	-	-	0.13	12
13				0.40	-	-	-	0.01	0.02	0.01	0.15	-	13
14				0.05	-	-	-	0.10	-	0.03	T	0.45	14
15				0.02	0.07	-	T	T	-	-	0.01	-	15
16				0.45	-	-	-	0.10	-	-	0.14	0.03	16
17				0.14	-	-	0.17	0.40	-	-	-	-	17
18				-	-	-	-	-	0.03	T	-	0.02	18
19				T	T	0.07	-	-	0.07	0.01	-	0.13	19
20				-	-	-	-	-	-	0.03	T	-	20
21				-	-	-	-	-	-	T	0.10	0.08	21
22				0.01	-	-	T	-	-	0.40	-	0.25	22
23				0.19	-	-	0.01	0.09	-	0.18	-	0.20	23
24				-	-	-	-	-	-	-	-	0.20	24
25				-	-	-	-	-	-	-	-	0.16	25
26				-	T	-	-	-	-	-	-	0.13	26
27				0.07	-	-	-	0.01	-	-	-	0.12	27
28	adjusted from			-	-	-	0.17	0.05	-	-	-	0.06	28
29	Wilmington Square			-	0.16	-	0.07	0.04	-	-	-	0.05	29
30		X		-	0.07	-	-	-	-	-	0.17	0.10	30
31		X		X	0.03	X	-	-	X	-	X	-	31
TOTAL	(3.12)	(0.62)	(1.69)	1.36	0.93	0.14	0.42	1.48	0.73	1.06	2.25	2.38	YEAR'S TOTAL (16.18) (12.5) 82 (86) 27
Days with .01 in. or more	22	5	16	9	10	2	4	14	7	7	10	19	
Days with .01 in. or more	14	2	11	6	9	2	3	10	3	3	8	15	

1 FEB 1922

2 Bakewell Road
Eastbourne

31st Jan: 1922

Dear Mr. Salter

I have pleasure in forwarding
Rainfall return for 1921 - I only
took up residence here at commencement
of March and have adjusted rainfall for
first 3 months of 1921 from Wilmington G. Obs^{ry}.

Have you noticed the marvellous
agreement in Brit. Rainfall 1920 between Wilmington G.
& Ald. Wright - absolute agreement to hundredth of an inch.
Miss Woods near to Wright is quite different -

My rainfall measurement for Jan. 1922
to even^g of 31st (to-day) is 4.55 in. fall on 20 days.
this is 173 per cent. of normal fall.

Kindest regards

Yours very truly

Chas. Harding

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Eastbourne, Bakerswell Road
in the County of SUSSEX
by Chas. Harding

Lat. 50° 48' N. Long. 0° 17' E.
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.15	0.08	—	—	0.01	0.01	—	0.02	—	0.57	0.04	1
2	—	0.43	0.30	0.45	0.01	—	—	—	0.04	—	—	—	2
3	—	0.03	0.04	1.00	0.19	—	0.07	0.10	—	0.03	0.15	—	3
4	—	0.21	0.12	—	0.01	—	0.08	0.02	—	0.35	—	—	4
5	—	0.03	0.03	0.04	0.01	—	0.80	—	0.04	0.04	0.53	—	5
6	0.12	—	0.12	—	—	—	0.08	0.52	—	0.08	0.25	—	6
7	0.28	—	0.53	0.20	—	—	—	0.04	—	—	0.01	—	7
8	0.25	—	0.01	0.02	—	0.18	0.30	0.12	—	—	0.26	0.01	8
9	0.10	—	—	0.01	—	—	0.07	0.64	—	0.07	—	—	9
10	0.05	—	—	—	—	—	—	—	0.04	—	0.14	—	10
11	0.15	—	—	—	0.02	—	—	—	—	—	—	—	11
12	—	—	—	0.32	—	—	—	0.06	0.60	—	—	—	12
13	—	—	—	0.30	—	0.62	0.17	—	0.18	—	—	—	13
14	—	—	—	—	—	0.12	0.25	0.02	0.30	—	—	—	14
15	0.60	0.23	—	—	—	0.02	—	—	0.01	—	—	0.06	15
16	—	0.05	—	0.05	0.02	—	0.19	—	0.02	—	—	0.22	16
17	—	0.20	—	—	0.28	—	0.08	0.01	0.04	—	—	0.26	17
18	0.45	—	—	—	—	—	—	—	0.25	—	—	0.20	18
19	0.70	0.26	0.02	—	0.07	—	—	—	—	0.15	—	0.56	19
20	0.10	—	—	—	—	—	—	—	0.01	—	—	0.06	20
21	0.40	0.40	0.20	0.08	—	—	—	—	—	—	—	0.48	21
22	0.02	0.15	—	0.07	—	—	—	0.25	—	—	—	0.09	22
23	—	0.03	—	0.02	—	0.01	—	—	0.64	0.01	—	0.01	23
24	0.15	—	0.13	0.04	—	0.16	—	0.28	0.02	0.01	—	—	24
25	0.12	—	0.08	0.40	—	0.28	0.02	—	0.01	—	—	0.13	25
26	0.08	0.23	0.06	0.22	—	0.14	0.20	—	0.07	—	—	—	26
27	0.48	0.22	0.06	0.15	—	0.01	—	0.32	0.04	0.05	0.01	0.14	27
28	0.12	0.05	—	0.03	—	0.23	—	—	—	—	—	0.32	28
29	0.30	—	—	—	—	0.29	0.05	0.60	—	0.30	—	0.09	29
30	0.03	×	0.09	—	—	×	0.03	0.38	0.14	0.07	0.11	0.19	30
31	0.02	×	0.04	×	—	×	—	0.16	×	0.09	×	0.22	31
TOTAL	4.57	2.67	1.91	3.40	0.61	2.07	2.40	3.52	2.47	1.25	2.03	3.08	YEAR'S TOTAL
Days with 0.1 in. or more	21	15	16	17	8	12	15	15	18	12	9	17	29.98
Days with 0.1 in. or more	18	12	13	13	3	8	12	12	12	9	7	15	175
													134

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Eastbourne
(2 Bakewell Road)
in the County of SUSSEX
by Chas. Harding

Lat. 50°48'N Long. 0°17'E
Time of Observation 9 a.m.
Nearest Railway Station ½ mile - Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 75 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
Done C.H.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	0.11	0.30	—	—	0.14	—	—	—	—	0.27	0.48	1
2	0.22	0.07	0.05	—	0.05	—	—	—	—	0.20	0.07	0.29	2
3	—	T	T	—	—	0.02	—	—	—	0.85	0.01	0.06	3
4	—	—	—	—	—	—	—	—	0.22	—	0.02	0.46	4
5	0.30	—	0.02	0.01	—	—	—	—	—	0.10	0.50	0.02	5
6	0.30	0.02	0.08	0.02	0.03	0.07	—	—	—	0.02	—	0.03	6
7	0.21	0.53	0.21	—	0.05	—	—	—	—	0.70	—	0.30	7
8	0.04	0.24	0.05	—	0.52	0.02	—	—	—	0.33	0.40	—	8
9	0.05	0.05	0.02	0.01	—	T	1.68	—	—	0.02	0.09	—	9
10	—	0.12	—	0.25	0.13	—	0.34	—	—	0.45	—	0.07	10
11	0.04	—	—	0.14	0.02	—	—	—	—	0.90	—	0.02	11
12	—	0.31	0.50	0.10	0.55	0.02	—	—	—	0.20	—	0.06	12
13	0.04	0.05	0.15	0.08	0.08	—	0.16	—	—	—	0.53	—	13
14	—	0.03	0.13	—	0.19	—	—	T	0.74	—	T	0.06	14
15	—	—	—	0.02	0.16	0.25	0.11	T	0.11	—	0.19	—	15
16	—	0.14	—	—	0.05	—	—	—	—	—	0.40	0.01	16
17	—	0.20	—	—	T	—	0.05	0.48	0.38	0.02	—	—	17
18	0.10	0.49	—	0.06	—	—	—	0.25	0.12	0.14	—	—	18
19	0.10	0.04	—	0.05	—	0.03	—	0.02	0.45	0.17	—	0.05	19
20	0.03	0.18	0.05	—	0.07	—	—	0.02	0.33	0.08	—	—	20
21	—	0.04	0.06	0.20	—	—	—	0.06	0.03	0.25	—	0.14	21
22	0.02	0.61	0.30	0.06	—	—	—	0.22	0.41	0.15	—	0.03	22
23	—	0.16	0.06	—	0.09	—	0.36	0.35	0.76	1.51	0.03	0.08	23
24	—	0.07	—	0.01	—	—	T	0.18	0.10	0.53	—	0.12	24
25	—	0.37	0.22	0.95	—	0.05	0.05	0.05	0.08	0.35	0.04	0.70	25
26	—	0.21	0.05	0.05	0.07	—	—	0.27	—	0.05	—	0.32	26
27	—	0.13	0.10	—	0.05	—	0.06	0.11	—	—	0.01	0.20	27
28	—	0.30	T	0.15	0.57	—	0.25	0.15	—	0.03	0.21	0.05	28
29	0.05	X	—	0.19	0.20	—	0.04	0.30	—	—	—	0.20	29
30	T	X	—	T	—	0.02	0.06	0.07	—	0.25	—	0.24	30
31	T	X	T	X	—	X	0.08	0.02	X	0.18	X	0.13	31
TOTAL	1.57	4.47	2.35	2.35	2.88	0.62	3.24	2.55	3.73	7.48	2.77	4.12	YEAR'S TOTAL
Days with 0.1 in. or more	14	23	17	17	17	9	12	15	12	23	14	24	197
Days with 0.1 in. or more	12	21	15	12	15	4	12	12	11	19	10	19	162

FORM 1390.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Eastbourne
(2 Bakewell Road)
in the County of Sussex
by Chas. Harding

Lat. 50°48'N Long. 0°17'E
Time of Observation 9 a.m.
Nearest Railway Station 1/2 mile Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 75 ft.

JAN 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Don't CH Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.12	T	0.02	0.28	0.08	0.03	—	—	1.30	0.15	RRR
2	0.10	—	0.34	—	0.30	0.05	0.01	0.12	—	—	—	0.11	2
3	—	—	0.20	0.01	0.22	0.02	0.24	0.60	—	0.01	—	—	3
4	—	—	—	0.03	—	0.91	T	0.02	—	0.01	—	0.49	4
5	—	—	0.02	—	0.03	—	0.03	—	—	0.15	—	0.08	5
6	—	T	T	—	—	—	—	0.08	T	1.15	—	—	6
7	0.02	—	—	T	0.07	0.07	—	0.01	0.14	0.38	—	—	7
8	0.25	0.14	—	T	0.06	—	T	—	0.20	0.20	—	—	8
9	0.09	0.08	—	0.05	0.02	0.05	—	—	0.01	T	—	—	9
10	0.31	—	—	0.06	0.30	0.04	—	—	0.06	—	—	0.01	10
11	T	0.02	—	0.42	0.24	0.25	—	—	0.08	—	0.20	T	11
12	—	—	—	0.02	0.05	0.17	—	0.16	0.02	—	0.14	—	12
13	0.04	—	—	0.54	—	—	—	—	0.37	—	0.03	0.23	13
14	0.01	—	—	0.39	—	—	—	0.15	—	—	—	T	14
15	—	0.04	—	0.03	—	—	—	—	0.06	—	—	0.49	15
16	—	—	—	—	—	—	—	0.10	0.01	—	—	0.13	16
17	0.24	—	—	—	—	—	0.83	0.20	—	—	—	—	17
18	0.70	0.02	—	—	0.02	0.02	—	—	—	0.03	0.01	—	18
19	0.02	T	—	—	—	0.07	—	0.17	—	0.22	—	—	19
20	0.01	—	0.03	—	0.15	—	0.02	0.19	0.08	0.16	—	T	20
21	0.20	—	0.02	—	0.08	—	—	0.30	0.51	0.94	—	—	21
22	0.20	T	0.32	—	—	—	—	0.75	0.21	—	—	T	22
23	—	—	0.22	—	0.64	—	—	0.02	0.50	—	—	0.76	23
24	0.43	0.16	0.61	0.04	0.02	—	0.04	0.03	0.03	T	0.11	0.21	24
25	—	0.01	0.02	0.03	—	—	0.65	0.02	0.62	0.06	0.25	—	25
26	T	0.06	0.35	0.26	—	—	0.01	0.05	0.15	0.12	0.20	0.20	26
27	—	0.09	0.02	0.58	—	—	0.18	0.02	—	0.17	0.43	1.16	27
28	—	T	0.03	—	—	—	0.85	0.17	—	—	0.28	0.07	28
29	—	0.05	—	0.05	0.27	—	0.09	0.35	—	0.92	0.30	0.14	29
30	—	X	—	0.18	0.16	—	—	0.20	0.15	0.66	T	0.15	30
31	0.01	X	—	X	0.44	X	—	0.01	X	0.54	X	0.35	31
TOTAL	2.63	0.67	2.30	2.69	3.09	1.93	3.03	3.75	3.20	5.72	3.25	4.73	YEAR'S TOTAL
Days with 0.1 in. or more.	15	10	13	15	18	11	12	23	17	16	11	16	177
Days with 0.1 in. or more.	10	7	7	10	13	9	8	15	13	13	9	15	129

Section



for the entry of Daily Observations.

Feb corr by Observer

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Eastbourne 2 Bakerswell Road

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 75 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1 following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.88	—	0.03	0.06	—	—	—	0.33	0.17	—	0.44	0.03	1
2	0.58	0.04	—	0.12	—	—	0.12	—	—	—	0.88	—	2
3	0.81	0.02	—	0.01	0.31	—	0.23	—	—	—	0.26	—	3
4	0.10	—	—	—	0.25	—	—	T	—	0.08	0.25	—	4
5	—	0.08	—	0.35	0.08	—	T	0.20	0.35	—	0.22	—	5
6	—	0.07	—	0.25	0.24	—	0.33	0.05	0.03	—	0.65	—	6
7	—	0.20	—	—	0.03	—	0.01	—	—	—	0.04	0.02	7
8	0.16	0.02	—	—	0.22	—	—	—	—	T	—	0.06	8
9	—	0.09	—	0.01	—	—	—	0.01	0.09	—	—	—	9
10	—	T	0.10	—	—	—	—	0.30	0.14	—	0.11	—	10
11	—	0.10	0.02	—	0.02	—	—	—	—	—	0.17	—	11
12	0.01	0.42	—	—	—	—	—	T	—	0.01	—	—	12
13	0.02	0.60	0.14	0.16	—	—	—	—	—	0.01	T	—	13
14	0.30	—	T	0.42	—	—	—	—	—	—	—	—	14
15	0.21	0.03	—	0.02	—	—	—	—	—	0.18	—	—	15
16	0.08	0.13	—	—	—	—	—	—	0.10	0.29	T	—	16
17	T	—	—	—	—	—	0.02	—	0.11	—	—	—	17
18	0.01	T	—	0.01	T	—	0.07	0.04	—	0.07	—	0.06	18
19	T	0.01	—	0.22	0.01	0.02	—	0.02	0.04	1.04	—	0.32	19
20	—	—	0.09	—	—	—	0.01	T	1.37	0.29	—	0.45	20
21	—	—	T	—	—	—	0.05	T	0.31	0.28	—	1.22	21
22	—	0.18	T	0.05	0.03	—	1.49	0.30	0.35	0.66	—	0.52	22
23	T	0.14	0.06	0.28	0.35	—	—	0.37	—	0.77	—	0.19	23
24	0.62	1.03	0.25	0.04	0.15	0.11	—	0.13	—	0.16	0.05	0.34	24
25	0.01	0.70	—	0.04	—	—	T	—	0.39	0.03	0.01	0.06	25
26	0.03	0.15	—	0.05	0.08	T	0.12	0.02	—	0.42	—	0.30	26
27	0.21	—	—	0.20	1.02	—	1.03	—	—	0.02	0.07	0.18	27
28	0.08	0.06	—	0.03	0.03	—	0.02	—	0.02	—	—	0.36	28
29	0.08	X	—	0.14	0.06	—	0.40	—	0.03	—	0.13	1.25	29
30	—	X	—	0.26	—	—	0.60	—	—	—	0.01	0.48	30
31	0.07	X	—	X	—	X	0.28	—	X	—	X	—	31
TOTAL	4.26	4.07	0.69	2.72	2.88	0.13	4.78	1.77	3.50	4.31	3.29	5.84	37.74
Days with 0.1 in. or more.	18	19	7	20	15	2	15	11	14	15	14	16	166
Days with 0.4 in. or more.	13	15	5	15	10	1	11	8	11	11	12	14	126

(Signed) Chas. Harding F.R.Met.Soc.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Balswell Rd for 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The reading of 20 in.
reported for the 25th February
is less than at surrounding
stations, e.g.

Motcombe Gdns 71

Arundel Rd 77

West Lodge 68

Wilmington Sq. 60

It is suggested that the
reading for this day should
have been about 70 in. but
we should be glad to have
your comments.

78
8.10.26

REPLY.

Rainfall measurement at 2 Balswell Road
for Feb. 25 1925 should be 0.70 in.
making total for February 4.07 in.
+ total for Year 1925 38.24 in.

Thanks

The loss said by C.H. about this the better
for his credit!

Truly sorry to hear of Mr. Whipple's
sad accident

Chas. Harding
12th April 1926.

N.B.—This paper should be folded so as to bring
the printed address outside, and returned
immediately. Sealing is unnecessary and
defaces or causes a gap in the paper, which
is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Eastbourne - 2, Bakers Hill Road
 in the County of Sussex

Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 „ Ground „ Sea Level 7.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.45	0.57	—	—	—	0.70	—	—	0.02	—	0.07	—	1
2	0.05	T	T	—	—	0.57	0.03	—	0.09	—	0.01	—	2
3	0.40	0.89	0.15	—	—	—	—	0.01	—	—	—	—	3
4	0.10	0.16	0.13	0.08	—	—	0.27	—	—	—	0.16	—	4
5	0.08	0.03	0.11	—	0.56	—	0.45	—	0.06	—	0.18	0.20	5
6	0.08	0.23	T	0.39	—	0.08	0.10	0.04	—	—	0.01	0.04	6
7	0.16	0.06	—	0.06	0.04	0.10	—	—	0.37	—	0.10	0.02	7
8	—	0.01	—	0.11	—	0.02	—	T	—	0.10	0.45	—	8
9	—	0.02	0.03	—	—	0.50	—	—	T	0.02	0.55	—	9
10	—	—	—	—	0.01	0.18	0.03	0.19	—	0.17	0.01	—	10
11	—	0.03	—	—	0.16	0.21	—	0.21	0.02	0.13	0.30	—	11
12	—	0.02	—	—	0.11	0.01	—	—	0.02	0.26	T	—	12
13	0.03	—	—	—	—	—	—	0.04	0.01	0.09	1.45	0.09	13
14	0.10	0.01	—	0.18	0.03	0.04	—	—	0.02	0.66	0.06	0.09	14
15	0.01	0.04	—	0.52	—	—	—	—	—	0.30	0.29	—	15
16	0.01	0.31	—	0.27	—	—	—	1.12	—	0.04	0.02	—	16
17	0.23	0.78	—	0.02	0.08	0.69	—	—	—	—	0.14	0.04	17
18	0.28	0.11	—	0.34	0.13	—	0.27	0.25	—	—	0.69	—	18
19	—	—	—	0.02	0.20	—	0.63	0.02	—	—	0.53	0.02	19
20	—	—	—	0.33	—	—	—	0.21	—	0.13	0.70	—	20
21	—	0.01	—	0.01	—	—	0.02	0.04	—	0.01	0.70	—	21
22	0.49	—	—	0.32	0.02	—	—	—	—	—	0.17	0.12	22
23	0.10	—	—	T	—	—	—	—	—	0.12	—	—	23
24	0.02	—	—	—	—	0.18	0.10	—	T	0.63	—	—	24
25	0.13	—	—	0.23	—	—	0.13	—	T	0.08	0.21	0.07	25
26	—	0.01	—	0.01	—	—	0.07	—	0.03	—	0.25	—	26
27	0.02	0.04	0.07	0.13	0.03	T	0.02	—	0.09	0.22	0.03	—	27
28	0.76	—	—	0.02	0.03	—	0.31	—	0.02	0.34	0.13	0.01	28
29	0.19	—	0.01	0.62	0.54	—	—	—	—	0.15	0.06	—	29
30	0.12	X	—	0.07	0.23	—	0.07	—	—	—	0.05	—	30
31	0.30	X	—	X	0.06	X	—	0.12	X	—	X	—	31
TOTAL	4.11	3.33	0.50	3.73	2.23	3.28	2.50	2.25	0.75	3.45	7.32	0.70	YEAR'S TOTAL
Days with '01 in. or more.	22	18	6	19	15	12	14	11	11	17	26	10	181
Days with '04 in. or more.	17	10	4	14	10	10	10	9	4	15	21	7	131

Please read the Notes and Instructions Overleaf.

FORM A. 1. METEOROLOGICAL
REGISTER

EASTBOURNE (MEADS)

7
NIZATION.

WEST LODGE

SUSSEX

1921-30

Kept at West Lodge Meads

in the County of Sussex

by B. F. Beauford

11 JAN 1922

16 E

Gauge 5 in.

Ground 1 ft. 2 in.

Sea Level 120 ft.

IMPORTANT NOTE.—Rain sh

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.06		.05	.15	1
2											.36		2
3											.13		3
4											.87		4
5											.42	.05	5
6												.07	6
7													7
8													8
9									.09			.05	9
10									.34	.45			10
11									.30				11
12									.01			.11	12
13									.01	.02	.07	.03	13
14										.02		.40	14
15													15
16											.13	.03	16
17													17
18									.03			.04	18
19									.01	.02		.17	19
20										.15			20
21												.08	21
22										.55	.06	.23	22
23										.21		.17	23
24													24
25												.41	25
26												.14	26
27												.16	27
28									.04			.07	28
29									.05			.03	29
30		X									.20	.14	30
31		X		X		X							31
TOTAL									.09	.85	1.42	2.29	2.53
Days with ".01 in. or more									2	8	7	9	19
Days with ".04 in. or more									2	4	4	9	16

REGISTER OF RAINFALL IN 192/...

Kept at West Lodge Meadows Eastbourne
in the County of Surrex
by W. F. Beauford

Lat. 49.27 N Long. 0.16 E
Time of Observation 9.00
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 120 ft.

11 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.06		.05	.15	1
2											.36		2
3											.13		3
4											.87		4
5											.42	.05	5
6												.07	6
7													7
8													8
9									.09			.05	9
10									.34	.45			10
11									.30				11
12									.01			.11	12
13									.01	.02	.07	.03	13
14										.02		.40	14
15													15
16											.13	.03	16
17													17
18									.03			.04	18
19									.01	.02		.17	19
20										.15			20
21												.08	21
22										.55	.06	.23	22
23										.21		.17	23
24													24
25												.41	25
26												.14	26
27												.16	27
28								.04				.07	28
29								.05				.03	29
30		X									.20	.14	30
31		X		X		X			X		X		31
TOTAL								.09	.85	1.42	2.29	2.53	
Days with .01 in. or more								2	8	7	9	19	
Days with .04 in. or more								2	4	4	9	16	

TOTAL
25.4
7.18
45
337

REGISTER OF RAINFALL IN 1922.

Kept at West Lodge Dreads Eastbournein the County of Sussexby W. F. BeaufordLat. 49.27 Long. 0.16 ETime of Observation 9 a.m.Nearest Railway Station EastbourneDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in." " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.11	.06			.01	.01		.02		.60	.03	1
2		.36	.28	.37			.01		.17				2
3		.08	.03	1.19	.22		.03	.11		.04	.14		3
4		.25	.13	.01	.02		.04	.02		.34			4
5			.02	.04			.70		.04	.03	.37		5
6	.07		.15				.17	.49		.03	.26		6
7	.29		.55	.20			.01	.03			.02		7
8	.26		.02			.15	.31	.23			.30	.01	8
9	.09		.02	.01			.10	.21		.07			9
10	.05						.02		.04	.01	.14		10
11	.03				.01								11
12				.31				.05	.64				12
13				.29		.43	.14		.17				13
14				.01		.09	.17	.02	.32				14
15	.64	.22				.01						.01	15
16		.08		.11	.03		.10		.12			.23	16
17		.30			.26		.07		.02			.21	17
18	.38				.05				.03			.21	18
19	.70	.22			.04				.28	.13		.53	19
20	.09	.01	.01						.01			.10	20
21	.43	.43	.10	.11								.43	21
22		.24		.07				.27				.07	22
23		.083		.05			.01		.44				23
24	.16		.11	.03	.01	.13		.32					24
25	.12		.03	.33		.25	.02		.01			.20	25
26	.07	.21	.07	.22		.17	.21		.07		.02	.01	26
27	.44	.20	.03	.10				.36	.04	.02	.01	.21	27
28	.13	.05	.01	.02		.22				.04		.27	28
29	.35					.52	.06	.68		.26		.11	29
30	.01	X	.10				.03	.36	.12	.10	.15	.13	30
31	.06	X	.03	X		X		.12	X	.04	X	.31	31
TOTAL	4.38	2.69	1.75	3.47	.64	1.98	2.21	3.27	2.54	1.11	2.01	3.07	YEAR'S TOTAL
Days with 01 in. or more	20 8	15 2	18 9	18 5	8 4	10 2	19 8	14 3	17 5	12 4	10 3	17 4	29.12
Days with 04 in. or more	17	13	9	13	4	8	11	11	12	8	7	13	178 52
													126.

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at West Lodge, Meads Eastbourne
in the County of Sussex
by Miss Beauford

Lat. 49-27 Long. 0-16 E
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 120 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.14	.42			.14				.01	.28	.29	1
2	.26	.05	.05		.02					.28	.06	.35	2
3						.02				.76	.02	.02	3
4									.21		.02	.36	4
5	.34		.04	.01						.02	.56	.01	5
6	.25	.01	.08	.03	.04	.05				.25		.03	6
7	.23	.50	.23		.11					.67		.26	7
8	.05	.20	.02		.49					.37	.33	.07	8
9	.03	.03	.02	.02			2.20			.05	.09		9
10		.13		.26	.11		.36			.63		.07	10
11	.04			.14						.95		.02	11
12		.29	.54	.09	.59	.02				.16		.08	12
13	.05	.05	.13	.08	.09		.22				.50		13
14		.04	.12		.19				.67			.09	14
15	.01		.01	.01	.15	.31	.12		.15		.22		15
16		.13			.04						.34	.01	16
17		.12						.23	.40	.02			17
18	.08	.65		.07		.01		.47	.11	.26			18
19	.13	.05		.04	.01	.01		.04	.27	.14		.03	19
20	.02	.11	.05		.09			.01	.34	.18			20
21		.04	.16	.24				.10	.02	.35		.10	21
22		.78	.26	.07				.10	1.08	.16		.08	22
23		.15	.10		.18		.38	.29	.19	1.19	.14	.05	23
24		.10		.04				.12	.12	.57		.15	24
25		.30	.18	.98			.08	.07	.05	.44	.06	.69	25
26		.23	.05	.02	.09	.05		.25		.04		.31	26
27	.01	.09	.13		.06		.04	.27		.01		.29	27
28		.27	.01	.09	.55		.27	.01			.23	.01	28
29	.06			.13	.15		.05	.29				.31	29
30		X				.03	.10	.13		.25		.16	30
31		X		X		X	.12	.02	X	.17	X	.16	31
TOTAL	1.61	4.46	2.60	2.32	2.96	.64	3.94	2.40	3.61	7.93	2.85	4.00	YEAR'S TOTAL 39.32
Days with all in. or more	154	232	194	175	172	95	11	153	12X	244	132	257	2003
Days with all in. or more	11	21	15	12	15	4	11	12	11	20	11	18	167

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924.

Kept at West Lodge, Meads, Eastbourne
in the County of Sussex
by Miss Beaupre

Lat. 49.27 N Long. 0.16 E
Time of Observation 9. a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.02	.27	.08	.07			<u>1.30</u>	.09	1 WWR
2	.13		.32		.30	.03	.02	.27				.17	2 WWR
3			.06	.01	.18	.03	.32	.64		.01			3
4				.02		<u>.86</u>	.01					.44	4
5			.03		.04		.05			.17		.16	5
6								.07		<u>.87</u>			6
7	.03				.08	.11			.25	.48			7
8	.18	.15							.22	.11			8
9	.10	.09		.10	.02	.05							9
10	.19			.03	.27	.04			.07			.01	10 mist
11		.02		.33	.18	.26			.08		.22		11
12				.03	.01	.24		.02	.02		.14		12
13	.04			.49					.31		.04	.19	13
14	.01			.41				.15					14
15		.04		.01					.05			.40	15
16								.14				.21	16
17	.21						.69	.35					17
18	<u>.66</u>				.03	.01	.02			.03	.01		18
19	.02	.04				.05		.20		.32			19
20			.02		.20		.05	.09	.09	.19		.01	20
21	.25		.01		.12			.25	.35	.53			21
22	.21		.28					.65	.11				22
23			.18		<u>.60</u>			.05	.32			.79	23
24	.44	.15	.58	.07			.07	.03	.04		.10	.21	24
25		.01	.02	.04			.52	.04	.22	.05	.24		25
26		.01	.40	.42			.02	.10	.06	.11	.19	.15	26
27		.10	.01	.57			.17	.03		.18	.36	<u>1.24</u>	27
28			.04				<u>.71</u>	.16			.26	.09	28
29		.03		.19	.38		.07	.35		.83	.28	.10	29
30		X		.04	.22			.30	.16	.64		.41	30
31		X		X	.44	X		.01	X	.60	X	.33	31 899
TOTAL	2.47	.64	2.09	2.76	3.09	1.95	2.80	3.97	2.35	5.12	3.14	5.00	35.38
Days with .01 in. or more.	13	10	13	15	16	11	14	21	15	15	11	17	36
Days with .04 in. or more.	10	6	8	10	12	8	10	17	14	13	10	15	133

YEARS TOTAL
36
38
38
171
133
77

WEST LODGE

CIRC. F./M.O. 7

WENTHURPE ROAD,

EASTBOURNE

File No.

IR MINISTRY

Received 3 APR 1925

No. of attached

M07

with

enclosures

Initials if acknowledged

4th April 1925

Dear Sir

In answer to your letter received this morning I write to say I am extremely sorry for my stupid mistake. Of course the total is 35.38 inches & I send many apologies for the trouble ~~it~~^{you} have given.

Noted on 29/4/25

Yours faithfully
E. K. Beaupre



AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Read **Register of Rainfall in 1925.**

495

Kept at West Lodge Eastbournein the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in.,, Ground ,, Sea Level 120 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	-	.01	.04	-	-	-	.43	.21	-	.38	.01	1
2	.57	.04	-	.14	-	-	.12	-	-	-	.74	-	2
3	.84	.03	-	-	.24	-	.18	-	-	-	.20	-	3
4	.09	-	-	-	.24	-	-	.01	.03	.07	.07	-	4
5	-	.07	-	.31	.08	-	-	.16	.35	-	.22	-	5
6	-	.13	-	.31	.22	-	.32	.05	.03	-	.55	.01	6
7	-	.19	-	-	.04	-	-	-	-	-	.12	.01	7
8	.15	-	-	-	.23	-	-	-	.01	-	-	.05	8
9	-	.06	-	.01	-	-	-	.01	.10	-	-	-	9
10	-	-	.12	-	-	-	-	.24	.14	-	.20	-	10
11	-	.12	.01	-	-	-	-	-	-	-	.14	-	11
12	-	.39	-	-	-	-	-	-	-	.01	-	-	12
13	-	.53	.19	.16	-	-	-	-	.01	.01	-	-	13
14	.33	-	-	.41	-	-	-	-	-	-	-	-	14
15	.20	.06	-	.09	-	-	-	-	-	.14	-	-	15
16	.09	.08	-	-	-	-	-	-	.16	.35	-	-	16
17	-	-	-	-	-	-	.03	-	.06	-	-	-	17
18	-	.01	-	.02	-	-	.05	.02	-	.04	-	.08	18
19	-	.02	-	.15	.01	.02	-	.01	.05	.96	-	.30	19
20	-	-	.10	-	-	-	.01	-	1.58	.25	-	.34	20
21	-	-	-	-	-	-	.07	.01	.29	.23	-	1.20	21
22	-	.13	-	.08	.03	-	1.50	.37	.23	.76	-	.74	22
23	-	.13	.07	.24	.36	-	-	.39	-	.90	-	.16	23
24	.61	1.00	.03	.01	.15	.11	-	.11	-	.14	.05	.33	24
25	.01	.68	-	-	-	-	.02	-	.32	.01	-	.10	25
26	.04	.20	-	.03	-	-	.15	.06	-	.40	-	.30	26
27	.20	-	-	.15	.85	-	1.08	-	-	.02	.08	.19	27
28	.13	.05	-	.05	.02	-	.02	-	.01	-	-	.31	28
29	.08	-	-	.18	.06	-	.45	-	.02	-	.12	1.38	29
30	-	X	-	.29	-	-	.66	-	-	-	-	.33	30
31	.09	X	-	X	-	X	.34	-	X	-	X	-	31
TOTAL	4.18	3.92	.63	2.67	2.53	.13	5.00	1.87	3.60	4.29	2.87	5.84	37.53
Days with .01 in. or more.	15	13	7	18	13	2	15	13	17	15	12	17	163
Days with .04 in. or more.	X	3	2	X	8	X	X	5	8	X	12	3	26
	14	16	5	14	10	1	11	7	11	11	12	14	126

(Signed)

E. K. Beaupre

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

483

Kept at Eastbourne (Meads)
in the County of Sussex

Cor for Irish

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 2 in.
" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.55	-	-	-	.59	-	-	.01	-	.04	-	1
2	.07	-	-	-	-	.49	.04	-	.08	-	.01	-	2
3	.26	.40	.11	-	-	-	-	-	-	-	-	-	3
4	.09	.15	.15	.16	-	-	.10	-	-	-	-	-	4
5	.09	.02	.12	-	.59	-	.86	-	.04	-	.36	.22	5
6	.04	.23	.02	.37	-	.08	.12	.02	.01	-	.01	.08	6
7	.25	.03	-	.07	.04	.27	-	-	.22	-	.05	.02	7
8	-	.01	-	.08	-	.03	-	-	-	.02	.46	-	8
9	-	.06	.04	-	-	.40	-	-	-	.03	.34	.01	9
10	-	-	-	-	.01	.21	.04	.20	-	.17	-	-	10
11	-	.02	-	-	.14	.08	-	.57	.02	.27	.27	-	11
12	-	.02	-	-	.26	.01	-	-	.07	.33	-	-	12
13	<i>Snow</i> .01	-	-	-	-	-	-	.08	.06	.12	<u>1.35</u>	.14	13
14	<i>Snow</i> .11	-	-	.14	.01	.05	-	-	.02	.71	.06	.21	14
15	<i>Snow</i> .04	.03	-	.62	-	-	-	-	-	.32	.23	-	15
16	-	.35	-	.21	-	-	-	.71	-	.03	.04	-	16
17	<i>Snow</i> .18	.79	-	-	.07	.70	-	-	-	-	.08	.04	17
18	.27	.12	-	.37	.17	.01	.19	.12	-	-	.74	-	18
19	-	-	-	-	.10	-	.52	.03	-	-	.35	-	19
20	-	-	.01	.28	-	-	-	.21	-	.24	.87	-	20
21	-	-	-	-	-	-	.01	.07	-	.01	.78	-	21
22	.46	-	-	.44	-	-	-	-	-	-	.14	.14	22
23	.10	-	-	.02	-	-	-	-	-	.10	-	-	23
24	.01	-	-	-	-	.16	.05	-	-	.76	-	-	24
25	.11	-	-	.25	-	-	.13	-	.01	.07	.07	.06	25
26	-	-	-	-	-	-	.07	-	.02	-	.41	-	26
27	.02	.03	.05	.13	.04	-	.01	-	.10	.21	.11	-	27
28	.64	-	-	.05	.03	-	.35	-	.02	.31	.14	-	28
29	.07	-	-	.71	.61	-	-	-	-	.10	.06	-	29
30	.09	X	-	.07	.21	-	.04	-	-	-	.04	-	30
31	.23	X	-	X	.10	X	-	.10	X	-	X	-	31
TOTAL	3.52	3.31	.50	3.97	2.38	3.08	2.53	2.11	.68	~~3.80~~	7.01	.92	YEARS TOTAL
Days with "01 in. or more.	21	15	7	16	14	13	14	12	13	17	24	9	135
Days with "04 in. or more.	18	8	5	15	11	10	12	8	6	13	22	7	135

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

473
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at West-Lodge, Meads, Eastbourne
in the County of Sussex

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 2 in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.45	.02	.03	-	.08	.75	.44	-	.29	.15	-	1
2	.07	-	.05	.32	-	-	-	-	-	.02	.02	-	2
3	.22	.01	-	-	-	-	-	-	-	-	-	-	3
4	.03	-	.02	.10	-	-	.28	-	-	-	-	-	4
5	.21	.13	.14	.47	.28	.17	.01	.41	-	-	.47	-	5
6	.04	-	.42	.33	-	.13	.32	.14	.08	-	.23	-	6
7	.03	.25	.01	.36	-	.28	-	.46	-	-	-	-	7
8	.12	-	.05	.10	-	-	.02	.17	.05	-	.31	-	8
9	-	-	.05	.26	-	-	.04	.11	.21	-	-	-	9
10	-	-	-	-	-	-	.08	-	.34	-	.01	-	10
11	.03	-	-	-	-	.08	-	.04	-	-	-	-	11
12	.04	-	-	-	-	-	.01	-	-	.04	-	-	12
13	.06	-	-	-	-	-	.12	.50	.41	.01	.05	.14	13
14	.01	.02	-	.10	-	-	.37	.02	1.21	-	-	.50	14
15	.15	-	-	-	-	-	.04	.25	.42	~~.42~~	.01	-	15
16	.21	-	-	-	.05	.01	.01	-	.55	-	-	-	16
17	.43	.02	.18	-	-	.43	-	.12	.22	-	-	.01	17
18	.71	-	.04	-	-	.41	-	.12	.08	-	.15	-	18
19	.01	.17	-	-	-	.02	.01	.18	-	.03	.10	-	19
20	.21	.15	-	-	-	-	.19	1.12	.05	-	.54	.26	20
21	.07	.14	-	-	.18	-	.01	.04	.04	.24	.30	.70	21
22	.23	.03	.42	-	-	.09	.01	.10	.20	.55	-	.40	22
23	.01	.21	.52	-	-	.21	-	-	.54	-	.16	.28	23
24	-	.13	.33	-	-	.13	.07	.06	.24	.02	.07	.57	24
25	-	.43	.40	-	-	.05	-	-	.30	.04	-	1.04	25
26	.04	.65	.06	-	.07	.09	.01	-	.18	-	-	.72	26
27	.01	.24	-	-	.25	.15	.12	-	-	.08	.01	-	27
28	.26	.05	.09	.01	-	.07	-	-	-	.04	.20	-	28
29	.16	-	.33	-	-	.27	-	.01	.53	-	.66	-	29
30	.32	X	.03	-	-	.94	-	-	.11	.10	-	-	30
31	.09	X	.67	X	-	X	.04	-	X	.12	X	.07	31
TOTAL	3.17	3.08	3.83	2.08	.83	3.61	2.51	4.29	5.76	1.58	3.44	4.69	YEARS TOTAL
Days with ".01 in. or more.	26 X	16 X	19 X	10 X	5	18 X	20 X	18 X	19	13 X	17 X	11 X	1912
Days with ".04 in. or more.	19	12	15	8	5	16	12 X	16	19	9	13	10	1534

Section **A**

for the entry of Daily Observations.

487
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at West Lodge, Ince, Eastbourne
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	.16	.08	-	-	-	-	-	-	.40	-	1
2	.92	.43	.01	-	-	-	-	-	-	-	.29	-	2
3	-	-	-	.20	.06	-	.38	.57	-	-	.26	-	3
4	.07	.07	-	.18	-	.03	-	.01	-	-	-	-	4
5	-	.18	.08	-	-	.01	.04	-	-	-	.07	.05	5
6	-	-	-	-	-	.31	-	-	-	-	-	.22	6
7	.06	.08	.04	.10	-	.15	-	.06	-	-	-	-	7
8	.01	.04	.12	-	-	.60	.03	-	.01	.28	.01	-	8
9	.01	.09	.16	.02	-	.10	-	-	.05	.30	-	.07	9
10	.07	.14	-	.25	.01	-	-	-	-	.50	.25	-	10
11	.05	.01	-	.06	-	.04	-	-	-	1.18	.14	.20	11
12	.32	.37	.09	.09	-	-	-	-	-	.20	.02	.03	12
13	-	.16	-	-	-	1.21	-	-	-	-	.28	-	13
14	.23	.26	-	.30	.07	.12	-	.13	-	.54	.81	-	14
15	.30	-	-	.53	.03	-	-	-	-	-	.76	-	15
16	-	.06	-	.16	.15	-	-	-	-	.04	.59	.28	16
17	-	-	-	-	.29	-	-	-	-	.24	-	-	17
18	.84	-	-	-	.04	.10	-	-	-	.61	-	.01	18
19	-	-	-	-	.39	.05	-	.10	-	.39	.07	.21	19
20	.09	-	-	-	-	-	-	.08	-	.94	.02	.10	20
21	.10	-	.24	.01	.54	-	-	-	-	.99	.28	-	21
22	-	-	.12	-	-	-	-	.03	-	.44	.36	.12	22
23	.37	-	.05	-	.09	-	-	.01	.03	.12	.16	-	23
24	.07	-	-	-	.06	-	-	.01	.07	.23	.01	.16	24
25	.32	-	-	-	-	.07	-	.04	.07	.29	.05	.12	25
26	.30	-	-	-	-	.02	.01	.12	-	.70	-	.15	26
27	-	-	.03	-	-	-	.70	.01	.03	.03	-	1.05	27
28	.65	-	-	.03	-	-	-	-	.28	-	-	.17	28
29	.07	.12	.78	.08	-	-	.12	-	.01	.25	.04	.20	29
30	-	X	.12	.09	.02	.03	.13	-	-	.09	-	.04	30
31	.10	X	.48	X	-	X	.16	-	X	-	X	.05	31
TOTAL	4.98	2.01	2.48	2.18	1.75	2.84	1.57	1.17	.55	8.36	4.87	3.23	YEAR'S TOTAL
Days with .01 in. or more.	21	13	14	15	12	14	8	12	8	20	20	18	175
Days with .04 in. or more.	18	12	12	12	9	10	6	7	4	19	16	16	34

REGISTER OF RAINFALL IN 1929.

Kept at West Lodge, Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 120 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.03	-	-	-	-	-	.11	-	.29	-	-	1
2	.01	.40	-	-	-	.30	.18	-	-	.57	.16	.33	2
3	-	-	-	-	-	.01	.22	-	-	.34	-	.43	3
4	-	-	-	.11	.16	.21	.01	.08	-	.25	-	.27	4
5	-	-	-	.05	.53	.49	.05	.70	-	.20	.02	.32	5
6	-	-	-	-	.21	.05	.02	.37	-	.30	.10	.45	6
7	-	-	-	-	.04	.15	-	-	-	.30	.47	.14	7
8	-	-	-	-	-	.09	-	-	-	.38	.01	.90	8
9	.04	.34	-	.06	.09	-	-	-	-	-	-	.28	9
10	-	-	-	.03	-	-	-	.01	-	.13	.12	.68	10
11	-	-	-	.09	-	-	-	-	-	-	.75	.05	11
12	-	-	-	.04	.32	.25	-	-	-	-	.46	-	12
13	-	-	-	-	.12	.03	-	.01	-	.01	.36	.14	13
14	-	-	-	-	.36	.03	-	-	-	-	-	.18	14
15	.04	.01	-	.07	-	.52	-	-	-	-	1.66	.12	15
16	.03	-	-	-	-	-	-	.41	-	-	.23	-	16
17	.06	-	-	-	-	-	-	-	-	.18	-	-	17
18	.03	-	-	-	-	-	-	-	-	-	.16	-	18
19	-	-	-	-	-	-	-	-	.02	.01	.02	-	19
20	.01	-	.01	-	-	-	.11	.01	-	.67	-	-	20
21	.15	-	-	-	-	-	-	.10	-	-	-	.65	21
22	-	-	-	-	-	-	-	.02	-	-	.06	.54	22
23	-	-	-	-	-	-	-	-	-	-	.26	.25	23
24	-	.05	.02	-	-	-	-	-	-	.40	.62	.21	24
25	-	.15	.02	-	-	-	.01	-	-	.44	.24	.21	25
26	-	.01	-	.10	.05	-	-	-	-	-	.30	.09	26
27	-	-	-	-	.08	-	-	-	-	.01	.80	.07	27
28	.24	-	-	.03	-	-	.46	-	-	.49	.46	.38	28
29	.24	-	-	.41	-	.05	-	-	.74	-	.16	.05	29
30	.03	X	-	-	-	.37	.03	-	.16	-	.19	.86	30
31	.24	X	-	X	-	X	.07	-	X	-	X	.01	31
TOTAL	1.16	.99	.05	.99	1.98	2.55	1.16	1.82	.92	4.97	7.61	7.61	YEAR'S TOTAL 31.81
Days with ".01 in. or more.	13	7	3	10	10	13	10	10	3	17	22	24	142
Days with ".04 in. or more.	8	4	-	8	10	10	6	6	2	14	19	23	110

Section **A** for the entry of Daily Observations.

537
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923

Kept at West Lodge, Mares, Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
Ground „ Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.20	-	.22	-	.02	-	-	-	-	.93	-	1
2	-	.10	-	.02	-	-	.04	.24	-	-	.63	-	2
3	.06	.37	-	.46	-	-	-	1.04	-	.08	-	-	3
4	.06	.13	-	-	-	-	-	.04	.05	.17	-	-	4
5	.16	-	-	.02	.12	-	-	.35	-	-	-	-	5
6	-	.06	.03	-	.02	-	-	.72	.27	.88	-	-	6
7	.08	.18	-	-	-	-	-	.02	-	.08	.54	.07	7
8	.19	-	.01	-	.05	-	-	-	-	-	-	.64	8
9	.19	-	-	-	.34	-	.06	-	.04	-	.04	.11	9
10	.30	-	.19	-	.37	-	-	.07	-	-	-	.14	10
11	.21	.04	-	-	.01	-	.01	.02	-	.06	-	.52	11
12	.17	.02	-	.11	.10	.02	-	-	-	-	-	.15	12
13	.05	-	.04	.07	.16	.06	.20	.42	.65	-	-	-	13
14	.01	.08	.01	.02	-	-	.04	-	.01	-	-	-	14
15	.03	.11	.43	.01	.01	-	.46	-	-	.08	.16	-	15
16	-	-	.01	-	-	-	-	-	.44	-	-	.02	16
17	-	.02	.35	.01	-	.06	.03	-	.11	.03	-	-	17
18	-	-	.45	.03	.02	-	.01	-	.11	-	.32	.08	18
19	-	-	.20	.10	-	-	-	.01	.75	.10	.48	.02	19
20	-	-	-	-	.15	-	1.01	.08	.24	.66	.91	.01	20
21	-	-	-	-	-	-	-	.28	-	.08	.54	-	21
22	-	-	-	.10	.22	-	-	.26	.09	.42	.74	-	22
23	.01	.01	.37	.12	-	.27	-	.02	.02	-	.04	.16	23
24	.32	.23	-	-	.29	.05	-	-	-	-	.40	.35	24
25	.14	.04	-	.03	.19	-	-	-	-	-	.42	-	25
26	.20	-	-	-	.11	.28	.04	-	.15	-	.21	.16	26
27	-	-	-	-	-	-	-	-	-	.09	.40	.19	27
28	.01	-	-	-	-	-	.02	-	.47	.03	.14	.07	28
29	.26	-	-	-	-	-	.10	-	.04	.02	.71	.02	29
30	.14	X	-	-	.34	.01	.05	-	-	-	-	.74	30
31	.40	X	.12	X	.10	X	-	.01	X	.15	X	.10	31
TOTAL	3.09	1.59	2.21	1.32	2.60	.77	2.07	3.56	3.44	2.88	7.61	3.55	YEARS TOTAL
Days with ".01 in. or more.	21	14	12	14	17	8	13	15	15	15	14	18	179
Days with ".04 in. or more.	17	11	8	7	13	5	9	10	13	11	17	14	135

EASTBOURNE

ORGANIZATION.

Kept at MOTCOMBE GARDENS

(MOTCOMBE GARDENS)

in the County of SUSSEX

SUSSEX

by BOROUGH ENGINEERS

IMPORTANT NOTE.—Rain

1921-30

If an Observer prefers not to continue the reading at 9 a.m. on 1st January of the following year, he should enter in this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

A.M.
EASTBOURNE L.B.&S.C.R.Y.
Rain Gauge 11 in.
Above Ground 1 ft. 7 in.
Sea Level 59 ft.
entered to the previous day.

requested to add
at the end of

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.320		0.028						0.030		0.042	0.144	1
2	0.005				0.050			0.015			0.312		2
3	0.090		0.148		0.045			0.175			0.125		3
4	0.020				0.080			0.184			0.654		4
5						0.073		0.198			0.562	0.040	5
6	0.210		0.055		0.082							0.041	6
7	0.170	0.015			0.298			0.080					7
8	0.065		0.075	0.038									8
9			0.010	0.005									9
10	0.605	0.070	0.015						0.270	0.398			10
11	0.165				0.055				0.320			0.032	11
12	0.190		0.076					0.113	0.010			0.100	12
13	0.160		0.077	0.455				0.004	0.022	0.019	0.148	0.037	13
14			0.070					0.100	0.010	0.027		0.444	14
15				0.038	0.070								15
16	0.055		0.015	0.400				0.070			0.133	0.010	16
17	0.110		0.170	0.120			0.170	0.400					17
18	0.020								0.030			0.012	18
19			0.273	0.015		0.085				0.015		0.150	19
20			0.110							0.040			20
21	0.030										0.089	0.067	21
22							0.008			0.435		0.327	22
23				0.173			0.010	0.095		0.170		0.190	23
24												0.073	24
25	0.047	0.490										0.287	25
26	0.028		0.010		0.005							0.140	26
27	0.014			0.055				0.010				0.140	27
28	0.011		0.307				0.154	0.044				0.040	28
29	0.015		0.135		0.180		0.058	0.032				0.017	29
30	0.113	X			0.052						0.200	0.125	30
31	0.315	X		X	0.032	X			X		X		31
TOTAL	2.758	0.575	1.574	1.299	0.949	0.158	0.400	1.520	0.692	1.104	2.265	2.416	YEAR'S TOTAL
Days with 0.1 in. or more	29	3	16	8	10	2	4	13	7	7	9	20	15710
Days with 0.4 in. or more	14	2	11	5	9	2	3	10	2	4	9	15	86

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921.

Kept at MOTSONBE GARDENS, EASTBOURNE

in the County of SUSSEX

by BOROUGH ENGINEERS DEPT., EASTBOURNE

Lat. _____ Long. _____

Time of Observation 9 A.M.

Nearest Railway Station EASTBOURNE L.B.&S.C.R.

Diameter of Funnel of Rain Gauge 11 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 5.9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.320		0.028						0.030		0.042	0.144	1
2	0.005				0.050			0.015			0.312		2
3	0.090		0.148		0.045			0.175			0.125		3
4	0.030				0.080			0.184			0.654		4
5	0.010					0.073		0.198			0.562	0.040	5
6	0.210		0.055		0.082							0.041	6
7	0.170	0.015			0.298			0.080					7
8	0.065		0.075	0.038									8
9			0.010	0.005									9
10	0.605	0.070	0.015						0.270	0.398			10
11	0.165				0.055				0.320			0.032	11
12	0.190		0.076					0.113	0.010			0.100	12
13	0.160		0.077	0.455				0.004	0.022	0.019	0.148	0.037	13
14			0.070					0.100	0.010	0.027		0.444	14
15				0.038	0.070								15
16	0.055		0.015	0.400				0.070			0.133	0.010	16
17	0.110		0.170	0.120			0.170	0.400					17
18	0.020								0.030			0.012	18
19			0.273	0.015		0.085				0.015		0.150	19
20			0.110							0.040			20
21	0.030										0.089	0.067	21
22							0.008			0.435		0.327	22
23				0.173			0.010	0.095		0.170		0.190	23
24												0.073	24
25	0.047	0.490										0.287	25
26	0.028		0.010		0.005							0.140	26
27	0.014			0.055				0.010				0.140	27
28	0.011		0.307				0.154	0.044				0.040	28
29	0.015		0.135		0.180		0.058	0.032				0.017	29
30	0.113	X			0.052						0.200	0.125	30
31	0.315	X		X	0.032	X			X		X		31
TOTAL	2.758	0.575	1.574	1.299	0.949	0.158	0.400	1.520	0.692	1.104	2.265	2.416	YEAR'S TOTAL
Days with "01 in. or more	2x2	3	16	8	10	2	4	13	7	7	9	20	15.710
Days with "04 in. or more	14	2	11	5	9	2	3	10	2	4	9	15	86

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Eastbourne.

in the County of Sussex

by L. Roseveare M. Inst. C.E.

Borough Engineer

Lat. 50° 46' Long. 0° 17' E.

Time of Observation Chart 9 Am 15 9 Am.

Nearest Railway Station Eastbourne.

Diameter of Funnel of Rain Gauge 11 in.

Height of top of Gauge above Ground 1 ft. 7 in.

Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.095	.083			.010	.020		.022		.566	.026	1
2		.394	.271	.330	.004		.002		.044				2
3		.050	.025	<u>1.070</u>	.195		.056	.042		.026	.138		3
4		.186	.118		.014		.070			.299			4
5		.060	.012	.037			.725			.035	.335		5
6	.098		.107				.060	.465		.082	.310		6
7	.270		.497	.180			.015	.034			.008		7
8	.240		.008			.188	.318	.154			.225	.011	8
9	.064			.013			.055	.628	.004	.047			9
10	.068						.004		.038		.130		10
11	.035												11
12				.306				.057	.687				12
13						.460	.092		.147				13
14				.287			~~.248~~ ^{.84}	.005	.314				14
15	.550	.252					.002					.019	15
16		.050		.062	.012		.048		.121			.263	16
17		.213			.238		.086	.014	.022			.243	17
18	.377				.010			.005	.024			.182	18
19	.647	.260	.008		.064				.346	.158		.501	19
20	.050	.007	.010									.074	20
21	.425	.379	.120	.080					.002			~~.468~~ ^{.86}	21
22		.172	.028	.070		.020		.294				.090	22
23		.030		.026					.641	.005		.004	23
24	.160		.118	.633	.005	.170		.318		.010		.004	24
25	.120		.065	.389		.190	.010					.150	25
26	.053	.235	.050	.227		.290	.205		.070		.013		26
27	.455	.233	.038	.174				.299	.040	.020	.002	.125	27
28	.116	.052		.030		.230				.033		.283	28
29	.288					~~.280~~ ^{.280}	.050	.572		.250		.068	29
30	.010	X	.105				.030	.324	.150	.130	.125	.114	30
31	.026	X	.022	X		X		.135	X	.033	X	.278	31
TOTAL	4.052	2.662	1.685	3.314	0.542	1.838	2.132	3.346	2.672	1.128	1.852	2.886	YEAR'S TOTAL
Days with 0.1 in. or more	19	15	16	16	6	9	16	13	14	12	89	16	160
Days with 0.4 in. or more	16	14	10	11	3	7	12	11	10	86	7	13	119

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at EASTBOURNE
in the County of SUSSEX
by L. ROSEVEARE M. INST. CE

Lat. 50° 46' Long. 0° 17' E
Time of Observation Chart 9 AM to 9 PM
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 11 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.155	.292			.150				.012	.271	.432	1
2	.218	.037	.038		.055					.210	.073	.272	2
3					.008	.014				.794	.018	.020	3
4									.238			.480	4
5	.329		.007	.010		.010				.040	.496	.011	5
6	.346	.011	.068	.026	.025	.069				.082		.035	6
7	.131	.518	.200		.090					.725		.261	7
8	.024	.218	.047		.498	.010				.335	.400	.010	8
9	.042	.017	.019	.013			1.980			.045	.096		9
10		.139		.252	.140		.284			.410		.070	10
11	.042			.142	.024					.914		.020	11
12		.289	.506	.100	.519					.178		.060	12
13	.050	.049	.114	.076	.055	.023	.182				.539		13
14		.030	.109		.205				.720			.066	14
15				.015	.191	.274	.186	.004	.123		.230		15
16		.015			.045						.410		16
17		.180					.046	.496	.312	.010	.003		17
18	.094	.456		.058				.280	.202	.138			18
19	.097	.041		.028		.020		.030	.422	.175			19
20	.008	.157	.055		.085			.028	.331	.089		.025	20
21		.029	.151	.217		.005		.079	.020	.293		.100	21
22	.005	.650	.273	.038				.225	.872	.100		.045	22
23		.150	.093		.095		.390	.354	.265	.1492	.032	.038	23
24		.047						.194	.133	.525		.140	24
25		.282	.233	.985		.045	.060	.068	.089	.385	.020	.654	25
26		.228	.053	.017	.065			.268		.026	.028	.303	26
27		.127	.127		.050		.060	.130		.002		.193	27
28		.297	.003	.173	.540		.264	.170		.039	.196		28
29	.048	X		.118	.190		.045	.314				.256	29
30		X				.015	.074	.075		.250	.005	.112	30
31		X		X		X	.092	.010	X	.149	X	.133	31
TOTAL	1.434	4.122	2.388	2.268	2.880	0.639	3.663	2.725	3.727	7.418	2.817	3.736	YEAR'S TOTAL 37.813
Days with 0.1 in. or more	13	23	17	16	18	10	12	15	12	24	14	23	197
Days with 0.4 in. or more	10	18	15	10	15	4	12	12	11	21	9	18	155

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at EASTBOURNE
in the County of SUSSEX
L. ROSEVEARE. O.B.E. MINSTER
by BOROUGH ENGINEER, EASTBOURNE

Lat. 50° 46' Long. 0° 17' E
Time of Observation Chart 9 AM - 9 AM
Nearest Railway Station EASTBOURNE
Diameter of Funnel of Rain Gauge 11 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 59 ft.

20 MAR 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.128	.004	.003	.297	.096	.033			<u>1.319</u>	.108	1
2	.160		.330		.345	.014	.020	.130				.128	2
3			.138	.010	.204	.034	.269	.660					3
4				.021		.947				.009		.475	4
5			.033		.040					.152		.092	5
6							.050	.077		.139			6
7	.026				.071	.083		.008	.138	.431			7
8	.123	.120			.093				.163	.130			8
9	.108	.070		.050	.028	.051			.030				9
10	.302		.003	.063	.326	.036			.051			.018	10
11		.016		.384	.282	.237			.155		.198		11
12				.040	.016	.200		.339	.012		.143		12
13	.030			.403					.398		.020	.241	13
14	.011			.386				.184					14
15		.045		.020					.065			.432	15
16								.143	.012			.160	16
17	.210						.855	.248					17
18	.495	.027			.020	.023				.025	.016		18
19	.038					.034		.132		.233		.006	19
20			.034		.176		.037	.283	.440	.165			20
21	.208		.018		.093			.270	.110	.893			21
22	.205		.288		.012			.659	.273				22
23		.010	.218		.447			.092	.500			.766	23
24	.711	.156	.490	.040	.173		.033		.083		.111	.216	24
25		.011	.003	.050			.510	.020	.638	.050	.258		25
26		.018	.271	.311			.012	.063	.147	.122	.193	.155	26
27		.082	.007	.566			.159	.013		.177	.405	.1296	27
28			.030				.950	.190			.296	.080	28
29		.046		.126	.287		.090	.479	.027	.942	.290	.124	29
30		X		.102	.174			.343	.180	.692		.265	30
31		X		X	.460	X		.008	X	.597	X	.320	947 31
TOTAL	2.327	0.601	1.991	2.576	3.250	1.956	3.081	4.174	3.422	5.757	3.249	4.882	37.266
Days with 01 in. or more	13	11	11	15	18	11	12	19	18	14	11	16	169
Days with 04 in. or more	9	6	7	12	14	6	8	16	14	13	9	15	129
													YEAR'S TOTAL

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

Register of Rainfall in 1925.

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground 1 ft. 7 in.

Ground Sea Level 59 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.973		.032	.058				.350	.158		.426	.016	1
2	.659	.030		.135							.837		2
3	.859	.020			.310		.221				.180		3
4	.125				.236			.005	.020	.083	.139		4
5		.073		.314	.049		.006	.201	.400		.340		5
6		.097		.280	.280		.318	.043	.022		.600		6
7		.197			.044		.123				.032	.010	7
8	.180				.207							.047	8
9		.095		.020				.011	.100				9
10			.129					.227	.152		.118		10
11		.071	.010		.014						.152		11
12	.010	.501								.011			12
13	.020	.617	.165	.171					.008	.013			13
14	(machine 300 and of order)			.432									14
15	.180	.040		.030						.122			15
16	.080	.132							.101	.310			16
17							.012		.117				17
18	.007			.026	.002		.063			.068		.050	18
19		.016		.209	.010	.023		.003	.058	.067		.348	19
20			.093				.009		.1522	.286		(machine 100 and of order)	20
21							.050	.223		.285		.960	21
22		.153	.010	.029	.022		.1491	.324	.373	.570		.536	22
23		.150	.069		.388			.395		.006		.190	23
24	.627	.1043	.231	.041	.170	.099		.108		.185	.044	.301	24
25		.707		.042			.018	.415		.023		.010	25
26	.026	.150		.161	.081	.013	.073	.030		.423		.286	26
27	.198			.158	.981		.153	.060		.003	.079	.117	27
28	.086	.050		.058	.085		.021		.012			.334	28
29	.080			.157	.067		.413		.015		.130	(machine 550 but of order)	29
30		X		.253			.510					.478	30
31	.079	X		X		X	.342			X		X	31
TOTAL	4.489							1.757	3.696			5.333	970
Days with .01 in. or more.	17						15	10	16			16	162
Days with .04 in. or more.	13						11	8	11			11	125
	12	15	5	14	12	1	11	10	8	11	11	13	122

+ NOTE No Record on 3 Days.

(Signed)


John G. G. G.

M. J. T. C. E.

BODDUGH ENGINEER.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Eastbourne 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

To bring your returns of rainfall and duration of rainfall for 1925 into accord with surrounding stations it will be necessary to adopt the following values for the days when the gauge was not working.

	Rainfall INS	Duration HRS
Jan 14	.30	12.0
Dec 20	.40	10.0
" 29	1.25	15.0

The entries on your returns for August 21st and 25th appear to be appropriate to September 21st and 25th and have been transferred accordingly.

The corrected totals for the months that have been amended are as follows.

	Rainfall INS	Duration HRS
January	4.489	88.5
August	1.757	30.4
September	3.696	44.2
December	5.333	85.2
Year	38.166	603.7

Will you please say if you concur in these amendments?

REPLY.

Noted.

Your Transfer Correct.

Leche Foreman
Super.
Borough Engineer
 Town Hall
 Eastbourne

7.4.26.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

485

Kept at EAST BOURNE
in the County of SUSSEX
Diameter of Funnel of Gauge 11 in.
Height of top of Gauge above Ground 1 ft 7 in.
" Ground " Sea Level 59 ft.

Corr by surr stns.
to agree with Obs totals.
Observer informed
ence GA file 756364/27
and concup encl 10A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.390	.501				.592			.023		.074		1
2	.079					.638	.026		.089		.003		2
3	.271	.847	.193					.010					3
4	.111		.170	.088			.240						4
5	.076	.122	.103		.716		.411		.046		.345	.204	5
6	.033	.220		.339		.074	.102	.036	.020			.035	6
7	.145	.056		.040	.037	.205			.370		.098	.019	7
8				← .112		.014				.048	.415		8
9		.019	.046			.480		.003		.075	.225		9
10						.193	.027	.190		.080	.003		10
11		.021			.108	.202		.222	.020	.226	.299		11
12		.018			.109	.008			.041	.331			12
13								.040	.038	.098	.323	.043	13
14				.152	.020	.040				.640	.075	.178	14
15	.154	.031		.602					.018	.295	.261		15
16	.017	.340		.225				.996		.030	.023		16
17	.116	.716		.021	.072	.677					.089	.045	17
18	.229	.115		.337	.123	.010	.251	.240			.756		18
19					.188		.616	.004			.364	.010	19
20				.296				.260		.133	.1010		20
21		.004					.020	.082			.640		21
22	.488			.310	.018						.116	.110	22
23	.068			.006						.111			23
24						.168	.103			.655			24
25	.140			.231			.009			.274	.034	.060	25
26							.176		.030		.402		26
27	.023	.040	.068	.102	.021		.020		.085	.216	.028		27
28	.580			.042	.022		.322		.019	.334	.115		28
29	.190			.653	.546					.200	.078		29
30	.104	X		.061	.212		.060				.050		30
31	.203	X		X	.076	X		.102	X		X		31
TOTAL	3.417	3.050	.580	3.617	2.268	3.301	2.383	2.185	.799	3.746	6.826	.704	32.876 ✓
Days with 01 in. or more.	19	13	5	16	14	12	13	10	12	16	22	9	161 164
Days with 04 in. or more.	16	9	5	15	8	10	9	8	5	15	19	6	126 129

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

475
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

*Jan 1st, 2nd, Feb 26th August 1928
adjusted for surrounding
Station. Observer
informed each 19A file
and agrees each 21A 756364/29*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.055</i>	<i>1.498</i>	<i>0.15</i>	<i>0.18</i>		<i>0.79</i>	<i>0.90</i>	<i>3.50</i>			<i>1.82</i>	<i>F</i>	1
2	<i>0.5</i>		<i>0.66</i>	<i>2.89</i>						<i>0.25</i>	<i>0.27</i>		2
3	<i>2.18</i>												3
4	<i>0.12</i>		<i>0.25</i>	<i>1.15</i>			<i>2.90</i>				<i>0.07</i>		4
5	<i>2.65</i>	<i>1.58</i>	<i>1.45</i>	<i>5.33</i>		<i>2.01</i>	<i>0.10</i>	<i>4.84</i>			<i>4.65</i>		5
6	<i>0.36</i>		<i>5.40</i>			<i>0.81</i>	<i>3.35</i>	<i>1.38</i>	<i>0.79</i>		<i>2.31</i>		6
7	<i>0.30</i>	<i>2.40</i>	<i>0.17</i>	<i>3.31</i>		<i>3.00</i>		<i>3.00</i>					7
8	<i>1.38</i>		<i>0.35</i>	<i>1.30</i>			<i>0.08</i>	<i>2.13</i>	<i>0.70</i>		<i>2.20</i>		8
9			<i>0.30</i>	<i>2.58</i>			<i>0.92</i>	<i>1.08</i>	<i>1.75</i>				9
10							<i>1.05</i>		<i>2.72</i>				10
11	<i>0.15</i>					<i>0.62</i>		<i>0.40</i>					11
12	<i>0.51</i>	<i>0.04</i>	<i>0.17</i>				<i>0.01</i>			<i>0.22</i>	<i>0.15</i>		12
13	<i>1.05</i>	<i>0.04</i>					<i>0.60</i>	<i>5.00</i>	<i>5.35</i>	<i>0.05</i>	<i>0.38</i>	<i>1.45</i>	13
14				<i>1.09</i>			<i>4.00</i>	<i>0.62</i>	<i>1.359</i>			<i>5.72</i>	14
15	<i>1.32</i>				<i>0.05</i>		<i>0.55</i>		<i>1.10</i>				15
16	<i>2.32</i>				<i>0.84</i>		<i>0.01</i>	<i>1.65</i>	<i>8.10</i>				16
17	<i>2.87</i>		<i>2.36</i>			<i>4.30</i>		<i>0.70</i>	<i>3.24</i>				17
18	<i>1.21</i>		<i>0.28</i>			<i>5.26</i>		<i>1.25</i>	<i>0.84</i>		<i>1.52</i>		18
19		<i>1.46</i>				<i>0.26</i>		<i>1.12</i>		<i>0.55</i>	<i>1.33</i>		19
20	<i>3.32</i>	<i>1.48</i>					<i>2.20</i>	<i>1.294</i>	<i>0.50</i>	<i>0.13</i>	<i>4.90</i>	<i>3.42</i>	20
21	<i>0.62</i>	<i>1.85</i>	<i>0.10</i>		<i>1.80</i>			<i>0.55</i>	<i>0.53</i>	<i>2.80</i>	<i>3.50</i>	<i>8.28</i>	21
22	<i>2.74</i>	<i>0.28</i>	<i>4.21</i>			<i>1.22</i>	<i>0.12</i>	<i>0.88</i>	<i>2.15</i>	<i>7.25</i>		<i>4.08</i>	22
23	<i>0.10</i>	<i>2.00</i>	<i>5.60</i>			<i>0.88</i>			<i>6.65</i>		<i>0.90</i>	<i>2.20</i>	23
24		<i>1.26</i>	<i>3.52</i>			<i>2.32</i>	<i>0.67</i>	<i>0.54</i>	<i>0.35</i>	<i>0.26</i>		<i>7.38</i>	24
25		<i>3.35</i>	<i>3.40</i>			<i>0.47</i>		<i>0.05</i>	<i>2.55</i>	<i>0.88</i>		<i>1.052</i>	25
26	<i>0.46</i>	<i>0.5</i>	<i>0.45</i>		<i>0.14</i>	<i>1.02</i>	<i>0.06</i>		<i>1.80</i>			<i>6.36</i>	26
27	<i>0.35</i>	<i>2.50</i>			<i>2.88</i>	<i>1.80</i>	<i>1.40</i>			<i>1.05</i>			27
28	<i>1.60</i>	<i>0.54</i>	<i>1.36</i>	<i>0.18</i>		<i>0.92</i>	<i>0.08</i>				<i>2.23</i>		28
29	<i>2.12</i>		<i>3.74</i>			<i>2.95</i>		<i>0.15</i>			<i>6.42</i>		29
30	<i>3.35</i>	<i>X</i>	<i>0.08</i>			<i>8.51</i>	<i>0.12</i>		<i>0.47</i>	<i>1.00</i>			30
31		<i>X</i>	<i>7.72</i>	<i>X</i>		<i>X</i>	<i>0.50</i>		<i>X</i>	<i>1.20</i>	<i>X</i>	<i>0.88</i>	31
TOTAL	<i>3.158</i>	<i>3.022</i>		<i>X</i>				<i>4.208</i>					YEAR'S TOTAL
Days with "01 in. or more.	<i>4.193</i>	<i>2.372</i>	<i>4.172</i>	<i>1.801</i>	<i>5.71</i>	<i>3.714</i>	<i>2.772</i>	<i>4.108</i>	<i>5.318</i>	<i>1.564</i>	<i>3.265</i>	<i>5.039</i>	<i>38.889</i>
Days with "04 in. or more.	<i>23</i>	<i>12</i>	<i>20</i>	<i>9</i>	<i>4</i>	<i>17</i>	<i>15</i>	<i>17</i>	<i>18</i>	<i>11</i>	<i>14</i>	<i>10</i>	<i>170</i>

40-12-1-27

144w)

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1928.

Kept at EASTBOURNE
in the County of SUSSEX
Diameter of Funnel of Gauge 11 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" Ground " Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.038		0.152	0.063							0.325		1
2		0.429									0.250		2
3				0.231	0.006		0.315	0.460			0.210		3
4	0.063	0.079		0.138	0.008	0.013		0.154					4
5	0.305	0.163	0.080	0.080		0.005	0.050				0.061	0.032	5
6						0.330						0.196	6
7	0.082	0.070	0.033	0.106		0.159		0.049			0.012		7
8		0.040	0.045		0.012	0.500	0.012			0.193	0.005		8
9	0.012	0.062	0.037	0.014		0.193			0.049	0.285		0.109	9
10	0.068	0.148		0.250	0.015			0.015		0.598	0.289		10
11	0.025			0.059		0.001				1.396	0.123	0.196	11
12	0.368	0.378	0.082	0.086							0.025	0.028	12
13		0.159				1.198				0.116	0.247		13
14	0.236	0.238		0.285	0.115	0.075		0.100		0.715	0.699		14
15	0.304			0.447	0.027						0.732		15
16		0.064		0.142	0.113					0.066	0.539	0.300	16
17			0.003		0.257					0.239			17
18	0.860			0.010	0.050	0.118				0.762	0.006		18
19					0.198	0.031		0.095		0.465	0.163	0.250	19
20	0.111							0.193		0.578	0.039	0.120	20
21	0.108		0.276	0.027	0.468					1.080	0.282		21
22			0.138					0.025		0.300	0.381	0.160	22
23	0.390		0.026		0.095				0.015	0.108	0.194		23
24	0.073				0.075			0.026	0.074	0.162	0.011	0.153	24
25	0.341					0.080			0.058	0.245	0.052	0.138	25
26	0.149					0.010	0.010	0.124		0.689		0.152	26
27			0.030				0.645			0.038		1.084	27
28	0.784			0.029					0.214			0.155	28
29	0.088	0.136	0.801	0.091			0.128		0.011	0.298	0.031	0.230	29
30	0.003	X	0.162	0.066			0.179			0.062		0.026	30
31	0.013	X	0.432	X		X	0.192		X		X	0.070	31
TOTAL	4.421	1.966	2.277	2.092	1.439	2.713	1.541	1.241	0.421	8.395	4.676	3.399	34.581.
Days with "01 in. or more.	20	12	13	17	11	11	8	10	6	20	20	17	165
Days with "04 in. or more.	16	12	9	13	8	8	6	7	4	19	15	14	131

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at EASTBOURNEin the County of SUSSEXDiameter of Funnel of Gauge 11 in.Height of top of Gauge above Ground 1 ft. 7 in.,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.026	0.041		0.014				0.155		0.283			1
2		0.440				0.272	0.175			0.625	0.138	0.370	2
3			0.015			0.049	0.149	0.007		0.285		0.489	3
4				0.130	0.179	0.170	0.094	0.092		0.167		0.267	4
5				0.034	0.556	0.438	0.063	0.493		0.200	0.035	0.370	5
6					0.259	0.047	0.046	0.616		0.235	0.120	0.571	6
7					0.054	0.069				0.315	0.512	0.320	7
8						0.143				0.380		0.910	8
9		0.300		0.028	0.070							0.304	9
10	0.041	0.008		0.036				0.005		0.130	0.150	0.898	10
11				0.110							0.897	0.049	11
12				0.040	0.315	0.247					0.220		12
13	0.013				0.139	0.019		0.020		0.008	0.285	0.134	13
14					0.333	0.045						0.200	14
15	0.030			0.067		0.485					1.761	0.147	15
16	0.020							0.462			0.277		16
17	0.009									0.138			17
18	0.078										0.237		18
19									0.014		0.015		19
20	0.014		0.013				0.110		0.022	0.700			20
21	0.149		0.008					0.100				0.703	21
22								0.026			0.040	0.548	22
23		0.080								0.013	0.235	0.290	23
24		0.040	0.016							0.380	0.598	0.190	24
25		0.035	0.011							0.532	0.080	0.191	25
26		0.003		0.065	0.034						0.347	0.115	26
27	0.008	0.025			0.087						0.819	0.069	27
28	0.305			0.028			0.453			0.557	0.460	0.470	28
29	0.192			0.390		0.044			0.688	0.009	0.160	0.030	29
30	0.028	X				0.292	0.044		0.160		0.210	0.810	30
31	0.273	X		X		X	0.135		X	0.006	X	0.022	31
TOTAL	1.186	0.972	0.063	0.942	2.026	2.340	1.269	1.975	0.884	4.963	6.602	8.467	YEAR'S TOTAL
Days with 0.1 in. or more.	12	7	4	11	10	13	9	8	4	15	21	24	138
Days with 0.4 in. or more.	6	5	0	6	10	12	9	6	2	14	19	22	111

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTR. -METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at EASTBOURNE
in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 54 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.110	0.352		0.205		0.020	0.003				0.380		I
2		0.178		0.018			0.038	0.275			0.690		2
3		0.329		0.490				1.309		0.040	0.004		3
4	0.095	0.850							0.022	0.180			4
5	0.130			0.015	0.125			0.398					5
6		0.28	0.050		0.045		0.005	0.340	0.300				6
7	0.108							0.010		0.930	0.480	0.137	7
8	0.170				0.005			0.005		0.100		0.568	8
9	0.203		0.009		0.413		0.043	0.013			0.020	0.082	9
10	0.350		0.220		0.440			0.070				0.132	10
11	0.231	0.030					0.024			0.670		0.582	11
12	0.194	0.010		0.145	0.125	0.015			0.006			0.145	12
13	0.071		0.035	0.108	0.152	0.015	0.200	0.452	0.540				13
14	0.024	0.075	0.026	0.023			0.032		0.015				14
15	0.025	0.098	0.495	0.017	0.007		0.498			0.080	0.176		15
16			0.035			0.008	0.003		0.375			0.025	16
17		0.032	0.311	0.022		0.073	0.012		0.145	0.190			17
18			0.668	0.023	0.022				0.060		0.332	0.102	18
19				0.149					0.860	0.090	0.570	0.020	19
20					0.108		1.125	0.110	0.285	0.570	1.090		20
21	0.010							0.320		0.161	0.630		21
22				0.090	0.250		0.030	0.317	0.087	0.430	0.450	0.035	22
23	0.010	0.008	0.343	0.192		0.030		0.040	0.026		0.054	0.110	23
24	0.337	0.29			0.300	0.041					0.436	0.416	24
25	0.178			0.020	0.173						0.405		25
26	0.220				0.050		0.050		0.163		0.285	0.170	26
27			0.005						0.330	0.070	0.437	0.150	27
28	0.015						0.060			0.025	0.152	0.090	28
29	0.228	X					0.095		0.100	0.025		0.030	29
30	0.261	X			0.325	0.008	0.120				0.505	0.608	30
31	0.378	X	0.140	X	0.090	X			X	0.140	X	0.130	31
TOTAL	3.35	1.93	2.34	1.52	2.62	21	2.34	3.66	3.31	3.70	7.54	3.38	3136.06
*Days with "01 in. or more.	3.348	1.932	2.337	1.527	2.625	0.210	2.338	3.659	3.314	3.701	7.536	3.532	36.059
*Days with "04 in. or more.	21	14	13	13	16	8	14	13	15	15	17	18	175
	16	8	8	7	13	2	8	10	11	13	16	14	128

40-9999

* Instrument not heated. Snow remained in funnel until it melted.

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

EASTBOURNE

ANIZATION.

(WILMINGTON SQUARE)

Kept at Eastbourne

in the County of Sussex

by A. H. Hookham for

SUSSEX

1921-30

Gauge 5 in.

Ground 1 ft. 0 in.

Sea Level 35 ft.

tered to the previous day.

IMPORTANT NOTE.—Rain s

If an Observer prefers not to conform to this almost universal rule, he may add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.29	0.2	0.7	-	-	-	-	-	1.2	-	1.3	3.7	1
2	0.82	-	0.2	-	1.3	-	-	1.3	-	-	7.9	0.1	2
3	3.1	-	3.7	-	0.5	-	-	3.9	-	-	3.2	-	3
4	0.6	-	0.1	-	2.2	-	-	3.3	-	-	21.5	-	4
5	-	-	-	-	-	1.8	-	3.6	-	-	9.1	0.8	5
6	5.7	-	1.8	-	2.3	-	-	-	-	-	0.2	1.3	6
7	6.2	0.4	-	-	7.0	-	-	0.1	-	-	-	-	7
8	1.5	-	1.8	0.6	-	0.1	-	-	-	-	-	-	8
9	-	-	-	0.3	-	-	-	-	-	-	-	-	9
10	17.3	1.9	0.3	-	-	-	-	-	6.4	9.9	-	1.0	10
11	4.4	0.1	-	-	1.3	-	-	-	8.5	-	-	0.1	11
12	5.9	-	3.2	-	-	-	-	3.6	0.1	-	-	3.5	12
13	3.5	-	2.2	9.2	-	-	-	0.2	0.1	0.2	2.1	0.9	13
14	-	-	1.9	-	-	-	-	2.0	-	0.5	-	10.4	14
15	-	-	-	0.9	2.0	-	-	0.2	-	-	-	-	15
16	1.5	-	0.5	3.5	-	-	-	1.4	-	-	3.1	0.5	16
17	2.9	-	3.5	9.7	-	-	2.2	10.0	-	-	-	-	17
18	0.6	-	-	-	-	-	-	-	0.4	-	-	0.5	18
19	-	-	7.5	0.8	-	2.3	-	-	0.1	0.3	-	3.9	19
20	-	-	2.4	-	-	-	-	-	-	2.3	-	-	20
21	0.5	-	-	-	-	-	-	-	-	-	1.6	1.4	21
22	-	0.1	-	-	-	-	0.2	0.1	-	15.3	0.1	7.0	22
23	-	-	-	4.5	-	-	-	1.8	-	4.2	-	4.4	23
24	-	-	-	-	-	-	-	-	-	-	-	1.5	24
25	1.6	11.8	-	-	-	-	-	-	-	-	-	8.2	25
26	0.8	0.2	0.3	-	-	-	-	-	-	-	-	3.3	26
27	0.2	-	-	2.6	-	-	-	0.1	-	-	-	3.5	27
28	0.3	-	7.7	-	-	-	3.1	0.9	-	-	-	1.7	28
29	0.3	X	4.1	-	4.8	-	1.7	0.9	-	-	-	0.6	29
30	2.4	X	-	-	1.0	-	-	-	-	-	5.1	3.2	30
31	9.8	X	-	X	0.7	X	-	-	X	-	X	-	31
TOTAL	78.2	14.7	41.9	32.1	23.1	4.2	7.2	33.4	14.1	32.4	55.2	61.5	YEAR'S TOTAL 401.3
Days with 0.2 mm. or more	22	5	16	9	10	2	4	13	4	7	10	20	122
Days with 1.0 mm. or more	14	2	11	5	8	2	3	9	3	4	9	15	85

REGISTER OF RAINFALL IN 1921.

Kept at Eastbourne MO
in the County of Sussex
by A. H. Hookham for the Medical Officer of Health

Lat. 50° 46' Long. 0° 17' E
Time of Observation 9h 21m G.M.T
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.2	0.2	0.7	-	-	-	-	-	1.2	-	1.3	3.7	1
2	0.8	-	0.2	-	1.3	-	-	1.3	-	-	7.9	0.1	2
3	3.1	-	3.7	-	0.5	-	-	3.9	-	-	3.2	-	3
4	0.6	-	0.1	-	2.2	-	-	3.3	-	-	21.5	-	4
5	-	-	-	-	-	1.8	-	3.6	-	-	9.1	0.8	5
6	5.7	-	1.8	-	2.3	-	-	-	-	-	0.2	1.3	6
7	6.2	0.4	-	-	7.0	-	-	0.1	-	-	-	-	7
8	1.5	-	1.8	0.6	-	0.1	-	-	-	-	-	-	8
9	-	-	-	0.3	-	-	-	-	-	-	-	-	9
10	17.3	1.9	0.3	-	-	-	-	-	6.4	9.9	-	1.0	10
11	4.4	0.1	-	-	1.3	-	-	-	8.5	-	-	0.1	11
12	5.9	-	3.2	-	-	-	-	3.6	0.1	-	-	3.5	12
13	3.5	-	2.2	9.2	-	-	-	0.2	0.1	0.2	2.1	0.9	13
14	-	-	1.9	-	-	-	-	2.0	-	0.5	-	10.4	14
15	-	-	-	0.9	2.0	-	-	0.2	-	-	-	-	15
16	1.5	-	0.5	3.5	-	-	-	1.4	-	-	3.1	0.5	16
17	2.9	-	3.5	9.7	-	-	2.2	10.0	-	-	-	-	17
18	0.6	-	-	-	-	-	-	-	0.4	-	-	0.5	18
19	-	-	7.5	0.8	-	2.3	-	-	0.1	0.3	-	0.9	19
20	-	-	2.4	-	-	-	-	-	-	2.3	-	-	20
21	0.5	-	-	-	-	-	-	-	-	-	1.6	1.4	21
22	-	0.1	-	-	-	-	0.2	0.1	-	15.3	0.1	7.0	22
23	-	-	-	4.5	-	-	-	1.8	-	4.2	-	4.4	23
24	-	-	-	-	-	-	-	-	-	-	-	1.5	24
25	1.6	11.8	-	-	-	-	-	-	-	-	-	8.2	25
26	0.8	0.2	0.3	-	-	-	-	-	-	-	-	3.3	26
27	0.2	-	-	2.6	-	-	-	0.1	-	-	-	3.5	27
28	0.3	-	7.7	-	-	-	3.1	0.9	-	-	-	1.7	28
29	0.3	X	4.1	-	4.8	-	1.7	0.9	-	-	-	0.6	29
30	2.4	X	-	-	1.0	-	-	-	-	-	5.1	3.2	30
31	9.8	X	-	X	0.7	X	-	-	X	-	X	-	31
TOTAL	78.2	14.7	41.9	32.1	23.1	4.2	7.2	33.4	17.1	32.4	55.2	61.5	YEAR'S TOTAL
Days with 0.2 mm. or more	22	5	16	9	10	2	4	13	4	7	10	20	122
Days with 1.0 mm. or more	14	2	11	5	8	2	3	9	3	4	9	15	85

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(Form No. B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922

Kept at Eastbourne
in the County of Sussex
by The Medical Officer of Health

Lat. 50° 46' Long. 0° 17' E
Time of Observation 9h 27h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	2.2	1.5	-	-	0.3	0.3	-	0.2	-	14.4	0.6	1
2	-	10.0	7.2	10.2	0.2	-	0.1	-	3.3	-	-	-	2
3	-	1.7	0.7	28.4	4.8	-	0.8	2.1	-	0.7	3.2	-	3
4	-	6.0	3.0	0.1	0.6	-	1.0	0.4	-	6.9	-	-	4
5	-	0.1	0.2	1.6	-	-	17.4	-	0.9	0.8	9.9	-	5
6	1.9	-	3.2	-	-	-	2.8	11.8	-	0.3	7.1	-	6
7	7.4	-	15.7	4.8	-	-	0.1	0.6	-	-	0.2	-	7
8	6.1	-	0.4	-	-	3.8	6.4	5.8	-	-	7.2	0.3	8
9	1.7	-	0.2	0.2	-	-	2.7	5.9	-	1.5	-	-	9
10	1.8	-	-	-	-	-	0.3	-	0.9	0.2	3.7	-	10
11	0.8	-	-	-	0.2	-	-	-	-	-	-	-	11
12	-	-	-	7.5	-	-	-	0.8	15.1	-	0.1	-	12
13	-	-	-	7.5	-	11.7	3.1	-	4.6	-	-	-	13
14	-	-	0.1	0.1	-	2.4	4.1	0.4	7.5	-	-	-	14
15	15.3	5.9	-	-	-	0.1	-	-	-	-	0.1	0.2	15
16	-	1.8	-	2.8	0.7	-	5.6	-	2.4	-	-	5.9	16
17	-	7.2	-	0.2	6.5	-	1.7	0.3	0.6	-	-	5.5	17
18	9.9	-	-	-	1.3	-	-	0.2	1.0	-	-	5.2	18
19	16.8	6.3	-	-	0.9	-	-	-	6.3	3.6	-	13.0	19
20	1.8	0.5	0.2	-	-	-	-	-	-	0.1	-	2.1	20
21	11.3	11.2	2.6	2.0	-	-	-	-	-	-	-	11.4	21
22	0.1	3.9	-	1.8	-	0.1	-	6.5	-	-	-	1.6	22
23	0.1	0.5	-	1.1	0.1	-	0.2	-	10.8	-	-	-	23
24	3.7	-	2.7	1.3	0.2	3.0	-	7.0	-	0.1	-	-	24
25	2.9	-	0.5	8.4	-	7.6	0.2	-	0.2	-	-	4.6	25
26	1.3	5.5	1.5	4.7	-	3.3	4.1	-	1.7	-	0.4	0.2	26
27	12.2	5.1	1.2	5.4	-	-	-	7.6	0.8	0.5	0.2	5.0	27
28	3.5	1.2	0.2	0.8	-	5.1	-	-	-	1.0	-	6.8	28
29	8.9	X	-	-	-	11.3	0.9	17.3	-	7.1	-	2.9	29
30	0.3	X	2.3	-	-	-	0.6	7.7	2.8	2.6	3.4	2.9	30
31	1.6	X	0.7	X	-	X	-	2.4	X	0.9	X	5.3	31
TOTAL	109.4	69.1	44.1	88.9	15.5	48.7	52.4	76.8	59.1	26.3	49.9	73.5	YEAR'S TOTAL 713.7
Days with 0.2 mm. or more	19	15	18	17	9	9	17	16	16	12	10	17	175
Days with 1.0 mm. or more	17	13	10	11	3	8	10	10	10	6	7	13	121

Specified from F.R. 3204

Section

A

for the entry of Daily Observations

Station No. 528

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19623

Kept at EASTBOURNE, WILMINGTON SQUARE

COPY

in the County of SUSSEX

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12	34	94			49				03	65	78		1
2	59	08	09		07					57	11	88		2
3					01	04				193	02	02		3
4									39		03	88		4
5	85		06	03		03				05	132	02		5
6	78	02	17	07	09	20				40		07		6
7	34	128	62		24					156		75		7
8	09	44	09		119					79	81	02		8
9	04	04	03	05			426			14	325			9
10		31		60	24		87			114		18		10
11	06			36	02					224		05		11
12		82	137	22	135	05				39		18		12
13	14	10	32	18	27		41			01	119	01		13
14		07	27		47			01	155		01	18		14
15			01	01	37	67	29		27		54			15
16		33			09						87			16
17		35			01		03	106	85	04				17
18	16	127		14				74	33	63				18
19	25	07		07	04	02		08	90	33		06		19
20	03	29	15		20			01	87	38				20
21		06	37	51				31	03	81		26		21
22		191	65	15				18	263	44		11		22
23		39	23		87		79	69	36	286	24	16		23
24		14		05				15	29	133		37		24
25		74	38	231		11	16	16	12	88	08	162		25
26		52	12	05	30			76		06		74		26
27		18	33		14		10	43		01	02	65		27
28		69	02	30	135		62	13			53			28
29	14	X		32	38		11	71				73		29
30		X				04	21	24		57		40		30
31		X		X	.	X	27	02	X	43	X	32		31
TOTAL	35.9	1044	62.2	54.2	72.0	16.5	81.2	56.8	85.9	180.2	66.7	94.4	Year's Total	
*Days with .01 in. or more.	27												910.4	
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No. 528

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19624

Kept at EASTBOURNE, WILMINGTON SQUARE

in the County of SUSSEX

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			30	01	04	59	18	16			312	20		1
2	22		79		68	03	05	41				36		2
3			19	02	33	07	75	146						3
4				05		218	02			01		107		4
5		01	08		07		12			29		34		5
6								17	01	207				6
7	03				16	25		01	35	102				7
8	41	43			21	01			50	41				8
9	24	20		14	05	12			02					9
10	60			06	65	11			14			01		10
11	01	02		86	42	63			21		45			11
12				10	02	44		04	04		34			12
13	09			119					74		09	51		13
14	04			102				39						14
15		11		03					12			96		15
16								28				45		16
17	51						173	65	01					17
18	158	07			05	04	01			06	03			18
19	05					17		44		70				19
20			04		40	01	11	32	19	45				20
21	53		02		30			62	85	115				21
22	50		76		01			139	31					22
23			42		144			09	83			187		23
24	104	36	129	016	02		09	05	03		24	50		24
25		03	02	11			115	04	121	09	61			25
26		09	82	100			06	14	05	22	52	51		26
27		28	03	133			38	02		42	86	271		27
28		01	11				171	37			65	19		28
29		10		38	77		26	76	02	202	63	25		29
30		X		12	67			64	47	149		90		30
31		X		X	89	X		02	X	138	X	85		31
TOTAL	58.5	17.1	48.7	65.8	71.8	46.5	66.2	84.7	62.0	117.8	75.4	116.8	8313	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

for the entry of Daily Observations.

FOR OFFICIAL USE.



AIR MINISTRY.

FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Wilmington Square, Eastham
 in the County of Sussex

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " Ground " Sea Level 35 ft.

Observers are requested to read the instructions
 printed overleaf before filling in this form.

Every Observer should fill in section C
 overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	16.4	-	0.6	0.9	-	-	-	8.8	14.2	-	9.6	0.2	1
2	12.4	0.9	-	2.8	-	-	3.0	trace	-	-	19.1	-	2
3	21.1	0.5	-	0.1	6.0	-	4.6	-	-	-	4.4	-	3
4	2.1	-	-	-	6.0	-	-	trace	0.6	1.6	2.5	-	4
5	-	1.5	-	4.4	1.8	-	-	4.4	8.9	-	6.3	-	5
6	-	2.6	-	8.9	4.0	-	4.8	0.6	0.4	-	14.0	-	6
7	-	4.5	-	-	1.6	-	0.1	-	-	-	3.6	0.2	7
8	4.1	0.2	-	-	5.0	-	-	-	-	-	-	1.1	8
9	-	1.4	-	0.4	-	-	-	0.1	2.4	-	-	-	9
10	-	-	2.8	-	-	-	-	5.9	3.5	-	5.1	-	10
11	trace	2.4	0.3	trace	trace	-	-	-	trace	-	3.6	-	11
12	-	10.5	-	-	-	-	-	trace	trace	0.1	-	-	12
13	0.3	12.1	5.3	3.9	-	-	-	0.1	-	0.2	trace	-	13
14	8.0	0.1	trace	9.0	-	-	-	-	-	-	-	-	14
15	4.3	1.1	-	0.9	-	-	-	-	-	3.5	-	-	15
16	1.9	2.1	-	-	-	-	-	-	3.6	8.3	-	-	16
17	-	-	-	-	-	-	0.4	0.6	1.5	-	-	-	17
18	0.1	0.1	-	0.4	trace	-	2.0	0.2	-	1.2	-	1.4	18
19	-	0.9	-	4.2	0.1	0.4	-	-	1.1	25.3	-	4.4	19
20	-	-	-	-	-	-	0.3	-	36.0	5.4	-	8.3	20
21	-	-	1.9	-	-	-	1.0	-	6.9	5.4	-	30.3	21
22	-	2.0	0.1	1.8	0.5	-	36.3	6.3	6.4	14.2	-	16.8	22
23	-	3.0	1.6	5.4	9.1	-	-	10.2	-	21.1	-	4.2	23
24	12.0	24.4	3.3	0.6	3.6	2.4	trace	2.2	-	3.8	1.4	4.0	24
25	trace	15.3	-	1.0	-	-	0.4	-	8.4	0.1	-	2.4	25
26	0.8	5.1	-	3.3	2.3	0.1	2.6	1.4	-	9.8	-	4.1	26
27	4.4	-	-	3.3	19.9	-	30.5	0.5	-	0.1	1.9	4.8	27
28	3.1	0.8	-	1.2	0.2	-	0.5	-	0.1	-	-	4.0	28
29	1.4	X	-	3.4	1.3	-	10.4	-	0.5	-	2.8	32.1	29
30	-	X	-	6.2	-	-	15.1	-	-	-	trace	8.8	30
31	2.0	X	-	X	-	X	6.2	-	X	-	X	-	31
TOTAL	95.3	92.1	15.9	65.4	64.4	3.2	121.2	41.6	85.1	103.4	44.3	139.4	901.9
Days with 0.2 mm. or more.	15	19	4	19	13	2	15	11	14	12	12	16	156
Days with 1.0 mm. or more.	13	14	5	14	11	1	11	4	11	11	12	14	126

(Signed)

A. J. Haslam

(P.T.O.)

RAINFALL IN 1925.

NOTE.—Records taken in inches
should be entered on Form 1093.At EastbourneIn the County of SussexRain Gauge { Diameter of Funnel.....in.
Height { Above Ground.....1 ft.....in
of Top { Above Sea Level.....35.....ft

Month.	Total Depth.	Greatest Fall in 24 hours.	Total Number of Days with 0.2 mm. or more	1.0 mm. or more
	Millimetres	Millimetres	Date.	
3.75 JAN.	95.3	21	3	15 13
3.63 FEB.	92.1	25	24	19 14
0.63 MAR.	15.9	5	13	7 5
2.57 APR.	65.4	9	14	19 14
2.54 MAY	64.4	20	27	13 11
0.13 JUNE	3.2	3	24	2 1
4.46 JULY	121.2	36.3	22	15 11
1.62 AUG.	41.6	10	23	11 7
3.35 SEPT.	85.1	36.0	20	14 11
4.08 OCT.	103.7	25	19	12 11
2.93 NOV.	74.3	19	2	12 12
5.49 DEC.	139.7	32	29	16 14
35.50 Total	901.9	35.50	155	124

Signature.....

Titles.....

[Please fill in the other side also.]

Local Observer
Barangh of Eastbourne

Particulars of Station.

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Ad. Hookham, Public Health Department,
Town Hall, EastbourneLatitude of Station 50° 46' N Longitude 0° 14' E Hour of observation.....Nearest Railway Station Eastbourne Distance..... Direction.....Nearest Parish Church D. Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances.....

Directions.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .05; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .05 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 3.6 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3.6 mm.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with 0.2 mm. or more" includes all the days with any rain except those for which the entry is "trace" or 0.1 mm.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 2d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

FORM 1091.

REGISTER OF RAINFALL IN 1926.

Kept at Wilmington Square Eastbourne
in the County of Sussex

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. - in.
" Ground " Sea Level.....35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.1	13.3	-	-	-	13.8	-	-	0.6	-	1.0	-	1
2	1.3	TR	TR	-	-	11.1	0.9	-	2.0	-	0.1	-	2
3	4.2	21.5	2.3	-	-	-	-	0.1	-	-	-	-	3
4	3.0	3.5	4.2	6.0	-	-	6.1	-	-	-	0.1	-	4
5	2.0	0.3	2.6	TR	18.2	-	16.3	-	1.0	-	8.8	5.5	5
6	1.0	5.3	TR	8.6	TR	2.6	2.3	0.6	0.1	-	TR	1.3	6
7	5.3	0.8	-	1.3	0.5	5.2	-	-	5.9	-	1.2	0.4	7
8	-	0.2	-	2.6	0.1	0.4	-	TR	-	0.6	11.6	-	8
9	-	1.2	0.9	-	-	9.0	-	TR	-	1.2	9.4	0.1	9
10	-	-	-	-	0.1	5.1	0.5	4.8	-	3.8	-	-	10
11	-	0.5	-	-	3.2	2.0	-	10.5	0.1	6.8	6.9	-	11
12	-	0.1	-	-	5.6	TR	-	-	1.2	4.5	-	-	12
13	0.2	-	-	-	-	-	-	1.1	1.1	3.0	33.6	3.2	13
14	2.4	TR	-	3.4	0.1	0.4	-	-	0.1	14.3	1.5	4.9	14
15	1.8	0.6	-	15.3	0.1	-	-	-	TR	4.4	5.5	-	15
16	0.4	9.5	-	5.4	-	-	-	16.9	-	0.4	0.5	-	16
17	3.8	18.2	-	-	1.6	16.3	-	0.1	-	-	2.0	1.1	17
18	4.3	2.8	-	8.9	3.4	0.1	3.4	3.4	-	-	19.4	-	18
19	-	TR	TR	0.1	2.6	-	12.4	0.4	-	-	10.2	0.2	19
20	TR	-	0.1	4.0	-	-	-	4.8	-	4.4	20.8	-	20
21	-	TR	-	-	-	-	0.3	1.6	-	TR	19.4	-	21
22	12.6	-	-	8.4	0.1	-	-	-	-	-	3.6	4.4	22
23	2.5	-	-	0.5	-	-	-	-	-	2.2	-	-	23
24	0.1	-	-	-	-	3.8	2.0	-	TR	19.2	-	-	24
25	2.4	-	-	5.2	-	-	3.5	-	0.1	1.6	1.4	1.5	25
26	-	TR	-	0.1	-	-	1.2	-	0.4	-	9.9	-	26
27	0.5	0.6	1.6	5.0	0.8	-	1.0	-	2.1	4.6	1.9	-	27
28	14.3	-	-	1.1	0.6	-	4.8	-	0.3	6.9	2.8	TR	28
29	1.9	~~X~~	TR	14.6	13.9	-	-	-	-	3.1	1.4	-	29
30	2.1	~~X~~	-	1.6	4.6	-	0.5	-	-	-	1.0	-	30
31	5.8	~~X~~	-	~~X~~	1.8	~~X~~	-	0.4	~~X~~	-	~~X~~	-	31
TOTAL	91.6	48.4	11.4	46.0	54.3	40.1	58.2	45.0	15.3	90.6	144.9	22.9	812.0
Days with 0.2 mm. or more.	21	14	5	16	12	11	14	10	9	16	22	9	159
Days with 1.0 mm. or more.	18	8	4	15	9	9	10	4	6	14	21	4	128

Please read the Notes and Instructions Overleaf.

B**C**

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE—Records taken in inches should be entered on Form 1090.

At Wilmington Sq. E.B.In the County of SussexRain Gauge. Diameter of Funnel 5 in.Height of Top above Ground 1 ft.Height of Ground above Sea Level 35 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Millimetres	Millimetres	Date.	0.2 mm.	1.0 mm. or more
JAN.	91.6	14.3	28	21	18
FEB.	48.4	21.5	3	14	8
MAR.	11.4	4.2	4	5	4
APR.	96.0	15.3	15	16	15
MAY	54.3	18.2	5	12	9
JUNE	40.1	16.3	14	11	9
JULY	58.2	16.3	5	14	10
AUG.	45.0	16.9	16	10	4
SEPT.	15.3	5.9	4	9	6
OCT.	90.6	19.2	24	16	14
NOV.	144.9	33.6	13	22	21
DEC.	22.9	5.5	5	9	4
Total	812.0			159	128

Signature ast. Hookham

Observer.

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Medical Officer of Health
Town Hall, EastbourneLatitude of Station 50° 46' N Longitude 0° 14' EHour of observation by the clock—in Winter 9.15 a.m. in Summer 9.15 a.m.Nearest Railway Station Eastbourne Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.) If the reading is taken from a mechanical gauge or from an autographic record, please indicate the fact.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .05; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .05 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 3.6 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3.6 mm.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with 0.2 mm. or more" includes all the days with any rain except those for which the entry is "trace" or 0.1 mm.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (335434) Wt. 12324/14474/839 Gp. 127 1625 11-26 W & S Ltd.

Section

A

for the entry of Daily Observations.

474
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1924.

Kept at Wilmington Square Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 1 ft. 0 in.

„ Ground „ Sea Level 35 ft.

390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	12.0	Trace	0.3	—	1.4	21.3	10.1	—	6.3	3.4	—	1
2	1.4	—	1.6	8.0	—	—	—	—	—	0.4	0.4	—	2
3	4.9	0.1	—	—	—	—	—	—	—	—	—	—	3
4	0.3	Trace	0.3	2.4	0.2	—	8.5	0.1	—	—	Trace	Trace	4
5	6.3	3.9	3.8	11.3	11.1	4.2	0.2	13.6	—	—	11.2	Trace	5
6	0.8	—	11.1	8.5	—	1.4	8.2	3.5	2.1	—	6.5	—	6
7	0.6	6.3	0.2	9.2	—	4.0	—	9.1	—	—	—	—	7
8	2.9	—	1.3	2.9	—	Trace	0.2	5.0	1.2	—	6.0	—	8
9	0.1	—	0.6	6.8	—	—	0.4	2.4	5.0	—	0.2	—	9
10	—	—	—	—	—	—	2.4	Trace	4.5	—	—	—	10
11	0.4	—	—	—	—	1.5	—	0.8	—	—	—	—	11
12	1.4	Trace	Trace	—	—	—	Trace	—	—	0.4	0.1	—	12
13	1.9	0.1	—	Trace	—	—	3.3	12.5	10.4	0.1	0.6	3.6	13
14	0.2	—	—	2.2	—	—	8.7	0.2	31.8	—	—	13.6	14
15	4.1	—	—	—	0.1	—	0.9	4.5	10.8	—	—	0.1	15
16	5.1	—	—	—	1.5	0.1	0.1	Trace	13.3	—	—	Trace	16
17	10.6	0.2	4.6	—	—	10.5	—	2.5	4.5	—	—	0.2	17
18	2.4	—	0.9	—	—	10.4	—	3.2	1.5	—	3.5	—	18
19	0.2	3.6	Trace	—	—	0.5	0.1	3.8	—	1.4	3.8	—	19
20	4.0	3.6	—	—	0.2	—	4.4	28.4	1.1	0.1	14.2	6.4	20
21	0.3	3.5	0.2	—	4.6	Trace	Trace	1.3	0.9	6.1	4.4	18.5	21
22	6.5	0.6	10.4	—	0.1	2.1	0.2	1.5	4.9	13.8	0.1	9.6	22
23	Trace	5.4	12.3	—	—	4.4	—	—	12.8	—	4.3	6.8	23
24	0.1	4.2	9.4	0.1	—	3.2	0.9	1.4	4.1	0.4	1.4	15.0	24
25	—	11.0	10.4	—	—	0.8	Trace	0.1	9.0	1.2	—	22.6	25
26	1.0	16.4	1.6	—	1.5	2.3	0.3	—	3.6	Trace	—	18.9	26
27	0.3	5.4	—	—	6.2	2.9	2.9	—	—	1.9	0.2	—	27
28	5.4	1.3	2.0	0.2	—	1.6	0.2	—	—	0.3	5.3	—	28
29	4.9	X	8.2	—	—	4.1	—	0.4	12.1	—	16.8	—	29
30	4.5	X	0.2	—	—	24.5	0.2	—	2.5	2.5	—	—	30
31	1.9	X	16.5	X	0.1	X	0.9	—	X	2.5	X	2.0	31
TOTAL	48.8	48.2	95.6	52.2	25.6	84.1	64.6	104.4	142.4	38.0	86.3	114.6	940.8
Days with 0.2 mm. or more.	25	14	19	10	4	14	18	18	19	12	16	11	186
Days with 1.0 mm. or more.	14	12	13	8	5	15	8	15	18	8	12	10	141

(144w) 3.10 3.08 3.76 2.06 1.01 3.43 2.54 4.11 5.61 1.49 3.40 4.63 38.23

B**C**

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1924.

NOTE—Records taken in inches should be entered on Form 1090.

At Wilmington Square

In the County of Essex

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. 35 in.

Height of Ground above Sea Level 35 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with 0.2 mm. 1.0 mm. or more or more	
Millimetres	Millimetres	Date.		
JAN.	48.8	10.6	14	25
FEB.	48.2	16.4	26	14
MAR.	95.6	16.5	31	19
APR.	52.2	11.3	5	10
MAY	25.6	11.1	5	4
JUNE	84.1	24.5	30	14
JULY	64.6	21.3	1	18
AUG.	104.4	28.4	20	18
SEPT.	142.4	31.8	14	19
OCT.	38.0	13.8	22	12
NOV.	86.3	16.8	29	16
DEC.	114.6	22.6	25	11
Total	940.8		186	141

Signature A. H. Haakham

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent: Dr. G. Williams, Medical Officer of Health, Town Hall, Eastham

Hour of observation by the clock—in Winter 9.15 in Summer 9.15 a.m.

Nearest Railway Station Eastham Distance Direction from gauge

Nearest Parish Church at all Saints Distance Direction from gauge

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state No change

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshough Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception.

When there has been no precipitation the entry in the register should be a dash—(not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .05; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .05 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 3.6 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3.6 mm.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with 0.2 mm. or more" includes all the days with any rain except those for which the entry is "trace" or 0.1 mm. The "number of days with 1.0 mm. or more" includes all the days with any rain except those for which the entries are trace, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, or 0.9 mm.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140w) (268413) Wt. 11835/827/722 Gp. 127 1000 11-27 W & S Ltd.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

Form 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1928.

Kept at *Barchanville*in the County of *Lincoln*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.Ground Sea Level *35* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *frank*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.2	-	3.8	1.8	-	-	-	TR	-	-	9.2	-	1
2	24.1	10.4	TR	-	-	-	-	-	-	-	4.1	-	2
3	TR	0.1	-	5.9	0.3	-	8.0	13.1	-	-	5.5	TR	3
4	1.8	2.0	-	3.6	TR	0.4	-	0.1	-	-	0.1	-	4
5	4.6	4.4	1.8	0.1	-	0.3	0.4	TR	-	TR	1.4	0.4	5
6	-	-	-	-	-	4.1	-	-	-	-	0.1	4.4	6
7	1.4	1.6	0.8	2.2	-	3.4	-	1.4	-	TR	0.1	-	7
8	0.1	0.8	3.4	-	0.4	14.4	0.5	-	0.2	6.8	0.3	-	8
9	0.3	1.4	2.6	0.4	-	2.5	-	-	1.0	4.3	-	1.8	9
10	1.4	3.6	TR	6.2	0.1	TR	-	0.2	-	12.6	6.4	-	10
11	1.2	TR	TR	1.4	-	0.4	-	-	-	24.4	3.0	4.9	11
12	8.1	10.1	1.6	1.8	-	-	-	-	-	4.1	0.3	1.0	12
13	0.1	3.0	-	-	TR	28.5	-	-	-	-	6.4	0.1	13
14	6.1	6.0	-	4.6	2.3	2.0	-	2.2	-	14.4	19.4	-	14
15	8.0	-	-	13.4	0.9	-	-	-	-	-	18.8	-	15
16	0.1	1.2	-	3.9	2.0	-	-	-	-	1.2	16.4	4.4	16
17	TR	-	TR	TR	6.9	-	-	-	-	5.9	-	-	17
18	21.5	-	TR	0.1	0.4	2.3	-	-	-	14.4	0.1	0.1	18
19	-	-	-	-	8.5	0.4	-	2.4	-	9.4	2.2	5.4	19
20	2.5	-	-	-	1.0	-	-	2.3	-	21.4	0.4	3.1	20
21	2.5	-	5.4	0.1	13.1	TR	-	-	-	26.9	4.3	-	21
22	0.1	TR	3.6	-	TR	-	-	0.4	TR	4.1	8.4	3.1	22
23	9.3	-	1.4	-	2.1	-	-	0.3	0.4	2.6	4.3	-	23
24	1.4	-	0.1	-	0.9	-	-	0.2	2.0	6.4	0.2	4.4	24
25	9.0	-	TR	-	-	1.8	-	0.9	1.2	4.5	1.4	2.4	25
26	8.6	-	-	-	-	0.3	0.3	2.9	-	16.4	-	3.3	26
27	TR	-	0.9	-	-	-	16.6	0.4	0.8	0.5	-	24.5	27
28	16.2	-	-	0.4	-	-	-	-	6.5	-	-	4.6	28
29	1.8	3.1	19.8	1.9	0.3	-	2.9	TR	0.3	5.4	0.6	4.6	29
30	0.1	X	3.4	1.8	-	0.3	2.9	-	-	2.1	-	0.4	30
31	2.4	X	12.3	X	-	X	3.4	-	X	0.1	X	1.2	31
TOTAL	134.8	48.6	61.8	53.2	39.5	65.3	35.6	24.4	12.4	201.1	120.3	49.2	582.2
Days with 0.2 mm. or more.	21	12	13	14	13	14	8	12	8	20	20	14	42
Days with 1.0 mm. or more.	22	11	11	12	4	8	5	6	4	19	15	15	133

(Signed) *as Barchanville* P.T.O.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1929.

Kept at Baschamme (Wilmington Square)in the County of EssexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. = in.Ground Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.1	0.9	-	0.2	-	0.1	-	4.0	-	4.8	-	TR	1
2	0.5	10.3	-	-	-	4.5	4.6	-	TR	13.5	3.4	8.9	2
3	-	-	0.1	-	-	0.1	6.9	0.1	TR	6.9	-	11.5	3
4	0.1	TR	-	2.9	4.4	4.5	0.1	1.8	-	4.5	-	6.4	4
5	-	TR	-	1.2	14.1	11.6	0.9	18.8	-	5.3	0.5	8.8	5
6	-	-	-	-	6.3	1.1	0.4	9.6	-	5.0	2.5	12.4	6
7	-	-	-	-	1.0	3.9	-	-	-	9.5	11.4	6.4	7
8	-	-	-	TR	-	1.8	-	-	-	9.9	0.1	20.6	8
9	TR	8.3	-	0.3	1.8	-	-	-	-	-	TR	4.4	9
10	0.9	0.3	-	0.6	TR	-	-	0.1	-	3.4	3.6	18.0	10
11	-	-	-	2.5	TR	-	-	-	-	-	19.0	1.3	11
12	-	-	-	1.0	4.2	5.4	-	-	-	-	10.6	-	12
13	0.2	-	-	TR	3.2	0.2	-	0.2	-	0.4	8.9	3.4	13
14	TR	TR	-	-	9.8	0.8	-	-	-	-	0.1	4.4	14
15	0.6	0.1	-	1.4	TR	12.2	-	-	-	-	46.1	3.0	15
16	1.3	-	-	-	-	-	-	10.6	-	-	6.0	-	16
17	1.4	-	-	-	-	-	-	TR	-	4.1	-	-	17
18	1.1	-	-	-	-	-	-	TR	0.1	-	4.4	-	18
19	-	-	TR	-	-	-	-	-	0.5	0.2	0.4	-	19
20	0.2	-	0.2	-	-	-	1.9	0.3	-	16.5	TR	-	20
21	4.1	-	0.1	-	-	-	-	2.4	-	-	-	14.2	21
22	TR	-	TR	-	-	-	0.1	0.6	-	-	1.4	13.4	22
23	-	2.2	-	-	TR	-	-	-	-	TR	6.4	4.3	23
24	TR	1.5	0.3	-	TR	-	TR	-	-	9.9	15.2	5.4	24
25	-	1.6	0.1	-	-	-	0.2	-	-	11.2	5.0	5.6	25
26	-	0.2	TR	2.9	1.1	-	-	-	-	-	4.2	2.9	26
27	0.1	-	-	-	1.9	-	-	TR	-	0.1	20.8	1.9	27
28	6.3	-	-	0.4	-	-	11.3	-	-	12.4	10.9	10.0	28
29	5.4	X	-	9.9	-	1.2	-	-	14.5	0.1	4.8	2.0	29
30	0.4	X	-	-	-	8.6	1.0	-	3.8	0.1	4.5	23.2	30
31	6.6	X	-	X	-	X	1.8	TR	X	TR	X	0.3	31
TOTAL	36.6	25.4	0.8	23.9	30.8	38.5	29.3	48.5	21.9	123.8	194.1	203.2	811.0
Days with 0.2 mm. or more.	14	8	2	11	10	12	9	9	3	16	21	24	139
Days with 1.0 mm. or more.	8	5	-	4	10	10	6	6	2	14	19	23	110

REGISTER OF RAINFALL IN 1930

Kept at Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MM	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	2.5	5.1		56		04	02				236		I
2		28	01	08			07	63			172		2
3	19	98		129				~~271~~		05			3
4	20	34						18	14	41			4
5	42			05	37			99					5
6		13	05		09			129	66				6
7	25	51						11		~~227~~	129	21	7
8	52				06			02		24		169	8
9	48		02		99		07		08		05	20	9
10	85		49		99			15				38	10
II	59	14					11			18		138	II
12	51	01	01	36	31	07				02		40	12
13	14		10	22	35	02	47	99	160			01	13
14	05	31	03	05			11		02				14
15	05	19	106	02		01	127			20	44		15
16			07				01		108			04	16
17		06	86	03		39	10		27	10			17
18			~~120~~	04	06		02		38		77	26	18
19			49	32				02	~~187~~	25	131	04	19
20			01	01	35		~~25.9~~	24	54	162	~~245~~	01	20
21								74		21	141		21
22				27	57		06	69	22	103	167	09	22
23	02	02	92	28		68		03	06		14	38	23
24	91	64		01	74	09					101	95	24
25	31	11		06	50						80		25
26	57	01			18	~~22~~	12		31		52	43	26
27			02							19	104	49	27
28	02						04		96	05	37	23	28
29	67	X					20		08	05	159	04	29
30	36	X			89	01	16					~~185~~	30
31	~~11.5~~	X	31	X	23	X		02	X	44	X	19	31
TOTAL	3.35	1.67	2.22	1.44	2.63	0.49	2.13	3.47	3.26	2.88	2.66	3.65	34.95
Days with or more.	21	13	13	14	15	4	15	15	15	16	17	18	179
Days with or more.	17	11	8	7	12	3	9	11	11	12	16	14	131

Kept at Brockhurst
East
in the County of S.
by F. J. Han

SUSSEX

1921-30

East
Grinstead, L.B. 50.
8 in.
nd 1 ft. 0 in.
Level 435 ft.
to the previous day.

IMPORTANT NOTE.—Ra
If an Observer prefers not to c
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

add
nd of
uges,
Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	47	—	07	—	—	—	—	—	—	—	03	15	1
2	02	—	—	—	28	—	—	03	—	01	31	05	2
3	05	02	13	—	01	—	—	13	—	—	16	—	3
4	22	—	02	—	30	—	—	12	02	—	65	—	4
5	01	—	03	—	—	—	—	25	—	—	28	02	5
6	24	—	47	—	18	—	—	—	—	01	—	01	6
7	37	02	—	—	22	—	—	—	—	01	—	—	7
8	05	—	02	—	04	—	—	—	—	—	—	—	8
9	—	—	—	05	—	—	—	—	02	01	—	—	9
10	21	02	02	—	—	—	—	—	05	60	—	—	10
11	23	—	01	—	04	—	—	—	66	—	—	—	11
12	56	01	17	—	02	—	—	43	01	—	—	07	12
13	15	—	13	34	—	—	—	20	11	02	02	03	13
14	02	—	03	02*	—	—	—	01	01	05	—	37	14
15	—	—	—	10*	—	—	—	—	—	—	—	01	15
16	11	—	03	24	—	—	—	13	—	—	22	01	16
17	16	—	39	16	—	—	02	55	—	—	—	—	17
18	04	02	—	—	—	—	—	—	04	02	—	—	18
19	—	—	14	—	02	03	—	—	—	13	—	14	19
20	—	—	06	03	—	01	—	—	—	55	—	—	20
21	03	—	—	—	—	—	—	—	—	—	09	—	21
22	—	—	—	02	—	—	—	—	—	08	—	40	22
23	—	01	02	16	—	—	05	71	—	25*	—	11	23
24	01	—	—	02	—	—	—	—	—	—	—	08	24
25	02	63	—	02	09	02	—	—	—	—	—	19	25
26	04	—	—	—	04	01	—	—	—	—	—	28	26
27	01	—	01	—	—	—	—	—	—	—	—	09	27
28	—	—	28	—	21	—	42	—	—	—	03	06	28
29	05	X	12	—	28	—	09	01	01	—	—	07	29
30	21	X	—	—	23	—	—	—	—	01	15	11	30
31	17	X	—	X	02	X	—	—	X	—	X	—	31
TOTAL	3.45	0.73	2.15	1.16	1.98	0.07	0.58	2.57	0.93	1.75	1.94	2.25	19.56
Days with 01 in. or more	24	7	19	11	15	4	4	11	9	13	10	19	148
Days with 04 in. or more	17	1	10	6	11	0	3	8	4	6	7	14	87

REGISTER OF RAINFALL IN 1921.

Kept at Brockhurst Observatory
East Grinstead
in the County of Sussex
by F. J. Hambury, F.R.S.

Lat. 51° 7' 27" Long. 0° 0' 34" East
Time of Observation 9 a.m.
Nearest Railway Station East Grinstead, L.B. & S.C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	47	—	07	—	—	—	—	—	—	—	03	15	1
2	02	—	—	—	28	—	—	03	—	01	31	05	2
3	05	02	13	—	01	—	—	13	—	—	16	—	3
4	22	—	02	—	30	—	—	12	02	—	65	—	4
5	01	—	03	—	—	—	—	25	—	—	28	02	5
6	24	—	47	—	18	—	—	—	—	01	—	01	6
7	37	02	—	—	22	—	—	—	—	01	—	—	7
8	05	—	02	—	04	—	—	—	—	—	—	—	8
9	—	—	—	05	—	—	—	—	02	01	—	—	9
10	21	02	02	—	—	—	—	—	05	60	—	—	10
11	23	—	01	—	04	—	—	—	66	—	—	—	11
12	56	01	17	—	02	—	—	43	01	—	—	07	12
13	15	—	13	34	—	—	—	20	11	02	02	03	13
14	02	—	03	02*	—	—	—	01	01	05	—	37	14
15	—	—	—	10*	—	—	—	—	—	—	—	01	15
16	11	—	03	24	—	—	—	13	—	—	22	01	16
17	16	—	39	16	—	—	02	55	—	—	—	—	17
18	04	02	—	—	—	—	—	—	04	02	—	—	18
19	—	—	14	—	02	03	—	—	—	13	—	14	19
20	—	—	06	03	—	01	—	—	—	55	—	—	20
21	03	—	—	—	—	—	—	—	—	—	09	—	21
22	—	—	—	02	—	—	—	—	—	08	—	40	22
23	—	01	02	16	—	—	05	71	—	25*	—	11	23
24	01	—	—	02	—	—	—	—	—	—	—	08	24
25	02	63	—	02	09	02	—	—	—	—	—	19	25
26	04	—	—	—	04	01	—	—	—	—	—	28	26
27	01	—	01	—	—	—	—	—	—	—	—	09	27
28	—	—	28	—	21	—	42	—	—	—	03	06	28
29	05	X	12	—	28	—	09	01	01	—	—	07	29
30	21	X	—	—	23	—	—	—	—	01	15	11	30
31	17	X	—	X	02	X	—	—	X	—	X	—	31
TOTAL	3.45	0.73	2.15	1.16	1.98	0.07	0.58	2.57	0.93	1.75	1.94	2.25	YEAR'S TOTAL 19.56
Days with 01 in. or more	24	7	19	11	15	4	4	11	9	13	10	19	148
Days with 04 in. or more	17	1	10	6	11	0	3	8	4	6	7	14	87

REGISTER OF RAINFALL IN 1922.

Kept at Brockhurst Observatory, East Grinstead
 in the County of Sussex
 by Frederick J. Hanbury, F.R.S.

Lat. N. 51° 7' 27" Long. E. 0° 0' 34"
 Time of Observation 9.0 a.m.
 Nearest Railway Station East Grinstead, Southern Railway
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	08	33	—	14	—	06	02	02	—	86	13	1
2	18	30	22	—	—	—	09	02	16	—	—	—	2
3	—	06	16	84	20	—	21	16	—	05	12	—	3
4	—	18	18	—	07	—	23	19	—	40	—	—	4
5	—	—	19	03	17	—	1.27	—	—	17	97	—	5
6	06	—	08	—	—	—	08	45	—	07	13	—	6
7	24	—	82	22	—	—	—	18	—	—	—	—	7
8	13	—	13	05	—	07	40	03	—	—	10	—	8
9	10	—	—	—	—	—	10	22	—	—	02	06	9
10	03	—	—	—	—	—	—	—	17	—	37	—	10
11	03	—	—	—	09	—	—	—	—	—	—	—	11
12	—	02	—	76	—	—	—	18	63	—	—	02	12
13	02	—	—	46	—	12	04	—	06	04	—	—	13
14	—	—	—	04	—	20	1.06	09	42	01	02	—	14
15	65	26	—	10	—	05	01	—	—	01	02	—	15
16	05	09	—	15	07	—	02	—	07	—	—	42	16
17	—	32	—	—	12	—	07	03	06	—	—	10	17
18	77	—	—	—	02	—	02	—	—	—	—	35	18
19	1.26	09	—	—	02	—	—	—	28	25	—	87	19
20	—	02	—	—	—	—	—	—	02	03	—	02	20
21	58	24	14	04	—	—	—	—	—	02	—	1.07	21
22	—	12	—	16	—	03	—	13	—	03	—	04	22
23	—	06	—	06	—	06	06	—	02	—	—	—	23
24	03	02	15	07	05	13	—	25	02	—	—	03	24
25	47	—	—	40	—	05	—	—	03	04	—	06	25
26	25	46	03	15	—	20	21	—	05	—	—	03	26
27	30	45	04	14	—	02	—	25	04	01	02	20	27
28	30	42	04	02	—	27	—	06	03	08	01	19	28
29	12	X	—	08	—	12	01	19	—	20	—	18	29
30	—	X	20	—	—	20	12	38	09	04	05	82	30
31	08	X	10	X	—	X	01	10	X	04	X	42	31
TOTAL	5.65	3.19	2.81	3.77	0.95	1.52	4.07	2.93	2.17	1.49	2.69	5.01	YEAR'S TOTAL
Days with 01 in. or more	20	17	15	18	10	13	19	18	17	17	12	18	36.25
Days with 04 in. or more	16	14	14	16	8	11	14	14	11	11	7	14	194
													150

REGISTER OF RAINFALL IN 1923.

Kept at Brockhurst Obety, East Grinstead
in the County of Sussex
by F. J. Hanbury Esq.

Lat. 51° 7' 27" Long. E 0° 0' 34"
Time of Observation 9.0 a.m.
Nearest Railway Station East Grinstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'11	'02	'41	—	—	'02	'01	—	—	'03	'25	'45	1
2	'31	'04	—	—	'02	—	—	—	—	'27	'03	'26	2
3	'01	—	—	—	—	'04	—	—	—	'88	'05	'02	3
4	—	—	—	—	—	—	—	—	'10	—	—	'32	4
5	'47	—	'02	'19	—	'01	—	—	—	'06	'03	'05	5
6	'25	'14	'15	'05	—	—	—	—	'03	'02	—	—	6
7	'17	1.33	'29	—	'04	—	—	—	—	'48	—	'56	7
8	'05	'38	'10	—	'15	—	—	—	'01	'27	'71	'02	8
9	'12	'02	'02	'02	—	'01	1.80	—	'01	—	'02	—	9
10	—	'50	—	'53	'12	—	'45	—	—	'38	'03	—	10
11	—	—	—	'37	'05	—	—	—	'01	'45	'01	'08	11
12	—	'32	'42	'11	'13	'06	—	—	'01	'58	'02	'12	12
13	'07	'11	'31	'10	'03	—	'10	—	—	'03	'66	—	13
14	—	'04	'03	'04	'05	—	'01	'02	'42	'02	—	'04	14
15	—	—	'03	'05	'35	'18	'01	'02	'09	—	'26	—	15
16	—	'14	—	—	'19	—	—	—	—	—	'10	—	16
17	—	'08	—	—	'04	—	—	'10	'09	'01	—	'01	17
18	'11	'34	—	'01	—	'01	—	'11	'07	'04	'02	—	18
19	'18	'05	—	'03	—	'02	'02	—	'07	1.00	—	'06	19
20	'01	'07	'10	—	'02	'01	'01	'02	'34	'07	—	—	20
21	'02	'34	'29	'13	—	'01	—	—	'03	'38	—	'15	21
22	—	'50	'04	'05	'02	—	'01	'02	'27	'16	'07	'10	22
23	—	'16	'13	—	'33	—	'08	'40	'25	1.04	—	—	23
24	—	'06	'02	—	—	—	—	'67	—	'17	—	'10	24
25	—	'13	'10	'81	'10	'04	'07	'04	'65	'52	—	'56	25
26	—	'61	'31	'28	—	—	—	'19	'01	'26	—	'27	26
27	'01	'22	'08	—	'06	—	'02	'03	—	'16	—	'22	27
28	—	'15	'05	'06	'95	—	'28	'01	'02	'02	'16	'02	28
29	'10	X	'26	'25	'73	—	'08	'39	—	'01	—	'20	29
30	'01	X	—	—	—	—	'11	'02	'01	'15	—	'10	30
31	—	X	—	X	—	X	'25	—	X	—	X	'15	31
TOTAL	2.00	5.75	3.16	3.08	3.38	0.41	3.31	2.04	2.16	7.46	2.42	3.86	YEAR'S TOTAL 39.03
Days with 01 in. or more	16.5	23.2	20.5	17.3	18.4	11.7	16.7	14.7	20.10	26.7	15.7	22.4	218.68
Days with 04 in. or more	11	21	15	14	14	4	9	7	10	19	8	18	150

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
 River Dist. _____
 Station No. _____

Kept at Brockhurst Observatory
 in the County of East Grinstead, Sussex
 by F. J. Hanbury, F.L.S.

Lat. 57° 7' 27" Long. 0° 0' 34" E
 Time of Observation 9.0 a.m.
 Nearest Railway Station East Grinstead
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	08*	04	—	17	05	02	—	—	68	19	RRW
2	08	01	32*	—	08	53	09	33	—	—	01	35	2
3	—	—	10	02	22	05	30	45	09	01	—	—	3
4	02	—	—	03	21	77	01	—	04	02	—	39	4
5	—	02	09	—	04	—	04	—	—	16	—	—	5
6	—	06	—	—	—	—	01	13	01	55	—	—	6
7	03	—	—	—	04	56	04	02	10	30	—	—	7
8	20*	04	—	02	20	01	—	—	02	19	—	—	8
9	19	40	—	01*	07	03	—	—	46	—	—	—	9
10	13	—	—	30*	44	02	—	—	07	02	—	—	10
11	03	—	—	31	35	55	—	—	05	04	19	01	11
12	—	—	—	24	06	23	02	11	16	01	60	—	12
13	11	—	—	44	02	—	02	17	48	01	18	25	13
14	08	—	—	22	—	01	—	10	—	—	12	02	14
15	—	04*	—	04	—	—	—	05	05	—	—	81	15
16	02	—	—	—	—	—	—	02	02	—	—	12	16
17	32	—	—	—	—	—	85	13	03	01	—	—	17
18	51	07	—	—	01	13	04	04	—	04	02	—	18
19	11	02*	—	—	—	02	01	07	02	06	03	03	19
20	01	—	—	—	36	01	04	12	23	03	—	—	20
21	22	—	02	—	20	01	17	09	14	75	—	—	21
22	27	—	34	—	02	—	01	70	12	—	—	—	22
23	—	—	57	01	30	—	—	25	18	—	—	74	23
24	32	19	20	07	48	—	—	07	—	—	07	45	24
25	02	04*	99	03	14	—	76	01	69	04	20	06	25
26	—	—	11	56	—	—	71	72	27	13	39	23	26
27	—	11*	—	73	—	—	25	04	—	22	47	1.11	27
28	—	—	—	04	—	—	1.02	30	01	01	60	02	28
29	01	02	—	13	32	—	50	31	13	89	23	09	29
30	—	X	—	29	02	—	01	21	64	42	20	47	30
31	02	X	02	X	66	X	—	05	X	21	X	26	31 1104
TOTAL	2.74	1.02	2.84	3.53	4.24	3.10	4.35	3.91	4.01	4.12	3.99	5.60	YEAR'S TOTAL 43.45
Days with 0.1 in. or more.	21	12	11	19	21	15	21	25	23	22	15	18	223
Days with 0.4 in. or more.	13	8	9	13	17	8	14	21	17	14	12	14	160

* Snow (melted)

AIR MINISTRY.

Register of Rainfall in 1925

Kept at Brockhurst Observatory, East Grinstead
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 435 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.


Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.93	—	.16	.06	.01	—	—	.11	.10	.01	.61	.03*	1
2	.62	.01	—	.22	—	—	.12	—	—	—	.75	—	2
3	.35	—	.01	.01	.23	—	.21	—	.02	—	.15	—	3
4	—	—	—	—	.22	—	—	.08	.03	.02	.12	—	4
5	—	.12	—	.64	.05	—	—	.13	.11	—	.36	—	5
6	—	.15	.01	.22	.34	—	.17	.07	—	—	.62	.04	6
7	—	.27	—	.24	.10	—	.24	.01	.01	.02	.02	.10	7
8	.13	.02	—	—	.31	—	—	—	.08	—	.01	.22	8
9	—	.03	—	.02	.09	—	—	.17	.07	—	.06*	.01	9
10	—	.05	.06*	.02	.08	—	—	.21	.33	.01	.19*	.01	10
11	—	.29	.03*	—	.02	—	—	.30	—	—	.41*	—	11
12	.03	.80	—	—	—	—	—	.01	.02	.01	—	—	12
13	.01	.83	.14	.07	—	—	—	.05	—	.01	—	.02*	13
14	.65	.27	.02	.25	—	—	—	—	—	—	—	—	14
15	.16	.03	—	.21	.31	—	—	—	.01	.05	—	—	15
16	.02	.07	—	.01	—	—	—	—	.17	.12	—	.01	16
17	.02	.01	.01	.01	—	—	.01	.01	.05	—	.01	—	17
18	.02	.08*	—	.02	.01	—	.40	.01	—	—	—	—	18
19	—	.05	—	.04	.01	.02	.01	.09	.16	.75	—	.20	19
20	—	—	.10	—	.01	—	.05	.08	.46	.70	.01	.22	20
21	—	—	.02*	—	—	—	.05	.05	.07	.55	—	.50	21
22	.01	.03*	.17*	.08	.01	—	1.75	.34	.50	1.17	—	.52	22
23	.03	.22	.10	.22	.39	—	.01	.46	.01	.25	—	.10	23
24	.02	.55	.06	.13	.27	.12	.02	.22	—	.02	.06	.19*	24
25	.02	1.42	.01	.13	—	—	.05	—	.36	.06	.02*	.08	25
26	.01	.20	—	.09	.05	.01	.43	.01	.02	.67	—	.18	26
27	.26	—	—	.04	.86	—	.32	.14	—	.01	.14*	.07	27
28	.20	.01	—	.05	—	—	—	.01	.01	—	—	.24	28
29	.13	X	—	.03	.26	—	.10	—	.01	—	.09	.81	29
30	.02	X	.10	.37	.01	—	.22	—	—	.01	.03	.50	30
31	.09	X	.03	X	—	X	.27	—	X	.01	X	—	31
TOTAL	3.73	5.51	1.03	3.18	3.64	0.15	4.43	2.56	2.60	4.45	3.66	4.05	38.99
Days with ".01 in. or more.	21	22	16	24	21	3	18	21	21	19	18	20	224
Days with ".04 in. or more.	10	15	8	17	14	1	14	15	12	9	12	15	143

x snow

(Signed).....*W. S. Franks, F.R.S.*..... [P.T.C.]

x snow ✓

**REGISTER OF RAINFALL IN 1926.**

Kept at Brookhurst Observatory, East Grinstead
in the County of Sussex

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. 0 in.
" Ground " Sea Level.....435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	.30	—	—	—	.18	—	—	.01	—	.03	—	1
2	.04	.02	.01	—	—	1.13	.02	—	.21	—	.03	—	2
3	.41	.76	.04	—	—	.04	—	—	.02	—	—	—	3
4	.01	.13	—	.25	—	—	.04	—	.01	—	—	—	4
5	.06	.20	.20	—	.22	—	.03	—	—	.02	.64	.27	5
6	.05	.27	.03	.24	—	—	.07	.08	.12	—	.05	.02	6
7	.22	.02	—	.31	.15	.12	.06	.01	.05	.03	.32	.03	7
8	—	.04	—	.10	.01	.01	—	—	.01	.01	.74	—	8
9	.02	.02	.03	—	—	.54	—	.02	—	.10	.63	.01	9
10	—	.01	—	—	.02	.40	.02	.39	—	—	.19	—	10
11	—	.12	—	—	.03	.33	—	.09	—	.02	.14	—	11
12	—	.08	—	—	.05	.02	.01	.02	—	.47	.02	—	12
13	.05	.01	—	—	.03	.15	—	.01	—	.02	1.58	.03	13
14	.10	.05	—	.17	.26	.29	—	.01	—	.55	.21	.06	14
15	.13	.13	.01	.58	—	.05	—	—	.03	.23	.12	—	15
16	.03	.13	—	.37	—	.01	—	.13	.01	—	.01	.01	16
17	.07	.57	—	.07	.09	.42	—	—	.01	—	.11	.02	17
18	.20	.06	—	.05	.03	.02	.27	.17	—	—	.89	—	18
19	—	—	.01	.02	.01	—	.20	.01	—	—	.05	.01	19
20	.02	—	.01	.34	.02	—	.02	.20	—	.03	1.08	—	20
21	—	—	—	.06	—	.02	.05	.01	—	—	.56	.02	21
22	.44	.03	—	.11	—	—	—	—	—	—	.07	.03	22
23	.10	.02	—	.04	—	—	.01	—	—	.01	—	—	23
24	.05	.02	—	—	.02	.50	.02	—	.02	.74	—	.02	24
25	.12	—	—	.30	—	—	.08	.08	—	.18	.03	.09	25
26	.02	.02	—	.01	—	—	.23	—	.02	—	.20	—	26
27	.08	.03	.10	.17	.08	—	.01	—	.33	.01	—	—	27
28	.75	—	—	.17	.02	.01	.38	—	.01	.41	.11	.02	28
29	.17	X	—	.26	.17	—	.01	—	—	.10	.03	.01	29
30	.19	X	—	.08	.33	—	.05	.08	—	—	.03	—	30
31	.42	X	—	X	—	X	—	1.80	X	—	X	—	31
TOTAL	4.37	3.04	0.44	3.70	1.54	4.24	1.58	3.11	0.86	2.93	7.87	0.65	YEARS TOTAL
Days with 0.1 in. or more.	25	23	9	20	17	18	19	16	14	16	25	15	217
Days with 0.4 in. or more.	20	13	3	18	8	12	10	9	4	8	18	3	126

Please read the Notes and Instructions Overleaf.

Kept at *Brockhurst Observatory, East Grinstead*
in the County of *Sussex*
Diameter of Funnel of Gauge.....*8* in.
Height of top of Gauge above Ground.....*1* ft. *0* in.
" Ground " Sea Level.....*435* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.01</i>	<i>1.48</i>	<i>.02</i>	<i>.02</i>	—	<i>.02</i>	<i>1.01</i>	<i>.22</i>	—	<i>.23</i>	<i>.35</i>	—	1
2	<i>.01</i>	—	<i>.10</i>	<i>.17</i>	—	<i>.02</i>	<i>.01</i>	—	—	<i>.03</i>	<i>.02</i>	<i>.02</i>	2
3	<i>.23</i>	—	<i>.04</i>	—	—	—	<i>.02</i>	—	—	—	—	<i>.07</i>	3
4	<i>.03</i>	—	<i>.06</i>	<i>.06</i>	<i>.04</i>	<i>.01</i>	<i>.02</i>	—	—	—	—	<i>.02</i>	4
5	<i>.16</i>	<i>.10</i>	<i>.13</i>	<i>.32</i>	<i>.35</i>	<i>.05</i>	<i>.02</i>	<i>.26</i>	—	—	<i>.11</i>	—	5
6	<i>.02</i>	—	<i>.32</i>	<i>.30</i>	<i>.02</i>	<i>.08</i>	<i>.44</i>	<i>.03</i>	<i>.11</i>	—	—	<i>.01</i>	6
7	<i>.07</i>	<i>.28</i>	<i>.16</i>	<i>.34</i>	—	<i>.16</i>	<i>.02</i>	<i>.20</i>	—	<i>.02</i>	—	—	7
8	<i>.05</i>	—	—	<i>.27</i>	—	—	<i>.10</i>	<i>.33</i>	<i>.05</i>	<i>.01</i>	<i>.20</i>	—	8
9	<i>.01</i>	—	<i>.01</i>	<i>.23</i>	—	—	<i>.17</i>	<i>.01</i>	<i>.15</i>	<i>.02</i>	—	—	9
10	<i>.01</i>	—	<i>.02</i>	—	—	—	—	<i>.02</i>	<i>.32</i>	<i>.01</i>	—	—	10
11	—	<i>.01</i>	<i>.03</i>	<i>.02</i>	—	<i>.03</i>	<i>.04</i>	<i>.42</i>	—	—	—	—	11
12	<i>.14</i>	—	<i>.02</i>	—	—	—	<i>.23</i>	<i>.09</i>	—	<i>.03</i>	<i>.02</i>	—	12
13	<i>.17</i>	<i>.03</i>	—	—	—	—	<i>.03</i>	<i>.36</i>	<i>.17</i>	<i>.01</i>	<i>.05</i>	<i>.03</i>	13
14	<i>.04</i>	<i>.01</i>	—	<i>.11</i>	<i>.01</i>	—	<i>.49</i>	<i>.09</i>	<i>1.86</i>	—	<i>.01</i>	<i>.30</i>	14
15	<i>.02</i>	—	—	—	<i>.01</i>	—	<i>.05</i>	<i>.28</i>	<i>.02</i>	—	<i>.02</i>	<i>.02*</i>	15
16	<i>.04</i>	—	—	—	<i>.10</i>	—	<i>.01</i>	<i>.02</i>	<i>.12</i>	—	—	—	16
17	<i>.25*</i>	<i>.01</i>	<i>.04</i>	—	—	<i>.35</i>	—	<i>.57</i>	<i>.11</i>	—	—	<i>.01*</i>	17
18	<i>.27*</i>	—	—	—	—	<i>.59</i>	—	<i>.48</i>	<i>.02</i>	—	<i>.18</i>	—	18
19	—	<i>.15</i>	—	—	—	<i>.08</i>	—	<i>.02</i>	—	<i>.02</i>	<i>.23</i>	—	19
20	<i>.10*</i>	<i>.18</i>	—	—	—	—	<i>.07</i>	<i>.91</i>	—	—	<i>.37</i>	<i>.11</i>	20
21	<i>.25*</i>	<i>.33</i>	<i>.02</i>	—	<i>.20</i>	<i>.03</i>	<i>.03</i>	<i>.21</i>	<i>.21</i>	<i>.40</i>	<i>.18</i>	<i>.95</i>	21
22	<i>.17*</i>	<i>.07</i>	<i>.43</i>	<i>.01</i>	<i>.02</i>	<i>.15</i>	<i>.14</i>	<i>.18</i>	<i>.17</i>	<i>.81</i>	—	<i>.75</i>	22
23	<i>.02</i>	<i>.64</i>	<i>.48</i>	—	—	<i>.03</i>	—	<i>.39</i>	<i>.93</i>	<i>.02</i>	<i>.17</i>	<i>.22</i>	23
24	—	<i>.20</i>	<i>.68</i>	<i>.04</i>	—	<i>.35</i>	<i>.02</i>	<i>.17</i>	<i>.02</i>	<i>.02</i>	<i>.05</i>	<i>.38</i>	24
25	<i>.01</i>	<i>.50</i>	<i>.63</i>	—	—	<i>.09</i>	<i>.01</i>	<i>.04</i>	<i>.04</i>	<i>.06</i>	—	<i>.94</i>	25
26	<i>.31</i>	<i>.84</i>	<i>.13</i>	—	<i>.09</i>	<i>.22</i>	<i>.08</i>	—	<i>.10</i>	<i>.07</i>	<i>.03</i>	<i>.89*</i>	26
27	<i>.05</i>	<i>.50</i>	—	—	<i>.31</i>	<i>.22</i>	<i>.29</i>	<i>.01</i>	<i>.01</i>	<i>.52</i>	—	—	27
28	<i>.26</i>	<i>.38</i>	<i>.05</i>	<i>.08</i>	—	<i>.35</i>	<i>.02</i>	—	—	<i>.10</i>	<i>.28</i>	—	28
29	<i>.05</i>	<i>X</i>	<i>.20</i>	<i>.02</i>	—	<i>.36</i>	—	<i>.08</i>	<i>.56</i>	—	<i>1.28</i>	—	29
30	<i>.39</i>	<i>X</i>	<i>.14</i>	—	—	<i>.54</i>	<i>.07</i>	—	<i>.01</i>	<i>.23</i>	—	—	30
31	<i>.01</i>	<i>X</i>	<i>.97</i>	<i>X</i>	<i>.03</i>	<i>X</i>	<i>.08</i>	<i>.01</i>	<i>X</i>	<i>.03</i>	<i>X</i>	<i>.21</i>	31
TOTAL	<i>3.15</i>	<i>5.71</i>	<i>4.68</i>	<i>1.99</i>	<i>1.18</i>	<i>3.73</i>	<i>3.47</i>	<i>5.34</i>	<i>4.98</i>	<i>2.64</i>	<i>3.55</i>	<i>4.93</i>	YEARS TOTAL <i>45.35</i>
Days with ".01 in. or more.	<i>28</i>	<i>17</i>	<i>22</i>	<i>14</i>	<i>11</i>	<i>20</i>	<i>25</i>	<i>25</i>	<i>19</i>	<i>19</i>	<i>17</i>	<i>16</i>	<i>233</i>
Days with ".04 in. or more.	<i>18</i>	<i>13</i>	<i>16</i>	<i>10</i>	<i>6</i>	<i>14</i>	<i>14</i>	<i>18</i>	<i>14</i>	<i>8</i>	<i>12</i>	<i>10</i>	<i>153</i>

Section **A**

for the entry of Daily Observations.

549
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Brockhurst Obsty, East Grinstead
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.06	.25	.23	—	—	.01	.71	—	—	.30	—	1
2	<u>1.12</u>	<u>.41</u>	.07	—	.02	—	—	.01	—	—	.05	.02	2
3	.02	—	—	.21	.16	—	.48	.48	—	—	.10	.02	3
4	—	.20	—	.05	.09	.05	—	.82	—	—	.02	—	4
5	.15	.27	.18	—	—	—	.06	—	—	.02	.01	.02	5
6	.02	.02	.03	—	—	.26	—	—	.02	.02	.03	.10	6
7	.01	.01	.03	.11	—	.19	.01	.08	—	.01	.01	—	7
8	—	.05	.05	—	—	.50	.05	—	—	.05	—	—	8
9	.05	—	.02*	.02	—	.07	—	—	.27	.54	—	—	9
10	.09	.27	.01*	.20	.02	.05	—	.03	.02	.17	.22	—	10
11	—	—	—	.12	—	—	—	.01	—	.60	.18	.10*	11
12	.44	.17	.07*	.04	.02	—	—	.07	—	.02	.03	.24	12
13	—	.18	.03*	—	—	.67	—	.45	—	—	.11	.07	13
14	.13	.18	—	.19	.05	.10	—	.11	.01	.69	.51	—	14
15	.04	—	—	.46*	.09	.01	—	—	.05	—	.30	.02	15
16	.02	.10	—	.18*	.16	—	—	—	—	.09	.39	.32	16
17	—	—	.01	.02	.15	—	—	—	.02	.20	—	.02	17
18	.46	—	.04	.04	.30	.19	—	—	.01	.58	.06	.01	18
19	.01	—	—	—	.15	.05	—	.04	—	.37	.05	.07	19
20	.13	—	—	—	.16	—	—	.04	—	.71	.14	.15	20
21	.21	—	.11	.10*	.05	—	—	.04	—	.47	.55	—	21
22	—	.03	.20	—	—	—	—	.02	—	.79	.23	.11	22
23	.50	—	.05	—	.04	—	—	—	—	.26	.31	—	23
24	.08	—	—	—	.01	—	—	.02	.28	.03	.06	.30	24
25	.12	—	.01	—	—	.10	—	.01	.01	.25	.02	.24	25
26	.19	.02	—	—	—	.27	.07	.45	—	<u>1.14</u>	—	.14	26
27	.01	—	.08	—	—	.01	<u>.70</u>	.28	—	.16	.01	<u>.81</u>	27
28	.81	—	.06	—	—	—	—	.02	.38	—	—	.25	28
29	.23	.09	.61	.15	—	.01	.03	.23	.03	.08	.05	.64	29
30	.05	×	.62	.07	—	.16	.23	—	—	.12	.01	.26	30
31	.15	×	.28	×	—	×	.11	.84	×	.18	×	.30*	31
TOTAL	5.11	2.12	2.81	2.19	1.47	2.69	1.75	4.76	1.10	7.61	3.75	4.21	YEAR'S TOTAL 39.57
Days with ".01 in. or more.	25	15	21	16	15	16	10	21	11	24	25	22	221
Days with ".04 in. or more.	19	11	14	14	11	13	7	14	4	19	17	16	159

Section

A

for the entry of Daily Observations.

572
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at *Brookhurst Observatory, East Grinstead.*
in the County of *Sussex*

Diameter of Funnel of Gauge.....*8* in.
Height of top of Gauge above Ground.....*1* ft.....*0* in.
,, Ground ,, Sea Level.....*435* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	<i>.09</i>	—	<i>.07</i>	—	<i>.01</i>	—	<i>.43</i>	<i>.01</i>	<i>.32</i>	—	<i>.02</i>	I
2	<i>.02</i>	<i>.30</i>	—	<i>.01</i>	—	<i>.04</i>	<i>.07</i>	—	—	<i>.31</i>	<i>.05</i>	<i>.63</i>	2
3	<i>.01</i>	—	<i>Drought</i>	—	—	—	<i>.40</i>	<i>.01</i>	—	<i>.07</i>	—	<i>.34</i>	3
4	<i>.01</i>	—		<i>.22</i>	<i>.43</i>	<i>.35</i>	<i>.40</i>	<i>.06</i>	—	—	—	<i>.48</i>	4
5	—	—		—	<i>1.45</i>	<i>.25</i>	<i>.25</i>	<i>.43</i>	—	<i>.24</i>	<i>.02</i>	<i>.30</i>	5
6	—	—		—	<i>.18</i>	<i>.02</i>	<i>.04</i>	<i>.75</i>	—	<i>.19</i>	<i>.15</i>	<i>.50</i>	6
7	—	—	<i>Drought</i>	—	<i>.02</i>	<i>.07</i>	—	<i>.55</i>	—	<i>.50</i>	<i>.50</i>	<i>.60</i>	7
8	—	—		—	—	<i>.11</i>	—	—	—	<i>.31</i>	<i>.01</i>	<i>.55</i>	8
9	<i>.01</i>	—	—	<i>.02</i>	—	—	—	—	—	—	—	<i>.43</i>	9
10	<i>.22</i>	<i>.18</i>	—	<i>.05</i>	—	—	—	—	—	<i>.06</i>	<i>.13</i>	<i>.39</i>	10
11	—	—	—	<i>.26</i>	<i>.02</i>	<i>.01</i>	—	—	—	—	<i>1.30</i>	<i>.34</i>	11
12	—	—	—	<i>.13</i>	<i>.38</i>	<i>.38</i>	—	—	—	—	—	<i>.13</i>	12
13	<i>.04</i>	—	<i>Spring</i>	<i>.01</i>	<i>.20</i>	<i>.02</i>	—	—	—	—	—	<i>.07</i>	13
14	—	—		—	<i>.02</i>	<i>.15</i>	—	—	—	—	—	<i>.10</i>	14
15	<i>.06</i>	<i>.10</i>		<i>.02</i>	<i>.01</i>	<i>.15</i>	—	—	—	—	<i>.95</i>	<i>.14</i>	15
16	<i>.10</i>	—		—	—	—	—	<i>.93</i>	—	—	<i>.90</i>	—	16
17	—	—	<i>Antedromia</i>	—	—	—	—	<i>.01</i>	—	—	—	—	17
18	—	—		—	—	—	—	<i>.03</i>	—	—	<i>.45</i>	—	18
19	—	—		—	—	—	—	—	—	—	<i>.16</i>	—	19
20	—	—		—	—	—	<i>.04</i>	<i>.01</i>	—	<i>.83</i>	—	<i>.06</i>	20
21	<i>.10</i>	—	<i>.02</i>	—	—	—	—	<i>.06</i>	—	—	<i>.01</i>	<i>.76</i>	21
22	<i>.02</i>	—	—	—	—	—	<i>.01</i>	<i>.03</i>	—	<i>.01</i>	<i>.29</i>	<i>.09</i>	22
23	<i>.02</i>	<i>.03</i>	—	—	—	—	—	—	—	<i>.23</i>	<i>.73</i>	<i>.40</i>	23
24	—	—	<i>Great</i>	—	—	—	—	<i>.02</i>	—	<i>.94</i>	<i>.73</i>	<i>.50</i>	24
25	—	—		—	—	—	—	<i>.01</i>	—	<i>.31</i>	<i>.26</i>	<i>.03</i>	25
26	—	<i>.02</i>		<i>.03</i>	<i>.02</i>	—	—	—	—	—	<i>.17</i>	<i>.26</i>	26
27	—	—		<i>.01</i>	—	—	—	<i>.13</i>	—	<i>.01</i>	<i>.74</i>	<i>.10</i>	27
28	<i>.15</i>	—	—	<i>.02</i>	—	—	<i>.19</i>	<i>.01</i>	<i>.01</i>	<i>.32</i>	<i>.73</i>	<i>.57</i>	28
29	<i>.17</i>	X	—	<i>.33</i>	—	<i>.04</i>	—	<i>.01</i>	<i>.07</i>	—	<i>.72</i>	<i>.13</i>	29
30	—	X	—	—	—	<i>.19</i>	<i>.01</i>	—	<i>.30</i>	<i>.01</i>	<i>.37</i>	<i>.59</i>	30
31	<i>.38</i>	X	—	X	—	X	<i>.25</i>	—	X	—	X	<i>.02</i>	31
TOTAL	<i>1.31</i>	<i>0.72</i>	<i>0.02</i>	<i>1.18</i>	<i>2.73</i>	<i>1.79</i>	<i>1.66</i>	<i>3.48</i>	<i>0.39</i>	<i>4.66</i>	<i>9.37</i>	<i>8.53</i>	YEAR'S TOTAL <i>35.84</i>
Days with or more.	<i>14</i>	<i>6</i>	<i>1</i>	<i>13</i>	<i>10</i>	<i>14</i>	<i>10</i>	<i>17</i>	<i>4</i>	<i>16</i>	<i>21</i>	<i>27</i>	<i>153</i>
Days with or more.	<i>8</i>	<i>4</i>	—	<i>6</i>	<i>5</i>	<i>10</i>	<i>8</i>	<i>8</i>	<i>2</i>	<i>13</i>	<i>18</i>	<i>24</i>	<i>106</i>

Section

A

for the entry of Daily Observations.

593
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Brockhurst Observatory, East Grinstead.*
in the County of *Sussex*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *435* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.14</i>	<i>.23</i>	—	<i>.15</i>	—	—	—	<i>.02</i>	—	—	<i>.44</i>	—	1
2	<i>.01</i>	<i>.17</i>	—	<i>.06</i>	<i>.03</i>	—	<i>.10</i>	<i>.07</i>	—	—	<i>.67</i>	—	2
3	<i>.09</i>	<i>.10</i>	—	<i>.49</i>	<i>.12</i>	—	—	<i>.76</i>	—	<i>.03</i>	<i>.03</i>	—	3
4	<i>.22</i>	<i>.07</i>	—	<i>.02</i>	<i>.01</i>	—	—	<i>.05</i>	<i>.03</i>	<i>.18</i>	—	—	4
5	<i>.06</i>	—	—	—	<i>.15</i>	—	—	<i>.56</i>	—	<i>.02</i>	—	<i>.01</i>	5
6	<i>.01</i>	—	—	<i>.01</i>	<i>.05</i>	—	—	<i>.04</i>	<i>.28</i>	<i>.02</i>	—	—	6
7	<i>.16</i>	<i>.08*</i>	<i>.01</i>	—	<i>.02</i>	—	—	<i>.40</i>	<i>.03</i>	<i>.59</i>	<i>.40</i>	<i>.04</i>	7
8	<i>.16</i>	<i>.07*</i>	—	—	—	—	—	—	<i>.01</i>	<i>.01</i>	<i>.01</i>	<i>.29</i>	8
9	<i>.40</i>	<i>.03*</i>	<i>.05</i>	—	<i>.39</i>	—	—	<i>.01</i>	<i>.01</i>	—	<i>.03</i>	<i>.03</i>	9
10	<i>.51</i>	<i>.04*</i>	<i>.14</i>	—	<i>.25</i>	—	—	<i>.02</i>	—	—	—	<i>.06</i>	10
11	<i>.13</i>	<i>.02</i>	<i>.01</i>	—	<i>.04</i>	—	<i>.01</i>	—	—	<i>.02</i>	—	<i>.83</i>	11
12	<i>.31</i>	—	<i>.02</i>	<i>.14</i>	<i>.04</i>	—	—	<i>.11</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	<i>.31</i>	12
13	<i>.06</i>	—	<i>.05</i>	<i>.05</i>	<i>.10</i>	—	<i>.10</i>	<i>.16</i>	<i>.30</i>	<i>.01</i>	<i>.02</i>	<i>.01</i>	13
14	<i>.13</i>	<i>.11</i>	<i>.08</i>	—	—	—	<i>.38</i>	—	—	<i>.01</i>	—	<i>.02</i>	14
15	<i>.01</i>	<i>.09</i>	<i>.80</i>	<i>.02</i>	<i>.01</i>	—	<i>.42</i>	—	—	<i>.04</i>	<i>.16</i>	—	15
16	—	—	<i>.05</i>	<i>.01</i>	—	<i>.02</i>	<i>.02</i>	—	<i>.10</i>	<i>.02</i>	—	—	16
17	—	<i>.07*</i>	<i>.12*</i>	<i>.14</i>	—	<i>.18</i>	<i>.01</i>	—	<i>.27</i>	<i>.25</i>	—	—	17
18	—	—	<i>.04*</i>	<i>.09*</i>	<i>.07</i>	—	<i>.02</i>	<i>.04</i>	<i>.01</i>	—	<i>.21</i>	<i>.06</i>	18
19	—	—	<i>.03*</i>	<i>.12</i>	—	—	—	<i>.11</i>	<i>1.25</i>	<i>.12</i>	<i>.40</i>	<i>.02</i>	19
20	—	—	—	<i>.19</i>	<i>.03</i>	<i>.02</i>	<i>.90</i>	<i>.43</i>	<i>.40</i>	<i>.19</i>	<i>.50</i>	<i>.02</i>	20
21	<i>.02</i>	—	<i>.02</i>	—	—	—	<i>.04</i>	<i>.69</i>	<i>.01</i>	<i>.06</i>	<i>.50</i>	—	21
22	<i>.08</i>	—	—	<i>.04</i>	<i>.42</i>	<i>.01</i>	<i>.06</i>	<i>.15</i>	<i>.03</i>	<i>.25</i>	<i>.20</i>	<i>.02</i>	22
23	<i>.23</i>	—	<i>.07</i>	<i>.25</i>	<i>.01</i>	<i>.52</i>	<i>.02</i>	<i>.12</i>	<i>.06</i>	<i>.01</i>	<i>.02</i>	<i>.05</i>	23
24	<i>.45</i>	<i>.04*</i>	—	<i>.06</i>	<i>.05</i>	<i>.03</i>	<i>.02</i>	<i>.01</i>	<i>.01</i>	—	<i>.58</i>	<i>.21</i>	24
25	<i>.09</i>	<i>.03</i>	—	—	<i>.23</i>	<i>.01</i>	—	—	<i>.01</i>	<i>.01</i>	<i>.34</i>	<i>.01</i>	25
26	<i>.27</i>	<i>.04</i>	—	—	—	—	<i>.06</i>	—	<i>.25</i>	<i>.01</i>	<i>.26</i>	<i>.30</i>	26
27	—	—	—	—	<i>.23</i>	—	<i>.01</i>	<i>.01</i>	<i>.20</i>	<i>.02</i>	<i>.36</i>	<i>.19</i>	27
28	<i>.02</i>	—	<i>.03</i>	—	—	—	<i>.02</i>	—	<i>.33</i>	<i>.02</i>	<i>.39</i>	<i>.07</i>	28
29	<i>.10</i>	<i>X</i>	<i>.02</i>	—	—	—	<i>.17</i>	<i>.06</i>	<i>.12</i>	<i>.03</i>	<i>.38</i>	<i>.12</i>	29
30	<i>.05</i>	<i>X</i>	—	—	<i>.34</i>	—	<i>.11</i>	—	—	<i>.01</i>	<i>.02</i>	<i>.42</i>	30
31	<i>.59</i>	<i>X</i>	<i>.10</i>	<i>X</i>	<i>.22</i>	<i>X</i>	—	—	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.09</i>	31
TOTAL	<i>4.30</i>	<i>1.19</i>	<i>1.64</i>	<i>1.84</i>	<i>2.81</i>	<i>0.79</i>	<i>2.47</i>	<i>3.82</i>	<i>3.72</i>	<i>2.00</i>	<i>5.93</i>	<i>3.18</i>	YEAR'S TOTAL <i>33.69</i>
*Days with ≥ .01 in. or more.	<i>25</i>	<i>15</i>	<i>17</i>	<i>16</i>	<i>21</i>	<i>7</i>	<i>18</i>	<i>20</i>	<i>21</i>	<i>25</i>	<i>22</i>	<i>22</i>	<i>229</i>
*Days with ≥ .04 in. or more.	<i>20</i>	<i>12</i>	<i>10</i>	<i>12</i>	<i>15</i>	<i>2</i>	<i>10</i>	<i>15</i>	<i>11</i>	<i>9</i>	<i>15</i>	<i>14</i>	<i>145</i>

40-9999

*melted snow

*See Instruction 2 (f) on other side.

(Signed)

W.S. Franks, F.R.S.

[P.T.O.]

Highfields
Kpt at East
in the County of
by S M

HIGHFIELD
EAST GRINSTEAD
SUSSEX
1921-1924

IMPORTANT
If an Observer prefers
the reading at 9 a.m.
this paragraph. Full
and particulars as to
sent post-free on app
Square, London, N.W.

539
ORGANIZATION.
92.1
Long 0
at 9 am
ation E. Grinstead
of Rain Gauge in.
uge above Ground 1 ft. in.
,, Sea Level 400 ft.
result entered to the previous day.
y requested to add
for it at the end of
acing of rain gauges,
Rainfall Observers,
zation, 62, Camden
ay Place, Edinburgh.
his form.

Jan. 1, following.

Date	Jan. in.	Feb. in.	in.	in.	in.	in.	in.	in.	in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.41		.07								.04	.16	1
2	.01			~~28~~	28			.04			.32	.02	2
3	.03		.11	~~18~~	18			.05			.23		3
4	.17		.01	~~17~~	17			.06			.49		4
5			.02					.24			.27		5
6	.24		.48	~~21~~	21							.02	6
7	.28	.02		~~21~~	21								7
8	.02				.04								8
9				.04				.04					9
10	.27	.02	.03					.01	.33				10
11	.20				.04			~~.72~~				.01	11
12	.45		.13					.56	.10			.06	12
13	.13		.15	.32				.24	.07	.05	.01		13
14			.03		.01							.34	14
15				.07							.01	.02	15
16	.08		.02	.19				.22			.16		16
17	.12		.34	.12			.02	.22					17
18	.07	.01							.02				18
19			.12		.07	.03			10			.09	19
20			.04						.41				20
21										.08			21
22				.03					.08			.33	22
23				.14			.04	.56	.24			.11	23
24				.03								.05	24
25		.68			.07	.03						.12	25
26	.03				.02	.01						.31	26
27	.07							.01				.05	27
28	.04		.23		.24		.35					.04	28
29		X	.11		.33		.01					.07	29
30	.24	X			.17						.16	.07	30
31	.11	X		X	.01	X			X		X		31
TOTAL	2.85	.73	1.89	9.4	1.99	.07	.42	2.20	.90	1.21	1.77	1.87	YEAR'S TOTAL 16.84
Days with ".01 in. or more	19	4	15	8	15	3	4	10	6	6	10	17	117
Days with ".04 in. or more	13	1	10	6	11	0	2	9	3	6	8	13	83

Lat. 57.8 Long. 0
Time of Observation 9 am
Nearest Railway Station E. Grinstead
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 400 ft.

Kept at Highfields East Grinstead
in the County of Sussex
by G. Mason

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41		.07								.04	.16	1
2	.01			~~28~~	28			.04			.32	.02	2
3	.03		.11	~~18~~	18			.05			.23		3
4	.17		.01	~~17~~	17			.06			.49		4
5			.02					.24			.27		5
6	.24		.48	~~21~~	21							.02	6
7	.28	.02		~~21~~	21								7
8	.02				.04								8
9				.04					.04				9
10	.27	.02	.03						.01	.33			10
11	.20				.04				.72			.01	11
12	.45		.18					.56	.10			.06	12
13	.13		.15	.32				.24	.01	.05	.01		13
14			.03		.01							.34	14
15				.07							.01	.02	15
16	.08		.02	.19				.22			.16		16
17	.12		.34	.12			.02	.22					17
18	.07	.01							.02				18
19			.12		.07	.03				.10		.09	19
20			.04							.41			20
21											.08		21
22				.03						.08		.33	22
23				.14			.04	.56		.24		.11	23
24				.03								.05	24
25		.68			.07	.03						.12	25
26	.03				.02	.01						.31	26
27	.07							.01				.05	27
28	.04		.23		.24		.35					.04	28
29		X	.11		.33		.01					.02	29
30	.24	X			.17						.16	.07	30
31	.11	X		X	.01	X			X		X		31
TOTAL	2.85	.73	1.89	9.4	1.99	.07	.42	2.20	.90	1.21	1.77	1.87	YEAR'S TOTAL 16.84
Days with ".01 in. or more	19	4	15	8	15	3	4	10	6	6	10	17	117
Days with ".04 in. or more	13	1	10	6	11	0	2	9	3	6	8	13	83

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Highfields, East Grinstead
in the County of Surrey
by E. Mason

Lat. 51.8 Long. 0
Time of Observation 9 am
Nearest Railway Station E Grinstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.09	.24		.14		.05	.03			.82	.10	1
2	.17	.19	.18	.11			.15	.02	.18				2
3		.04	.13	.65	.21		.09	.24		.05	.08		3
4		.20	.13		.17		.20	.11		.38			4
5			.12				.98	.01		.18	1.00		5
6	.06		.06				.05	.53		.05	.09		6
7	.18		.79	.22				.27					7
8	.12		.03	.05		.07	.45	.13			.09	.05	8
9	.07							.19		.03	.01		9
10	.01								.18		.34		10
11	.03				.08								11
12				.65				.18	.55			.02	12
13				.46		.11	.05		.03				13
14				.02		.16	6.58	.10	.39				14
15	.28	.24		.06		.03							15
16		.08		.15	.09		.01		.09		.02	.46	16
17		.28			.08		.08	.01	.06			.08	17
18	.83				.02				.03			.38	18
19	1.53	.07							.28	.28		.70	19
20	.07	.04								.01			20
21	.47	.19	.09	.08								.99	21
22		.07		.12		.05		.12				.06	22
23		.02		.05		.05	.06		.03				23
24	.03		.14	.04	.06	.11		.24				.01	24
25	.39			.35		.04			.02	.02		.06	25
26	.28	.40	.02	.14		.19	.21		.03		.01	.04	26
27	.24	.37	.06	.16		.01		.30	.04	.02		.19	27
28	.24	.34	.04	.02		.25				.14		.15	28
29	.12			.21		.10		.34		.17		.21	29
30		X	.23			.12	.04	.12	.10	.01	.05	.82	30
31	.08	X	.04	X		X	.02	.10	X	.08	X	.31	31
TOTAL	4.61	2.62	2.30	3.54	.85	1.29	4.12	3.09	2.01	1.42	2.57	4.63	YEAR'S TOTAL
Days with .01 in. or more	19	15	15	18	8	13	15	18	14	13	10	17	175
Days with .04 in. or more	15	14	13	16	7	11	13	14	9	8	7	15	142

REGISTER OF RAINFALL IN 1923.

Kept at East Grinstead
In the County of Sussex
by G. Mason

Lat. 51. 8 Long. 0
Time of Observation 9 am
Nearest Railway Station East Grinstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.02	38								19	.50	1
2	.28	.03			.01						.03	.12	2
3	.01					.04					.06	.08	3
4									.11			.28	4
5	.40			.19						.06	.02	.01	5
6	.34	.11	.17	.02									6
7	.06	<u>1.40</u>	.26		.03					.49		.53	7
8	.03	.26	.06		.12					.26	.71		8
9	.14	.12	.02	.02			<u>1.69</u>			.02			9
10		.38		.49	.13		.29			.32	.03	.02	10
11		.02		.26	.06					.57	.01	.09	11
12		.33	.56	.13	.13	.05				.40		.07	12
13	.05	.12	.19	.12			.12				.67		13
14		.03	.03	.06	.08			.04	.44	.06	.01		14
15		~~.09~~	.02	.02	.28	.19	.01		.09		.27		15
16		.13			.15				.02		.10		16
17	.01	.07						.12	.08				17
18	.10	.27		.02		.06		.12	.03	.02	.01		18
19	.15	.06					.03		.10	.87		.06	19
20		.16	.10		.02				.35	.12			20
21	.01	.25	.22	.18				.01	.06	.34	.02	.20	21
22		.40	.11					.02	.37	.17	.04	.06	22
23		.16	.05		.35		.08	.39	.24	1.07		.05	23
24		.02	.07					1.22	.21	.12		.07	24
25		.27	.12	.05	.10	.07	.07	.08	.03	.42		.47	25
26		.42	.22	.86				.16		.16		.33	26
27		.16	.07	.36	.03		.06	.06		.03		.18	27
28		.17	.02	.10	1.15		.28	.06		.01	.20		28
29	.09	X	.23	.23	.55		.07	.31				.22	29
30		X					.12			.14		.09	30
31		X		X		X	.24		X	.05	X	.16	31
TOTAL	1.76	5.31	2.88	3.07	3.17	3.9	3.07	2.57	2.11	5.66	2.35	3.54	35.82
Days with "1 in. or more	14	24	19	16	15	5	12	12	13	21	15	20	186
Days with ".01 in. or more	10	19	15	12	11	5	10	10	10	17	8	18	145
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1924.

Kept at East Grinstead
 in the County of Sussex
 by George Mason

Lat. 57.8 Long. 0
 Time of Observation 9 am GMT
 Nearest Railway Station E. S.
 Diameter of Funnel of Rain Gauge 4 in.
 Height of top of Gauge above Ground 7 ft. — in.
 " " " " Sea Level 400 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.07	.01	.01	.18	.11	.01			.68	.29	RRR
2	.07		.32		.10	.48	.01	.23				.36	2
3			.08		.18	.08	.32	.45	.27	.01			3
4					.23	.70			.02	.02		.35	4
5		.02	.09			.04	.05	.13		.16		.01	5
6		.04							.01	.55			6
7					.03	.78			.09	.30			7
8		.09		.03	.17				.15	.19			8
9	.30	.25		.08	.09	.04			.17				9
10	.11			.22	.47	.16			.08	.02			10
11	.07			.34	.34	.45			.03	.04	.31		11
12				.19	.09	.20		.22	.16	.01	.50		12
13	.11			.47	.04		.03	.20	.49		.18	.25	13
14				.24				.08			.07	.01	14
15		.05		.01				.02	.05			.74	15
16								.07	.02			.09	16
17	.36					.01	.74	.10	.03				17
18	.48	.06			.04	.12	.05			.08	.02		18
19	.10	.01			.14	.03		.03		.05	.03	.01	19
20					.18		.09	.13	.24	.05			20
21	.24				.04		.11	.07	.14	.66			21
22	.28		.35		.34		.03	.61	.18				22
23			.46	.01	.44			.23	.20			.70	23
24	.33	.19	.24	.06	.28			.06			.05	.40	24
25		.03	.92	.03	.24		.70		.54	.03	.19	.09	25
26			.25	.50			.09	.12	.48	.11	.32	.24	26
27		.09		.73			.40	.02	.08	.25	.39	.00	27
28				.01			.76	.38		.01	.48	.01	28
29				.14	.28		.52	.26	.20	.83	.18	.14	29
30		X		.25	.10			.18	.50	.48	.11	.49	30
31		X	.02	X	.48	X			X	.20	X	.21	10531
TOTAL	2.47	.83	2.80	3.32	4.31	3.27	4.01	3.60	4.13	4.05	3.57	5.29	41.59
Days with .01 in. or more	12	10	10	17	22	13	15	21	22	20	14	18	194
Days with .04 in. or more	11	7	9	11	20	11	12	17	17	12	12	14	153
YEAR'S TOTAL													10531

Kept at

Halland

in the County of

Sussex

by

Robert Sho

(HALLAND PARK)

SUSSEX

1922, 25-26, 28-30

Chfield

auge 5 in.

round 1 ft. in.

ea Level 300 ft.

d the result entered to the
tly requested

at the end of

Jan. 1, following.

1922

IMPORTANT NOTE.—Rain sh
previous day. If an Observer prefers

to add the reading at 9 a.m. on 1st Jan

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and
particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers." sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15					.05						1
2	.07	.22	.30				.21		.12		.78		2
3		.09	.90	1.04	.19			.13					3
4							.11			.32			4
5							.9			.15			5
6	.31		.23					.18					6
7			.63	.21				.06					7
8	.17		.06	.15			.39	.56			.28		8
9								.28			.08		9
10									.13		.1		10
11													11
12				.65				.11	.62				12
13				.36		.23			.1				13
14	.23					.17	.80		.36				14
15		.30		.13									15
16				.03					.17			.33	16
17		.19			.23		.16					.17	17
18	1.0	.14										.5	18
19	.57											.67	19
20									.32				20
21	.57	.19										.83	21
22		.21						.20				.21	22
23		.07							.69				23
24				.36		.22		.31					24
25	.2		.35	.33		.47							25
26				.03		.24	.07		.07			.13	26
27	.55	.28						.3	.04			.2	27
28	.13					.22		.07		.48		.25	28
29	.19			.18		.18		.51				.16	29
30		X						.43				.19	30
31		X		X		X		.15	X		X	.28	31
TOTAL	3.99												YEAR'S TOTAL
Days with 01 in. or more	5.09	1.84	2.47	3.47	.42	1.73	2.69	3.29	2.62	1.30	1.24	3.92	18.98
Days with 04 in. or more	11	10	6	11	2	7	8	13	10	3	4	12	97
	11	10	6	19	2	7	8	13	10	2	4	12	95

REGISTER OF RAINFALL IN 1922.

Kept at Halland Park
in the County of Sussex
by Robert Shanks

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Richfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
1922

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15					.05						1
2	.07	.22	.30				.21		.12		.78		2
3		.09	.90	1.04	.19			.13					3
4				~~1.11~~			.11			.32			4
5							.9			.5			5
6	.31		.23					.18					6
7			.63	.21				.06					7
8	.17		.06	.15			.39	.56			.28		8
9								.28			.08		9
10									.13		.1		10
11													11
12				.65				.11	.62				12
13				.36		.23			.1				13
14	.23					.17	.80		.36				14
15		.30		.13									15
16				.03					.17			.33	16
17		.19			.23		.16					.17	17
18	1.0	.14										.5	18
19	.57											.67	19
20									.32				20
21	.57	.19										.83	21
22		.21						.20				.21	22
23		.07							.69				23
24				.36		.22		.31					24
25	.2		.35	.33		.47							25
26				.03		.24	.07		.07			.13	26
27	.55	.28						.3	.04			.2	27
28	.13					.22		.07		.48		.25	28
29	.19			.18		.18		.51				.16	29
30		X						.43				.19	30
31		X		X		X		.15	X		X	.28	31
TOTAL	3.99												YEAR'S TOTAL
Days with 0.1 in. or more	5.09	1.84	2.47	3.47	.42	1.73	2.69	3.29	2.62	1.30	1.24	3.92	18.98
Days with 0.4 in. or more	11	10	6	11	2	7	8	13	10	3	4	12	97
	11	10	6	11	2	7	8	13	10	3	4	12	95

For

DURRANT'S PRESS CUTTINGS,

St. Andrew's House, 32 to 34 Holborn Viaduct,
and 3 St. Andrew Street Holborn Circus, E.C. 1.

TELEPHONE: CITY 4963.

Sussex County Herald

High Street, Lewes, and 4 Penvensey Road, Eastbourne.

Cutting from issue dated.....17 Jan.....192

RAINFALL ON THE FARM

FIGURES RECORDED AT HALLAND PARK

When it is considered that the average rainfall for the Halland and East Hoathly locality is between 26 inches and 30 inches per annum, the figure of 36.85 inches for 1923 and 39.14 for 1924 will indicate what a trying time has been experienced by farmers during the last two seasons. The following figures have been recorded by Mr. R. Shanks, of Halland Park, East Hoathly.

The fall of 6.31 inches for October 1923 is the highest figure ever recorded by Mr. Shanks whether at East Hoathly, near the coast or in Cumberland. The fall of 2.3 inches on July 9, 1923 was also a record so far as he is concerned. At one place on the Sussex coast the fall on that day was 4 inches.

There were four days during 1924 on which over 1 inch of rain fell, viz.:

August 21	1.19 in.
September 25	1.03 in.
October 6	1.26 in.
December 27	1.26 in.

Half an inch is equivalent to a wet day.

The 1924 Rainfall.

During 1924 the rainfall was:

January	1.95 in.
February	0.95 in.
March	1.91 in.
April	3.28 in.
May	3.58 in.
June	1.97 in.
July	2.5 in.
August	4.83 in.
September	3.89 in.
October	5.47 in.
November	3.72 in.
December	5.09 in.

Total 39.14

On Mr. Shank's farm during the dry year of 1921 the rainfall was 14.62 inches, a little more than what was experienced in 1924.

January of this year has begun in a boisterous fashion. The first three days gave 2.43 inches of rain. Mr. Shanks finds from records published that within a radius of 10 miles of his farm the rainfall varies several inches in a year.

Kept at Ballgange Park
Robert Sharpe
in the County of Sussex
by Robert Sharpe

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Richfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.92</u>	~~.26~~	<u>.26</u>					<u>.1</u>	<u>.12</u>		<u>.59</u>		1
2	<u>.81</u>			<u>.21</u>		<u>.06</u>	<u>.06</u>				<u>1.17</u>		2
3	<u>.70</u>				<u>.26</u>	<u>.19</u>	<u>.19</u>				<u>.06</u>		3
4					<u>.24</u>						<u>.43</u>		4
5		<u>.08</u>		<u>.52</u>	<u>.3</u>						<u>.42</u>		5
6		<u>.14</u>		<u>.12</u>		<u>.23</u>	<u>.23</u>	<u>.26</u>	<u>.25</u>		<u>.90</u>		6
7		<u>.19</u>				<u>.02</u>	<u>.02</u>						7
8	<u>.08</u>			<u>.19</u> →									8
9								<u>.09</u>	<u>.06</u>				9
10								<u>.35</u>	<u>.15</u>		<u>.18</u>		10
11		<u>.22</u>						<u>.43</u>					11
12		<u>.36</u>		<u>.09</u>									12
13		<u>.53</u>	<u>.20</u>	<u>.11</u>									13
14	<u>.49</u>	<u>.03</u>		<u>.34</u>									14
15		<u>.05</u>		<u>.06</u>									15
16	<u>.20</u>								<u>.10</u>	<u>.41</u>			16
17									<u>.07</u>				17
18							<u>.58</u>						18
19				<u>.15</u>						<u>.61</u>	~~.80~~	<u>.54</u>	19
20			<u>.10</u>						<u>.79</u>	<u>.61</u>	~~.80~~	<u>.53</u>	20
21							<u>.12</u>	<u>.08</u>	<u>.65</u>	<u>.35</u>		<u>.65</u>	21
22		<u>.22</u>					<u>1.4</u>	<u>.55</u>	<u>.63</u>	<u>1.33</u>		<u>.4</u>	22
23		<u>.18</u>		<u>.29</u>	<u>.35</u>			<u>.45</u>	<u>.80</u>			<u>.06</u>	23
24	<u>.36</u>	<u>.56</u>		<u>.03</u>	<u>.1</u>	<u>.13</u>		<u>.06</u>		<u>.80</u>	<u>.26</u>	<u>.26</u>	24
25		<u>1.12</u>	<u>.37</u>	<u>.05</u>					<u>.35</u>				25
26	<u>.07</u>	<u>.21</u>		<u>.25</u>	<u>.1</u>		<u>.66</u>			<u>.39</u>		<u>.22</u>	26
27	<u>.11</u>			<u>.16</u>	<u>1.17</u>		<u>.65</u>	<u>.10</u>					27
28	<u>.14</u>			<u>.35</u>	<u>.1</u>							<u>.41</u>	28
29	<u>.06</u>			<u>.1</u>	<u>.15</u>		<u>.21</u>			<u>.21</u> →		<u>1.48</u>	29
30		~~X~~		<u>.32</u>			<u>.36</u>					<u>.54</u>	30
31	<u>.07</u>	~~X~~		~~X~~		~~X~~	<u>.3</u>		~~X~~		~~X~~		31
TOTAL	<u>4.01</u>	<u>3.85</u>	<u>.93</u>	<u>3.15</u>	<u>2.96</u>	<u>.13</u>	<u>4.78</u>	<u>2.47</u>	<u>3.17</u>	<u>4.50</u>	<u>5.02</u>	<u>5.09</u>	YEAR'S TOTAL
Days with "1 in. or more.	<u>12</u>	<u>13</u>	<u>4</u>	<u>9</u>	<u>9</u>	<u>1</u>	<u>12</u>	<u>10</u>	<u>10</u>	<u>9</u>	<u>10</u>	<u>10</u>	<u>39.08"</u>
Days with "4 in. or more.	<u>12</u>	<u>12</u>	<u>4</u>	<u>16</u>	<u>9</u>	<u>1</u>	<u>11</u>	<u>10</u>	<u>10</u>	<u>8</u>	<u>9</u>	<u>10</u>	

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

19 JUL 1926

On examination of the return of observations made at

Halland Park 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The entry on your rainfall return for April 3rd (.19 inch) appears to belong to May 3rd and the entry on October 29th (.21 inch) to Nov^r 29. and have been transferred by us accordingly. The entry for Nov 19th does not compare well with neighbouring stations as shown below

Barcombe	.20
Halland Pk	.80
Hocham Ra.	.21

If you have no reason to the contrary we would recommend that .20 be adopted.

The totals for some of the months are not in agreement with the sums of the daily values

The correct totals appear to be

February	3.85	inches
May	2.96	"
August	2.47	"
September	3.17	"
November	5.02	" After suggested amendment 4.42
Year	40.06	-do- -do- 39.46 ins

We should be glad of your comments on these points.

H.R. Carter
30.6.26.

REPLY.

Do not alter my figures of .80

query daily entry
but accept as observed
informs -

20.7.26.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 7.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Holland Park
in the County of Bussers
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
„ Ground „ Sea Level.....30.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	.37				.42					.05		1
2		.01				.62			.15				2
3	.31	.78	.18										3
4		.15		.59									4
5	.09				.34		.13	.1			.63	.38	5
6		.34		.31			.13						6
7	.23			.08		.24			.07		.12		7
8			.18	.11		.03							8
9		.06				.9				.13	.5		9
10						.13		.6					10
11					.18	.2		.18			.22		11
12									.22	.35			12
13											1.81		13
14				.20		.12					.13	.08	14
15		.1		.48							.12		15
16		.18		.25				.88					16
17		.5		.15	.22	.68					.06		17
18	.57	.12					.22	.15			.74		18
19							.46						19
20			.02	.37				.35			.14		20
21							.04				.9	.11	21
22	.54			.1	.2						.15		22
23							.27						23
24						.36				.94			24
25	.21			.39						.08		.07	25
26											.25		26
27		.03	.02	.14			.49		.18	.11			27
28	.57			.14					.09	.25	.05		28
29	.05			.46	.41					.1			29
30	.2	X		.05	.49								30
31	.31	X		X		X		.37	X		X		31
TOTAL	3.77	2.64	.40	3.82	1.84	3.70	1.74	2.63	.71	1.96	6.87	.64	30.72
Days with ".01 in. or more.	11	11	4	15	16	10	7	7	5	5	15	4	102
Days with ".04 in. or more.													

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

468
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Halland Parkin the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in.„ Ground „ Sea Level 250 to 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.17	.2									1
2	<u>1.12</u>	<u>.26</u>									.24		2
3				.18	.03		.54	<u>.8</u>			.16		3
4		.21		<u>.33</u>	.23			.11			.22		4
5	.27	.11	.16	.12			.02						5
6						.32						.18	6
7	.1			.16		.15							7
8		.06				.5							8
9						.19			.07	.1			9
10	.09	.18		.24						.17	.27		10
11				.06						.54	.1	.06	11
12	.51	.14		.04						.84	.05	.1	12
13		.25				<u>1.62</u>		.1		<u>1.4</u>	.13		13
14	.28	.16		.25	.16	.05		.08			.85		14
15	.11			.5	.06			.07		.72	.42		15
16		.12		.09	.08						.47	.42	16
17	.68				.45					.11		~~.18~~	17
18					.11	.12				.16			18
19					.15			.1		.33	.12		19
20	.18							.06		.41	.07	~~.18~~	20
21	.14		.19	.16	.38					.84	.37	.19	21
22			.17							.84	.85	.13	22
23	.6		.08		.1					.58	.46		23
24	.06								.08	.18		.27	24
25	.15									.22		.22	25
26	.23					.08				.2	.02	.12	26
27							.67	.32	.16	.96		.82	27
28	.68							.06		.14	.04	.13	28
29	.16	.1	.79	.12			.15	.04		.14		.88	29
30	.17	X	.2	.06			.11			.14		.12	30
31		X	.2	X		X	.15		X	.15	X	.06	31
TOTAL	5.53	1.59	1.96	2.51	1.75	3.03	1.64	1.74	.31	7.91	4.84	3.84	YEAR'S TOTAL
Days with .01 in. or more.	<u>17</u>	<u>10</u>	<u>8</u>	<u>14</u>	<u>10</u>	<u>8</u>	<u>6</u>	<u>10</u>	<u>3</u>	<u>21</u>	<u>7</u>	<u>15</u>	<u>139</u>
Days with .04 in. or more.	17	10	8	14	9	8	6	10	3	21	16	15	136

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Holland Park
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				.04				.12		.4			I
2		.42				.09	.05			.49	.09	.49	2
3							.13					.31	3
4					.26	.58	.15	.36		.12		.49	4
5					.75	.38	.07	.42		.31		.32	5
6					.23	.02	.02	.51		.16	.22	.79	6
7										.43	.46	.36	7
8						.14				.25		.45	8
9		.29										.33	9
10	.10			.03						.08	.02	.60	10
11				.15							1.63	.03	11
12				.03	.29	.32							12
13					.19							.10	13
14					.20	.04						.11	14
15					.06	.24					1.33	.10	15
16	.12							1.25			.76		16
17													17
18									1.12		.41		18
19											.05		19
20							.08			.75			20
21	.15							.03				.75	21
22											.20	.05	22
23											.35	.38	23
24										.49	.67	.45	24
25										.42	.28		25
26				.06	.02						.11	.20	26
27					.03			.05			.83		27
28	.30			.02			.24			.35	.65	.52	28
29	.21			.26		.11			.31		.32	.28	29
30		X				.1	.05		.44		.16	.32	30
31	.35	X		X		X	.25		X		X		31
TOTAL	1.23	.71	-	.57	2.03	2.02	1.04	2.74	1.87	4.25	8.54	7.44	32.44
Days with ".01 in. or more.	6	2	-	7	9	10	9	7	8	12	18	21	104
Days with ".04 in. or more.	6	2	-	4	7	8	8	6	3	12	17	20	93

Section



for the entry of Daily Observations.

517
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Holland Park
in the County of Sussex

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 250 ft.

day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.37		.11		.02					.56		1
2	.02	.15		.02				.39			.45		2
3		.2		.43				1.64		.18			3
4	.21									.17			4
5	.06				.18			.14					5
6					.1				.15	.01			6
7	.19	snow						.04		.55	.44	.15	7
8		.57							.12			.25	8
9	.6				.32				.03		.02		9
10	.42		.24		.25			.01					10
11	.11									.1		.79	11
12	.36			.15	.09							.2	12
13	.08		.05	.13	.12	.18	.18	.32	.05				13
14	.08	.17		.02			.15						14
15	.06	.06	.37				.45				.1		15
16						.46			.12				16
17			.22	.06					.25	.2			17
18			.19		.07		.16				.33	.12	18
19				.18					1.3	.12	.5		19
20					.03	.06	1.01	.06	.25	.44	.46		20
21						.02	.07	.54		.53	.61		21
22				.04	.17		.04	.27		.25	.17		22
23	.1		.29	.33		.38		.04		.03		.28	23
24	.39	snow			.2						.58	.19	24
25	.14	.16			.13				.08		.4	.25	25
26	.13					.28	.03		.2		.32		26
27							.13				.41	.17	27
28	.02						.02		.23		.32	.12	28
29	.19							.03			.68		29
30	.19	X			.46		.36					.44	30
31	.57	X		X	.14	X			X	.11	X		31
TOTAL	4.07	1.67	1.36	1.47	2.26	1.22	2.6	3.48	3.23	2.69	6.35	2.96	33.36
* Days with or in. or more.	20	7	6	10	13	6	11	11	11	12	16	11	134
* Days with or 04 in. or more.	18	7	6	8	12	4	9	9	10	10	15	11	109

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Robert Shanks

P.T.O.

Kept at Bridge
in the County of Sussex
by Mr. A. G.

SUSSEX

1921-30

A.M.
Bridge 13.15.6
Gauge Five in.
Ground Two ft. in.
Sea Level 100 ft.

red to the previous day.

ed to add
the end of
in gauges,
Observers,"

Jan. 1, following.

IMPORTANT NOTE

If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruc
and particulars as to the British Rainfall Organization are given in
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	9	7	"	"	"	"	"	"	"	3	21	1
2	4	"	"	"	44	"	"	2	"	"	26	4	2
3	7	"	8	"	6	2	"	16	"	"	14	"	3
4	22	"	4	"	12	"	"	7	"	"	42	"	4
5	"	"	"	"	"	"	"	22	"	"	47	5	5
6	32	"	31	"	9	"	"	"	"	"	"	"	6
7	28	"	"	"	24	"	"	"	"	"	"	"	7
8	6	"	"	8	6	"	"	"	5	"	"	"	8
9	"	"	"	11	"	"	"	"	6	"	"	"	9
10	31	"	3	"	"	"	"	"	6	"	"	"	10
11	26	6	"	"	"	"	"	"	65	33	"	"	11
12	34	"	18	"	6	"	"	35	13	"	"	16	12
13	53	"	19	32	"	"	"	3	6	"	"	"	13
14	"	"	22	2	"	"	"	4	"	2	"	"	14
15	"	"	"	10	"	"	"	"	"	"	"	41	15
16	9	"	5	34	"	"	"	36	"	"	"	5	16
17	13	"	48	38	"	"	"	11	"	"	12	2	17
18	12	3	"	"	"	"	"	"	"	"	"	"	18
19	"	"	15	"	"	3	"	"	"	3	"	"	19
20	"	"	12	"	"	"	"	"	"	11	"	19	20
21	3	"	"	"	"	"	"	"	"	37	"	"	21
22	"	"	"	"	"	"	"	"	"	11	5	"	22
23	"	"	"	15	"	"	3	57	"	13	"	37	23
24	"	"	"	4	"	"	"	"	"	19	"	15	24
25	3	69	"	"	3	"	"	"	"	"	"	17	25
26	4	"	"	"	26	2	"	"	"	"	"	22	26
27	"	"	"	"	"	"	"	"	"	"	"	33	27
28	1	"	44	"	11	"	56	4	"	"	"	14	28
29	7	"	12	"	31	"	2	"	"	"	"	6	29
30	21	~~X~~	"	"	24	"	"	"	"	"	"	7	30
31	23	~~X~~	"	~~X~~	"	~~X~~	"	"	~~X~~	"	~~X~~	19	31
TOTAL	382	87	248	154	202	107	61	209	95	138	174	290	YEAR'S TOTAL
Days with 0.1 in. or more	21	4	14	9	12	3	3	11	5	7	8	18	115
Days with 0.4 in. or more	16	3	13	8	11		1	9	5	5	7	17	97

REGISTER OF RAINFALL IN 1921.

Kept at Bridge Castle Gardens
in the County of Sussex
by Mr. A. Wilson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bridge 13.15.6 Ry.
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 4 ft.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	9	7	"	"	"	"	"	"	"	3	21	1
2	41	"	"	"	44	"	"	2	"	"	26	4	2
3	7	"	8	"	6	2	"	16	"	"	14	"	3
4	22	"	4	"	12	"	"	7	"	"	42	"	4
5	"	"	"	"	"	"	"	22	"	"	47	5	5
6	32	"	31	"	9	"	"	"	"	"	"	"	6
7	28	"	"	"	24	"	"	"	"	"	"	"	7
8	6	"	"	8	6	"	"	"	"	"	"	"	8
9	"	"	"	11	"	"	"	"	5	"	"	"	9
10	31	"	3	"	"	"	"	"	6	"	"	"	10
11	26	6	"	"	"	"	"	"	65	33	"	"	11
12	34	"	18	"	6	"	"	33	13	"	"	16	12
13	53	"	19	32	"	"	"	3	6	2	"	"	13
14	"	"	22	2	"	"	"	4	"	"	"	41	14
15	"	"	"	10	"	"	"	"	"	"	"	5	15
16	9	"	5	34	"	"	"	36	"	"	12	2	16
17	13	"	48	38	"	"	"	11	"	"	"	"	17
18	12	3	"	"	"	"	"	"	"	3	"	"	18
19	"	"	15	"	"	3	"	"	"	"	"	19	19
20	"	"	12	"	"	"	"	"	"	57	"	"	20
21	3	"	"	"	"	"	"	"	"	"	11	5	21
22	"	"	"	"	"	"	"	"	"	13	"	37	22
23	"	"	"	15	"	"	3	57	"	19	"	15	23
24	"	"	"	4	"	"	"	"	"	"	"	17	24
25	3	69	"	"	3	"	"	"	"	"	"	22	25
26	4	"	"	"	26	2	"	"	"	"	"	33	26
27	"	"	"	"	"	"	"	"	"	"	"	14	27
28	1	"	44	"	11	"	56	4	"	"	"	6	28
29	7	"	12	"	31	"	2	"	"	"	"	7	29
30	21	~~X~~	"	"	24	"	"	"	"	"	19	21	30
31	23	~~X~~	"	~~X~~	"	~~X~~	"	"	~~X~~	"	~~X~~	"	31
TOTAL	382	87	248	154	202	107	61	209	95	138	174	290	YEAR'S TOTAL
Days with "01 in. or more	21	4	14	9	12	3	3	11	5	7	8	18	115
Days with "04 in. or more	16	3	13	8	11		1	9	5	5	7	17	97

FORM 1090
(formerly B.R.O. Form A.1.)

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Bridge Castle Gardens
in the County of Sussex
by Mr. A. Ellison

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station Bridge
Diameter of Funnel of Rain Gauge 7 in
Height of top of Gauge above Ground 200 ft. _____ in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	10	17	"	11	"	7	4	6	3	91	10	1
2	~~8~~	27	18	4	"	"	9	2	19	"	"	"	2
3	"	8	21	104	17	"	28	21	"	4	12	"	3
4	"	22	10	"	9	"	17	9	"	47	"	"	4
5	"	"	20	3	7	"	113	3	"	11	74	"	5
6	3	"	12	"	"	"	4	29	"	12	7	"	6
7	22	"	91	23	"	"	3	"	"	"	"	3	7
8	10	"	6	2	"	12	38	"	"	"	8	"	8
9	8	"	"	"	"	"	3	21	"	4	3	5	9
10	"	"	"	"	"	"	"	"	18	"	33	"	10
11	7	"	"	"	7	"	"	18	"	"	"	"	11
12	"	"	"	69	"	"	"	"	61	"	"	"	12
13	"	"	"	43	"	21	6	"	3	"	"	"	13
14	"	"	"	4	"	41	78	2	42	"	"	"	14
15	41	29	"	"	"	"	4	"	"	"	"	"	15
16	"	9	"	8	"	"	"	13	10	"	"	41	16
17	"	35	"	"	17	"	10	"	5	"	"	13	17
18	104	"	"	"	"	"	2	7	"	"	"	51	18
19	61	8	3	"	4	"	"	8	34	19	"	79	19
20	4	"	"	"	"	"	"	"	"	4	"	4	20
21	39	34	22	3	"	"	"	24	"	"	"	119	21
22	3	14	"	13	"	3	"	2	"	8	"	10	22
23	"	7	"	4	"	5	18	"	14	"	"	"	23
24	5	3	19	6	21	15	2	31	4	"	"	4	24
25	24	"	11	39	4	6	"	3	5	"	"	8	25
26	12	45	5	4	"	14	19	"	8	"	4	3	26
27	51	56	9	9	"	2	"	"	7	6	"	28	27
28	18	33	3	"	"	24	"	42	"	16	2	19	28
29	16	"	"	"	"	11	"	61	"	28	"	30	29
30	2	~~X~~	22	"	"	9	8	"	9	4	7	32	30
31	"	~~X~~	5	~~X~~	"	~~X~~	"	15	~~X~~	9	~~X~~	28	31
TOTAL	4.30	3.40	2.94	3.43	" 97	4.63	3.69	3.15	2.45	1.75	2.41	4.87	YEAR'S TOTAL 34.99
Days with "01 in. or more	18	15	17	16	9	12	18	19	15	14	10	18	181
Days with "04 in. or more	15	14	15	13	9	10	14	14	14	13	8	16	155

REGISTER OF RAINFALL IN 1923.

Kept at *Bridge Castle Gardens*
in the County of *Surrey.*
by *Mr. A. Wilson*

Lat. _____ Long. _____
Time of Observation *9.0 a.m.*
Nearest Railway Station *Bridge*
Diameter of Funnel of Rain Gauge *Five* ins.
Height of top of Gauge above Ground *Two* ft. _____ in.
" " " " Sea Level *400.* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	4	30	"	"	6	"	"	"	3	20	56	1
2	27	3	4	"	4	"	"	"	"	23	5	16	2
3	"	"	"	"	"	8	"	"	"	84	4	"	3
4	"	"	"	"	"	"	"	"	12	"	"	38	4
5	45	"	"	5	"	"	"	"	"	4	5	4	5
6	26	11	10	7	"	"	"	"	"	"	"	"	6
7	5	131	28	"	5	"	"	"	"	51	"	56	7
8	6	33	12	"	16	"	"	"	"	26	72	"	8
9	13	7	3	5	2	"	132	"	"	3	4	"	9
10	"	27	"	34	17	"	"	"	"	35	5	4	10
11	5	"	"	33	"	"	"	"	"	61	"	8	11
12	"	33	48	15	19	9	"	"	"	41	2	4	12
13	3	8	20	9	22	"	3	"	"	"	9.2	"	13
14	"	5	7	"	26	"	"	"	57	6	4	7	14
15	"	"	3	5	39	18	"	2	6	"	30	"	15
16	"	17	"	"	20	5	"	"	"	"	13	"	16
17	"	24	"	"	5	"	"	15	10	"	"	"	17
18	15	34	"	7	"	"	"	13	"	5	"	"	18
19	12	5	"	"	"	"	"	6	72	"	"	"	19
20	"	11	9	"	6	"	"	3	37	14	"	"	20
21	"	18	4	26	"	"	"	"	4	31	4	12	21
22	"	52	8	4	"	"	"	"	41	22	6	16	22
23	"	9	17	"	38	"	6	32	19	110	"	6	23
24	"	4	"	3	"	"	"	45	31	20	"	10	24
25	"	27	3	114	14	13	4	9	2	52	"	57	25
26	"	57	"	32	5	"	"	21	"	23	"	30	26
27	"	13	6	"	4	"	7	11	"	12	"	19	27
28	"	9	5	6	105	"	34	3	"	"	4	"	28
29	7	X	27	7	87	"	8	47	"	"	"	21	29
30	"	X	"	X	"	"	11	2	"	21	"	28	30
31	"	X	"	X	3	X	31	"	X	6	X	14	31
TOTAL	179	528	244	312	417	591	236	203	219	725	270	400	YEAR'S TOTAL
Days with 0.1 in. or more	12	23	18	16	19	6	9	12	11	23	15	19	37.92
Days with 0.1 in. or more	11	22	15	15	16	6	8	8	10	21	14	19	165

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Bridge Castle Gardens
in the County of Sussex
by Mr A. Wilson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bridge
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground Two ft. _____ in.
" " " " Sea Level 400 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	"	8	"	6	18	9	"	"	"	62	12	VVV
2	"	"	20	"	18	48	11	38	"	"	"	18	2
3	"	"	9	8	58	6	41	32	12	"	"	"	C 3
4	"	"	"	"	10	61	7	"	2	5	"	47	4
5	"	14	6	"	4	"	5	"	7	46	"	3	5
6	"	12	"	"	"	"	"	11	"	78	"	"	6
7	"	"	"	"	6	31	"	"	43	31	"	"	7
8	6	15	"	4	22	"	22	"	4	6	"	"	8
9	9	26	"	"	7	4	"	"	20	"	"	"	9
10	51	"	"	25	40	6	"	"	14	"	"	"	10
11	5	"	"	37	34	32	"	"	3	"	23	"	11
12	"	"	"	16	8	124	"	17	7	"	54	"	12
13	12	"	"	52	3	"	"	11	18	"	9	26	13
14	"	"	"	26	"	"	"	14	"	"	3	4	14
15	"	"	"	4	"	"	"	8	7	"	"	71	15
16	"	"	"	6	"	"	"	12	3	"	"	8	16
17	36	"	"	"	"	"	82	24	5	"	"	"	17
18	52	12	"	"	8	13	5	5	"	10	6	"	18
19	6	4	"	"	"	8	6	9	4	9	4	7	19
20	"	"	"	"	25	"	4	7	16	6	"	"	20
21	27	"	"	"	6	"	"	12	17	69	"	"	21
22	29	"	43	"	"	"	"	"	18	"	"	"	22
23	"	"	54	"	46	"	"	23	28	"	"	68	23
24	34	24	76	10	48	"	"	6	"	"	8	51	24
25	"	"	47	4	8	"	79	"	71	4	28	"	25
26	"	"	15	47	"	"	41	9	15	9	48	47	26
27	"	"	"	82	"	"	20	5	"	13	44	142	27
28	"	14	"	4	"	"	88	25	"	"	56	3	28
29	"	"	"	14	38	"	9	27	8	93	35	14	29
30	"	X	"	24	"	"	"	17	26	32	7	54	30
31	"	X	"	X	56	X	"	4	X	22	X	42	109/31
TOTAL	274	121	218	363	451	351	429	305	348	433	387	617	YEAR'S TOTAL
Days with 01 in. or more	12	8	9	16	20	11	15	20	22	15	14	17	172
Days with 04 in. or more	12	8	9	16	19	11	15	20	19	15	13	15	172



Register of Rainfall in 1925.

Kept at *Bridge Castle Gardens*in the County of *Sussex*Diameter of Funnel of Gauge *Five* in.Height of top of Gauge above Ground *2* ft. — in.,, Ground ,, Sea Level *400* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	112	"	28	08	04	"	"	14	8	"	52	"	1
2	74	"	6	13	"	"	3	"	"	"	81	"	2
3	46	"	3	"	19	"	31	"	"	"	21	"	3
4	"	"	"	"	16	"	"	5	"	8	12	"	4
5	"	10	"	52	"	"	"	12	12	"	41	"	5
6	"	14	"	21	31	"	32	"	"	"	56	"	6
7	"	29	"	10	3	"	6	"	"	"	5	27	7
8	6	"	"	"	30	"	"	"	4	"	"	12	8
9	"	8	"	"	"	"	"	8	8	"	8	"	9
10	"	10	8	"	17	"	"	17	14	"	34	"	10
11	"	18	"	"	"	"	"	6	12	"	24	"	11
12	"	59	"	"	"	"	"	"	"	4	"	"	12
13	3	84	17	8	"	"	"	8	"	"	"	"	13
14	58	14	4	24	"	"	"	"	"	"	"	"	14
15	14	10	"	12	"	"	"	"	"	12	"	"	15
16	3	6	"	"	"	"	"	"	8	16	"	"	16
17	"	"	"	"	"	"	"	"	5	"	"	"	17
18	"	7	"	"	7	"	34	"	"	"	"	"	18
19	"	4	"	"	"	"	"	10	19	62	"	29	19
20	"	"	10	"	"	"	"	4	56	83	"	21	20
21	"	"	"	"	"	"	9	12	7	54	"	57	21
22	4	"	"	11	"	"	164	22	64	106	"	48	22
23	3	22	15	18	38	"	"	34	"	31	"	19	23
24	"	62	7	8	17	18	"	23	5	2	7	6	24
25	6	146	"	9	"	"	"	"	28	"	"	22	25
26	10	26	"	12	10	"	46	9	7	68	"	14	26
27	16	2	"	2	91	"	54	6	"	"	"	4	27
28	17	"	"	"	"	"	"	"	"	"	"	34	28
29	19	"	"	6	21	"	10	"	"	"	"	105	29
30	"	X	6	41	"	"	23	"	"	"	"	54	30
31	18	X	"	X	"	X	12	"	X	"	X	"	31
TOTAL	4.09	5.34	104	255	304	1.18	424	190	257	446	3.41	458	YEARS TOTAL
Days with "01 in. or more.	16	18	10	16	13	1	12	15	15	11	11	14	37.40
Days with "04 in. or more.	13	17	9	15	12	1	11	15	15	10	11	14	152
													143

(Signed) *Ch. Wilson*



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

536

Kept at Ridge Castle Barrowin the County of SurreyDiameter of Funnel of Gauge 7 in.Height of top of Gauge above Ground 2 ft. — in." Ground " Sea Level 400 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	62	39	"	"	"	38	"	"	"	"	04	"	1
2	07	05	"	"	"	62	"	"	17	"	08	"	2
3	35	68	08	"	"	"	"	"	"	"	"	"	3
4	"	13	05	41	"	"	07	"	"	"	06	"	4
5	07	14	17	"	24	"	"	"	"	"	60	34	5
6	05	20	"	46	"	05	18	12	06	"	04	02	6
7	17	02	"	19	27	07	09	07	07	"	15	06	7
8	"	06	"	21	"	10	"	"	"	06	82	"	8
9	07	"	06	"	"	74	"	"	"	21	85	"	9
10	"	07	"	"	"	26	"	35	"	"	06	"	10
11	"	05	"	"	08	16	"	17	"	"	24	"	11
12	"	"	"	"	10	02	"	04	"	46	"	"	12
13	"	08	"	"	02	03	"	"	"	"	182	03	13
14	"	15	"	24	09	18	"	"	"	52	04	08	14
15	"	04	"	53	"	07	"	"	"	28	14	"	15
16	"	52	"	43	"	"	"	31	"	"	"	"	16
17	"	06	"	05	07	58	"	"	"	"	11	02	17
18	54	"	"	08	"	"	32	17	"	"	71	"	18
19	"	"	"	07	13	"	38	"	"	"	13	"	19
20	"	"	"	42	18	"	"	21	"	"	104	"	20
21	"	"	"	13	04	"	04	03	"	"	63	"	21
22	67	05	"	12	"	"	"	"	"	04	04	"	22
23	17	"	"	04	"	"	"	"	"	"	"	"	23
24	06	"	"	"	06	24	08	"	09	36	"	"	24
25	16	"	"	52	"	"	19	"	"	12	16	14	25
26	"	"	"	07	"	"	21	"	05	"	16	"	26
27	08	"	10	12	07	"	10	"	07	08	"	"	27
28	68	03	"	26	05	"	36	"	06	31	26	04	28
29	02	"	"	71	21	"	"	"	"	11	06	"	29
30	14	X	"	05	28	"	"	"	"	"	04	"	30
31	37	X	"	X	"	X	"	08	X	"	X	"	31
TOTAL	429	272	46	511	189	350	202	155	57	275	818	73	YEARS TOTAL
Days with "01 in. or more.	17	17	5	20	15	14	11	10	7	11	24	8	33.77
Days with "04 in. or more.	16	15	5	20	14	12	11	9	7	11	24	5	159
													149

(Signed) Arthur Wilson

[P. 1]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

526

Kept at Bridge Castlein the County of DownDiameter of Funnel of Gauge Five in.Height of top of Gauge above Ground Two ft.Ground Sea Level 400 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	137	"	4	"	3	53	27	"	28	37	"	1
2	"	15	12	17	"	"	"	"	"	4	4	6	2
3	22	"	"	"	"	6	"	"	"	"	"	8	3
4	"	"	7	14	"	"	9	"	"	"	"	"	4
5	13	9	16	32	"	"	"	38	"	"	12	"	5
6	"	"	38	30	"	7	57	4	7	"	8	"	6
7	"	24	6	34	"	18	"	12	"	"	"	"	7
8	"	"	"	26	"	"	"	24	5	"	14	"	8
9	"	"	4	15	"	"	9	6	14	"	"	"	9
10	"	"	"	"	"	"	"	7	26	"	"	"	10
11	"	"	"	"	"	6	"	21	"	"	"	"	11
12	23	"	"	"	"	"	"	16	"	"	5	"	12
13	15	"	"	"	"	"	7	28	17	"	4	4	13
14	5	"	"	6	"	"	26	3	165	"	"	23	14
15	7	"	"	"	"	"	6	36	"	"	"	"	15
16	"	"	"	"	12	"	"	3	26	"	4	"	16
17	9	"	5	"	"	48	"	45	4	"	"	"	17
18	47	"	"	"	"	53	"	24	"	"	16	"	18
19	"	13	"	"	"	6	"	6	"	6	21	10	19
20	"	17	"	"	"	"	6	81	"	"	44	"	20
21	8	28	"	"	16	2	5	15	26	43	10	107	21
22	34	4	36	"	9	6	26	31	11	81	"	71	22
23	"	66	64	"	"	8	"	9	108	4	22	18	23
24	"	14	82	4	"	27	"	16	"	6	10	46	24
25	"	42	78	"	"	11	"	2	"	9	"	132	25
26	41	86	7	"	15	4	"	"	10	6	"	42	26
27	2	47	"	"	23	22	16	"	"	58	"	"	27
28	21	27	6	9	"	44	6	"	"	12	18	"	28
29	19		17	"	"	38	"	6	61	"	91	"	29
30	22	X	21	"	"	117	"	"	"	14	"	"	30
31	"	X	112	X	14	X	8	"	X	6	X	11	31
TOTAL	288	529	511	191	89	426	264	450	480	277	320	478	YEARS TOTAL
Days with "01 in. or more.	15	14	16	11	6	18	13	23	13	13	16	12	43.03
Days with "04 in. or more.	14	14	16	11	6	17	13	20	13	13	16	12	170
													165

Section

A

for the entry of Daily Observations.

544
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.Kept at Bridge Castle Gdsin the County of LancashireDiameter of Funnel of Gauge 7 in. in.Height of top of Gauge above Ground 0.00 ft. in." Ground " Sea Level H.O.D. ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	"	18	31	"	"	"	6	"	"	52	"	1
2	108	28	6	"	"	"	"	"	"	"	12	"	2
3	"	"	"	28	21	"	54	52	"	"	16	"	3
4	"	31	"	11	14	4	"	28	"	"	"	"	4
5	14	22	8	"	"	"	"	"	"	"	"	"	5
6	"	"	"	"	"	34	"	"	"	"	"	12	6
7	7	"	"	12	"	18	"	16	"	"	"	"	7
8	"	6	7	"	"	48	3	"	"	14	"	"	8
9	3	"	"	8	"	31	"	"	8	18	"	"	9
10	12	26	"	17	"	"	"	14	"	21	17	"	10
11	5	"	"	14	"	"	"	"	"	43	15	6	11
12	42	17	"	"	"	"	"	"	"	2	6	15	12
13	"	9	12	6	"	68	"	7	"	"	16	"	13
14	18	13	"	27	18	14	"	26	"	46	104	"	14
15	6	2	"	87	16	4	"	"	"	"	41	"	15
16	4	10	"	18	10	"	"	"	"	12	43	34	16
17	"	"	"	2	23	"	"	"	"	18	"	"	17
18	46	"	"	4	6	23	"	"	"	81	7	"	18
19	3	"	"	"	8	"	"	14	"	53	9	10	19
20	18	"	"	"	"	"	"	3	"	64	14	14	20
21	21	"	9	7	16	"	"	"	"	114	78	"	21
22	"	"	18	"	"	"	"	8	"	56	33	8	22
23	56	"	6	"	9	"	"	"	"	21	41	"	23
24	13	"	"	"	"	"	"	"	19	16	"	32	24
25	20	"	"	"	"	7	"	"	"	41	"	26	25
26	22	"	"	"	"	16	2	43	"	121	"	11	26
27	"	"	8	"	"	"	68	5	"	13	"	61	27
28	81	"	"	"	"	"	"	"	36	"	"	12	28
29	10	10	72	14	"	"	5	"	7	8	6	64	29
30	"	X	36	9	"	12	18	"	"	6	"	9	30
31	18	X	32	X	"	X	12	71	X	"	X	44	31
TOTAL	5.34	1.74	2.32	2.95	1.41	2.79	1.62	2.83	0.70	7.68	5.10	3.58	YEARS TOTAL
Days with "01 in. or more.	22	11	10	16	10	12	7	13	4	20	17	15	159
Days with "04 in. or more.	20	10	12	15	10	12	5	12	4	19	17	15	151

REGISTER OF RAINFALL IN 1929.

Kept at Bridge Bank Gardens
in the County of Sussex
Diameter of Funnel of Gauge 5 1/2 in.
Height of top of Gauge above Ground one ft. — in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	"	9	"	3	"	"	"	41	"	34	"	"	I
2	"	31	"	"	"	6	8	"	"	45	6	54	2
3	"	"	"	"	"	"	27	"	"	8	"	31	3
4	"	"	"	17	48	28	31	18	"	"	"	53	4
5	"	"	"	"	109	20	28	42	"	28	4	31	5
6	"	"	"	"	15	4	5	52	"	9	10	56	6
7	"	"	"	"	8	6	"	12	"	46	48	76	7
8	"	"	"	"	"	14	"	"	"	28	"	48	8
9	"	15	"	"	"	"	"	"	"	"	"	54	9
10	18	"	"	12	"	"	"	"	"	"	12	56	10
11	"	"	"	40	"	"	"	"	"	"	134	28	11
12	"	"	"	16	23	12	"	"	"	"	"	8	12
13	"	"	"	"	22	"	"	"	"	"	"	5	13
14	46	"	"	"	5	7	"	"	"	"	"	12	14
15	"	"	"	"	"	17	"	"	"	"	116	7	15
16	"	"	"	"	"	"	"	164	"	"	128	"	16
17	12	"	"	"	"	"	"	"	"	"	"	"	17
18	10	"	"	"	"	"	"	"	3	"	36	"	18
19	"	"	"	"	"	"	"	"	"	"	8	"	19
20	"	"	"	"	"	"	40	"	"	78	"	"	20
21	12	"	4	"	"	"	"	"	"	"	"	81	21
22	"	"	"	"	"	"	"	5	"	"	18	4	22
23	"	9	"	"	"	"	"	"	"	6	82	34	23
24	"	"	"	"	"	"	"	"	"	72	78	46	24
25	"	"	2	3	"	"	"	"	"	53	11	7	25
26	"	"	"	"	4	"	"	"	"	"	8	18	26
27	"	"	"	4	"	"	"	4	"	"	67	6	27
28	18	"	"	19	"	"	16	"	"	36	70	54	28
29	20	"	"	"	"	4	"	"	15	"	58	15	29
30	3	X	"	"	"	5	3	"	28	"	46	33	30
31	40	X	"	X	"	X	19	"	X	"	X	"	31
TOTAL	127	62	6	114	234	123	141	328	46	443	940	817	YEAR'S TOTAL 3381
Days with or in. or more.	8	4	2	8	8	11	9	8	3	12	19	24	110
Days with or in. or more.	7	4	2	6	8	11	8	8	2	12	19	24	

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Bridge Castle Gardens
in the County of Lusitania

Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground one ft — in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	16	38	"	12	"	"	"	"	"	"	68	"	1
2	"	17	"	"	8	"	6	42	"	"	65	"	2
3	8	14	"	54	12	"	"	84	"	"	4	"	3
4	38	5	"	4	"	"	"	17	"	22	"	"	4
5	"	"	"	"	18	"	"	38	22	"	"	"	5
6	"	"	"	"	9	"	"	29	14	"	"	"	6
7	14	14	"	"	"	"	"	53	"	38	51	8	7
8	8	"	"	"	"	"	"	"	3	"	"	32	8
9	46	"	6	"	34	"	4	2	"	"	4	"	9
10	64	40	17	"	26	"	"	8	"	"	"	10	10
11	17	"	"	"	"	"	9	"	"	8	"	58	11
12	31	"	"	14	11	"	"	5	34	"	"	27	12
13	5	"	"	8	8	"	14	16	"	"	"	2	13
14	12	11	6	4	"	"	56	"	"	"	"	6	14
15	7	4	38	6	"	"	52	"	6	9	14	"	15
16	"	"	"	"	"	"	8	"	20	3	"	"	16
17	"	"	14	14	"	64	"	"	4	11	"	"	17
18	"	"	6	9	6	"	10	"	107	"	19	12	18
19	"	"	"	7	"	"	"	14	42	12	56	4	19
20	"	"	"	6	"	5	112	22	"	14	32	"	20
21	"	"	"	"	5	4	2	51	5	5	61	"	21
22	6	"	"	3	34	"	7	20	4	18	67	"	22
23	18	"	26	32	"	46	"	8	"	4	6	5	23
24	45	"	"	"	12	7	6	"	14	"	45	9	24
25	6	"	"	"	14	"	"	"	23	6	48	"	25
26	16	8	"	"	"	8	8	"	17	"	28	36	26
27	"	"	"	"	"	"	4	"	51	4	51	14	27
28	5	"	"	"	"	"	2	"	8	"	26	20	28
29	8	"	"	"	"	"	17	"	8	"	52	7	29
30	10	X	"	"	28	"	20	"	"	"	"	48	30
31	63	X	28	X	19	X	"	"	X	"	X	8	31
TOTAL	443	157	141	173	244	134	337	409	374	154	697	306	YEAR'S TOTAL 3563
Days with "01 in. or more.	21	9	8	13	15	6	17	15	16	13	18	17	166
Days with "04 in. or more.	21	9	8	12	15	6	15	14	15	12	18	16	161

HASTINGS FAIRLIGHT

Kept at FAIRLIGHT

in the County of SUSSEX

by HASTINGS

IMPORTANT NOTE

If an Observer prefers not the reading at 9 a.m. on 1 this paragraph. Full instructions and particulars as to the sent post-free on application Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological

1921-30

506
NIZATION.

37.5 20 322

The 1/4 mile

Gauge 5 in.

Ground 1 ft. 3 in.

Sea Level 523 ft.

tered to the previous day.

ted to add

the end of

rain gauges,

Observers,"

62, Camden

Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	-	-	-	-	-	-	-	-	-	-	.37	1
2	.04	-	-	-	.06	-	-	-	-	-	.21	-	2
3	.05	-	.11	-	.43	.04	-	.06	-	-	.04	-	3
4	.03	-	-	-	.14	-	-	.07	-	-	.66	-	4
5	-	-	-	-	-	-	-	.06	-	-	.24	.02	5
6	.31	-	.10	-	.07	-	-	-	-	-	-	.03	6
7	.17	-	-	-	.35	-	-	-	-	-	-	-	7
8	.02	-	.06	-	-	-	-	-	-	-	-	-	8
9	-	-	-	-	-	-	-	-	-	-	-	-	9
10	.31	.07	.02	-	-	-	-	-	.09	.03	-	.10	10
11	.11	-	-	-	-	-	-	-	.38	-	-	-	11
12	.15	-	.17	-	.07	-	-	.14	-	-	-	-	12
13	.42	-	.08	-	.03	-	-	-	.02	-	.08	.11	13
14	-	-	-	.28	-	-	-	-	-	.05	-	.47	14
15	-	-	-	.03	.17	-	-	-	-	-	-	-	15
16	.04	-	-	.18	-	-	-	.02	-	-	.05	-	16
17	.12	-	.11	.08	-	-	-	.15	-	-	-	-	17
18	.04	-	-	.50	-	-	-	-	.02	-	-	-	18
19	-	-	.19	-	-	-	-	-	-	-	-	.09	19
20	-	-	.02	.09	-	-	-	-	-	.07	-	-	20
21	-	-	-	-	-	-	-	-	-	-	.13	.02	21
22	-	-	-	-	-	-	-	-	-	.07	-	.40	22
23	-	-	-	.33	-	-	-	.21	-	.12	-	.04	23
24	-	-	-	.02	-	-	-	.02	-	-	-	.05	24
25	.10	.37	-	-	-	-	-	-	-	-	-	.19	25
26	-	-	.03	-	-	-	-	-	-	-	-	.15	26
27	-	-	-	-	-	-	-	-	-	-	-	.13	27
28	-	-	.20	.15	-	-	-	.18	-	-	-	.03	28
29	-	X	.16	-	.16	-	.12	.03	-	-	-	.02	29
30	.05	X	-	-	.22	-	-	-	-	-	.19	.23	30
31	.36	X	-	X	.11	X	-	-	X	-	X	-	31
TOTAL	2.58	.44	1.25	1.66	1.81	.04	.12	.94	.51	.34	1.54	2.45	13.68
Days with ".01 in. or more	14	2	12	9	11	1	1	10	4	5	8	14	97
Days with ".04 in. or more	15	2	9	7	10	1	1	7	2	4	8	12	78

Kept at FAIRLIGHT
in the County of SUSSEX
by HASTINGS CORPORATION

Lat. 50°52'45" Long 0°37'5" 322
Time of Observation
Nearest Railway Station One 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 523 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	—	—	—	—	—	—	—	—	—	—	.37	1
2	.04	—	—	—	.06	—	—	—	—	—	.21	—	2
3	.05	—	.11	—	.43	.04	—	.06	—	—	.04	—	3
4	.03	—	—	—	.14	—	—	.07	—	—	.60	—	4
5	—	—	—	—	—	—	—	.06	—	—	.24	.02	5
6	.31	—	.10	—	.07	—	—	—	—	—	—	.03	6
7	.17	—	—	—	.35	—	—	—	—	—	—	—	7
8	.02	—	.06	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	—	—	—	—	9
10	.31	.07	.02	—	—	—	—	—	.09	.03	—	.10	10
11	.11	—	—	—	—	—	—	—	.38	—	—	—	11
12	.15	—	.17	—	.07	—	—	.14	—	—	—	—	12
13	.42	—	.08	—	.03	—	—	—	.02	—	.08	.11	13
14	—	—	—	.28	—	—	—	—	—	.05	—	.47	14
15	—	—	—	.03	.17	—	—	—	—	—	—	—	15
16	.04	—	—	.18	—	—	—	.02	—	—	.05	—	16
17	.12	—	.11	.08	—	—	—	.15	—	—	—	—	17
18	.04	—	—	.50	—	—	—	—	.02	—	—	—	18
19	—	—	.19	—	—	—	—	—	—	—	—	.09	19
20	—	—	.02	.09	—	—	—	—	—	.07	—	—	20
21	—	—	—	—	—	—	—	—	—	—	.13	.02	21
22	—	—	—	—	—	—	—	—	—	.07	—	.40	22
23	—	—	—	.33	—	—	—	.21	—	.12	—	.04	23
24	—	—	—	.02	—	—	—	.02	—	—	—	.05	24
25	.10	.37	—	—	—	—	—	—	—	—	—	.19	25
26	—	—	.03	—	—	—	—	—	—	—	—	.15	26
27	—	—	—	—	—	—	—	—	—	—	—	.13	27
28	—	—	.20	.15	—	—	—	.18	—	—	—	.03	28
29	—	X	.16	—	.16	—	.12	.03	—	—	—	.02	29
30	.05	X	—	—	.22	—	—	—	—	—	.19	.23	30
31	.36	X	—	X	.11	X	—	—	X	—	X	—	31
TOTAL	2.58	.44	1.25	1.66	1.81	.04	.12	.94	.51	.34	1.54	2.45	13.68
Days with 01 in. or more	17	2	12	9	11	1	1	10	4	5	8	17	97
Days with 04 in. or more	15	2	9	7	10	1	1	7	2	4	8	12	78

REGISTER OF RAINFALL IN 1921.

Kept at

Fairlight

in the County of

Sussex

by

Hastings Corporation

Lat. $50^{\circ}52'30''$ Long. $0^{\circ}37'$

Time of Observation

Nearest Railway Station

Ore

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft.

3 in.

"

"

"

"

Sea Level

523 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.05	—	.04	—	.15	—	.06	—	.59	.09	1
2	.04	.41	.25	.11	—	—	—	—	.02	—	—	—	2
3	—	—	.04	.90	.23	—	.08	.08	—	.02	.23	—	3
4	—	.14	.07	—	—	—	.06	.09	—	.31	—	—	4
5	—	—	—	.12	—	—	.68	—	.19	—	.41	—	5
6	.02	—	.09	—	—	—	.02	.24	—	.08	.32	—	6
7	.28	—	.49	.19	—	—	—	.02	—	—	—	—	7
8	.15	—	.05	.07	—	.08	.18	.23	—	—	.20	—	8
9	.04	—	—	—	—	—	.12	.08	—	.09	—	—	9
10	.06	—	—	—	—	—	—	—	.05	.09	.18	—	10
11	.04	—	—	—	—	—	—	—	—	—	—	—	11
12	—	—	—	.39	—	—	—	.02	.50	—	—	—	12
13	—	—	—	.35	—	.22	—	—	.73	—	—	—	13
14	—	—	—	—	—	.37	.57	.01	.24	—	—	—	14
15	.12	.24	—	—	—	.08	.06	—	—	—	—	—	15
16	—	.07	.02	.15	—	—	—	—	.05	—	—	.34	16
17	—	.11	—	—	—	—	.06	—	.03	—	—	.28	17
18	.21	—	—	—	—	.02	—	—	—	—	—	.15	18
19	.96	.16	.02	—	—	—	—	—	.15	.12	—	.56	19
20	—	.02	—	—	—	—	—	—	—	—	—	.02	20
21	.56	.24	—	—	—	—	—	—	.03	—	—	.62	21
22	.02	.14	—	.11	—	—	—	.17	—	—	—	.08	22
23	—	.07	—	.04	—	.02	—	—	.46	.04	—	—	23
24	.13	—	—	.05	—	.12	.09	.25	—	.04	—	—	24
25	.22	—	—	.37	.02	.31	—	—	—	—	—	.15	25
26	.11	.29	—	.04	—	.12	.18	—	.13	—	—	.12	26
27	.53	.25	—	.04	—	.31	.02	.19	.16	.03	—	.19	27
28	—	.07	—	.04	—	.28	—	.07	—	.14	—	.24	28
29	.36	—	—	—	—	—	.02	.05	—	.13	—	.06	29
30	.02	X	.21	.02	—	.17	.03	.40	.13	.19	.02	.26	30
31	.03	X	.04	X	—	X	—	.09	X	.04	X	.33	31
TOTAL	3.90	2.25	1.33	2.99	.29	2.10	2.32	1.99	2.95	1.32	1.95	3.49	YEAR'S TOTAL
Days with .01 in. or more	19	14	11	16	3	12	15	15	15	13	7	15	16.88
Days with .04 in. or more	15	13	9	15	2	10	11	12	12	11	6	14	155
													130

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Yan light.
in the County of Sussex
by Hastings Corporation

Lat. 50° 52' 30" Long. 0° 37'
Time of Observation _____
Nearest Railway Station Ar
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 523 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	13	42	-	-	05	-	-	-	02	45	28	1
2	20	04	-	-	04	-	-	-	-	20	01	47	2
3	-	-	02	-	-	04	-	-	-	139	-	-	3
4	-	-	-	-	-	-	-	-	05	-	-	27	4
5	32	-	-	-	-	-	-	-	-	-	34	05	5
6	09	03	05	02	06	03	-	-	-	05	-	-	6
7	36	54	40	-	09	-	07	-	-	63	-	25	7
8	02	27	11	-	40	-	-	-	-	24	28	16	8
9	02	-	02	05	-	-	02	-	-	-	04	-	9
10	-	23	-	15	13	-	-	-	-	24	-	24	10
11	04	-	-	04	04	-	-	-	-	56	-	-	11
12	-	33	21	03	24	05	-	-	-	21	-	-	12
13	02	04	38	04	31	-	15	-	-	-	52	-	13
14	-	06	06	-	02	-	-	-	30	-	-	06	14
15	-	-	-	04	43	23	04	-	-	-	23	-	15
16	-	11	-	-	08	02	-	-	-	-	17	-	16
17	-	03	-	-	-	-	-	05	23	-	-	-	17
18	12	28	-	04	-	-	-	13	04	19	-	-	18
19	07	07	-	03	-	-	-	-	22	22	-	09	19
20	-	-	03	-	05	11	-	-	42	07	-	-	20
21	-	10	15	17	-	01	-	-	-	29	-	08	21
22	-	36	08	25	-	-	-	08	52	06	-	07	22
23	-	05	34	-	03	-	07	36	28	1.45	09	-	23
24	-	08	-	-	-	-	-	37	23	44	-	06	24
25	-	05	12	61	05	03	03	-	-	16	-	70	25
26	-	36	-	28	-	-	-	25	-	35	-	30	26
27	-	36	12	02	27	-	02	31	-	-	-	18	27
28	-	28	02	-	52	-	32	-	-	02	22	-	28
29	03	X	-	18	48	-	03	30	-	-	-	36	29
30	-	X	-	-	-	-	04	12	-	24	-	07	30
31	-	X	-	X	-	X	11	-	X	12	X	11	31
TOTAL	137	380	253	200	324	57	90	197	229	715	236	380	YEAR'S TOTAL 3198
Days with 01 in. or more	12	21	16	15	17	9	11	9	9	21	10	18	168
Days with 04 in. or more	8	19	12	11	15	5	7	9	9	19	9	18	141

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Hairlight
in the County of Sussex
by Hastings Corporation

Lat. 50°52'45" Long. 0°37'5"
Time of Observation _____
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 524 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	-	.15	-	.08	.36	.03	-	-	-	.48	.06	1 <u>RRR</u>
2	.05	-	.15	-	.15	.11	.09	.10	-	-	-	.28	2 <u>805</u>
3	-	-	.06	.02	.23	.02	.23	.63	-	-	-	-	3
4	-	-	-	.02	-	.59	.10	-	.02	.02	-	.58	4
5	-	.12	.24	-	.02	-	.02	-	-	.04	-	.03	5
6	-	.13	-	-	-	-	-	.06	-	.46	-	-	6
7	-	-	-	-	.02	.02	-	.02	.19	.32	-	-	7
8	.23	-	-	.01	.05	-	-	-	.18	.22	-	-	8
9	.30	.25	-	.05	.04	.06	-	-	.05	-	-	-	9
10	.26	-	-	.13	.28	.02	-	-	.03	-	-	-	10
11	.04	-	-	.35	.30	.34	-	-	.14	-	.28	-	11
12	-	-	-	.10	.02	.01	-	-	-	-	.54	-	12
13	.04	-	-	.40	-	.05	-	.08	.28	-	.20	.20	13
14	.02	-	-	.24	-	-	-	.09	-	-	.03	.06	14
15	-	-	-	.13	-	-	-	-	.04	-	-	.36	15
16	-	-	-	-	-	-	-	.08	-	-	-	.06	16
17	-	-	-	-	-	-	.45	.45	-	-	-	-	17
18	.23	-	-	-	.23	.04	.03	.06	-	.02	.04	-	18
19	.64	.03	-	-	-	-	-	.05	-	.14	-	-	19
20	.03	-	-	-	.48	.10	.04	.20	.04	.08	-	-	20
21	.21	-	.01	-	.04	-	.04	.12	.24	.94	-	-	21
22	.19	-	.13	-	.02	-	-	.81	.06	.02	-	-	22
23	-	-	.34	.02	.33	-	-	.04	.28	-	-	.90	23
24	.38	.14	.32	.04	.14	-	-	.06	-	-	.10	.12	24
25	-	.08	.38	.02	-	-	.40	-	.21	-	.32	-	25
26	-	.02	.19	.41	-	-	.26	-	.04	.10	.28	.03	26
27	-	.02	.02	.44	-	-	.04	.04	-	.14	.16	<u>1.13</u>	27
28	-	-	-	.10	-	-	.82	.14	-	.01	.49	.03	28
29	.04	.03	-	.18	.20	-	-	.26	-	.45	.33	.09	29
30	-	X	-	.04	.46	.02	-	.12	.12	.54	.23	.46	30
31	-	X	-	X	<u>1.13</u>	X	-	.12	X	.44	X	.18	31 <u>918</u>
TOTAL	2.41	.85	1.99	2.49	4.25	1.48	3.21	3.59	1.98	4.63	3.48	4.54	YEARS TOTAL <u>36.13</u>
Days with .01 in. or more.	15	9	11	18	19	13	13	20	15	16	13	16	148
Days with .04 in. or more	12	5	9	13	15	8	10	19	13	12	12	13	141

AIR MINISTRY.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at _____

Lat. _____ Long. _____

Time of Observation 7 AM.Nearest Railway Station One StationDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 505 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	-	.23	.15	.03	-	-	.13	.09	-	.45	-	1
2	.58	-	-	.23	-	-	-	-	-	-	.77	-	2
3	.79	.01	-	-	.34	-	.24	-	-	-	.18	-	3
4	-	-	-	-	.12	-	-	-	-	.06	.03	-	4
5	-	-	-	.14	-	-	-	.09	.04	-	.24	-	5
6	-	.13	-	.11	.16	-	-	.04	-	-	.66	-	6
7	-	.22	-	-	-	-	.29	-	-	-	.16	.02	7
8	-	.02	.01	-	.24	-	-	-	-	-	-	.04	8
9	.11	-	-	.02	-	-	.06	.01	.09	-	-	-	9
10	-	-	.02	.15	-	-	-	.30	.02	-	.14	-	10
11	-	.03	-	-	-	-	-	-	.04	-	.04	-	11
12	-	.21	-	-	-	-	-	.02	.04	-	-	-	12
13	-	.41	.16	.15	-	-	-	-	-	-	-	-	13
14	.54	-	-	.31	-	-	-	-	-	-	-	-	14
15	.23	.11	-	-	-	-	-	-	-	.02	-	-	15
16	.02	.12	-	-	.16	-	-	-	.06	.28	-	-	16
17	-	-	-	-	.11	-	-	-	.05	-	-	-	17
18	-	-	-	-	.04	-	.03	.03	-	-	-	.04	18
19	-	.02	-	.28	.04	.04	-	-	.03	1.14	-	.31	19
20	-	-	.12	-	-	-	.01	-	.95	.38	-	.55	20
21	-	-	.02	-	-	-	.06	-	.40	.11	-	.45	21
22	-	-	-	-	-	-	1.18	.18	.19	.31	-	.70	22
23	.03	.26	.02	.28	.34	-	-	.26	-	.66	-	.10	23
24	.26	.59	.15	.14	.12	.04	.05	.26	-	.06	-	.21	24
25	-	.78	-	-	-	-	-	-	.42	-	.05	.06	25
26	.03	.23	-	.04	.06	-	.04	-	-	.58	-	.18	26
27	.18	-	-	.02	.80	-	.39	.04	-	-	.02	.02	27
28	.06	.04	.03	.15	-	-	-	-	-	-	-	.22	28
29	.04	X	-	.11	.04	-	.31	-	-	-	.15	.92	29
30	-	X	-	.23	-	-	.23	-	-	-	-	.33	30
31	.02	X	-	X	-	X	.64	-	X	-	X	-	31
TOTAL	3.35	3.21	.76	2.54	2.74	.11	3.56	1.36	2.45	3.60	3.02	4.51	YEAR'S TOTAL
Days with .01 in. or more.	14	15	9	16	14	2	13	11	13	10	12	15	144
Days with .04 in. or more	10	11	4	14	13	2	11	8	11	9	10	13	116

793

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

503

Kept at Fairlight - Hastingsin the County of SussexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in." Ground " Sea Level 52.3.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	.34	—	—	—	.20	—	—	.03	—	.02	—	1
2	.12	—	—	—	—	.64	—	—	.08	—	.03	—	2
3	.32	<u>1.11</u>	.04	—	—	—	—	—	.03	—	—	—	3
4	—	.11	—	.05	—	—	—	—	—	—	—	—	4
5	.10	.10	—	—	<u>.62</u>	—	.02	—	—	—	.45	.33	5
6	.04	.13	.04	.25	—	.11	.02	—	—	—	—	.12	6
7	.19	—	—	.16	.04	.12	—	—	.05	—	.06	.02	7
8	—	.11	—	.08	—	.08	—	—	—	.03	.47	—	8
9	—	.06	—	—	—	.15	—	—	—	.03	.50	—	9
10	—	—	—	—	.01	.35	—	.14	—	.02	.04	—	10
11	—	.05	—	—	.14	.14	—	.05	—	.25	.25	—	11
12	—	.02	—	—	.04	.08	—	—	.05	.25	—	—	12
13	—	—	—	—	—	—	—	.02	—	—	<u>1.45</u>	.04	13
14	.14	—	—	—	.23	.01	—	—	.02	.85	.06	.14	14
15	.09	.05	—	<u>.82</u>	.05	—	—	—	.02	.24	.14	—	15
16	—	.15	—	.12	—	—	—	<u>.53</u>	—	.03	.03	—	16
17	—	.54	—	—	—	.64	—	—	—	—	.31	—	17
18	.20	.12	—	.35	.12	.04	<u>.50</u>	.19	—	—	.60	—	18
19	—	—	—	.19	.05	—	.31	—	—	—	.23	—	19
20	—	—	—	.29	—	—	—	.22	—	.02	.82	—	20
21	—	—	—	—	—	—	—	.01	—	—	.51	—	21
22	.50	—	—	.04	.06	—	—	—	—	—	.33	.31	22
23	.04	—	—	.15	—	.05	—	—	—	.15	—	—	23
24	—	—	—	—	—	.06	.04	—	—	<u>.69</u>	—	—	24
25	.08	—	—	.29	—	—	.18	—	—	.03	.05	.08	25
26	—	—	—	—	—	—	.23	—	.02	—	.28	—	26
27	.03	.03	<u>.05</u>	.13	—	—	.12	—	<u>.14</u>	—	.08	—	27
28	<u>.64</u>	—	—	.38	.09	—	.20	—	—	.64	.19	—	28
29	.04	X	.02	.12	.33	—	—	—	—	.16	.11	.08	29
30	.04	X	—	.04	.22	—	—	—	—	—	—	.54	30
31	.25	X	—	X	.28	X	—	.02	X	.04	X	<u>.62</u>	31
TOTAL	3.34	2.98	.15	3.46	2.28	2.40	1.62	1.18	.44	3.49	4.01	2.31	30.99
Days with .01 in. or more.	14	14	4	16	14	14	9	8	9	15	23	10	153
Days with .04 in. or more.	16	12	3	16	13	13	4	5	4	9	20	9	124
													YEAR'S TOTAL

Please read the Notes and Instructions Overleaf.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Fairlight
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground „ Sea Level 52.3 ft.

(2.25") suggested for 24th-26th Dec. Circ. 13th/28.
Obs agreed 1/10/28/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.80	.02	.04	—	.13	1.01	.45	—	.15	.16	—	1
2	—	—	.09	—	—	—	—	—	—	.05	.04	—	2
3	.14	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	.05	.15	—	—	.20	—	—	—	—	—	4
5	.13	.10	.21	.52	—	.48	.06	.18	—	—	.63	—	5
6	.03	—	.36	—	—	.94	.26	.14	—	—	—	—	6
7	—	.21	.15	.49	—	.15	—	—	—	—	—	—	7
8	.09	—	—	.19	—	—	.02	.21	.05	—	.29	—	8
9	—	—	.05	.04	—	—	.55	.25	.04	—	—	—	9
10	—	—	.05	—	—	—	—	—	.44	—	—	—	10
11	.02	—	—	—	—	.09	—	.04	—	—	—	—	11
12	.10	—	—	—	.01	—	.30	—	—	.03	—	—	12
13	.14	—	—	—	—	—	.01	.36	—	.05	—	—	13
14	—	—	—	.04	—	—	.64	.48	1.14	—	—	.44	14
15	.23	—	—	—	—	—	.18	.98	—	.02	—	.03	15
16	.08	—	—	—	—	—	.04	.06	.24	—	—	—	16
17	.24	.06	.04	—	.05	.44	—	.13	.54	—	—	—	17
18	.09	—	.15	—	—	.38	—	.32	—	—	.12	—	18
19	—	—	—	—	—	—	—	—	—	—	.64	—	19
20	.09	.35	—	—	—	—	.13	.02	—	—	.20	—	20
21	.22	.23	.02	—	.29	—	.10	1.08	.02	.20	—	.94	21
22	.14	.03	.45	—	—	—	—	.04	.10	.44	—	.46	22
23	—	.25	.36	—	—	.10	.04	—	.25	.09	.14	—	23
24	.02	.24	.44	—	—	.14	—	.05	.45	—	.12	—	24
25	—	.39	.08	—	—	—	—	—	.04	—	—	2.25	25
26	.09	.56	.04	—	—	.14	—	.03	.04	—	.03	—	26
27	.02	.34	—	—	.24	.10	.18	—	—	.11	—	—	27
28	.10	.08	—	—	—	.25	—	—	—	.02	.06	—	28
29	.12	X	.23	—	—	.24	—	—	.40	.08	1.24	—	29
30	.32	X	.05	—	—	.48	.02	—	.05	—	—	—	30
31	.04	X	.49	X	—	X	—	—	X	.03	X	.21	31
TOTAL	2.48	3.66	3.36	1.50	.62	3.12	4.42	4.89	4.40	1.42	3.60	(4.80) 2.55	YEARS TOTAL 36.02
Days with .01 in. or more.	21	13	19	8	5	14	17	18	18	11	14	8	154
Days with .04 in. or more.	14	12	14	8	8	14	14	16	14	6	13	10	134

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Fairlight - Hastings
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
„ Ground „ Sea Level 523 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.16	.22	—	—	—	.21	—	—	.52	—	1
2	.92	.20	.02	—	—	—	—	—	—	—	.21	—	2
3	—	—	—	.14	.20	—	.15	.28	—	—	.44	.02	3
4	.03	.15	—	.30	.46	.06	—	.54	—	—	.04	—	4
5	.18	—	.02	—	—	—	—	—	—	—	—	.02	5
6	—	—	.11	—	—	.29	—	—	—	—	—	.12	6
7	.13	.02	.03	—	—	.34	—	.05	—	—	—	—	7
8	—	.03	—	—	—	.26	—	—	—	.24	.03	—	8
9	.03	.03	.04	.15	—	.45	—	—	—	.31	—	.06	9
10	.09	.12	—	.26	—	.13	—	.04	—	.41	.14	—	10
11	—	.15	—	.11	—	.03	—	—	—	1.00	.10	.10	11
12	.40	—	—	.02	—	—	—	—	—	.20	.04	.14	12
13	—	.29	—	—	.03	.98	—	—	—	—	.26	—	13
14	.32	.15	—	.80	.04	.09	—	.08	—	.85	.40	—	14
15	—	.02	—	—	.02	—	—	—	—	—	.62	—	15
16	—	.06	—	.35	.04	—	—	—	—	.04	.50	.35	16
17	—	—	.03	.02	.45	—	—	—	—	.25	.04	—	17
18	.42	—	—	.02	.06	.12	—	—	—	.51	—	—	18
19	—	—	—	—	.12	.03	—	.16	—	.22	.04	.28	19
20	.08	—	—	—	—	—	—	.04	—	.80	.05	.11	20
21	.14	—	.29	.04	.45	—	—	—	—	.90	.24	—	21
22	—	—	.16	—	.20	—	—	—	—	1.41	.18	.18	22
23	.38	—	—	—	.08	—	—	—	—	.10	.21	—	23
24	.04	—	—	—	—	—	—	.05	.05	.21	.05	.12	24
25	.14	—	.52	—	—	.06	—	.03	.02	.19	—	.11	25
26	.34	—	—	—	—	.06	—	.12	—	1.21	—	.11	26
27	—	—	.05	—	—	—	.54	—	—	.05	—	.80	27
28	.62	—	.16	—	—	—	—	—	.14	—	—	.15	28
29	—	.13	.42	.10	—	—	.06	—	—	.15	.03	.20	29
30	.14	×	.12	.16	—	—	.04	—	—	.12	—	.04	30
31	.18	×	See 1st Apr.	×	—	×	.54	—	×	—	×	.06	31
TOTAL	4.94	1.35	2.43	2.42	2.18	2.93	1.39	1.66	.21	9.54	4.23	2.99	36.54
Days with ".01 in. or more.	18	12	14	14	12	13	5	11	3	20	20	18	160
Days with ".04 in. or more.	16	8	10	11	10	11	5	10	2	20	18	16	134

Edmund Little

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Fairlight - Hastings
in the County of Sussex

Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft - in.
,, Ground ,, Sea Level 523 ft.

Aug 1" low.

Aug 6" ref to 662"
closed corr figure of 685233/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.12	-	.03	-	-	-	.06	-	.14	-	-	1
2	.07	.49	-	-	-	.07	.30	-	-	.33	.08	.40	2
3	-	-	-	.03	-	.06	.16	-	-	.27	-	.41	3
4	-	-	-	.15	.10	.35	-	.13	-	.42	-	.08	4
5	-	-	-	-	.86	.26	.09	.11	-	.15	-	.48	5
6	-	-	-	-	.30	.08	.48	1.21	-	.20	.32	.35	6
7	-	-	-	-	.02	-	-	-	-	.35	.13	.12	7
8	-	-	-	-	-	.22	-	-	-	.36	-	.62	8
9	.04	.36	-	.06	.07	-	-	-	-	-	-	.59	9
10	-	-	-	.11	-	-	-	-	-	.13	.14	.68	10
11	-	-	-	.12	-	-	-	-	-	-	.61	.05	11
12	-	-	-	.08	.40	.10	-	-	-	-	.03	-	12
13	-	-	-	-	.08	.05	-	-	-	-	.29	.08	13
14	-	-	-	-	.08	.14	-	-	-	-	-	.11	14
15	.04	-	-	.10	.24	.56	-	-	-	-	.92	.18	15
16	.04	-	-	-	-	-	-	.83	-	-	.24	-	16
17	-	-	-	-	-	-	-	-	-	.21	-	-	17
18	-	-	-	-	-	-	-	-	.10	-	.19	-	18
19	-	-	-	-	-	-	-	-	-	-	.04	-	19
20	-	-	-	-	-	-	.05	-	.10	.63	-	-	20
21	.20	-	.14	-	-	-	-	.04	-	-	-	.91	21
22	-	-	.04	-	-	-	-	.03	-	-	.12	.23	22
23	-	-	-	-	-	-	-	-	-	-	.18	.34	23
24	-	.14	-	-	-	-	-	.14	-	.39	.43	.23	24
25	-	-	.02	-	-	-	-	-	-	.50	.20	.25	25
26	-	-	-	-	-	-	-	-	-	-	.30	.10	26
27	-	-	-	-	.11	-	-	-	-	-	.42	.04	27
28	.21	-	-	.13	-	-	.33	-	-	.39	.54	.39	28
29	.29	X	-	.26	-	-	-	-	.55	-	.34	.05	29
30	.02	X	-	-	-	.12	-	-	.14	.03	.05	.40	30
31	.34	X	-	X	-	X	.08	-	X	.04	X	-	31
TOTAL	1.32	1.14	.20	1.04	2.29	2.01	1.49	2.55	.92	4.60	5.96	4.39	29.94
Days with .01 in. or more.	10	4	3	10	10	11	7	8	4	16	20	23	126
Days with .04 in. or more.	9	4	2	8	9	11	7	7	4	15	20	23	118

40-9999

(Signed)

DEPUTY WATER ENGINEER

P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Harlight Reservoir
in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
,, Ground ,, Sea Level 500 ft.

1 0
523

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.06	/	.24	/	.02	.02	/	/	/	.69	/	1
2	.01	.31	/	.39	/	/	/	.02	/	/	.50	/	2
3	.05	.23	/	/	/	/	/	1.61	/	/	/	/	3
4	.04	.19	/	/	/	/	/	/	/	.10	/	/	4
5	.03	/	/	/	.13	/	/	.01	/	/	/	/	5
6	/	.10	/	/	/	/	/	.24	.29	/	/	/	6
7	/	.29	/	/	/	/	/	.24	.03	.54	.26	.14	7
8	.24	.13	/	/	/	/	/	/	/	.19	/	.52	8
9	.25	/	.09	/	.39	/	.19	.02	.04	/	/	.25	9
10	.31	/	.05	/	.32	/	/	.03	/	/	/	/	10
11	.10	/	/	/	/	/	/	.02	/	.04	/	.69	11
12	.26	.00	.09	/	.02	/	/	.32	/	/	/	.23	12
13	.10	/	/	/	.04	.03	.13	.11	.60	/	/	/	13
14	.05	/	.32	/	/	/	.08	/	/	/	/	/	14
15	/	.12	.06	.00	/	/	.61	/	/	.00	.15	/	15
16	/	/	.30	/	/	/	/	/	.16	/	/	/	16
17	/	.03	.13	.05	/	/	.00	/	.19	.20	/	/	17
18	/	/	.12	/	/	.29	.04	/	/	/	.35	.08	18
19	/	/	/	.00	.03	/	/	/	.41	.10	.08	/	19
20	/	/	/	.03	/	/	.85	.05	.21	.41	1.08	/	20
21	/	/	/	/	.02	/	.31	.34	/	.12	.68	/	21
22	/	/	.63	.04	/	/	.06	.06	.04	.23	.30	.06	22
23	.01	/	/	.13	.20	.20	/	.21	/	/	/	.04	23
24	.32	/	/	/	.36	.07	.02	/	/	.30	.53	.24	24
25	.13	.05	/	/	.36	/	.05	/	.12	/	.15	/	25
26	.10	/	/	/	.04	.59	.05	/	.38	/	.18	.25	26
27	/	/	/	/	/	/	/	/	/	.03	.23	.11	27
28	/	/	/	/	/	/	.03	/	.26	/	.14	/	28
29	.20	/	/	/	/	/	.11	/	/	/	.20	.28	29
30	.15	X	/	/	.34	.02	.36	/	/	/	/	.59	30
31	.38	X	.14	X	.21	X	/	/	X	.20	X	.06	31
TOTAL	29.3	10.4	2.61	.99	25.6	12.4	3.38	2.10	3.08	2.83	5.55	3.30	33.64
*Days with or in. or more.	19.8	11.4	10.0	8.1	13.8	7.8	16.8	14.5	12.1	13.1	15.0	14.0	152
*Days with .04 in. or more.	16	10	10	7	10	4	14	9	11	12	13	12	132

40-9999

*See Instruction 2 (f) on other side.

Printed by S. P. Little

(Signed)

P.T.O.

B

486 B

* * The following register of &c., is required if values cannot be given side.

RAINFALL IN

NOTE.—Records taken in m be entered on Form

At Summerville

In the County of... Sussex

Diameter of Funnel.....

Height of Top above Ground...

Height of Ground above Sea Level

FAIRWARP

SUMMERVALE

SUSSEX

on (especially if a change or in its exposure), and

this register should be sent:—

Up Uchfield St

Hour of observation 9.00 a.m.

7 miles Direction S.W.

4 miles Direction N.W.

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....

Direction.....


Direction.....

Direction.....

Direction.....

Direction.....

which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

May 24th Derby Day 1.04
 Replied a. Yes
 b. Poured all day
 c. 9.00 a.m. 28th g.t.
 July 22nd Heavy Rain 5.45 to 10.0 p.m. (S.T.)
 Replied (a) Yes (b) above (c) 9.00 a.m. 28th g.t.

M.O. 7

14 AUG 1926

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a rain gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on 18th the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1925

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Summerdale Fairwarp

In the County of Sussex

Diameter of Funnel.....5.....in.

Height of Top above Ground.....ft. 12.....in.

Height of Ground above Sea Level.....280.....ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with "01 in. or more"	"04 in. or more"
JAN.	4.80	0.71	3 rd	16	14
FEB.	4.88	1.34	25	15	14
MAR.	1.13	0.36	24	5	5
APR.	3.04	0.83	6 th	14	13
MAY	4.0	1.04	27	11	11
JUNE	0.21	0.18	24	2	1
JULY	5.10	1.58	23 rd	13	12
AUG.	2.89	0.61	28 th	15	15
SEPT.	3.34	0.60	22 nd	15	12
OCT.	5.12	1.21	23 rd	10	9
Nov.	4.76	1.05	1 st	7	7
DEC.	5.05	Detad. missing		12	12
Total	44.30	big n.p.		135	125

Signature E. Brett

written by hand
8.26.
67902/26

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Miss Brett
Summerdale Fairwarp Uckfield
Latitude of Station 51° 1' Longitude 0° 5' E Hour of observation 9.00 a.m.

Nearest Railway Station Uckfield Distance 4 miles Direction S.W.

Nearest Parish Church Fairwarp Distance 1 mile Direction N.W.

If gauge has been moved during the year state 4

Date of move.....9.10 Distance..... Direction.....


Nature of objects nearest to gauge Garage

Heights of objects approx 16 ft

Distances... 15 ft

Directions... N

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

May 2nd Derby Day 1.04
Replies a. Yes
b. Poured all day

OC 9.00 a.m. 28th g.T.

July 22nd Heavy Rain 5.45 to 10.0 p.m. (S.D.)
Replies (a) Yes (b) above (c) 9.00 a.m. 23rd g.T.

M.O. 7

14 AUG 1926

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumshough Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked '005'; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on 18th

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was '14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

Kept at Brighton Corp

FALMER - BRIGHTON W.W

in the County of Sussex

by 9.9

IMPORTANT NOTE.

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the B
sent post-free on application
Square, London, N.W. 1, or to

ANIZATION.

9. Am
Falmer

Gauge 8 in.

ve Ground 1 ft. 3 in.

Sea Level 209.00 ft.

entered to the previous day.

ested to add

at the end of

rain gauges,

Observers,"

62, Camden

e, Edinburgh.

Jan. 1, following.

1921-30

Date	Jan.	Feb.	March										
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	Date
1	.56	.01	04					.01	.01		.09	06	1
2	.01				02			.01	.02	.02	43		2
3	.14		05		15			09			15		3
4	.07				30			24			50		4
5			.02		01	02		19			30	.03	5
6	47		06		09							06	6
7	27				37			.01				01	7
8	10		.06			.01							8
9			.02	04				.01					9
10	27	.01						.07	.26		.01		10
11	35		.05		.03			.27					11
12	22		.12		.01			.42	.01		.10		12
13	16		.06	.31	.01			.02	.04	.03	.01	.01	13
14			.03	.02								.46	14
15			.04					.01			.01	.01	15
16	08		.01	37				.47			.35	.03	16
17	18		.38	21			07	.17	.01	.01		.07	17
18	09	.01		02				.01		.02		.01	18
19	01		.21	06	.01	01			.01	.02		.05	19
20			09	07						.20			20
21	04		.01								.24	.04	21
22				02						.11	.01	.39	22
23				11			.03	.54		.32		.25	23
24	02						.01			.01		.16	24
25	04	.65		02	.04	.01					.07	.20	25
26	04	01	.01		.05			.01				.21	26
27	04				.01			.01				.06	27
28	02	01	.24		.20		30				.07	.07	28
29	03		.19		.45		06					.04	29
30	.16	~~X~~	.01		.14				.07		.11	.08	30
31	.23	~~X~~		~~X~~	.03	~~X~~		~~X~~		~~X~~	~~X~~		31
TOTAL	3.60	.70	1.66	1.23	1.92	.05	.47	2.51	.96	1.00	2.22	2.35	18.37
Days with ".01 in. or more	.24	.6	19	12	17	.4	5	15	.10	.10	13	23	158
Days with ".04 in. or more	19	1	12	7	.9	0	3	7	3	4	8	15	88

REGISTER OF RAINFALL IN 1921

Kept at Brighton Corporation Waterworks
Falmer
in the County of Sussex
by Jas. Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.01	04					.01	.01		.09	06	1
2	.01				02			.01	.02	.02	43		2
3	.14		05		15			09			15		3
4	.07				30			24			50		4
5			.02		01	02		19			30	.03	5
6	47		06		09							06	6
7	27				37			.01				01	7
8	10		.06			.01							8
9			.02	04					.01				9
10	27	.01							.07	.26		.01	10
11	35		.05		.03				.77				11
12	22		.12		.01			.42	.01			.10	12
13	16		.06	.31	.01			.02	.04	.03	.01	.01	13
14			.03	.02								.46	14
15				.04				.01			.01	.01	15
16	08		.01	37				.47			.35	.03	16
17	18		.38	21			07	.17	.01	.01		.01	17
18	09	.01		02				.01		.02		.01	18
19	01		.21	06	.01	01			.01	.02		.05	19
20			09	01						.20			20
21	04		.01								.24	.04	21
22				02						.11	.01	.39	22
23				11			.63	.54		.32		.25	23
24	02						.01			.01		.16	24
25	04	.65		02	.04	.01					.01	.20	25
26	04	01	.01		.05			.01				.21	26
27	04				.01			.01				.06	27
28	02	01	.24		.20		30				.01	.07	28
29	03		.19		.45		06					.04	29
30	.16	~~XX~~	.01		.14				.01		.11	.08	30
31	.23	~~XX~~		~~XX~~	.02	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	3.60	.70	1.66	1.23	1.98	.05	.47	2.51	.96	1.00	2.22	2.35	18.37
Days with ".01 in. or more	.24	.6	19	12	17	.4	5	15	.10	.10	13	23	158
Days with ".01 in. or more	19	1	12	7	.9	0	3	7	3	4	8	15	88

YEAR'S TOTAL

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922

Kept at Brighton Corporation Waterworks
in the County of Sussex
by

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	20	10		09		05		09	01	65	09	1
2	05	40	32	18	02		14		05		02		2
3		04	06	80	25		11	10		01	16		3
4		25	06		02		07	01		02			4
5		03	07	05	02		85		01		56		5
6	27		06	01			05	69		06	16		6
7	36		66	22				03			01		7
8	17	01	04			08	41	51			15		8
9	10			13				56		02	01		9
10	05								15		20		10
11	05							01					11
12				45				11	74			01	12
13	01			47		09	15		09	01			13
14	19			02		13	58	04	29				14
15	72	19	01				04			01			15
16		01		05	16		03		07			26	16
17		20			40		10	01	04			18	17
18	38				02				02			38	18
19	65	58	02		05				20	04		65	19
20	14		01						01	01		04	20
21	42	29	04	16					02			70	21
22	02	12		04		02		10		06		07	22
23	01	08		04		05	06		14				23
24	13	01	11	02	02	13		26				05	24
25	27		03	42		31	01	01	01			06	25
26	09	26	5	25		26	22		05		01	07	26
27	43	35	02	12		02		26	02	02		14	27
28	14	15	01			20		03		01		31	28
29	24					36	05	20		16		19	29
30	02	X	09				10	31	15	07	12	23	30
31	05	X	05	X		X		14	X	06	X	25	31
TOTAL	4.97	2.87	1.76	3.43	1.05	1.65	3.02	3.48	2.15	.91	2.05	3.59	YEAR'S TOTAL 30.93
Days with 0.1 in. or more	25	17	18	17	10	11	17	18	18	15	11	17	194
Days with 0.4 in. or more	20	13	12	14	5	9	15	12	12	6	7	15	158

REGISTER OF RAINFALL IN 1923.

Kept at Brighton Corporation Waterworks
in the County of Sussex
by Falmer.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 209 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	06	27			01			02	01	14	42	1
2	22	02	05		12					06	03	18	2
3	01				02	08				91	03	12	3
4									22			46	4
5	34		02	06		05				19	23		5
6	35	07	09	03		01				01			6
7	17	70	23		12					65	01	34	7
8	02	32	05		34	03				39	55		8
9	04	06	02	01	01	01	4.02			05	09		9
10		34	01	59	12		03			22	02	09	10
11	02	01		23	03					80		10	11
12		26	59	36	42	04				21		06	12
13	08	08	17	08	08		19			01	48	05	13
14		01	03	08	12			03	42	03	01		14
15	01		02	03	24	29	22		20		16	01	15
16		15		32	12	01	01		02				16
17		14			01			19	18	01	01		17
18	08	56		05		02		21	06	07			18
19	08	02				01		03	13	34		02	19
20		20	39		09	01		06	30	15			20
21		01	32	19		02		01	10	34	02	15	21
22		35	21	02	01			49	50	16		07	22
23		27	02	01	11		25	50	33	1.56	02	04	23
24		14		02	01		01	10	30	29		09	24
25		40	10	1.18	08	03	03	10	03	26	02	58	25
26		47	05	02	44			36		13		31	26
27		06	15		02		11	09		03	01	23	27
28		25	03	02	89		31	02		01	11	03	28
29	08			27	28		04	52		01		23	29
30		X				04	07	08		19		19	30
31	01	X		X		X	35		X	09	X	15	31
TOTAL	1.61	4.95	2.82	3.58	3.63	.61	5.64	2.79	2.81	7.17	2.05	3.92	YEAR'S TOTAL 41.58
Days with 01 in. or more	15	24	20	19	22	15	13	15	14	28	18	22	225
Days with 04 in. or more	10	19	13	11	15	4	9	11	11	20	8	19	150

FORM 1090. AIR MINISTRY. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Brighton Corporation Waterworks
in the County of Sussex Falmer
by _____

Lat. _____ Long. _____
Time of Observation 9. Am
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 209.60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.12		.01	10	20	.10			1.04	.10	1 RRR
2	10		35	01	.21	06	04	.13				07	2 WZ
3			12	02	.27	05	29	.40		03			3
4	02			02	.01	1.60	12	01	03	12		.55	4
5		01	04		.02		08			26		07	5
6							03	.10	01	.81		01	6
7	07	01			.01	20			00	53			7
8	23	.13		5.12	.25				13	05			8
9	06	23		15	.04	07			02	01			9
10	27	01		30	.35	06			26				10
11	01	02		26	.31	32			14		.48	.01	11
12				08	.08	09			05		.27		12
13	11			62	.01				14	.01	.05	.25	13
14	04	5		20				.10			.01	.01	14
15	01	05		02				.01	.12			.64	15
16								.13	01			.06	16
17	31						1.16	.23	02			.01	17
18	63	04			.05	20		.10		.06	04		18
19	02					12		.55		21	01	.02	19
20					.34		.12	.09	.07	11			20
21	27		03		.15		.13	.74	18	1.04			21
22	20		41		.02			.22	11	01			22
23			31	01	.46			.05	27			60	23
24	01	07	32	06	.31			.02	09	01	.11	12	24
25		04	02	01			32	.01	76	08	.17		25
26	01	02	18	61			01	.04	39	14	.16	20	26
27		08	01	59			49	.07		25	.48	1.16	27
28							1.03	.40		02	.45	.01	28
29		02		14	.34	02	.05	.40	06	94	.36	.06	29
30		X		10				.13	30	68	.01	.44	30
31	01	X	01	X	.76	X		02	X	35	X	.25	31 1034
TOTAL	2.84	.73	1.87	3.20	3.90	2.89	4.08	4.05	3.46	5.42	3.64	4.64	YEAR'S TOTAL 40.72
Days with .01 in. or more.	19	13	12	17	20	12	14	23	21	21	14	20	206
Days with .04 in. or more	12	7	8	11	14	11	12	18	16	15	11	14	149

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Brighton Corporation Waterworks
in the County of Sussex Falmer

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
Ground Sea Level 205.00 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	67		02	11	07			19	15		62	01	1
2	44	01		17			04				95		2
3	67	01		02	28		18				03		3
4	02	02			23			03	02		50		4
5		10		65	03			02	23		31	01	5
6		09		13	13		37	09	07		78	01	6
7		21			08		09				05	01	7
8	12				08							10	8
9		03	SR	04				16	03				9
10		01	06				01	15	24		14		10
11	01	12	02		01			07			17		11
12	01	27						02		01			12
13	04	48	10	21				07					13
14	39	04		41									14
15	14	15		09	24					06			15
16	20	09							17	24			16
17	02						01		10	01			17
18	01	03			88		23	02		11		07	18
19		02		26	03	01	02	07	20	1.26		43	19
20			07				02	04	62	31		31	20
21							65	07	61	42		73	21
22		10	03	11	12		1.20	95	65	86		45	22
23	01	29	17	24	31			49		67		25	23
24	48	46	19	14	21	09		11		09	06	45	24
25	04	95	03	04			03		43	01		09	25
26	22	17			20	01	57	03		34		24	26
27	14	02		32	1.05		69	07		04	09	05	27
28	13			26	05		07		04			36	28
29	09			12	10		35		03		10	1.08	29
30		X		28			50				07	53	30
31	04	X		X		X	28		X	01	X	01	31
TOTAL	3.89	3.67	.69	3.62	4.10	.11	5.26	2.53	3.63	4.44	3.78	5.21	YEAR'S TOTAL 41.01
Days with .01 in. or more.	21	22	9	18	18	3	18	18	15	15	13	19	189
Days with .04 in. or more.	15	14	5	17	15	1	13	11	11	11	11	14	138

(Signed)..... P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

450

Kept at Brighton Corporation Waterworks
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 0 in.
Ground Sea Level 206.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	67	40				50			01		10	01	1
2	05	02	01			55			06		02		2
3	32	89	19			03							3
4	08	23	05	40			42				11		4
5	09	03	14		78		21		05	01	49	19	5
6	07	46	02	33	02		30	07	02		04	01	6
7	15	05		15	07	20	01		20		18	03	7
8		05		17	03	08		01		03	64		8
9	01	01	04			69		35		02	47	01	9
10	01				07	16	02	20		07	05		10
11	01	10			16	28		23	21	01	20		11
12		04			03				06	35	01		12
13	Sun 03	01			02	01		04	01	11	1.46	0.4	13
14	S 05	02		23	02	16			03	79	11	0.6	14
15	S 04	05		45	01				06	20	12		15
16	S 03	38		29				40	07	02	01		16
17	S 16	85		02	07	82					07	02	17
18	36	13	02	14	25	02	15	15			97		18
19				16	04		39	03			23	01	19
20	02	01		26				22		03	65		20
21				01			02	05		01	58	01	21
22	47			22	02				01		06	02	22
23	07								02				23
24	01					12	02			56			24
25	09			33			05			04	02	07	25
26	01	02		02			19		02		20		26
27	04	04	03	62	05		13		03	14	03		27
28	95			21	04		33		15	26	09	01	28
29	08			18	60		07			27	16		29
30	25	X		07	48		02	08		01	04		30
31	30	X		X	01	X		1.46	X		X		31
TOTAL	4.32	3.79	50	4.36	2.77	3.64	2.27	3.29	95	2.93	7.11	49	36.42
Days with "01 in. or more.	27	20	8	19	19	13	15	13	16	18	27	13	208
Days with "04 in. or more.	19	13	4	16	11	10	9	11	7	10	22	4	136
YEAR'S TOTAL													

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

440
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Brighton Corporation Waterworks
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" Ground " Sea Level 201.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	60	02	01			52	28		42	22		1
2	05		04	20						02	03	01	2
3	19		02	11									3
4	04		02	12	02		05						4
5	28	07	08	73	21	16		02			29		5
6	03		41	33		02	14	09	02		18	01	6
7	02	29	02	23		10		29			01		7
8	07			32	12			11	09		16		8
9	01		03	14	03		08	09	22				9
10			11					07	28				10
11	01					06		24					11
12	09	01								01	02		12
13	08	02		02			06	79	37		06	18	13
14	01	01		05	01		24		2.47		01	46	14
15	04						09	86	03				15
16	10				14			01	66				16
17	15		10			53		60	06				17
18	08		01			41	18	34	03		27	01	18
19		15			02	17	01	26		01	35		19
20	35	10					04	1.15	04	01	34	34	20
21	10	40	01		11			14	09	53	15	98	21
22	23	05	30	03		06	04	20	15	90		48	22
23	02	42	46			22			92		32	18	23
24		15	66			24	05	01		05	07	83	24
25		40	34			06	03	06	18	05		95	25
26	12	46	10		08	01			08	02		52	26
27	02	39			26	47				20	02	02	27
28	17	12	09	05		23				04	37		28
29	10		34			36		04	42		93		29
30	28	X	09			1.17			05	24	01		30
31	03	X	83	X	01	X	05		X	11	X	09	31
TOTAL	2.68	3.64	4.08	2.24	1.01	4.29	1.58	5.75	6.18	2.61	3.81	5.06	42.93
Days with "01 in. or more.	27	16	21	13	11	16	14	20	18	14	19	14	20.5
Days with "04 in. or more.	18	13	14	9	6	15	12	17	15	9	13	10	15.1
													YEARS TOTAL

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Brighton Corporation Waterworks
in the County of Sussex FALMER.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 202 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.02	.17	.16				.01			.57		1
2	1.13	.23	.02								.07		2
3	.01			.41			.32	.97			.05		3
4	.03	.14		.08	.13			.04		.03			4
5	.25	.07	.18	.10		.02	.06						5
6						.16						.14	6
7	.13	.05	.04	.21		.20		.07					7
8	.02	.06	.01			.52	.05		.02	.10			8
9	.02		.01			.12			.10	.15		.03	9
10	.06	.15		.19		.03		.02		.67	.36		10
11	.02			.05				.02		.65	.22	.22	11
12	.25	.38	.02	.32						.09	.05	.05	12
13		.11	.01			1.70		.07			.13		13
14	.23	.18		.33	.05	.14		.03		.85	.80		14
15	.17	.01		.65	.03						.35	.01	15
16		.03		.09	.10					.19	.50	.27	16
17					.36					.24			17
18	.98			.02	.22	.10				.51	.10	.02	18
19	.02				.06	.03		.03		.50	.05	.22	19
20	.22		.02		.04			.09		.69	.07	.13	20
21	.09		.18	.15	.28					1.25	.50		21
22			.17		.01			.01		.43	.25	.22	22
23	.29		.08		.04			.01		.15	.43		23
24	.05		.01		.01			.02	.16	.10	.02	.20	24
25	.01					.12				.70	.01	.29	25
26	.25					.02		.60		1.23		.16	26
27			.08				.97	.08	.09	.13		1.08	27
28	.49		.01					.04	.19			.15	28
29	.28	.15	.71	.16			.23	.01		.24	.05	.90	29
30	.01	X	.25	.07		.02	.26			.12	.01	.02	30
31	.18	X	.43	X		X	.20		X	.11	X	.17	31
TOTAL	6.03	1.58	2.40	2.99	1.34	3.18	2.19	2.12	.56	9.07	4.69	4.48	40.63
Days with 01 in. or more.	25	.13	.18	.15	.12	.13	.24	.17	.5	.22	.20	.18	185
Days with 04 in. or more.	18	10	10	14	9	8	7	8	4	12	7	14	140

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at *Brighton Corporation Waterworks*
in the County of *Sussex* *Palmer*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft *4* in.
" Ground " Sea Level *202* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	05		04		02				36			1
2	02	1.29				17	10	03		50	11	45	2
3						01	33	04		06		26	3
4				11	26	43	18	25		08		23	4
5		01			63	40	26	75		39	83	18	5
6	01				18	02	02	50		12	20	56	6
7					03	09				37	58	27	7
8				01		07				18		29	8
9	01	21		01								21	9
10	08	02		02						06	13	55	10
11				11	13	02					1.13	01	11
12				06	42	49					02		12
13	03				12						03	18	13
14					28	05						11	14
15	5 04	5 11		04	08	43					1.37	05	15
16	5 03							1.21			83		16
17	5 04									03			17
18	04							03	07		35		18
19	03								02		03		19
20	01		01				04	07		71		03	20
21	11		05				01					83	21
22	01		01					01			11	09	22
23		06								02	94	35	23
24		03								37	46	29	24
25		02	01							38	30	08	25
26			02	02	05						17	20	26
27	01			01	21			10			1.11	03	27
28	38			02			38			44	41	46	28
29	37			37		21			36		44	12	29
30	02	X				05	08		43	01	29	38	30
31	29	X		X		X	14		X		X	01	31
TOTAL	1.55	1.80	10.	82.	2.39	2.46.	1.51.	2.99.	88.	4.08.	9.34.	625.	34.17
Days with .01 in. or more.	19	9.	5.	12.	11.	14.	10	10.	4	10.	21.	25.	156
Days with .04 in. or more.	8	5.	1.	6.	10.	10.	8.	7.	3.	13.	18.	21.	110.

Section

A

for the entry of Daily Observations.

495
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION:

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Brighton Corporation Waterworks
in the County of Sussex Falmer.

Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....4.....in.
,, Ground ,, Sea Level.....202.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	10	18		17				01			53		I
2	01	23		02	02		16	1 08			33		2
3	03	29		57				1 18		11	02		3
4	14	09		01				05	05	20	-		4
5	06				18			41		01			5
6		5 12			14			02	16	02			6
7	20	11						03		83	59	23	7
8	04				01					05		20	8
9	25		02		29			09	02		03	05	9
10	31		19		24			05				28	10
11	12	01			02		04			15		90	11
12	12			13	09			02				19	12
13	16		02	19	19		18	47	56				13
14	06	13	02				18		02	02			14
15	05	04	53	01	01		44			13	06		15
16			02	-					41	01		01	16
17			28	05					18	10			17
18			13	06	03		04		19		28	19	18
19			21 5	06					73	13	52	03	19
20			02	25		09	1.15	24	16	43	56		20
21			01					41		11	62		21
22	09			13	22		01	40	18	26	32		22
23	17	5	23	16		65		04	06		10	18	23
24	39	08		15	07	02					37	31	24
25	08	16		02	11						59	02	25
26	20	03			03	07	06		23		24	17	26
27	-						03		03	05	46	09	27
28	03		02				03		31	04	18	02	28
29	14				04			03	09	02	55	03	29
30	21	X			23		18					53	30
31	54	X	14	X	04	X			X	05	X	11	31
TOTAL	3 50	1 45	1 84	1.98	2 16	. 83	2.50	4.48	3 22	2.82	6.56	3.56	34.79
Days with ".01 in. or more.	23	11	14	15	18	4	12	10	10	19	18	18	184
Days with ".04 in. or more.	20	9	7	12	12	5	9	11	13	14	16	13	139

Kept at "Ashurst" Tenn

in the County of Sussexby J. G. Ohlens

THE MORNING MEASUREMENT

An observer who does not conform to the following year in the space on the right

Records taken

FERNHURST

SUSSEX

1924-30

County No. 441N. River Bl.Station No. 1323w. Sunny
5 in.1 ft. — in.
280 ft.

the Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.04	—	.02	.31	.13	.05	—	—	.77	.53	1 RWR
2	.10	—	.14	—	.02	.14	.02	.04	—	—	—	.02	2 WPT
3	—	—	.11	—	.22	.07	.22	.19	.01	.08	—	—	3
4	—	—	—	—	.05	.88	.02	—	—	.09	—	.44	4
5	—	—	.13	—	.01	—	.03	—	—	.20	—	—	5
6	—	—	—	—	—	—	—	.08	.18	.35	—	—	6
7	—	—	—	—	.14	.34	.24	—	.45	.31	—	—	7
8	.05	.07	—	—	.10	.04	.24	—	.04	.07	—	—	8
9	.12	.15	—	.08	.07	—	—	—	.08	—	—	.01	9
10	.18	.10	—	.18	.63	.13	—	—	.02	.05	—	.01	10
11	.32	—	—	.32	.16	.40	—	—	.10	.04	.16	—	11
12	—	—	—	.15	.12	.41	—	.03	.17	—	.24	—	12
13	—	—	—	.60	.18	—	.07	.08	.57	—	.03	.13	13
14	.03	—	—	.35	—	—	—	.06	—	—	.01	.08	14
15	.05	—	—	—	—	—	—	.09	.09	—	—	.84	15
16	—	—	—	—	—	—	—	.34	.02	—	—	.08	16
17	.30	—	—	—	—	.05	1.08	.18	.03	—	—	—	17
18	.63	.05	—	—	.36	.16	—	.18	—	.13	.02	—	18
19	.04	—	—	—	—	—	—	.07	.01	.03	—	.02	19
20	.01	—	—	—	—	—	.24	.03	.35	.22	.01	—	20
21	.41	—	—	—	.10	—	.12	—	.28	—	—	—	21
22	.28	—	.64	—	—	—	.42	.39	.35	.72	—	—	22
23	.01	—	.48	—	.59	—	—	.31	.14	—	—	.98	23
24	.39	.18	.14	.12	.25	—	—	—	.19	—	.01	.21	24
25	—	.04	—	.10	.34	—	.21	—	1.40	.05	.09	—	25
26	—	—	.02	.52	—	—	.02	.04	.01	.30	.58	.55	26
27	—	.09	—	.79	—	—	.68	—	—	.16	.13	.84	27
28	—	.02	—	—	—	—	.91	.27	—	.03	.43	.26	28
29	—	—	—	.14	.27	—	.05	.19	.27	.83	.05	—	29
30	—	X	—	.36	.22	—	—	.15	.42	.40	1.08	.37	30
31	—	X	—	X	.68	X	—	.01	X	.18	X	.22	31 1077
TOTAL	2.93	.70	1.70	3.71	4.53	2.93	4.46	2.78	5.12	4.26	3.61	5.59	42.38
Days with .01 in. or more.	16	8	8	12	20	11	16	20	22	19	13	17	182
Days with .04 in. or more.	12	7	7	12	17	11	12	17	16	17	9	13	150

Copy of own record
taken at 9 am
daily

J. G. Ohlens

REGISTER OF RAINFALL IN 1924.

Kept at *"Ashurst" Terenure*in the County of *Sussex*by *J. G. Ohlenschlager*Lat. *51.2.35* Long. *0.43 W*Time of Observation *9 a.m.*Nearest Railway Station *Haslemere Surrey*Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in." " " " Sea Level *280* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.04	—	.02	.31	.13	.05	—	—	.77	.53	1 <i>RWA</i>
2	.10	—	.14	—	.02	.14	.02	.04	—	—	—	.02	2 <i>WBT</i>
3	—	—	.11	—	.22	.07	.22	.19	.01	.08	—	—	3
4	—	—	—	—	.05	.88	.02	—	—	.09	—	.44	4
5	—	—	.13	—	.01	—	.03	—	—	.20	—	—	5
6	—	—	—	—	—	—	—	.08	.18	.35	—	—	6
7	—	—	—	—	.14	.34	~~.24~~	—	.45	.31	—	—	7
8	.05	.07	—	—	.10	.04	.24	—	.04	.07	—	—	8
9	.12	.15	—	.08	.07	—	—	—	.08	—	—	.01	9
10	.18	.10	—	.18	.63	.13	—	—	.02	.05	—	.01	10
11	.32	—	—	.32	.16	.40	—	—	.10	.04	.16	—	11
12	—	—	—	.15	.12	.41	—	.03	.17	—	.24	—	12
13	—	—	—	.60	.18	—	.07	.08	.57	—	.03	.13	13
14	.03	—	—	.35	—	—	—	.06	—	—	.01	.08	14
15	.05	—	—	—	—	—	—	.09	.09	—	—	.84	15
16	—	—	—	—	—	—	—	.24	.02	—	—	.08	16
17	.30	—	—	—	—	.05	1.08	.18	.03	—	—	—	17
18	.63	.05	—	—	.36	.16	—	.18	—	.13	.02	—	18
19	.04	—	—	—	—	—	—	.07	.01	.03	—	.02	19
20	.01	—	—	—	—	—	.24	.03	.35	.22	.01	—	20
21	.41	—	—	—	.10	—	.12	—	.28	—	—	—	21
22	.28	—	.64	—	—	—	.42	.39	.35	.72	—	—	22
23	.01	—	.48	—	.59	—	—	.31	.14	—	—	.98	23
24	.39	.18	.14	.12	.25	—	—	—	.19	—	.01	.21	24
25	—	.04	—	.10	.34	—	.21	—	1.40	.05	.09	—	25
26	—	—	.02	.52	—	—	.02	.04	.01	.30	.58	.55	26
27	—	.09	—	.79	—	—	.68	—	—	.16	.13	.84	27
28	—	.02	—	—	—	—	.91	.27	—	.03	.43	.26	28
29	—	—	—	.14	.27	—	.05	.19	.27	.83	.05	—	29
30	—	X	—	.36	.22	—	—	.15	.42	.40	1.08	.37	30
31	—	X	—	X	.68	X	—	.01	X	.18	X	.22	31 <i>1077</i>
TOTAL	2.93	.70	1.70	3.71	4.53	2.93	4.40	2.78	5.28	4.26	3.61	5.59	42.38
Days with ".01 in. or more.	16	8	8	12	20	11	16	20	22	19	15	17	182
Days with ".04 in. or more.	12	7	7	12	17	11	12	17	16	17	9	13	150

Copy of own record
taken at 9 a.m.
daily

J. G. Ohlenschlager

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Ashurst Trenchard

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 280 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.12	—	.07	.03	—	—	—	.08	.07	—	.80	.01	1
2	.89	T	—	.13	—	—	.22	—	—	—	.64	—	2
3	.27	—	—	.01	.16	—	.02	—	—	—	.17	—	3
4	.02	—	—	.04	.21	—	—	.15	.03	—	.19	.02	4
5	—	.39	—	.88	.13	—	—	T	.21	—	.27	—	5
6	T	.11	—	.12	.27	—	.37	.22	.04	—	.68	—	6
7	—	.17	—	.01	.20	—	—	—	—	—	.05	.24	7
8	—	.01	—	—	.22	—	—	—	.05	—	.01	.25	8
9	.08	.06	—	.11	.13	—	T	.14	.14	—	—	T	9
10	—	.05	.02	.29	.28	—	—	.35	.04	—	.56	—	10
11	—	.16	.05	T	.03	—	—	.02	.07	—	.32	—	11
12	.02	1.52	—	~~.10~~	—	—	—	.11	—	—	—	—	12
13	.10	.54	.02	~~.10~~	—	—	~~.02~~	—	—	.01	—	.04	13
14	.56	.13	.04	.20	—	—	—	—	—	—	—	—	14
15	.12	.01	—	.10	—	—	—	—	—	—	—	—	15
16	.05	.06	—	—	—	—	—	—	.10	.26	—	—	16
17	T	—	—	T	—	—	T	—	.05	T	—	—	17
18	T	.04	—	.02	.85	—	.10	.01	T	.12	—	—	18
19	—	~~.07~~	—	.22	—	—	T	.02	.47	.38	—	—	19
20	—	~~.07~~	.08	—	—	T	.16	.15	.57	.92	—	.18	20
21	—	~~.07~~	—	—	—	—	.21	.26	.18	.60	—	.53	21
22	—	.23	.03	.23	.34	—	.69	.65	.59	1.52	—	.35	22
23	—	.17	.12	—	.38	—	—	.67	T	.14	—	.13	23
24	.33	.43	.07	.24	.41	—	—	.18	—	.09	.04	.16	24
25	.12	1.11	.05	.04	—	—	.13	.01	.22	.01	—	.10	25
26	.15	.54	T	.04	.20	.03	.42	.15	—	.56	—	.17	26
27	.23	.02	—	.47	.68	—	.44	.04	.03	—	.05	.04	27
28	.20	T	—	~~.09~~	—	—	.01	—	—	—	—	.34	28
29	.11	—	—	T	.24	—	.15	—	—	—	.08	.87	29
30	.01	X	—	.31	—	—	.29	—	—	.03	.01	.26	30
31	.06	X	—	X	—	X	.04	—	X	—	X	—	31
TOTAL	4.44	5.79	.55	3.72	4.75	-.03	3.27	4.21	286	4.61	3.67	3.69	1056
Days with .01 in. or more.	18	21	10	21	16	1	15	17	16	12	14	16	177
Days with .04 in. or more.	15	16	7	17	15	—	12	13	14	9	12	14	144

(Signed)

J. J. Klemm

P.T.O.

REGISTER OF RAINFALL IN 1926.

Kept at *Ashurst* *Ternhurst*
in the County of *Surrey*
Diameter of Funnel of Gauge *(Thy) 5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" Ground " Sea Level *280* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.00	.11	—	—	—	.39	—	—	.10	—	.18	T	1
2	—	T	.01	T	—	.49	—	—	.25	—	.42	T	2
3	.29	.18	.04	0	—	—	.47	.01	T	—	—	—	3
4	.04	.26	.08	.05	—	—	.17	—	T	—	.58	T	4
5	.12	.08	.10	—	.68	—	.06	—	—	—	.13	.16	5
6	.25	.62	T	.20	.01	—	.03	.15	T	.02	.15	.01	6
7	.05	.07	—	.11	.23	.18	.03	—	T	—	.45	.03	7
8	—	T	—	.07	.04	.02	~~.08~~	—	—	.11	.37	T	8
9	—	T	—	T	.02	.18	.08	.09	—	.03	.49	—	9
10	—	.01	—	—	.02	.22	—	—	—	—	.20	—	10
11	.01	.16	.01	—	.07	.19	—	.19	—	T	.07	—	11
12	—	.01	—	—	.05	.10	—	—	—	.40	.02	—	12
13	T	T	—	—	.04	.01	—	T	T	T	1.74	.01	13
14	.08	.06	—	.26	.70	.35	—	—	—	.61	.09	—	14
15	.28	.14	—	.47	T	—	—	—	T	.27	.12	—	15
16	.09	.16	—	.46	.01	.13	—	.21	—	.01	.16	—	16
17	.16	.53	—	.10	—	.40	—	—	—	—	.28	—	17
18	.16	.06	—	—	.30	T	—	.11	—	—	.78	.02	18
19	.02	T	—	.06	.16	—	.32	.01	—	—	.45	.01	19
20	T	—	T	.41	.02	—	—	.21	—	—	.36	—	20
21	—	—	.01	T	—	—	.03	.01	—	—	.42	—	21
22	.45	T	—	.03	—	—	.01	—	—	T	.10	—	22
23	.14	.01	.02	T	—	—	—	—	—	—	—	—	23
24	.07	—	—	—	—	—	.04	—	—	.52	—	—	24
25	.28	—	.08	.56	—	—	.12	—	—	.05	.24	.03	25
26	.04	T	T	.01	—	—	.13	T	.04	—	T	—	26
27	.11	.02	.01	.13	.07	—	.08	—	.05	.09	.04	T	27
28	.74	—	—	.20	.01	—	.42	—	T	.16	.11	T	28
29	—	—	—	.02	.15	—	.01	—	—	.13	.08	—	29
30	.36	X	—	.14	.20	—	—	T	—	T	.09	—	30
31	.56	X	—	X	—	X	—	.22	X	—	X	—	31
TOTAL	5.30	2.48	.36	3.28	2.78	2.66	1.68	1.21	.44	2.40	8.16	.26	31.01
Days with "01 in. or more.	22	16	9	17	18	12	14	10	4	12	26	7	167
Days with "04 in. or more.	20	12	4	14	12	10	9	7	4	9	25	1	127
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.



416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1927.

REGISTER OF RAINFALL IN 1927.

Kept at Abhurst Fernhurst

in the County of Alameda

Diameter of Funnel of Gauge.....*five*.....in.

Height of top of Gauge above Ground.....One ft.....in.

„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	T ₂	1.06	.01	.03	—	T ₂	.81	.16	—	.30	.36	T ₂	1
2	T ₂	T ₂	.02	.15	—	—	T ₂	—	—	.02	.01	—	2
3	.20	—	.08	T ₂	—	—	.06	—	—	—	—	.02	3
4	—	—	.05	.12	T ₂	—	—	—	—	—	—	—	4
5	.17	.09	.33	.37	.17	.03	.01	T ₂	—	—	—	—	5
6	.02	—	.53	.51	—	—	.01	.15	.11	—	—	T ₂	6
7	.02	.37	T ₂	.19	—	.18	.09	.19	T ₂	—	—	—	7
8	.04	T ₂	.01	.23	.19	—	.12	.20	.08	—	.16	T ₂	8
9	T ₂	—	.01	.26	.09	—	.04	.09	.32	—	—	T ₂	9
10	T ₂	—	.14	T ₂	—	—	—	.10	.38	—	.01	—	10
11	T ₂	—	T ₂	T ₂	—	—	.02	.34	T ₂	—	T ₂	—	11
12	.14	—	.04	—	—	—	.33	.08	—	—	T ₂	—	12
13	—	—	—	—	—	—	.17	.56	.14	—	.07	.28	13
14	T ₂	.01	—	.12	T ₂	—	.26	T ₂	2.24	—	.04	.21	14
15	.01	.01	—	T ₂	.02	—	T ₂	.14	.11	—	.01	T	15
16	—	T ₂	—	—	.15	.05	—	.02	.34	—	—	T	16
17	.26	—	.08	—	—	.33	—	.47	.03	—	T ₂	—	17
18	.14	—	T ₂	—	—	.60	—	.06	.01	—	.45	T	18
19	—	.17	—	—	—	.01	—	.42	—	.01	.76	—	19
20	.25	.12	—	—	.03	—	.11	.66	.03	—	.35	.09	20
21	—	.29	.01	—	.10	.05	.01	.60	.27	.32	.16	1.57	21
22	.30	.09	.35	T ₂	.01	.10	.02	.03	.15	.36	T ₂	.88	22
23	.01	.91	.39	—	—	.15	—	.43	1.36	.01	.23	.25	23
24	T ₂	.11	.49	—	—	.13	.02	.10	.02	.02	.02	.42	24
25	T ₂	.39	.27	—	—	.03	.01	.05	.04	.14	.01	.72	25
26	.18	.66	.13	—	—	T ₂	.08	T ₂	—	.11	.01	.62	26
27	.07	.57	.02	—	.48	.13	.08	—	—	.76	—	—	27
28	.24	.26	.15	.09	—	.23	.20	—	.01	.04	.50	—	28
29	.08	X	.31	—	—	.59	.02	.02	.86	.01	.75	—	29
30	.18	X	.01	—	.01	.52	.04	T ₂	.05	.34	—	—	30
31	.02	X	.75	X	T ₂	X	.05	—	X	.13	X	.30	31
TOTAL	2.33	5.05	4.18	2.07	1.25	3.13	2.57	4.87	6.55	2.57	3.90	5.34	YEAR'S TOTAL 43.81
Days with ".01 in. or more.	18	15	22	10	10	15	22	21	19	14	17	11	194
Days with ".04 in. or more.	13	13	15	9	6	12	14	18	14	9	11	10	144

Section



for the entry of Daily Observations.

429
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Ashurst Torquay
in the County of West Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23	—	16	01	—	—	—	47	—	—	—	01	1
2	1.05	43	T	01	—	—	—	01	—	—	T	02	2
3	T	01	~~10~~	24	02	—	22	93	—	—	06	T	3
4	—	29	~~10~~	T	—	—	06	03	—	—	T	01	4
5	12	19	~~03~~	—	—	—	11	—	—	T	—	T	5
6	—	T	~~06~~	—	—	13	—	—	—	—	—	07	6
7	02	01	~~10~~	16	—	24	—	08	—	03	—	T	7
8	02	07	01	01	—	53	02	—	—	03	—	T	8
9	05	T	T	05	—	05	—	—	63	11	—	02	9
10	29	23	02	07	T	07	—	T	T	36	22	04	10
11	19	02	02	07	—	08	—	03	—	28	05	37	11
12	54	38	01	01	—	02	—	—	—	05	12	10	12
13	08	13	T	—	T	79	—	27	—	T	08	—	13
14	07	07	—	60	06	22	—	13	—	51	86	—	14
15	07	T	—	74	01	—	—	T	—	—	27	01	15
16	T	16	—	11	12	—	—	T	—	19	34	28	16
17	02	T	01	01	83	—	—	—	—	15	T	01	17
18	48	—	—	02	37	10	—	—	—	58	06	01	18
19	—	—	06	—	16	03	—	09	—	54	02	05	19
20	13	—	15	01	18	—	—	08	—	15	14	03	20
21	15	—	15	08	23	01	—	—	—	54	57	—	21
22	T	—	07	—	T	—	—	—	—	93	33	13	22
23	46	—	01	01	06	—	—	—	—	28	32	—	23
24	02	—	T	—	T	—	—	—	17	22	02	37	24
25	12	—	T	—	—	08	—	02	T	04	—	30	25
26	45	—	10	—	—	09	03	56	—	1.80	—	15	26
27	—	—	13	—	—	—	79	02	01	28	—	1.05	27
28	65	—	61	—	—	—	—	—	53	T	—	22	28
29	22	38	18	09	—	01	T	T	02	06	06	30	29
30	12	×	25	T	—	65	36	—	—	02	—	10	30
31	16	×	08	×	T	×	18	—	×	01	×	01	31
TOTAL	5.71	2.37	2.24	2.30	2.04	3.10	1.77	2.72	1.36	7.16	3.52	3.66	YEAR'S TOTAL 37.95
Days with 0.1 in. or more.	24	13	20	18	10	16	8	13	5	22	16	23	188
Days with 0.4 in. or more.	20	10	13	10	8	12	6	8	3	18	14	14	136

REGISTER OF RAINFALL IN 1929

Kept at Ashurst, Lymington
in the County of Sussex
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level ft.

Jan-April estimates 44.9
Estimate from adj. stations.
W.D. and point it number as enclosure BM
File 19885/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
—

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					none	none	.48	.22		.25		.52	1
2					none	trace	none	none		.22	none	trace	2
3					none	none	none	none		.30	none	.80	3
4					trace	none	.80	.10		trace	none	.25	4
5					.57	none	none	.50		.10	none	.75	5
6					1.36	none	none	.76		.80	none	.14	6
7					.14	none	none	.20		.5	.29	.85	7
8					.08	.19	.22	none		.62	.53	.91	8
9					trace	.20	none	none		.32	.14	.25	9
10					none	.9	none	none		none	trace	.71	10
11					none	.9	none	none		none	none	.48	11
12					.14	.34	none	none		none	1.74	.20	12
13					.28	.25	none	none		none	none	none	13
14					.16	none	none	none		none	none	.8	14
15					Trace	none	none	none		none	.40	.15	15
16					none	none	none	none		none	1.00	none	16
17					none	none	none	.70		none	none	none	17
18					none	none	none	none		none	.52	none	18
19					none	none	none	none		none	none	none	19
20					none	none	none	none		.52	.14	none	20
21					none	none	none	.12		none	.18	.56	21
22					none	none	none	none		none	.03	.24	22
23					none	none	none	none		none	.38	none	23
24					none	none	none	none		.15	trace	.50	24
25					Trace	none	.25	none		1.12	1.40	.65	25
26					none	none	none	none		.14	.24	.24	26
27					.8	.10	none	none		none	.14	.6	27
28					none	Trace	none	none		.35	.05	.15	28
29					.10	none	none	.30		none	.46	.62	29
30		X			.32	none	none	none		Trace	none	.38	30
31		X		X	none	X	none	none	X	none	X	.40	31
TOTAL	(1.40)	(.75)	(.15)	(.70)	2.83	.48	.22	2.38	.25	.25	4.69	9.25	(35.14)
Days with .01 in. or more.													
Days with .04 in. or more.													

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Ashurst, Tonhurst
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level c. 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.62		.18	.03						.76		1
2	.12	.41		.73			.2	.25		.03	.92		2
3				.05				.52					3
4		.15											4
5	.86			.18	.08			.48					5
6					.05			.34	.34	.1	.45	.2	6
7					.3			.14		.54		.26	7
8	.25			tr.	.28							.56	8
9						.08							9
10			.24									.3	10
11	.74				.08					.14			11
12	.24			.15	.1							.32	12
13	.32		.08	.34	.05		.26	.18	.32			tr.	13
14	.15						.54			.12		.12	14
15	.12	.1	.12	tr.			.55				.15	.06	15
16			.34	tr.									16
17				.28			.1		.56	.16			17
18			.19	.08	.06		.07		.14	.15			18
19				.1	.07			.5	.63		1.06		19
20			.04	.38		tr.	.98	.74	.16	.12	.34		20
21								.14		.18	.58		21
22	.4			.68	.15			.48		.32	.24	.1	22
23				.07		.34			tr.		.28	.08	23
24	.45				.06	.05			tr.		.56	.19	24
25	.34				.45				.05		.24		25
26		.2					.08		.11		.22	.24	26
27	.58		3+						.05		.36	.1	27
28			.05				.1		.33		.05	.25	28
29							.12	.08	.12	.1		.07	29
30	.15	X	.08		.18	.05						.45	30
31	.06	X	.09	X		X			X		X	.14	31
TOTAL	4.78	1.48	1.23	3.22	1.94	.47	3.00	3.85	2.81	1.96	6.21	3.44	34.39
*Days with or in. or more.	14	5	9	12	14	4	10	11	11	11	14	16	121
*Days with or in. or more.	14	5	9	12	13	4	10	11	11	10	14	16	129

40-9999

*See Instruction 2 (f) on other side.

(Signed) C. J. Blackburne [P.T.O.]

Kept at F1
in the County of....
by HASTINGS

FILSHAM
SUSSEX

IMPORTANT
If an Observer prefers
the reading at 9 a.m.
this paragraph. Full
and particulars as to
sent post-free on ap
Square, London, N.W.

1921-1925

ORGANIZATION
92.....
Long 0° 31' 30"
ation Mr. Marina 1/8 mile
of Rain Gauge 5 in.
uge above Ground 1 ft. 3 in.
Sea Level 35 ft.
result entered to the previous day.
y requested to add
for it at the end of
ing of rain gauges,
Rainfall Observers,"
zation, 62, Camden
ay Place, Edinburgh.
is form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	-	-	-	-	-	-	-	-	-	-	.25	1
2	.05	-	.04	-	-	-	-	-	-	-	.28	-	2
3	.10	-	.08	-	.09	.11	-	.05	-	-	.07	-	3
4	.06	-	-	-	.05	-	-	.16	-	-	.64	-	4
5	-	-	-	-	-	.01	-	-	-	-	.32	.05	5
6	.14	-	-	-	.02	-	-	-	-	-	-	.05	6
7	.15	-	.06	-	.30	-	-	-	-	-	-	-	7
8	.09	-	-	-	.10	-	-	-	-	-	-	-	8
9	-	-	.01	.08	-	-	-	-	-	-	-	-	9
10	.29	.09	-	-	-	-	-	-	-	.16	-	.08	10
11	.26	-	-	-	-	-	-	-	.39	-	-	.05	11
12	.12	-	.19	-	.67	-	-	-	-	-	-	.05	12
13	.34	-	.07	.28	-	-	-	.20	.02	-	.06	.05	13
14	-	-	-	.05	-	-	-	.01	-	.05	-	.51	14
15	-	-	-	.04	.10	-	-	-	-	-	-	-	15
16	.02	-	-	.11	-	-	-	.05	-	-	.06	-	16
17	.10	-	-	.46	-	-	-	.12	-	-	-	-	17
18	-	.01	-	-	-	-	-	.01	-	-	-	-	18
19	-	-	.20	-	-	-	-	-	.05	-	-	.20	19
20	-	-	.15	.04	-	-	-	-	-	.08	-	.04	20
21	-	-	-	-	-	-	-	-	-	-	.11	.01	21
22	-	-	-	-	-	-	-	-	-	.08	-	.10	22
23	-	-	-	.18	-	-	-	.25	-	.11	-	.40	23
24	-	-	-	-	-	-	-	.01	-	-	-	-	24
25	.07	.51	-	-	-	-	-	-	-	-	-	-	25
26	.01	-	.02	-	.02	-	-	-	-	-	-	.14	26
27	-	-	-	-	-	-	-	-	-	-	-	.11	27
28	-	-	.20	.14	-	-	-	.10	-	-	-	.05	28
29	-	~~XX~~	.16	-	-	-	.11	.04	-	-	-	.05	29
30	.09	~~XX~~	-	-	.24	-	-	-	-	-	.24	.11	30
31	.33	~~XX~~	-	~~XX~~	.11	~~XX~~	-	-	~~XX~~	-	~~XX~~	-	31
TOTAL	2.46	.61	1.16	1.36	1.10	.72	.11	.98	.46	.46	1.48	2.00	12.60
Days with ".01 in. or more	17	3	11	9	10	2	1	11	3	5	8	18	98
Days with ".04 in. or more	15	2	9	8	8	1	1	4	2	4	8	13	78

Lat. 50° 51' 20" Long. 0° 31' 30"
Time of Observation _____
Nearest Railway Station M. Marina 1/8 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 35 ft.

Kept at FILSHAM
in the County of SUSSEX
by HASTINGS CORPORATION

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	-	-	-	-	-	-	-	-	-	-	.25	1
2	.05	-	.04	-	-	-	-	-	-	-	.28	-	2
3	.10	-	.08	-	.09	.11	-	.05	-	-	.07	-	3
4	.06	-	-	-	.05	-	-	.16	-	-	.64	-	4
5	-	-	-	-	-	.01	-	-	-	-	.32	.03	5
6	.14	-	-	-	.02	-	-	-	-	-	-	.03	6
7	.15	-	.06	-	.30	-	-	-	-	-	-	-	7
8	.09	-	-	-	.10	-	-	-	-	-	-	-	8
9	-	-	.01	.08	-	-	-	-	-	-	-	-	9
10	.29	.09	-	-	-	-	-	-	-	.16	-	.08	10
11	.26	-	-	-	-	-	-	-	.39	-	-	.03	11
12	.12	-	.19	-	.07	-	-	-	-	-	-	.03	12
13	.34	-	.07	.28	-	-	-	.20	.02	-	.06	.05	13
14	-	-	-	.03	-	-	-	.01	-	.03	-	.31	14
15	-	-	-	.04	.10	-	-	-	-	-	-	-	15
16	.02	-	-	.11	-	-	-	.03	-	-	.06	-	16
17	.10	-	-	.46	-	-	-	.12	-	-	-	-	17
18	-	.01	-	-	-	-	-	.01	-	-	-	-	18
19	-	-	.20	-	-	-	-	-	.05	-	-	.20	19
20	-	-	.13	.04	-	-	-	-	-	.08	-	.04	20
21	-	-	-	-	-	-	-	-	-	-	.11	.01	21
22	-	-	-	-	-	-	-	-	-	.08	-	.10	22
23	-	-	-	.18	-	-	-	.25	-	.11	-	.40	23
24	-	-	-	-	-	-	-	.01	-	-	-	-	24
25	.07	.51	-	-	-	-	-	-	-	-	-	-	25
26	.01	-	.02	-	.02	-	-	-	-	-	-	.14	26
27	-	-	-	-	-	-	-	-	-	-	-	.11	27
28	-	-	.20	.14	-	-	-	.10	-	-	-	.05	28
29	-	~~XX~~	.16	-	-	-	.11	.04	-	-	-	.03	29
30	.09	~~XX~~	-	-	.24	-	-	-	-	-	.24	.11	30
31	.33	~~XX~~	-	~~XX~~	.11	~~XX~~	-	-	~~XX~~	-	~~XX~~	-	31
TOTAL	2.46	.61	1.16	1.36	1.10	.12	.11	.98	.46	.46	1.48	2.00	12.60
Days with ".01 in. or more	17	3	11	9	10	2	1	11	3	5	8	18	108
Days with ".04 in. or more	15	2	9	8	8	1	1	4	2	4	8	13	78

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Pleham
in the County of Sussex
by Hastings Corporation

Lat. 50° 51' 20" Long. 0° 31' 30"
Time of Observation _____
Nearest Railway Station West Marina
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 310 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	03	41	-	-	14	-	-	-	-	39	30	1
2	18	01	02	-	05	-	-	-	-	16	03	36	2
3	-	-	02	-	-	05	-	-	-	140	-	02	3
4	-	-	-	-	-	-	-	-	04	-	-	44	4
5	31	-	-	-	-	-	-	-	-	-	32	-	5
6	32	02	05	02	06	03	-	-	-	06	-	-	6
7	12	62	33	-	09	-	04	-	-	59	-	23	7
8	03	20	09	-	37	-	-	-	-	31	27	18	8
9	03	-	-	03	-	-	-	-	-	-	06	-	9
10	-	16	-	18	19	-	10	-	-	28	-	03	10
11	-	-	-	08	05	-	-	-	-	69	-	-	11
12	-	34	26	08	38	10	-	-	-	14	-	-	12
13	03	06	29	04	31	-	52	-	-	-	40	-	13
14	-	08	08	-	09	-	-	-	28	-	-	08	14
15	02	-	-	05	33	23	08	-	-	-	21	-	15
16	-	11	-	-	17	04	-	-	-	-	30	03	16
17	-	-	-	-	02	-	-	-	16	-	02	-	17
18	08	32	-	03	-	-	-	14	10	21	-	-	18
19	13	09	-	04	-	02	-	-	31	19	-	01	19
20	02	02	04	-	08	01	-	-	35	02	-	04	20
21	-	12	14	20	-	01	-	-	02	28	-	13	21
22	02	66	09	20	-	-	-	32	61	10	-	-	22
23	02	09	28	-	04	-	13	36	31	135	16	-	23
24	-	04	-	-	-	-	-	03	18	62	-	12	24
25	-	08	09	~~80~~	04	02	03	02	02	15	-	54	25
26	-	38	-	~~10~~	-	-	-	25	-	24	-	28	26
27	-	16	09	-	13	-	05	34	-	-	-	14	27
28	-	39	02	-	50	-	28	01	-	-	19	-	28
29	0	X	-	18	32	-	04	37	-	-	-	38	29
30	-	X	-	-	-	-	06	15	-	21	-	09	30
31	-	X	-	X	-	X	12	02	X	11	X	14	31
TOTAL	144	398	230	201	322	65	148	201	238	711	235	360	YEAR'S TOTAL 3256
Days with 01 in. or more	14	21	16	14	18	10	11	11	11	19	11	19	145
Days with 04 in. or more	7	14	13	11	14	5	10	4	9	18	9	15	138

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Pilham
in the County of Sussex
by Hastings Corporation

Lat. 50°51'30" Long. 0°31'30"
Time of Observation _____
Nearest Railway Station West. Marina
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.12	.01	-	.33	.03	-	-	-	.90	.08	1 RRR
2	.04	-	.30	-	.14	.03	.04	.22	-	-	-	.30	2 EWS
3	-	-	.06	-	.24	.04	.25	.40	-	-	-	-	3
4	-	-	-	.03	.05	.50	.04	-	.03	.04	-	.44	4
5	-	.06	.11	-	.01	-	-	-	.05	.10	-	.06	5
6	-	.12	.01	-	-	-	-	.05	.01	.84	-	-	6
7	-	-	-	-	.05	.13	-	.02	.41	.31	-	-	7
8	.21	-	-	.02	.08	-	-	-	.13	.29	-	-	8
9	.23	.23	-	.04	-	.04	-	-	.09	-	-	-	9
10	.20	-	-	.08	.28	.03	-	-	.02	-	-	-	10
11	.05	-	-	.40	.24	.34	-	-	.09	-	.23	-	11
12	-	-	-	.11	.01	.02	-	-	.01	-	.12	-	12
13	.04	-	-	.34	-	-	-	.14	.22	-	.12	.19	13
14	.02	-	-	.29	-	-	-	.04	-	-	-	.36	14
15	-	-	-	.08	-	-	-	-	.06	-	-	.26	15
16	-	-	-	-	-	-	-	.06	.01	-	-	.12	16
17	.23	-	-	-	-	-	.62	.54	-	-	-	-	17
18	.59	.04	-	-	.24	.04	.05	.06	-	-	.03	-	18
19	.06	.01	-	-	-	.05	-	.03	-	.14	-	-	19
20	-	-	-	-	.46	.08	.03	.14	.04	.03	-	-	20
21	.20	-	.01	-	.08	-	.04	.16	.20	1.04	-	-	21
22	.23	-	.19	-	.02	.14	-	.58	.04	.02	-	-	22
23	.02	-	.24	.03	.34	-	-	.09	.33	-	-	.69	23
24	.34	.23	.34	.06	.15	-	.44	.06	-	-	.09	.18	24
25	-	.05	.22	.05	-	-	-	-	.19	.01	.24	-	25
26	-	.04	.13	.39	-	-	.48	-	.19	.08	.30	.02	26
27	-	.04	.03	.63	-	-	.08	.09	-	.14	.18	1.13	27
28	-	-	-	.04	-	-	.48	.09	-	.01	.40	.04	28
29	.02	.03	-	.18	.20	-	.01	.33	-	.41	.22	.12	29
30	-	X	-	.11	.28	.02	-	.18	.22	.60	.02	.32	30
31	-	X	-	X	.46	X	-	.02	X	.41	X	.40	31 903
TOTAL	2.54	.88	1.46	2.95	3.63	1.88	3.28	3.69	2.40	4.83	2.88	4.46	YEARS TOTAL 35.54
Days with .01 in. or more.	15	.10	12	18	18	14	13	20	19	16	12	16	183
Days with .04 in. or more	12	.8	9	14	15	10	10	14	14	12	10	15	146

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist.

Station No. _____

Kept at

RE
Y. Gilham

Lat. _____ Long. _____

Time of Observation 7 A.M.

Nearest Railway Station *West Harbor*

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in. .64	in. -	in. .04	in. .15	in. .08	in. -	in. -	in. .19	in. .12	in. -	in. .43	in. .01	1
2	.64	-	-	.16	-	-	.07	-	-	-	~~.75~~	-	2
3	.87	.02	-	.03	.30	-	.23	-	-	-	.17	-	3
4	.04	-	-	-	.11	-	.01	-	.06	.04	.07	-	4
5	-	.02	-	.19	-	-	.01	.11	-	-	.33	-	5
6	-	.16	-	.13	.19	-	-	.05	-	-	.66	-	6
7	-	.21	-	-	.04	-	.22	-	-	-	.12	.02	7
8	.12	.10	-	-	.25	-	-	-	.01	-	-	.06	8
9	-	.03	-	.02	-	-	-	.02	.07	-	.10	-	9
10	-	-	.06	-	-	-	-	.23	.05	-	.18	-	10
11	-	.05	-	-	-	-	-	-	.11	-	.15	-	11
12	-	.33	-	.02	-	-	-	.01	.06	-	-	-	12
13	-	.58	.20	.15	-	-	-	-	-	-	-	-	13
14	.42	.04	.01	.26	-	-	-	-	-	-	-	-	14
15	.20	.20	-	.05	-	-	-	-	-	.02	-	-	15
16	.04	.05	-	-	.03	-	-	-	.10	.29	-	-	16
17	-	-	-	-	.04	-	-	-	.04	-	-	-	17
18	.02	-	-	-	.06	-	-	.01	-	.07	-	.07	18
19	-	.03	-	.17	.02	.03	.04	.06	.06	.76	-	.34	19
20	-	-	.20	-	-	-	.02	-	1.05	.28	-	.44	20
21	-	-	-	-	-	-	.12	.02	.45	.14	-	(1.15)	21
22	-	-	.02	-	-	-	<u>1.43</u>	.20	.30	.43	-	.62	22
23	.05	.20	.02	.28	.35	.01	.01	.19	-	.81	-	.15	23
24	.36	.86	.13	.07	.11	.08	.10	.16	.03	.10	.02	.26	24
25	.01	.72	.02	.02	-	-	-	.05	.29	-	.04	.06	25
26	.03	.25	-	.09	.07	.04	.03	-	-	.41	-	.11	26
27	.11	.02	-	.04	.61	-	.50	-	-	.01	.06	.04	27
28	.05	.04	.02	.19	.01	-	.03	-	-	-	-	.20	28
29	.05	X	-	.14	.06	-	.33	-	-	-	.13	1.13	29
30	-	X	-	.27	-	-	.38	-	-	-	-	.51	30
31	.04	X	-	X	-	X	.50	-	X	-	X	.02	31
TOTAL	3.63	3.91	.72	2.43	2.33	.16	4.03	1.30	2.80	3.36	3.21	5.19	33.07
Days with 01 in. or more.	17	19	10	19	16	4	17	13	15	12	14	17	173
Days with 04 in. or more	14	14	5	15	13	2	11	9	13	10	13	14	133

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Filsham & Forewood 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Filsham

The entries on your 1925 rainfall return for November 2nd and December 21st appear low when compared with neighbouring stations as shown below

	Bexhill	Filsham	Sensington Garden
--	---------	---------	-------------------

November 2	.86	.15	.72
------------	-----	-----	-----

December 21	1.10	.15	1.23
-------------	------	-----	------

Forewood

Certain entries as shown by the table below are not in agreement with neighbouring stations

	Battle	Forewood	Ninfield
--	--------	----------	----------

April 22-24	.49	-	.42
-------------	-----	---	-----

Aug 24-31	.18	-	.24
-----------	-----	---	-----

Nov 3	.09	.68	.09
-------	-----	-----	-----

Dec 18	.05	.66	.06
--------	-----	-----	-----

If you have no reason to the contrary we would suggest that, in order to bring these two records into line with those from surrounding stations, values as set out in

REPLY.

the following table

	Nov 2 nd	December 21 st
Filsham	.75	1.15
	Apr 22-24	Aug 24-31
Forewood	.45	.20
	Nov 3	Dec 18
	.08	.06

gls
30.10.26

Borough Engineer's Office,
Town Hall, HASTINGS.

10th May 1926.

I agree to the above figures as suggested by you for Filsham and Forewood.

J. Whitaker

Borough Engineer.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division.....

IN 1921.....

Kept at.....

FITTLEWORTH, THE RECTORY

in the Co

SUSSEX

by.....

1921-30

IMP

If an Obser

the reading

this paragraph

and particulars as to the British Rainfall Organization are given in

sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden

Square, London, N.W. 1.

Long.....

ervation.....

lway Station.....

Funnel of Rain Gauge.....

op of Gauge above Ground.....

,, ,, Sea Level.....

and the result entered to the previous day.

earnestly requested to add

provided for it at the end of

and placing of rain gauges,

rules for Rainfall Observers,"

Jan. 1, following.

mil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.37	-	-	.6	.1	-	-	-	-	-	.15	1
2	.3	.3	.6	-	-	-	-	-	-	-	.4	.20	2
3	.6	-	-	-	.5	-	-	.2	-	-	.24	.8	3
4	.26	-	.3	-	.40	.6	-	.26	-	-	.46	-	4
5	.3	-	-	-	.16	-	-	.11	-	-	.39	-	5
6	-	-	-	-	-	-	-	.31	-	-	.32	.2	6
7	.31	-	.11	-	.21	-	-	-	-	-	-	-	7
8	.56	-	-	-	.26	-	-	-	-	-	-	-	8
9	.9	-	-	-	.1	-	-	-	-	-	-	-	9
10	-	-	.1	-	-	-	-	-	.5	-	-	-	10
11	.31	-	-	-	-	-	-	-	.5	.10	-	-	11
12	.24	-	.2	-	.2	-	-	-	.77	-	-	-	12
13	.39	-	.8	-	1.18	-	-	.28	-	-	-	.8	13
14	.29	-	.11	.20	-	-	-	.1	.6	.1	-	-	14
15	-	-	-	-	.5	-	-	-	-	-	-	.20	15
16	-	-	-	-	-	-	.3	-	-	-	.10	-	16
17	.50	-	.11	.38	-	-	-	.28	-	-	.59	.2	17
18	.12	-	.37	.7	-	-	-	.4	.5	.2	-	-	18
19	.6	-	-	-	-	.4	-	-	-	.9	-	-	19
20	-	-	.11	.6	-	-	-	-	-	.81	-	.13	20
21	-	-	-	.1	-	-	-	-	-	-	-	-	21
22	.4	-	-	-	-	-	-	-	-	-	-	-	22
23	-	-	-	-	-	-	-	-	-	.21	-	.37	23
24	-	-	-	-	-	-	-	.36	-	.29	-	.12	24
25	-	-	-	.8	-	-	-	-	-	-	.9	.7	25
26	-	.40	-	-	-	-	-	-	-	-	-	.8	26
27	.2	-	-	-	.2	-	-	-	-	-	-	.57	27
28	-	-	-	-	-	-	-	.1	-	-	-	.19	28
29	-	X	.32	-	.12	-	.15	-	-	-	-	.12	29
30	.8	X	.11	-	.47	-	-	-	-	-	-	-	30
31	.12	X	-	X	.28	X	-	-	X	-	X	.25	31
TOTAL	4.19	1.84	1.44	.80	3.29	.11	.18	1.68	.98	1.53	1.98	2.65	19.63
Days with .01 in. or more	3.90	1.43	3.12	7.16	3.24	1.03	1.2	3.10	5	7.7	16.9	15.2	8.97
Days with .04 in. or more	16	21	9	56	10.9	2	1	7	5	5	8.9	15.13	85.84
YEAR'S TOTAL													105.104

IN 1927.....

Kept at The Railway, Fithlawn
 in the County of West Sussex
 by Rev. H. J. Lacey

Long. _____
 Time of Observation 8 a.m.
 Nearest Railway Station Fithlawn 3/4 mile
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.37	-	-	.6	.1	-	-	-	-	-	.15	1
2	.3	.3	.6	-	-	-	-	-	-	-	.9	.20	2
3	.6	-	-	-	.5	-	-	.2	-	-	.24	.8	3
4	.26	-	.3	-	.40	.6	-	.26	-	-	.76	-	4
5	.3	-	-	-	.16	-	-	.11	-	-	.39	-	5
6	-	-	-	-	-	-	-	.31	-	-	.32	.2	6
7	.31	-	.11	-	.21	-	-	-	-	-	-	-	7
8	.56	-	-	-	.26	-	-	-	-	-	-	-	8
9	.9	-	-	-	.1	-	-	-	-	-	-	-	9
10	-	-	.1	-	-	-	-	-	.5	-	-	-	10
11	.31	-	-	-	-	-	-	-	.5	.10	-	-	11
12	.24	-	.2	-	.2	-	-	-	.77	-	-	-	12
13	.39	-	.8	-	1.18	-	-	.28	-	-	-	.8	13
14	.29	-	.11	.20	-	-	-	.1	.6	.1	-	-	14
15	-	-	-	-	.5	-	-	-	-	-	-	.20	15
16	-	-	-	-	-	-	.3	-	-	-	.10	-	16
17	.50	-	.11	.38	-	-	-	.28	-	-	.59	.2	17
18	.12	-	.37	.7	-	-	-	.4	.5	.2	-	-	18
19	.6	-	-	-	-	.4	-	-	-	.9	-	-	19
20	-	-	.11	.6	-	-	-	-	-	.81	-	.13	20
21	-	-	-	.1	-	-	-	-	-	-	-	-	21
22	.4	-	-	-	-	-	-	-	-	-	-	-	22
23	-	-	-	-	-	-	-	-	-	.21	-	.37	23
24	-	-	-	-	-	-	-	.36	-	.29	-	.12	24
25	-	-	-	.8	-	-	-	-	-	-	.9	.7	25
26	-	.40	-	-	-	-	-	-	-	-	-	.8	26
27	.2	-	-	-	.2	-	-	-	-	-	-	.57	27
28	-	-	-	-	-	-	-	.1	-	-	-	.19	28
29	-	X	.32	-	.12	-	.15	-	-	-	-	.12	29
30	.5	X	.11	-	.47	-	-	-	-	-	-	-	30
31	.17	X	-	X	.28	X	-	-	X	-	X	.25	31
TOTAL	4.19	1.84	1.44	.80	3.29	.11	.18	1.68	.98	1.53	1.98	2.65	19.63
Days with .01 in. or more	3.90	4.3	3.12	7.7	3.24	1.03	2	3.10	5	7.7	2.13	2.59	18.97
Days with .04 in. or more	16	21	9	56	10.9	2	1	7	5	5	8.9	14.13	85.84
													83

YEAR'S TOTAL

The Rainfall at

Littleworth Rectory

in the County of _____

measured on the morning of January 1st, 1922

was

nil

Signed

M. Lucas

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing in the nature of a letter.

Please let me know the price per
Rainfall Register for 1922.

✓
Wrote 18/4/22
File 342453
H.S.

Kept at The Rectory Littleworth
in the County of Sumner
by Rev. M. Lucy

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Littleworth
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
.08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.7	.54	.5			.6		.34	.6	.9	.7	1
2		.15	.31		.8		.17	.4	.45		.75	.03	2
3	.2	.28	.25	.13			.20		.2		.9		3
4		.13	.31	.92	.14		.16	.20		.12	.17		4
5		.24	.8		.27		.25	.6		.38			5
6			.34		.1		~~1.07~~	.2	.1	.15	1.2		6
7	.8		.10				.07	.45			.4		7
8	.13		.76	.21				.8					8
9	.8		.12				.48	.6			.11		9
10	.7			.7			.01	.12					10
11	.4				~~.84~~	.20		.38			.48		11
12	.5				.1								12
13				.98				.12	.45				13
14	.2			.61		.37	.10		.8				14
15	.8						1.50		.30				15
16	.58	.24		.9			.02		.1				16
17		.13		.12	.8		.07		.8			.43	17
18		.30			.15		.06	.3				.10	18
19	1.2				.2				.5			.35	19
20	.28	.9			.5				.18	.6		.71	20
21	.10		.1										21
22	.53	.33		.6						.2		1.48	22
23		.14		.13								.17	23
24		.12		.14			.10		.8				24
25	.3		.15	.2	.1	.10		.18				.02	25
26	.33			.44		.12			.14			.21	26
27	.8	.41	.1	.35		.16	.18		.1		.2	.30	27
28	.32	.58		.6				.20	.6			.34	28
29	.9				.1	.22		.8	.4			.24	29
30	.9					.14		.5		.10		.14	30
31			.15				.02	.85				.67	31
TOTAL	.07	.54	.05			.06		.2345	.06	.09	.07	.08	YEAR'S TOTAL
Days with .01 in. or more	4.09	3.67	2.64	4.27	11	1.45	5.26	3.26	2.02	1.92	2.75	5.27	36.43
Days with .04 in. or more	17	14	11	13	7	8	14	14	12	5	8	13	137

REGISTER OF RAINFALL IN 1923.

Kept at The Rectory, Fitchworth
 in the County of Sumner
 by Rev. M. Lacey

Lat. _____ Long. _____
 Time of Observation 8 a.m.
 Nearest Railway Station Fitchworth
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 14 ft. 135 in.
 " " " " Sea Level 135 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

9

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.07						.35			.12		1
2	.13		.41						.03	.10	.17	.68	2
3	.28	.02	.01		.04					.07	.05		3
4		.03								.61	.08	.09	4
5									.06			.33	5
6	.65			.02	.05					.02	.10	.07	6
7	.52	.22	.13	.06									7
8	.12	1.32	.20		.08					.33		.96	8
9		.17	.05		.14	.04				.20	.22		9
10	.11	.14	.01				.13				.03		10
11		.45		.80	.10		.08			.30		.04	11
12		.02		.33	.02					.67		.06	12
13		.24	.42	.57	.16	.04				.69		.01	13
14	.06	.15	.25	.27	.02		.04				.81	.02	14
15		.01	.07	.04	.10			.01	.36				15
16			.01	.10	.33	.30	.06		.10		.33		16
17		.26		.37	.08						.12		17
18		.13						.09	.11		.04		18
19		.49		.03		.04				.02			19
20	.06	.04				.02	.03	.10	.07	1.13		.04	20
21	.08	.23	.65	.15	.14	.04		.01	.14	.35			21
22		.17	.05			.01			.07	.43	.02	.19	22
23		.45	.11	.07				.15	.36	.26	.04	.12	23
24		.26	.13		.24		.16	.57	.16	.82		.05	24
25		.09	.12					.30	.52	.31		.10	25
26		.29	.27	1.06				.15	.03	.70		.37	26
27		.45	.01	.05				.07		.21		.34	27
28		.22	.19	.04				.13		.11		.11	28
29			.06	(.05)	1.08		.37	.06		.01	.10		29
30	.11	X	.25		.88			.72		.06		.10	30
31		X		X		X	.19	.10	X	.22	X	.35	31
TOTAL	7.20	5.92	3.40	3.86	3.41	.49	1.06	2.87	2.14	7.70	4.89	4.61	39.14
Days with .01 in. or more	21	23	20	16	15	7	9	12	12	12	11	10	156
Days with .04 in. or more	11	19	16	14	13	5	8	11	10	11	11	10	156

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at The Rectory Fittlinworth
in the County of Sumner
by Rev. M. Lacey

Lat. _____ Long. _____
Time of Observation 8.4 a.m.
Nearest Railway Station Fittlinworth
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1.90.17

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	-	.02	-	.07	.63	-	-	-	.20	.23	.25	W U U
2	-	-	.08	-	.01	.13	.17	.04	-	-	.76	.38	2.0.17
3	.07	-	.25	-	.05	.08	.05	.10	-	-	-	.30	3 C
4	-	-	.08	-	.51	.10	.20	.20	-	.10	-	-	4.0.17
5	-	-	-	-	.09	.95	-	-	.01	.14	-	.67	5
6	-	-	.04	-	.13	-	.05	-	-	.22	-	.03	6
7	-	-	-	-	-	-	-	.09	.02	.52	-	-	7
8	.15	-	-	-	-	.44	-	-	.22	.32	-	-	8
9	.11	.12	-	.05	.15	-	.13	-	.03	.10	-	-	9
10	.19	.10	-	.14	.05	.05	-	-	.20	-	-	-	10
11	.45	-	-	.08	.60	.03	-	-	.03	.02	-	-	11
12	.01	-	-	.27	.42	.36	-	-	.03	.03	.16	.03	12
13	.04	-	-	.12	.14	.51	-	.04	.26	-	.25	.17	13
14	.05	-	-	.70	.31	-	-	.54	.77	-	.05	.09	14
15	.01	-	-	.37	-	-	-	.08	-	-	.01	.98	15
16	-	.04	-	.03	-	-	-	.26	.09	-	-	.04	16
17	.05	-	-	-	-	-	-	.35	.02	-	-	-	17
18	.38	.06	-	-	-	.12	.82	.35	.09	-	.01	-	18
19	.56	-	-	-	.01	.23	.02	.05	-	.06	-	.01	19
20	-	-	-	-	-	-	-	.27	.02	.09	-	-	20
21	.06	-	-	-	.01	-	.50	.26	.22	.15	-	-	21
22	.25	-	.01	-	.07	-	.15	.37	.16	.54	-	-	22
23	.21	-	.52	-	-	-	-	.06	.26	-	-	-	23
24	-	-	.75	.01	.06	-	-	.15	.03	-	-	.46	24
25	.25	.14	.22	.11	.35	-	-	.01	-	-	.02	.48	25
26	-	-	-	.04	.08	-	.19	-	1.13	.07	.05	.12	26
27	.45	.03	.17	.65	.42	-	-	.07	.09	.22	.30	.35	27
28	-	.07	-	.95	.17	-	.46	-	-	.28	.36	1.29	28
29	-	-	.03	-	-	-	.79	.33	-	.01	.41	.05	29
30	-	X	-	.09	.12	-	.03	.39	.05	.84	.09	.13	30
31	-	X	-	X	.07	X	-	.17	X	.41	X	.56	31 10.87
TOTAL	3.28	.56	2.17	3.61	3.60	3.63	3.56	4.18	4.23	4.32	2.70	0.59	42.81
Days with ".01 in. or more.	18	17	11	15	20	11	13	21	21	19	13	19	42.83
Days with ".04 in. or more.	10	6	8	12	17	11	11	20	12	16	10	16	187
	15			13		10			13				155

Register of Rainfall in 1925.

Kept at Fittsworth Rectory
in the County of Summ

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 9 in.
Ground Sea Level 135 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.70	-	-	.14	-	-	-	.34	.11	-	.83	-	1
2	1.01	-	-	.20	-	-	.32	-	-	-	.97	-	2
3	.36	.2	-	-	.21	-	.7	-	-	-	.19	-	3
4	.03	-	-	-	.23	-	-	.13	.02	.1	.10	-	4
5	-	.24	-	.90	-	-	-	-	.27	-	.31	-	5
6	-	.27	-	.15	.13	-	.35	.13	-	-	.73	-	6
7	-	.26	-	-	.14	-	-	-	-	-	.10	.11	7
8	.10	-	-	-	.10	-	-	-	.04	-	-	.10	8
9	-	.9	.06	.10	.8	-	-	.18	.04	-	.13	-	9
10	-	.7	.6	.21	.5	-	-	.10	.08	-	-	-	10
11	-	.21	-	-	.3	-	-	-	.03	-	.60	-	11
12	.02	.96	.3	-	-	-	-	.04	-	.2	-	-	12
13	.13	.95	.1	.05	-	-	-	.7	-	-	-	-	13
14	.76	.2	-	.27	-	-	-	-	-	-	-	-	14
15	.13	-	-	.05	-	-	-	-	-	-	-	-	15
16	.05	.10	-	-	-	-	-	-	.12	-	-	-	16
17	-	-	-	-	-	-	.4	-	.08	-	-	-	17
18	.01	.57	-	.02	.53	-	.21	.4	-	-	-	.29	18
19	-	-	-	.25	.1	.2	.3	-	.21	.72	-	-	19
20	-	-	.8	-	-	-	.4	-	.67	.60	-	.16	20
21	-	.19	.2	-	-	-	.34	.43	.17	.44	-	.68	21
22	-	.16	.2	.10	.21	-	-	.39	.58	1.20	-	.43	22
23	.03	.47	.3	.18	.40	-	-	1.13	-	.16	-	.9	23
24	.31	1.35	.6	.26	.72	.5	-	-	-	-	-	.30	24
25	-	.28	-	.05	-	-	-	-	.28	.7	.4	.8	25
26	.21	.01	-	.04	.24	.6	.65	-	-	.64	-	.19	26
27	.24	.1	-	.24	.91	.6	.59	.13	-	-	.6	.9	27
28	.20	-	-	.24	.3	-	-	-	-	-	-	.42	28
29	.26	-	-	-	.35	-	.14	-	.02	.1	.9	1.15	29
30	-	X	.3	.20	-	-	.35	-	-	-	.2	.51	30
31	.07	X	-	X	-	X	.14	-	X	-	X	-	31
TOTAL	5.62	5.71	.34	3.73	4.45	.19	3.27	3.07	2.72	4.19	4.17	4.60	1068
Days with .01 in. or more.	18	19	39	20	21	34	21	11	15	11	13	14	163
Days with .04 in. or more.	14	15	13	18	14	3	12	11	12	8	12	14	136

(Signed)..... P.T.O.



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

416

REGISTER OF RAINFALL IN 1926

Kept at *The Battery, N.Y.*
in the County of *Suffolk*
Diameter of Funnel of Gauge..... *5* in.
Height of top of Gauge above Ground..... *1* ft. *9* in.
" Ground " Sea Level..... *135* ft.

Chris & son 19/3/27
 June con by Obo f 756472/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	.27				.43			.26		.12		1
2	.7					.18	.12		.9		.15		2
3	.55	.36	.10			.2							3
4	.8	.25	.8	.1			.7				.12		4
5	.7	.15	.6		.67		.1				.37	.13	5
6	.10	.74	.3	.25			.12	.9	.8		.19		6
7	.65			.5	.27		.6		.34		.30	.4	7
8				.78	.8	.20				.3	.65		8
9			.1			.4		.63			.50		9
10					.2	.64					.22		10
11		.13			.8	.8		.32			.14		11
12		.7			.3	.23				.59			12
13					.5	.7			.2		.65	.3	13
14	.9	.8		.25	.28	.34				.68	.15		14
15	.23	.14		.53	.3					.25	.25		15
16				.23		.3				.1	.1		16
17	.11	.69				.40	.2	.21			.73	.2	17
18	.23	.5			.38	.3	.11				.66		18
19				.11	.10		.32	.15			.5	.1	19
20				.38	.1			.31			.53		20
21				.1							.39		21
22	.64			.5	.5						.24	.3	22
23	.12		.1										23
24	.4					.3	.3			.75	.6		24
25	.23		.3	.45			.20			.4	.16	.8	25
26	.5	.1					.13		.1		.4	.1	26
27	.24	.5		.8	.7		.6		.3	.4	.8		27
28	.72			.11	.4		.35			.32	.11		28
29	.7			.5	.19					.25	.5		29
30	.24	X		.14	.32			.1			.4		30
31	.54	X		X		X			X		X		31
TOTAL	5.67	2.99	.32	2.88	2.67	2.52	1.60	1.72	.83	2.92	7.25	.35	YEAR'S TOTAL
Days with 11 in. or more.	21	13	27	16	17	14	13	7	7	10	27	8	160
Days with 14 in. or more.	21	12	53	14	12	13	10	6	4	8	26	3	134

Please read the Notes and Instructions Overleaf.

(Signed)

Agnes M. Lucey

[P.T.C.]

Section **A**

for the entry of Daily Observations.

408
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *The Rectory - Fittleworth*
in the County of *Sumner*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*.....ft. *9*.....in.
" Ground " Sea Level.....*135*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				<i>.3</i>			<i>1.40</i>	<i>.22</i>		<i>.61</i>	<i>.16</i>		1
2	<i>.1</i>	<i>1.29</i>	<i>.15</i>	<i>.14</i>						<i>.3</i>			2
3	<i>.23</i>		<i>.1</i>				<i>.4</i>						3
4	<i>.2</i>		<i>.2</i>	<i>.13</i>									4
5	<i>.10</i>	<i>.6</i>	<i>.26</i>	<i>.43</i>	<i>.21</i>	<i>.5</i>		<i>.1</i>			<i>.13</i>		5
6			<i>.37</i>	<i>.35</i>			<i>.7</i>	<i>.9</i>	<i>.8</i>		<i>.7</i>		6
7		<i>.33</i>	<i>.3</i>	<i>.33</i>				<i>.21</i>					7
8	<i>.5</i>		<i>.1</i>	<i>.22</i>	<i>.71</i>		<i>.12</i>	<i>.26</i>	<i>.8</i>				8
9				<i>.10</i>	<i>.36</i>		<i>.22</i>	<i>.8</i>	<i>.12</i>			<i>.14</i>	9
10			<i>.10</i>	<i>.5</i>				<i>.2</i>	<i>.28</i>				10
11								<i>.27</i>					11
12	<i>.17</i>						<i>.7</i>	<i>.6</i>					12
13	<i>.12</i>						<i>.21</i>	<i>.28</i>	<i>.16</i>	<i>.4</i>	<i>.7</i>	<i>.18</i>	13
14		<i>.3</i>		<i>.5</i>	<i>.1</i>		<i>.20</i>	<i>.4</i>	<i>2.26</i>		<i>.3</i>	<i>.24</i>	14
15	<i>.1</i>				<i>.1</i>		<i>.4</i>	<i>.24</i>	<i>.5</i>				15
16					<i>.9</i>				<i>.58</i>				16
17	<i>.6</i>		<i>.11</i>			<i>.43</i>		<i>.34</i>	<i>.8</i>				17
18	<i>.17</i>					<i>.59</i>		<i>.7</i>	<i>.2</i>		<i>.44</i>		18
19		<i>.12</i>				<i>.1</i>		<i>.7</i>			<i>.69</i>		19
20	<i>.25</i>	<i>.11</i>					<i>.10</i>	<i>.76</i>			<i>.39</i>	<i>.25</i>	20
21		<i>.21</i>	<i>.2</i>		<i>.15</i>	<i>.3</i>	<i>.3</i>	<i>.28</i>	<i>.39</i>	<i>.34</i>	<i>.23</i>	<i>.93</i>	21
22	<i>.20</i>	<i>.5</i>	<i>.42</i>		<i>.9</i>	<i>.22</i>			<i>.16</i>	<i>.58</i>		<i>.67</i>	22
23		<i>.15</i>	<i>.36</i>			<i>.7</i>		<i>.15</i>	<i>.74</i>		<i>.21</i>	<i>.15</i>	23
24		<i>.18</i>	<i>.21</i>			<i>.25</i>	<i>.1</i>	<i>.12</i>		<i>.2</i>		<i>.32</i>	24
25	<i>.3</i>	<i>.46</i>	<i>.51</i>					<i>.34</i>	<i>.18</i>	<i>.18</i>		<i>1.17 (snow)</i>	25
26	<i>.37</i>	<i>.67</i>	<i>.4</i>			<i>.4</i>	<i>.20</i>		<i>.4</i>	<i>.14</i>		<i>.46</i>	26
27	<i>.6</i>	<i>.54</i>			<i>.89</i>	<i>.12</i>	<i>.60</i>			<i>.88</i>	<i>.6</i>		27
28	<i>.25</i>	<i>.25</i>	<i>.14</i>	<i>.10</i>		<i>.13</i>	<i>.5</i>	<i>.4</i>		<i>.9</i>	<i>.29</i>		28
29	<i>.11</i>		<i>.24</i>			<i>.60</i>			<i>.16</i>		<i>.76</i>		29
30	<i>.14</i>	X	<i>.3</i>			<i>.30</i>	<i>.4</i>			<i>.32</i>			30
31		X	<i>.65</i>	X	<i>.12</i>	X	<i>.18</i>		X	<i>.9</i>	X	<i>.16</i>	31
TOTAL	<i>2.35</i>	<i>4.45</i>	<i>3.71</i>	<i>1.93</i>	<i>2.14</i>	<i>2.96</i>	<i>3.56</i>	<i>3.93</i>	<i>6.01</i>	<i>3.32</i>	<i>3.53</i>	<i>4.57</i>	YEARS TOTAL
Days with "01 in. or more.	<i>4</i>	<i>14</i>	<i>19</i>	<i>11</i>	<i>10</i>	<i>14</i>	<i>17</i>	<i>21</i>	<i>16</i>	<i>12</i>	<i>13</i>	<i>11</i>	<i>176</i>
Days with "04 in. or more.	<i>14</i>	<i>13</i>	<i>13</i>	<i>10</i>	<i>8</i>	<i>12</i>	<i>15</i>	<i>20</i>	<i>15</i>	<i>11</i>	<i>12</i>	<i>11</i>	<i>154</i>

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at The Rectory, Fitchworthin the County of SumnerDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 9 in." Ground " Sea Level 135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.5	.21	.09							.4		1
2	1.12	.41	.3					.05			.5		2
3				.35			.27	.82			.6		3
4		.34						.25					4
5	.17	.18	.8				.5						5
6			.5		.4	.14						.13	6
7	.03	.2	.11	.14		.22		.07					7
8	.04	.11	.4	.02		.49	.4			.10			8
9				.01		.26			.22	.09		.2	9
10	.20	.25		.09		.06		.09		.21	.16	.3	10
11			.1	.08						.60	.8	.24	11
12	.70	.28	.1	.04				.09		.06	.9	.10	12
13	.20	.13	.3			.88		.16			.10		13
14	.08	.6		.40	.31	.07					.64		14
15	.01			.53				.05			.39		15
16		.17		.17	.7					.50	.30	.44	16
17				.04	.44					.15			17
18	.45		.1	.05	.14	.12				.55	.6		18
19	.17				.14	.04		.04		.47	.4	.6	19
20			.3					.08		.31	.9	.4	20
21	.15		.13	.10	.8					.43	.54		21
22			.16					.05		1.65	.32	.10	22
23	.57		.5		.5					.20	.42		23
24	.13								.24	.26	.3	.43	24
25	.22					.11		.03		.05	.2	.24	25
26	.20					.05	.14	.73		2.05		.11	26
27			.9				1.00	.04		.21		1.06	27
28	.69		.7						.43			.23	28
29	.29	.23	.90	.11	.3		.19			.07	.4	.65	29
30	.18	X	.28			.05	.21			.04		.5	30
31	.19	X	.24	X		X	.17		X	.04	X	.7	31
TOTAL	5.95	2.23	2.53	2.22	1.30	2.48	2.07	2.43	.89	8.04	3.55	4.05	YEAR'S TOTAL
Days with .01 in. or more.	21	12	19	15	9	12	8	14	3	20	19	17	169
Days with .04 in. or more.	20	11	13	13	8	12	7	12	3	20	17	15	151

REGISTER OF RAINFALL IN 1929.

Kept at *The Rectory, Littleworth*
in the County of *Sumner*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *9* in.
Ground Sea Level *135* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
12

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.5				.02		.3		.30		.02	I
2		.57				.06	.9			.29	.05	.67	2
3							.84			.11		.32	3
4				.07	.49	.61	.25	.17		.04		.32	4
5					1.25	.32	.47	.59		.59	.04	.19	5
6					.12	.01	.4	.41		.18	.20	.69	6
7								.20		.45	.37	.88	7
8						.11				.35		.62	8
9	.3	.10									.01	.73	9
10	.19	.6		.05						.05	.14	.54	10
11				.05	.4						2.11		11
12				.10	.29	.58							12
13	.3				.17	.13						.09	13
14					.3	.09						.07	14
15	<i>snow</i> .2	.10 <i>snow</i>				.23					.88	.11	15
16	.1							.77			.51		16
17	.5			.01									17
18											.59		18
19											.08		19
20							.28	.4		.52		.20	20
21	.13		.3									.58	21
22							.2				.15		22
23		.6		.01						.43	.31	.32	23
24		.1	.2							.71	.78	.72	24
25		.5								.09	.15	.05	25
26				.02	.3						.15	.21	26
27				.07	.8						.81	.09	27
28	.24			.03			.25			.35	.50	.65	28
29	.15			.33		.08			.7		.35	.16	29
30		X				.31	.2		.38		.24	.59	30
31	.39	X		X		X	.25		X		X		31
TOTAL	1.24	1.00	.5	.68	2.50	2.55	2.21	2.21	.45	4.43	8.42	8.87	YEAR'S TOTAL 34.41
Days with ".01 in. or more.	10	8	2	10	29	12	10	7	2	14	20	23	127
Days with ".04 in. or more.	6	7	0	5	7	10	8	6	2	14	19	22	106

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *The Rectory, Littleworth, Sussex*
in the County of *Sussex*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *9* in.
,, Ground ,, Sea Level *135* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.36		.18		.5		.3					1
2	.2	.6	.2	.18	.5		.18	.157			.76		2
3	.17	.13		.56	.3			.62		.5	.55		3
4	.55	.4		.18				.27		.28			4
5	.1			.8	.14			.30					5
6					.20			.19		.8		.1	6
7	.18		.6					.7	.24	.51	.52	.19	7
8	.12				.2			.3	.2			.25	8
9	.42		.9		.18								9
10	.52	.6	.7		.22			.3	.10			.25	10
11	.16				.3		.10			.8		.62	11
12	.26			.12	.7			.6				.23	12
13	.7		.2	.21	.10	.6	.6	.18	.28				13
14	.9	.10	.9	.2			.26		.2	.1			14
15	.2	.5	.65		.1		.40			.11	.13		15
16									.10	.1		.15	16
17			.13	.9				.1	.32	.4			17
18			.3	.5	.5					.5	.21	.5	18
19			.8	.56				.3	.74	.9	.52	.1	19
20				.18		.3	1.07	.37	.12	.18	.37		20
21	.2		.1					.45		.10	.49		21
22	.30			.5	.10	.2		.52	.2	.28	.23		22
23	.32		.10	.44	.8	.42			.2		.6	.11	23
24	.38	.2		.11		.3					.42	.19	24
25	.5	.18			.13						.19	.5	25
26	.32	.9			.9		.3		.9		.27	.30	26
27	.1						.7			.3	.35	.16	27
28	.1		.1				.3		.23		.54	.7	28
29	.13		.2				.18		.20	.1	.9	.7	29
30	.5	X	.5		.29	.3	.17					.30	30
31	.38	X	.12	X	.30	X			X	.26	X	.18	31
TOTAL	4.48	1.09	1.55	2.30	2.09	.64	2.55	3.28	2.51	2.14	5.70	3.19	YEAR'S TOTAL 31.72
* Days with "or in. or more.	25X	10X	816	114	118	17	11	15	14	518	16	118	3182
* Days with "04 in. or more.	19	9	1110	13	14	3	9	11	10	13	1116	16	1413

FORM A. 1. METEOROLOGICAL
REGIST

Kept at Funtington
in the County of Surrey
by John A. Greenwood

FUNTINGTON
SUSSEX
1921-30

TION.

0 in. JAN 1921
(L.H. 512)
5 in.
d. 1 ft. 0 in.
level 90 ft.
to the previous day.

IMPORTANT NOTE.—Rain
If an Observer prefers not to confo
the reading at 9 a.m. on 1st Januar
this paragraph. Full instructions for
and particulars as to the British F
sent post-free on application to T
Square, London, N.W. 1.

add
nd of
uges,
vers,
mden

Jan. 1, following.

Records

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.570	.250	.080	—	—	—	—	—	—	—	.150	.200	1
2	.020	—	—	—	—	—	—	.070	—	—	.200	.030	2
3	.030	—	.030	—	.230	—	—	.170	—	—	.310	—	3
4	.180	—	.030	—	.320	—	—	.130	—	—	.230	—	4
5	.010	—	—	—	.030	—	—	.310	—	—	.200	.030	5
6	.420	—	.360	—	.070	—	—	—	—	—	.070	.020	6
7	.510	—	—	—	.310	—	—	—	—	—	.060 ^s	.030	7
8	.070	—	.040	—	.010	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	.030	—	—	—	9
10	.310	—	—	—	—	—	—	—	.020	—	—	.020	10
11	.220	—	.030	—	.030	—	—	—	.770	—	—	—	11
12	.430	—	.040	—	—	—	—	.210	.020	—	—	.060	12
13	.090	—	.090	.180	—	—	—	.200	.030	.030	.080	.020	13
14	—	—	—	—	.060	—	.010	—	—	—	—	.170	14
15	—	—	—	.020 ^s	—	—	.170	.050	—	—	.140	—	15
16	.170	—	.120	.300	—	—	—	.570	—	—	.920	.030	16
17	—	—	.210	.020	—	—	.010	.210	.040	—	—	—	17
18	.130	—	—	.020	—	—	—	—	—	.020	—	.020	18
19	—	—	.220	.040	—	—	—	—	—	.320	—	.130	19
20	—	—	.040	—	—	—	—	—	—	.270	.010	—	20
21	.040	—	—	—	—	—	—	—	—	—	.110	.060	21
22	.020	—	—	.080	—	—	—	—	—	.150	—	.520	22
23	.020	—	—	.140	—	—	.020	.350	—	.160	—	.040	23
24	.200	.020	—	—	—	—	—	—	—	—	—	.090	24
25	—	.150	—	—	.040	—	—	.010	—	—	—	.040	25
26	.050	—	—	—	.010	.050	—	—	—	—	.020	.220	26
27	—	—	~~.200~~	.200	—	—	—	.020	—	—	—	.060	27
28	—	—	.240	—	.080	—	.080	—	—	—	—	.090	28
29	.030	—	.050	—	.270	—	—	—	—	—	—	.030	29
30	.170	~~X~~	—	.090	.080	—	—	—	—	—	.220	.170	30
31	.440	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.020	31
TOTAL	4.130	1.420	1.580	1.090	1.540	0.050	0.290	2.300	0.910	0.950	2.730	2.100	YEAR'S TOTAL 18.090
Days with ".01 in. or more	22	3	14	10	13	1	5	12	6	6	14	23	129
Days with ".04 in. or more	16	2	11	7	9	1	2	10	2	4	12	13	89

REGISTER OF RAINFALL IN 1921.

Kept at Funtington
 in the County of Surrey
 by John A. Greenwood

Lat. 50° 52' N Long. 0° 51' 30" W
 Time of Observation 9 AM
 Nearest Railway Station Borham (L.B.S.C.R.)
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 0 ft. 0 in.
 " " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.570	.250	.080	—	—	—	—	—	—	—	.150	.200	1
2	.020	—	—	—	—	—	—	.070	—	—	.200	.030	2
3	.030	—	.030	—	.230	—	—	.170	—	—	.310	—	3
4	.480	—	.030	—	.320	—	—	.130	—	—	.230	—	4
5	.010	—	—	—	.030	—	—	.310	—	—	.200	.030	5
6	.420	—	.360	—	.070	—	—	—	—	—	.070	.020	6
7	.510	—	—	—	.310	—	—	—	—	—	.060 ^s	.030	7
8	.070	—	.040	—	.010	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	.030	—	—	—	9
10	.310	—	—	—	—	—	—	—	.020	—	—	.020	10
11	.220	—	.030	—	.030	—	—	—	.770	—	—	—	11
12	.430	—	.040	—	—	—	—	.210	.020	—	—	.060	12
13	.090	—	.090	.180	—	—	—	.200	.030	.030	.080	.020	13
14	—	—	—	—	.060	—	.010	—	—	—	—	.170	14
15	—	—	—	.020 ^s	—	—	.170	.050	—	—	.140	—	15
16	.170	—	.120	.300	—	—	—	.570	—	—	.920	.030	16
17	—	—	.210	.020	—	—	.010	.210	.040	—	—	—	17
18	.130	—	—	.020	—	—	—	—	—	.020	—	.020	18
19	—	—	.220	.040	—	—	—	—	—	.320	—	.130	19
20	—	—	.040	—	—	—	—	—	—	.270	.010	—	20
21	.040	—	—	—	—	—	—	—	—	—	.110	.060	21
22	.020	—	—	.080	—	—	—	—	—	.180	—	.520	22
23	.020	—	—	.140	—	—	.020	.350	—	.160	—	.040	23
24	.200	.020	—	—	—	—	—	—	—	—	—	.090	24
25	—	.150	—	—	.040	—	—	.010	—	—	—	.040	25
26	.050	—	—	—	.010	.050	—	—	—	—	.020	.220	26
27	—	—	~~.200~~	.200	—	—	—	.020	—	—	—	.060	27
28	—	—	.240	—	.080	—	.080	—	—	—	—	.090	28
29	.030	—	.050	—	.270	—	—	—	—	—	—	.030	29
30	.170	~~X~~	—	.090	.080	—	—	—	—	—	.220	.170	30
31	.440	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.020	31
TOTAL	4.130	0.420	1.580	1.090	1.540	0.050	0.290	2.300	0.910	0.950	2.730	2.100	YEAR'S TOTAL
Days with "01 in. or more	22	3	14	10	13	1	5	12	6	6	14	23	129
Days with "04 in. or more	16	2	11	7	9	1	2	10	2	4	12	13	89

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Funchington
in the County of Surrey
by John A. Greenwood

Lat. 50° 52' N Long. 0° 51' 30" W
Time of Observation 9 AM
Nearest Railway Station Borham & Bosclyn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	250	090	-	050	100	250	-	160	-	340	-	1
2	020	330	200	260	010	-	210	060	-	-	060	-	2
3	070	420	260	810	180	-	020	200	-	030	200	-	3
4	-	380	030	-	040	-	140	030	-	590	-	-	4
5	-	-	240	040	-	-	1560	-	-	090	910	-	5
6	170	-	030	040	-	-	080	620	-	-	060	-	6
7	140	-	750	260	-	-	-	240	-	-	110	020	7
8	130	-	100	020	-	040	180	080	-	-	080	040	8
9	090	-	-	110	-	-	090	290	-	-	020	-	9
10	-	-	-	-	-	-	-	-	-	-	360	-	10
11	070	-	-	030	010	-	-	070	-	-	-	-	11
12	-	620	-	530	-	-	-	110	570	-	-	-	12
13	040	-	-	560	-	260	440	-	050	-	-	-	13
14	120	-	-	-	-	010	790	-	190	-	-	-	14
15	480	130	-	020	-	-	-	-	-	-	-	020	15
16	-	090	-	080	300	-	020	040	200	-	-	470	16
17	-	180	-	-	070	-	090	-	720	-	-	200	17
18	710	030	-	-	100	-	-	-	120	-	-	140	18
19	150	120	020	-	-	-	-	-	170	030	-	620	19
20	070	180	040	-	-	-	-	-	-	-	-	-	20
21	340	120	-	140	-	-	-	-	040	-	-	940	21
22	020	050	-	040	-	-	-	190	-	-	-	150	22
23	-	130	-	030	-	160	-	-	020	-	-	-	23
24	080	-	080	020	040	070	-	230	-	-	-	030	24
25	450	020	-	270	-	320	-	-	150	-	-	130	25
26	320	280	-	090	-	090	180	-	010	-	040	230	26
27	390	340	030	200	-	020	-	250	-	020	-	290	27
28	140	400	-	020	-	280	-	030	010	-	-	260	28
29	330	X	-	-	-	060	010	070	040	100	-	090	29
30	020	X	040	-	-	-	030	660	060	020	160	540	30
31	150	X	180	X	-	X	-	030	X	140	X	030	31
TOTAL	4400	3470	2090	3570	6800	14104	090	3200	1730	020	2340	4200	YEAR'S TOTAL
Days with 01 in. or more	23	8	14	20	9	11	15	17	14	8	11	17	32
Days with 04 in. or more	20	15	10	14	7	9	11	14	11	5	10	13	139

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Funtington

in the County of Surrey

by John A. Greenwood

Lat. 50° 52' N Long. 0° 51' 30" W

Time of Observation 9.44

Nearest Railway Station Bolton S.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 90 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.110	.040	.340	-	-	-	-	-	.020	.080	.090	.420	1
2	.170	.030	.030	-	.090	-	-	-	-	.050	.030	-	2
3	.040	-	.010	-	-	-	-	-	.055	.710	.020	.250	3
4	-	-	-	-	-	-	-	-	.070	-	.540	.100	4
5	.370	-	-	-	.005	-	-	-	-	.080	.070	.130	5
6	.660	.160	.000	.100	-	.040	-	-	-	-	-	.160	6
7	-	.950	.110	-	.080	-	-	-	-	.420	-	~~.160~~	7
8	.020	.040	.070	-	.160	-	-	-	-	.250	.200	.410	8
9	.070	.320	-	-	-	-	.210	-	-	.060	-	-	9
10	.030	.370	-	.440	.160	-	.020	-	-	.210	.020	.030	10
11	.010	.005	-	.780	.010	-	-	-	-	.730	-	.090	11
12	-	.250	.420	.420	.210	.015	-	-	-	.360	-	-	12
13	-	.120	.190	.170	-	-	-	-	-	-	.400	.015	13
14	-	.005	.120	-	.055	-	-	-	.370	-	.200	-	14
15	-	.005	.010	.120	.350	.370	.125	-	.220	-	.120	.005	15
16	-	.170	-	.165	.100	-	-	-	-	-	.170	-	16
17	.020	.330	-	-	.010	-	-	.080	.110	.015	.020	-	17
18	-	.430	-	.020	-	.020	-	.170	-	.010	.020	-	18
19	.080	.040	-	.020	-	.010	.020	.020	.140	.970	-	.620	19
20	.020	.250	.050	-	.030	-	-	.050	.230	.150	-	-	20
21	-	.090	-	.100	.010	-	-	.020	.100	.410	-	.300	21
22	-	.560	.140	~~.015~~	-	-	-	.230	.540	.180	-	-	22
23	-	.500	.085	~~.015~~	.180	-	.130	.800	.100	.650	-	.310	23
24	-	.090	.070	.090	.005	-	-	.260	.210	.180	-	.110	24
25	-	.405	.015	~~.810~~	-	.030	-	.100	.090	.500	-	.410	25
26	-	.190	-	~~.810~~	.010	.050	-	.090	-	.300	.050	.400	26
27	-	.040	.195	-	-	-	-	.070	-	.040	-	.140	27
28	-	.210	.105	.230	<u>1.020</u>	-	.235	.165	-	.020	.060	-	28
29	.100	~~X~~	.070	.030	.720	-	.140	.590	-	-	-	.150	29
30	-	~~X~~	.010	-	-	-	.150	.100	-	.190	-	.170	30
31	-	~~X~~	.010	~~X~~	-	~~X~~	.280	-	~~X~~	.140	~~X~~	.070	31
TOTAL	1.700	5.600	2.130	3.590	3.145	0.535	1.310	2.685	2.255	6.685	2.400	3.420	YEAR'S TOTAL
Days with .01 in. or more	13	~~22~~ 24	20	15	~~17~~ 17	7	9	14	13	24	15	~~16~~ 19	35.330
Days with .04 in. or more	8	21	14	~~12~~ 11	11	3	7	12	12	21	10	~~14~~ 16	146

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____
River District No. _____
Station No. _____Kept at Funtington
in the County of Surrey
by J. A. GreenwoodLat. 50° 52' N Long. 0° 51' 30" W
Time of Observation 9.44
Nearest Railway Station Barnham (S.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.230	.	.020	.130	.180	.070	.	.300	.950	.140	1
2	.040	.	.130	.	.030	.070	.	.	.	.	.	.250	2
3	.	.	.100	.	.160	.050	.100	.340	.	.090	.	.	3
4	.	.	.	.	.080	1.390	.	.	.	.060	.	.	4
5	.	.005	.120	.	.300	.	.050	.	.	.280	.	.390	5
6	.	.	.	.	.010	.	.	.050	.140	.390	.	.055	6
7	.030	.010	.	.	.	.400	.	.	.530	.	.	.	7
8	.310	.130	.	.030	.100	.150	.100	.	.060	.	.	.	8
9	.140	.090	.	.	.020	.040	.	.	.170	.	.	.	9
10	.360	.	.	.020	.530	.130	.	.	.050	.	.	.	10
11	.010	.	.	.170	.400	.190	.	.	.020	.050	.230	.	11
12	.020	.	.	.090	.140	.560	.	.170	.090	.040	.070	.	12
13	.005	.	.	.170	.400	.	.	.	.700	.	.	.170	13
14	.005	.	.	.210	.	.	.	.050	.	.	.	.095	14
15	.005	.020	.	.	.	.	.	.030	.070	.	.	.560	15
16	.040	.	.	.	.	.	.	.200	.010	.	.	.015	16
17	.315	.	.	.	.	.390	.830	.050	.045	.	.	.010	17
18	.610	.	.	.	.010	.110	.	.030	.	.090	.620	.010	18
19	.015	.	.	.	.	.	.	.	.	.070	.	.030	19
20	.010	.	.	.	.030	.	.200	.060	.390	.160	.	.	20
21	.600	.	.060	.	.180	.	.050	.480	.300	.580	.	.	21
22	.320	.	.510	.	.	.	.	.080	.160	.	.	.	22
23	.	.	.410	.030	.430	.	.	.170	.200	.	.	.860	23
24	.510	.050	.080	.150	.020	.	.	.	.200	.	.	.	24
25	.	.020	.	.040	.	.	.	.040	1.420	.250	.090	.060	25
26	.	.	.020	.460	.	.	.	.080	.140	.530	.480	.	26
27	.	.035	.	.580	.	.	.890	.	.	.320	.100	.920	27
28	.	.	.020	.	.	.	.710	.450	.	.130	.290	.040	28
29	.	.010	.	.130	.270	.	.010	.440	.410	.750	.050	.150	29
30	.	X	.	.120	.230	.	.	.190	.300	.470	.200	.250	30
31	.	X	.	X	.610	X	.	.020	X	.350	X	.080	31
TOTAL	3.345	0.370	1.180	2.760	3.970	3.610	3.120	3.100	5.405	4.910	2.480	4.095	YEAR'S TOTAL
Days with 01 in. or more.	15	8	10	13	20	12	10	19	20	18	10	18	38.785
Days with 04 in. or more.	15	3	8	10	13	12	9	16	18	18	9	14	143.140

W W W LWS

Corr for Arise

FOR OFFICIAL USE.

418

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925

Kept at Frimlington
in the County of Surrey
by J. A. Greenwood

Lat. 50° 52' N Long. 0° 51' 30" W
Time of Observation 9 AM
Nearest Railway Station Bromley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.990	.040	-	.140	.010	-	-	.360	.090	-	.730	-	1
2	.550	-	-	.090	-	-	.070	-	-	-	.850	-	2
3	.400	.030	-	-	.250	-	.660	-	-	-	.040	-	3
4	.030	-	-	.060	.200	-	-	.100	.030	-	.220	-	4
5	-	.250	-	.860	.300	-	-	.050	.230	-	.280	-	5
6	-	.100	-	.040	.210	-	.520	.260	-	-	.740	-	6
7	.005	.200	-	-	.260	-	-	-	-	-	.150	.060	7
8	.090	.010	.615	-	.020	-	-	-	.010	-	.010	.090	8
9	-	.070	-	.130	.070	-	.010	.220	.010	-	-	-	9
10	-	.035	.040	.400	.270	-	.005	.390	.010	-	.030	-	10
11	-	.270	-	-	.020	-	-	.050	.120	-	.530	-	11
12	.010	.600	-	-	-	-	-	.120	-	-	.030	-	12
13	.030	.710	.050	.170	-	-	-	.060	-	-	-	.050	13
14	.470	.150	-	.330	-	-	-	-	-	-	.010	-	14
15	.120	.020	-	.130	-	-	-	-	-	.050	.005	-	15
16	.160	.110	-	-	-	-	-	-	-	.530	-	-	16
17	.005	-	-	.015	.040	-	.030	-	.120	-	-	-	17
18	.005	.040	-	.020	.370	-	.040	-	.050	.070	-	.070	18
19	-	.020	-	.120	.020	-	-	.005	.180	.920	-	.460	19
20	-	-	-	-	-	-	-	.050	.670	.400	-	.120	20
21	-	-	.020	-	-	-	.360	.160	.300	.710	-	.680	21
22	-	.180	.005	.300	.030	-	.680	.600	.640	.940	-	.210	22
23	.210	.200	.040	-	.430	-	-	1.950	.020	.250	-	.150	23
24	.350	.440	.210	.100	.450	-	-	-	-	.015	.050	.400	24
25	-	.940	.010	-	-	-	.070	-	.350	.090	.030	.090	25
26	.160	.230	-	.140	.230	-	.860	.230	-	.320	-	.220	26
27	.170	.030	-	.130	.690	-	.460	.080	-	.020	-	.110	27
28	.240	-	-	.110	.060	-	-	-	-	-	-	.310	28
29	.090	-	-	-	.200	-	.080	-	-	-	.050	.750	29
30	-	X	-	.100	-	-	.620	-	-	.040	.040	.320	30
31	.040	X	-	X	-	X	.040	-	X	.020	X	-	31
TOTAL	4.125	4.675	0.400	3.385	4.130	nil	3.355	4.565	2.770	4.375	3.795	4.090	39.705
Days with ".01 in. or more.	19	22	7	19	20	-	14	15	15	14	17	16	175
Days with ".04 in. or more.	14	16	4	17	15	-	12	15	10	11	11	16	130
													141

1610
39.705
39.775
175
179
130
141

REGISTER OF RAINFALL IN 1926.

Kept at Funtington
in the County of Surrey
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. — in.
" Ground " Sea Level 100 — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	*July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		095	—	—		650	—	—	100		220		1
2	050	010	—	—		260	110	—	080		085		2
3	340	180	120	—		—	—	—	—		—		3
4	050	290	110	060			100	—	—		120		4
5	005	050	080	—	440		350	—	—		270	210	5
6	250	600	010	200	020	260	180	115	020	640	030	—	6
7	130	050	—	320	230	020	020	—	060		440	030	7
8	005	005	—	230	005	340	040	—	—		630	—	8
9			030	—	—	140	046	290		050	350		9
10			—		050	200	030	—		020	060	—	10
11	005	065	—	—	060	050	020	230	010		150	—	11
12			—	—		—	—	—		300	—	—	12
13					160	210		045			1350	030	13
14	030	060	—	280	460	—	—	—	020	530	075	010	14
15	190	060	—	250	—		—	—	020	160	215	—	15
16	—	060	—	500		650		230	010	030	015	—	16
17	210	650	—	035	—	—	025	—	—		170	—	17
18	280	120	—	—	050	—	070	070	—		580	—	18
19	—		—	030	070	—	340	030	—		370	020	19
20	020		—	200	—	—	—	230	—		400	020	20
21	—		—	020			—	020	—	110	200		21
22	520		—	010			—	—	—		100		22
23	140	005	020	—			—	—	—				23
24	020			—			030	—	—	370	—		24
25	230		140	600			015	—	—	040	160		25
26	010		065	005			110	—	—		040	050	26
27	190	030	010	050	060		—	—	—	120	085		27
28	600	—	—	190	005		450	—	—	270	400	—	28
29	075	X	—	010	300		—	—	—	080	060	020	29
30	265	X	—	160	340		—	060	—		110	—	30
31	380	X	—	X	—	X	—	290	X		X	—	31
TOTAL	3995	2330	0595	3120	2200	2780	1930	1610	0320	2120	6685	0390	YEARS TOTAL
Days with "1 in. or more.	20	14	9	17	12	10	16	11	8	13	26	8	164
Days with "4 in. or more.	16	12	5	12	11	9	11	9	3	11	24	2	125

Please read the Notes and Instructions Overleaf.

(Signed) John Greenwood

[P.T.O.]

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Funtington
in the County of Surrey
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....195 ft. 0 in.
" Ground " Sea Level.....95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.010	.900	-	.010	-	-	.920	.130	-	.450	.295	-	1
2	.050	-	.030	.200	-	-	-	-	-	.075	.020	-	2
3	.200	.005	.030	-	-	-	.080	-	-	-	.005	-	3
4	.210	-	.020	.160	.030	.005	.070	-	-	-	-	-	4
5	.140	.050	-	.590	.055	.180	.040	.060	-	-	.150	.005	5
6	-	-	.480	.350	-	.010	.030	.200	.180	-	.100	-	6
7	.020	.340	.005	.190	-	.140	-	.170	-	-	.005	-	7
8	.040	-	.005	.355	.390	-	-	.220	.100	-	.110	-	8
9	-	-	-	.040	-	-	.135	.150	.165	-	-	hau	9
10	-	-	.090	.005	-	-	-	-	.240	-	-	-	10
11	-	-	-	-	-	-	-	.140	-	-	-	-	11
12	.200	-	-	-	-	-	.030	-	-	-	-	-	12
13	.130	-	-	-	-	-	.520	.350	.160	.020	.650	.300	13
14	-	-	-	.040	.050	-	.300	-	.2470	-	.025	.230	14
15	-	-	-	-	.258	-	-	.270	.060	-	.005	-	15
16	.080	-	-	-	.140	.210	-	-	.145	-	.005	-	16
17	.170	-	.100	-	-	.220	-	.440	.005	-	-	-	17
18	.170	.030	-	-	-	.420	-	.210	.020	-	.430	-	18
19	-	.250	-	-	-	-	.150	.240	-	-	.520	-	19
20	-	.150	-	-	.035	-	-	.870	.010	.610	.280	.470	20
21	-	.270	-	-	-	.020	-	.080	.120	.320	.110	.880	21
22	.200	.120	.310	-	.015	.120	-	-	.060	.380	-	.540	22
23	.005	.770	.260	-	-	.160	-	.020	1.100	-	.210	.120	23
24	-	.110	.570	.05	-	.220	.010	.070	.010	.060	.030	.440	24
25	.050	.630	.120	.020	-	.030	-	.030	.060	.110	-	.850	25
26	.330	.470	.030	-	-	.020	.100	-	.060	.040	.005	.480	26
27	.030	.390	-	-	.890	.110	.370	-	-	.680	.005	-	27
28	.210	.230	-	.050	-	.160	.010	-	-	.020	.425	-	28
29	.030	X	.120	-	-	.730	.020	.020	.560	.010	.500	-	29
30	.080	X	.350	-	.010	.430	.020	-	.035	.330	.005	-	30
31	.020	X	.500	X	-	X	.085	-	X	.020	X	.090	31
TOTAL	2.375	4.715	3.020	2.03	2.03	3.185	2.890	3.610	5.56	0.2465	3.290	4.405	YEARS TOTAL
Days with ".01 in. or more.	20	14	14	12	10	16	17	18	18	14	15	10	178
Days with ".04 in. or more.	15	13	10	9	5	12	11	15	14	8	12	10	134

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at

Lantern

in the County of

Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.320	.020	.210	.040	.	.	.	.	.	.	.030	.	1
2	.920	.395	.040	.020	.	.	.	.030	.	.	.060	.020	2
3	.	.	.	.420	.	.	.150	.870	.	.	.020	.	3
4	.020	.140	.	.	.	.020	.	.	.	.	.	.	4
5	.100	.090	.090	.	.	.	.060	.	.	.	.040	.010	5
6	.010	.	.050	.	.	.220	.	.	.	.	.	.070	6
7	.020	.030	.090	.125	.	.210	.	.060	.	.020	.	.	7
8	.250	.030	.	.010	.	.	.030	.	.	.060	.	.	8
9	.	.	.005	.165	.	.410	.	.	.450	.100	.	.	9
10	.050	.180	.	.070	.	.060	.	.015	.	.290	.290	.110	10
11	.100	.	.110	.040	.	.	.	.040	.	.730	.070	.070	11
12	.440	.500	.	.005	.	.030	.	.	.	.120	.060	.	12
13	.	.200	.	.	.	.	.	.120	.	.	.090	.	13
14	.190	.080	.	.340	.140	.930	.	.005	.	.570	.550	.	14
15	.150	.005	.	.720	.	.060	.	.	.	.	.290	.005	15
16	.	.090	.	.045	.020	.045	.	.	.	.150	.	.200	16
17	.040	.	.	.010	.030	.010	.	.	.	.170	.	.	17
18	.810	.	.015	.	.220	.060	.	.	.	.500	.	.	18
19	.	.	.	.	.060	.005	.	.120	.	.480	.	.110	19
20	.225	.	.105	.	.005	.	.	.110	.	.090	.120	.005	20
21	.090	.	.160	.070	.	.015	.	.	.	.700	.380	.010	21
22	.	.	.215	.	.	.	.	.	.	.1330	.350	.270	22
23	.500	.	.040	.	.040	.	.	.	.	.070	.340	.	23
24	.050	.	.	.	.	.	.	.	.220	.060	.	.500	24
25	.240	.	.	.	.	.080	.	.	.	.070	.080	.190	25
26	.200	.	.075	.	.	.	.090	.1440	.	.1670	.120	.060	26
27	.010	.	.020	.010	.	.	.650	.070	.110	.080	.060	.1230	27
28	.890	.	.	.	.	.	.	.	.380	.	.	.170	28
29	.320	.380	.500	.055	.	.010	.150	.	.	.650	.100	.620	29
30	.100	X	.160	.	.	.010	.170	.	.	.030	.005	.080	30
31	.215	X	.300	X	.	X	.310	.	X	.040	X	.030	31
TOTAL	5.935	2.140	2.185	2.145	2.025	5.180	1.610	2.880	1.160	7.480	3.055	3.780	YEAR'S TOTAL
Days with .01 in. or more.	25	12	16	15	6	15	8	10	4	22	18	17	168
Days with .04 in. or more.	19	9	14	11	5	10	7	8	4	20	16	13	156

Section

A

for the entry of Daily Observations.

423
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Frimlington
in the County of Sussex

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft 0 in.
,, Ground ,, Sea Level.....100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.150	-	-	-	.030	-	.210	-	.290	-	-	I
2	-	1.100	-	-	-	.160	.060	-	-	.360	.030	.420	2
3	-	.005	-	-	-	.100	.920	.060	-	.050	-	.230	3
4	-	-	-	.035	.500	.120	.140	.120	-	.150	-	-	4
5	-	-	-	-	.860	.520	.530	1.000	-	.730	.480	.090	5
6	-	-	-	-	.090	.040	.030	.250	-	.030	.210	.420	6
7	-	-	-	-	.020	.100	-	.030	-	.390	.660	.720	7
8	-	-	-	-	-	.030	-	.005	-	.370	-	.460	8
9	.090	.140	-	-	-	-	-	-	-	.030	.240	-	9
10	.150	.020	-	.030	-	-	-	-	-	.056	.010	.450	10
II	.010	-	-	.115	.230	-	-	-	-	.005	1.030	-	II
12	-	-	-	.070	.280	.150	-	-	-	-	.005	.040	12
13	.025	-	-	-	.140	.050	-	-	-	-	-	.150	13
14	-	-	-	-	.100	.070	-	-	-	-	-	.090	14
15	.030	.290	-	-	-	.290	-	-	.350	-	.860	.030	15
16	-	-	-	-	-	-	-	.550	.430	-	.050	-	16
17	.090	-	-	.030	-	-	-	-	-	-	.010	-	17
18	-	-	-	-	-	-	-	.010	-	-	.290	-	18
19	-	-	-	-	-	-	-	.110	-	-	.040	-	19
20	.080	-	.010	-	-	-	.400	.130	-	.320	-	.440	20
21	.040	-	.060	-	-	-	-	.020	-	-	.010	.190	21
22	-	-	-	-	-	-	-	.005	-	-	.100	.040	22
23	.005	.080	-	.020	-	-	-	-	-	.110	.320	.450	23
24	-	.030	.040	-	-	-	-	-	-	.700	.870	.340	24
25	-	.040	-	-	-	-	-	-	-	.140	.140	.060	25
26	-	-	-	.060	-	-	-	-	-	.005	.110	.130	26
27	.030	-	-	.030	-	-	-	-	-	.010	1.380	.060	27
28	.340	-	-	.080	-	-	-	-	-	.700	.220	.570	28
29	.160	X	-	.510	-	.160	-	-	.080	.080	.340	.420	29
30	.015	X	-	-	-	.060	.070	-	.500	-	.150	.120	30
31	.460	X	-	X	-	X	.090	.020	X	-	X	.030	31
TOTAL	1.525	1.855	1.100	.980	2.220	1.880	2.240	2.520	1.360	4.520	7.555	5.950	YEAR'S TOTAL 32.715
Days with or in. or more.	13	8	3	10	8	14	8	12	4	17	22	23	142
Days with or in. or more.	8	6	2	5	7	12	7	8	4	14	18	21	112

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930 .

Kept at *Flintington*
in the County of *Gloucester*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.170	810	-	220	-	-	020	020	.	-	770	-	1
2	030	010	120	100	090	-	250	190	.	-	420	-	2
3	075	130	.	560	010	-	-	700	.	070	010	-	3
4	550	030	-	050	-	-	-	070	005	170	-	-	4
5	030	trace	.	030	060	-	-	260	.	-	-	020	5
6	005	-	-	-	200	-	-	130	310	030	-	-	6
7	250	-	-	-	-	-	-	100	-	690	400	180	7
8	110	-	-	005	030	-	-	-	005	-	-	150	8
9	310	-	040	-	270	-	-	070	060	-	-	100	9
10	590	-	090	-	290	trace	-	025	.	-	-	450	10
11	150	trace	-	060	010	-	140	-	-	120	-	590	11
12	160	-	-	220	160	-	-	110	-	-	-	220	12
13	040	trace	020	330	030	-	160	440	590	-	-	trace	13
14	050	120	100	-	-	-	250	-	030	-	-	020	14
15	010	060	290	-	-	030	360	-	-	-	140	110	15
16	-	-	010	trace	-	-	-	-	260	005	-	150	16
17	-	-	190	180	-	-	-	-	350	090	-	trace	17
18	-	-	180	020 ⁵	090	-	-	-	160	020	330	170	18
19	-	-	250 ⁵	110	-	-	-	015	240	100	910	010	19
20	-	-	-	030	-	020	770	470	330	110	260	-	20
21	-	-	030	-	-	-	010	170	020	-	580	-	21
22	340	-	-	080	040	040	-	680	090	590	266	-	22
23	360	-	100	210	010	430	-	-	030	-	310	170	23
24	360	010 ⁸	-	190	070	-	-	-	-	020	330	250	24
25	100	430	-	010	090	-	-	-	-	160	110	005	25
26	240	010	-	-	030	-	270	-	040	005	170	170	26
27	010	-	020	-	-	-	-	-	-	050	280	070	27
28	010	-	010	-	-	-	610	-	370	-	410	100	28
29	080	X	-	-	005	-	-	010	020	060	050	080	29
30	100	X	-	-	100	020	030	-	-	-	trace	300	30
31	510	X	120	X	110	X	090	-	X	300	X	080	31
TOTAL	4640	1610	1570	2405	1695	0540	2360	3460	2910	2590	5740	3395	YEAR'S TOTAL 32915
*Days with or in. or more.	24	9	15	16	13	5	12	16	15	15	17	20	182
*Days with or in. or more.	19	5	10	12	12	2	8	12	11	12	16	17	136

" " " " Sea Level 413 ft.

Jan. 1, following.

[illegible]

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

County No.

River Dist.

Station No. _____

Kept at 'High Road' Xant,
in the County of Pullex.
by J. S. EELES.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Trant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

[illegible]



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Migfield, Kent
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.6	.53				.4					1
2	.94	.28	.4										2
3				.24	.11		.67	.48					3
4				.21	.15	.2							4
5			.6					.35					5
6		.48				.43						.9	6
7				.17		.23		.14					7
8			.7			.51							8
9	.3		.3										9
10	.26			.22		.31							10
11	.5			.13								.10	11
12	.34	.46						.12		1.08			12
13		.18				.98		.11					13
14		.6			.17	.15		.7					14
15	.18			1.04	.17								15
16	.3	.8		.20	.8								16
17				.1	.25								17
18	.49			.4		.22							18
19								.9					19
20	.17		.8		.9								20
21			.10		.46					3.70			21
22			.19		.3					.45			22
23	.74		.4		.6					.22			23
24	.7				.5			.5		.15			24
25	.18					.10			.24	.20			25
26	.25					.8	.2	.42		1.05			26
27			.5				.78	.3		.8		.213	27
28			.7						.32				28
29	.73	.9	.64				.5			.7			29
30		X	.49	.45		.27	.21			.6		.91	30
31		X		X		X	.11		X	.2	X	.41	31
TOTAL	4.58	1.57	2.04	3.24	1.62	3.30	1.84	1.90	.56	7.08	4.57	3.64	YEAR'S TOTAL 35.94
Days with 0.1 in. or more.													
Days with 0.4 in. or more.													

Kept at Highfield, Frank
in the County of Salter
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.
28

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I								.30		.29			I
2							.7			.47		.43	2
3		.47					.24			.9		.34	3
4				.20		.28	.28						4
5					1.30	.21	.32	.47				.51	5
6					.12	.2		.53		.39	.20	.98	6
7						.3		.57		.46	.40		7
8										.23		1.05	8
9					.2	.12						.41	9
10										.10		.71	10
11											1.23	.14	11
12				.66	.19	.8							12
13					.20							.8	13
14					.5	.5							14
15											1.17		15
16	.30					.16		1.48				.26	16
17											.89		17
18											.35		18
19											.9		19
20										.76			20
21	.13							.4					21
22							.7	.4					22
23										.5			23
24		.19								.74	1.66		24
25										.52	.19	1.90	25
26				.2	.2						.16		26
27		.8									.70		27
28	.17			.3						.33	.77		28
29	.16			.19			.16		.24	.2	.54	.74	29
30	.2	X				.9			.23		1.12	.32	30
31	.48	X		X		X	.25		X		X	.02	31
TOTAL	1.26	.74		1.10	1.90	1.04	1.39	3.43	.47	4.45	9.47	7.89	33.14
Days with .01 in. or more.													
Days with .04 in. or more.													

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Bayham Estate Office, Hants
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.12	—	.27	.09	—	—	.07	—	—	1
2	—	.67	—	.02	.03	—	—	—	—	—	.83	—	2
3	.06	.13	—	.47	—	—	—	—	—	—	—	—	3
4	—	.01	—	.03	.45	—	—	2.21	—	—	—	—	4
5	—	—	—	—	.17	—	—	.22	—	.19	—	—	5
6	—	—	—	—	.11	—	—	.11	—	—	—	—	6
7	.11	.38	.12	—	—	—	—	.30	.49	.25	.19	—	7
8	.10	—	—	—	—	—	—	—	—	—	—	—	8
9	.49	—	—	—	.32	—	—	—	.06	—	—	—	9
10	.62	—	.21	—	—	—	—	.03	—	—	—	.40	10
11	—	.20	—	—	—	.06	—	—	—	—	—	.64	11
12	.39	—	—	—	.37	—	—	—	—	—	—	.20	12
13	.4	—	.02	.31	.10	—	—	.20	—	—	—	—	13
14	.9	.15	.03	.08	—	—	—	—	—	—	—	—	14
15	.2	—	—	—	—	—	1.11	—	—	.20	.39	—	15
16	—	—	.30	—	—	.02	.03	—	—	—	—	—	16
17	—	—	.20	—	—	.31	.06	—	—	.04	—	—	17
18	—	—	.10	.21	—	—	—	—	.96	—	—	—	18
19	—	—	.15	—	—	—	—	.11	—	—	.61	—	19
20	—	—	—	.17	—	—	1.02	.25	—	—	.34	—	20
21	—	—	—	—	—	—	—	.49	—	.16	—	.09	21
22	.5	—	—	.04	.39	—	.09	.19	—	.19	—	—	22
23	.12	—	.21	.50	—	.31	.04	—	—	—	.80	.03	23
24	—	—	—	—	.13	—	.03	—	—	—	.47	—	24
25	—	—	—	—	.21	—	—	—	—	—	.38	—	25
26	.67	.15	—	—	—	.25	—	—	—	—	.33	—	26
27	—	—	—	—	—	—	—	.07	.47	—	.51	—	27
28	.01	—	—	—	—	—	—	—	—	—	.90	.63	28
29	.15	—	—	—	—	—	.18	—	.97	—	—	—	29
30	.15	×	—	—	.40	—	.27	—	—	—	—	.70	30
31	.70	×	.10	×	—	×	—	—	×	.18	×	.08	31
TOTAL	3.99	1.69	1.44	1.95	2.68	1.16	2.92	4.18	2.95	1.28	5.75	2.77	32.96
*Days with or in. or more.	17	4	10	10	11	6	10	11	5	8	11	8	114
*Days with .04 in. or more.	16	6	8	8	10	5	8	10	5	8	11	7	102

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Hughes [P.T.O.]

FRISTON

SUSSEX

1923-30

ANIZATION.

23.

0° 10' 50"

9 a.m.

Seaford

Rain Gauge in.

Above Ground 1 ft. 6 in.

Sea Level 10 ft.

the previous day.

Reading at 9 a.m. on

Jan. 1, following.

Kept at Westdean
 in the County of Sussex
 by A. Wil

Rain should be measured d
 An Observer who prefers not to
 January 1st of the following year

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	06	26	02			04	12	09	01	22	41	1
2	19	05	24			23				19	03	22	2
3		02	02		08					132	01	08	3
4	01					02					05	26	4
5	31									15	49	01	5
6	25	03				01			19				6
7	16	44	10	01	03					61		22	7
8	05	14	29	01	13	02			02	36	36		8
9	06	04	03		54		250			08	13		9
10		11	04		01	02	28			32	01	02	10
11	03	01		02	15					45		04	11
12		24		36	03					14		04	12
13	04	07	53	34	48	02					49		13
14		04	17	19	14		18					06	14
15			14	08	23				25		18		15
16		10			16	33	14		10		32		16
17		14		03	07					02			17
18	11	61			07		07	28	20	06			18
19	10	03		02		01		34	13	19		02	19
20	01	14		04		03	02	05	19	16			20
21		03	13		07			03	31	21		15	21
22		45	25	33		03		15	12	16			22
23		18	20	10				14	85	160		06	23
24	01	10	09		11		49	49	26	55		40	24
25		22		01				14	14	35	07		25
26		21	06	105		02	08	05	06	06		35	26
27		17	05	02	60			18				21	27
28		26	11		05		08	03			21		28
29	04			03	89		23	03				24	29
30		X		17	26		03	05		24		19	30
31		X		X		X	09	06	X	16	X	14	31
TOTAL	141	384	241	286	416	74	413	217	291	769	254	342	YEAR'S TOTAL (38.66)
Days with 01 in. or more	15	25	14	18	19	11	13	15	14	22	13	19	(201)
Days with 04 in. or more	11	20	15	9	16	2	11	12	13	20	10	16	(155)

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Westdean & Triston
Apr 15 to 31 Aug. 1923 from 1st Sept/23
in the County of Sussex
by A. Wilkins Esq

Lat. 50° 46' 10" Long. 0° 10' 50"
Time of Observation 9 a.m.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 100 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	06	26	02			04	12	09	01	22	41	1
2	19	05	24			23				19	03	22	2
3		02	02		08					132	01	08	3
4	01					02					05	26	4
5	31									15	49	01	5
6	25	03				01			19				6
7	16	44	10	01	03					61		22	7
8	05	14	29	01	13	02			02	36	36		8
9	06	04	03		57		250			08	13		9
10		11	04		01	02	18			32	01	02	10
11	03	01		02	15					75		04	11
12		24		36	03					14		04	12
13	04	07	53	37	48	02					49		13
14		04	17	19	17		18					06	14
15			14	08	23				25		18		15
16		10			16	33	14		10		32		16
17		14		03	07					02			17
18	11	61			07		07	28	20	06			18
19	10	03		02		01		37	13	19		02	19
20	01	14		04		03	02	05	19	16			20
21		03	13		07			03	31	21		15	21
22		45	25	33		03		15	12	16			22
23		18	20	10				14	85	160		06	23
24	01	10	09		11		49	49	26	55		70	24
25		22		01				14	14	35	07		25
26		21	06	105		02	08	05	06	06		35	26
27		17	05	02	60			18				21	27
28		26	11		05		08	03			21		28
29	04			03	89		23	03				24	29
30		X		17	26		03	05		24		19	30
31		X		X		X	09	06	X	16	X	14	31
TOTAL	141	384	241	286	416	74	413	217	291	769	257	342	YEAR'S TOTAL (38.66)
Days with 01 in. or more	15	25	17	18	19	11	13	15	14	22	13	19	(201)
Days with 04 in. or more	11	20	15	9	16	2	11	12	13	20	10	16	(155)

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FOR OFFICIAL USE.

County No. 496
River Dist. A
Station No.

Kept at Trislow
in the County of Sussex
by Mr. A. Wilkins

Lat. 50° 46' 10" N. Long. 0° 10' 50" W.
Time of Observation 9 am.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge
Height of top of Gauge above Ground 7 ft. in.
" " " " Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10	.03	.03	.24	.07	.05		.01	1.10	.14	1 RRR
2	.03		.30		.27	.03	.01	.27				.05	2 VS
3			.18	.02	.20	.05	.16	.53		.02	.01		3
4				.03		1.02			.02	.02		.39	4
5			.04	.10	.03				.01	.19	.01	.10	5
6								.09		1.13		.02	6
7	.03	.01		.01	.06	.05			.52	.46			7
8	.20	.14			.07				.07	.11			8
9	.04	.05		.06	.02	.06			.01				9
10	.22			.13	.31	.04			.05		.01	.01	10
11		.03		.30	.24	.36			.08		.41	.02	11
12				.02	.02	.11		.08	.02	.01	.16		12
13	.05			.45					.32	.01	.02	.22	13
14	.03			.32				.07	.01			.01	14
15		.09		.01		.01			.05			.51	15
16	.01							.07				.12	16
17	.24						.80	.24					17
18	.65	.03			.03	.17	.01			.03	.03		18
19	.01					.05		.24		.17	.02	.01	19
20					.14		.05	.07	.09	.16			20
21	.26		.02		.08			.39	.42	.79			21
22	.18		.26		.02			.90	.24				22
23			.27		.49			.08	.32			.65	23
24	.42	.13	.41	.08	.01			.04	.18	.01	.12	.40	24
25		.02	.01	.02			.46	.03	.24	.06	.16		25
26			.47	.26			.02	.17	.11	.14	.18	.24	26
27		.05	.02	.54			.23	.06		.19	.55	1.28	27
28			.05				.82	.20			.27	.05	28
29		.02		.16	.39		.24	.22	.03	.86	.35	.11	29
30		X		.04	.19			.29	.20	.52	.02	.24	30
31		X		X	.63	X		.02	X	.49	X	.37	31 9.35
TOTAL	2.34	.60	2.13	2.58	3.23	2.19	2.87	4.12	3.00	5.38	3.42	4.88	36.80
Days with 1/4 in. or more.	14	10	12	18	19	12	11	21	20	20	16	20	193
Days with 1/4 in. or more.	9	5	9	11	12	10	8	19	14	13	9	15	122 134

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

501

Register of Rainfall in 1925.

Kept at Tristram
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 104 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.82		.06	.10	.05			.38	.17		.59		1
2	.52	.03		.12			.10				.80		2
3	.89	.02			.33		.19				.08		3
4	.09				.19			.02	.03	.04	.10		4
5		.09		.34	.10			.17	.35		.23	.01	5
6		.05		.12	.25		.30	.06	.05		.58		6
7		.18			.02						.02	.02	7
8	.15				.15				.01			.04	8
9		.07		.03	.01		.01	.03	.08		.02		9
10			.07		.01			.22	.18		.08		10
11	.02	.13	.05	.02				.02			.21		11
12		.29								.03			12
13	.02	.45	.15	.14				.02	.05				13
14	.24	.01		.39									14
15	.16	.08		.04						.12			15
16	.09	.10							.12	.25			16
17				.02			.03		.07				17
18	.02	.02		.01	.09		.51	.02		.04		.05	18
19	.01	.01		.20	.02	.04			.03	.94		.35	19
20			.12				.04		1.26	.19		.28	20
21							.36		.14	.25		1.25	21
22		.13	.02	.05	.04		1.80	.42	.43	.63		.54	22
23		.14	.07	.20	.30			.43		.68		.12	23
24	.56	1.07	.15	.03	.14	.13		.11		.22	.05	.27	24
25	.02	.69		.02			.03		.30			.08	25
26	.07	.14		.32	.10	.04	.18	.03		.26		.23	26
27	.15			.29	.88		.64	.05		.01	.06	.19	27
28	.08	.04	.02	.06	.01		.04		.02			.25	28
29	.07			.22	.04		.31		.04		.08	1.15	29
30		X		.32			.57					.48	30
31	.07	X		X		X	.26		X		X		31
TOTAL	4.05	3.74	.69	3.14	2.43	.20	5.37	1.98	3.31	3.76	2.90	5.41	27.29
Days with ".01 in. or more.	19	20	9	20	18	3	16	14	17	13	13	16	179
Days with ".04 in. or more.	14	15	6	15	13	3	13	8	12	11	11	14	135
													YEARS TOTAL 947

(Signed)..... (P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Trislow

in the County of Sussex

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....0 ft.....0 in.

„ Ground „ Sea Level.....1000 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.48				.71			.03		.06	.07	1
2	.15	.02				.91	.03		.03				2
3	.22	.98	.11										3
4	.09	.18	.14	.40			.11				.03		4
5	.04	.03	.10		.66		.37		.03		.32	.33	5
6	.04	.37		.35		.08	.07	.04	.02		.01	.05	6
7	.13	.05		.08	.03	.27			.08		.05	.04	7
8				.07	.03	.03	.02			.05	.35		8
9		.04	.03			.54		.02		.04	.66		9
10					.02	.23	.01	.14		.16			10
11		.04			.22	.16	.02	.23		.22	.27		11
12					.04	.01			.05	.24			12
13				.01				.04	.04	.07	1.40	.02	13
14		.01		.14	.06	.07			.01	.53	.09	.20	14
15	.11	.03		.52	.02					.32	.17		15
16	.02	.27		.20				.96		.04	.02		16
17	.06	.65		.03	.13	.64					.17	.04	17
18	.27	.09		.30	.48	.02	.22	.10			.76		18
19				.02	.24		.51				.21	.02	19
20	.02			.23				.20		.21	.95		20
21				.04			.02	.03		.02	.80		21
22	.37			.23							.16	.10	22
23	.04			.03						.03			23
24						.04	.06			.67			24
25	.09			.45			.03			.07	.06	.05	25
26		.01		.03			.06		.03		.40		26
27	.04	.01	.04	.13	.03				.07	.23	.09		27
28	.75			.03	.04		.24		.05	.20	.23	.02	28
29	.10			.62	.46					.28	.08	.02	29
30	.15	X		.05	.28						.07		30
31	.24	X		X	.14	X		.06	X		X		31
TOTAL	3.23	3.26	.42	3.96	2.88	3.70	1.88	1.82	.53	3.48	7.40	.96	YEARS TOTAL
Days with 0.1 in. or more.	✓20	✓16	✓5	✓24	✓16	✓13	✓14	✓10	✓11	✓17	✓24	✓12	179✓
Days with 0.4 in. or more.	✓11	✓10	✓4	✓15	✓11	✓10	✓8	✓8	✓5	✓16	✓24	✓8	134✓

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

479
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at FRISTON
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 10.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>.29</u>	.02	.02		.10	<u>.46</u>	.30		.20	.14		1
2	.05		.05	.29				.02		.03	.04		2
3	.16	.01		.01									3
4	.02		.02	.11			.15						4
5	.14	.10	.15	.50	<u>.47</u>	.10		.49			.30		5
6	.03		.34	.34		.08	.28	.08	.04		.25		6
7	.05	.22	.02	.25		.23		.34					7
8	.04		.03	.12	.41		.02	.19	.05		.34		8
9	.02		.03	.25	.01		.11	.19	.20				9
10				.03				.02	.33				10
11	.02					.03		.04					11
12	.05		.10		.02					.03	.02		12
13	.04						.04	.34	.36	.01	.03	.18	13
14	.02	.02		.08			.32	.03	<u>1.34</u>		.01	.43	14
15	.10				.02		.04	.04	.31				15
16	.24	.01			.04				.62		.02		16
17	.25	.02	.24			.39		.24	.28				17
18	.12		.04			.40		.13	.08		.18		18
19		.13	.01			.03	.02	.09		.04	.12		19
20	<u>.34</u>	.13					.20	<u>1.05</u>	.06	.03	<u>.54</u>	.30	20
21	.05	.14	.02		.10		.01	.04	.04	.45	.09	.45	21
22	.28	.02	.40		.04	.04		.10	.20	<u>.45</u>		.33	22
23	.02	.19	.52			.08			.45	.01	.20	.22	23
24		.10	.54			.15	.05	.06	.02	.04	.10	.56	24
25		.20	.36			.03		.02	.35	.04		<u>1.04</u>	25
26	.04	.32	.05		.04	.12	.02		.10			.92	26
27	.04	.26	.01		.24	.22	.06			.04	.01		27
28	.13	.05	.13	.03		.13	.03				.20		28
29	.14		.29			.32		.03	.44		.44		29
30	.19	X	.04			.46	.03		.06	.16			30
31	.04	X	<u>.84</u>	X	.02	X	.06		X	.12	X	.11	31
TOTAL	2.80	2.46	4.25	2.04	1.44	3.24	2.26	3.92	5.69	1.98	3.33	4.84	YEARS TOTAL
Days with ".01 in. or more.	26	14	23	12	11	14	14	21	19	14	14	10	205
Days with ".04 in. or more.	20	12	14	8	4	14	11	14	14	19	13	10	152

Section **A**

for the entry of Daily Observations.

492
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at FRISTON

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 0 ft. in.

„ Ground „ Sea Level 1018 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.13	.09				.02			.52		1
2	1.15	.25	.02	.01							.22		2
3				.20	.02		.25	.72			.20		3
4	.05	.10		.11		.01		.10			.02		4
5	.25	.14	.10	.01			.06				.05	.04	5
6						.21						.14	6
7	.05	.05	.04	.11		.15		.04					7
8		.03	.04			.60	.04		.03	.21			8
9	.04	.06	.02	.02		.15			.06	.33		.06	9
10	.05	.05		.24		.02		.02		.54	.24		10
11	.02			.08				.02		.95	.13	.14	11
12	.28	.20	.04	.11						.15	.02	.05	12
13		.12				1.22				.02	.20		13
14	.20	.23		.28	.25	.12		.02		.75	.68		14
15	.28			.65	.04						.62		15
16	.02	.04		.14	.16					.05	.45	.24	16
17					.22					.18		.02	17
18	.74			.02	.12	.15				.66	.02	.01	18
19					.21	.04		.10		.55	.15	.20	19
20	.12		.02					.10		.66	.03	.09	20
21	.09		.23	.05	.50					.95	.23		21
22			.15					.03		.29	.29	.11	22
23	.21		.12		.10			.01	.01	.12	.16		23
24	.06				.04			.02	.09	.13	.05	.10	24
25	.40					.04		.03	.02	.26	.05	.11	25
26	.16					.02	.01	.15		.73		.10	26
27			.05				.75		.08	.05		.95	27
28	.50		.02					.05	.15			.12	28
29	.04	.10	.70	.15			.10		.02	.15	.06	.26	29
30	.02	×	.15	.11	.01		.19			.06			30
31	.10	×	.25	×		×	.16		×		×	.10	31
TOTAL	5.04	1.54	2.21	2.56	2.01	2.86	1.66	1.43	.44	4.94	4.49	2.90	YEAR'S TOTAL 35.14
Days with ".01 in. or more.	23	12	16	14	11	12	8	15	8	21	24	18	183
Days with ".04 in. or more.	20	11	12	13	9	9	7	7	4	20	14	16	145

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Frislington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 0 ft. 0 in.

Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.05		.01				.12		.30			1
2	.03	.43				.73	.13			.53	.11	.31	2
3			.01			.05	.43			.26		.37	3
4				.09	.25	.24	.09	.08		.20		.33	4
5					.58	.43	.05	.50		.15	.05	.46	5
6					.20	.07	.10	.46		.11	.19	.58	6
7					.04	.08				.24	.44	.20	7
8						.11				.28	.03	.66	8
9	.01	.25		.03	.06							.28	9
10	.07	.03		.07						.08	.10	.86	10
11				.16							.88	.05	11
12				.07	.20	.29					.39		12
13	.03				.13	.05		.10			.19	.08	13
14					.24	.07						.13	14
15	.03			.08	.03	.40					1.44	.09	15
16	.05							.80			.30		16
17	.03									.10	.03		17
18	.06							.02			.19		18
19									.10		.03		19
20	.03		.03				.13	.10		.73			20
21	.19		.03				.03	.11				.70	21
22	.10		.03					.04			.06	.28	22
23		.11			.03					.03	.20	.26	23
24		.04	.03		.03					.38	.63	.25	24
25		.04	.03							.54	.07	.20	25
26			.01	.09	.05						.31	.10	26
27					.13					.03	.83	.07	27
28	.26			.03			.36			.45	.40	.40	28
29	.20			.41		.11			.54	.03	.17	.05	29
30	.03	X				.23	.05		.15		.15	.70	30
31	.23	X		X		X	.09		X	.01	X	.03	31
TOTAL	1.75	.93	.64	1.04	2.10	2.36	1.44	2.15	.70	4.43	7.44	7.43	31.09
Days with or in. or more.	16	7	7	10	13	13	10	10	3	18	23	24	154
Days with or in. or more.	7	6	1	7	10	13	9	7	3	14	20	23	118

Section

A

for the entry of Daily Observations.

541
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Freiston
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 0 in.
,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.25		.17		.05		.01			.90		1
2		.26		.04			.02	.15			.65		2
3	.07	.38		.50				1.17		.03			3
4	.06	.25						.02	.03	.13			4
5	.07			.03	.17			.53					5
6		.03	.05		.06			.27	.17			.02	6
7	.14	.26								.28	.37	.15	7
8	.11				.03			.02		.08		.50	8
9	.25		.02		.24		.06	.01	.03		.03	.07	9
10	.33		.12		.27			.04	.02			.17	10
11	.15	.03								.05		.61	11
12	.19	.02		.14	.09					.01		.15	12
13	.03		.03	.07	.16		.17	.36	.47				13
14	.03	.07	.03	.03	.03		.02		.03				14
15	.03	.07	.40		.01	.02	.51			.10	.11		15
16									.44			.04	16
17		.02	.37	.02		.50	.02		.13				17
18			.37	.03	.03				.09		.30	.11	18
19			.25	.04					.87	.11	.53	.02	19
20					.03		.91	.12	.27	.42	1.08		20
21								.29	.01	.10	.50		21
22				.07	.26		.04	.34	.10	.37	.30	.03	22
23	.03	.03	.42	.27		.27		.03	.03		.09	.07	23
24	.30	.20		.02	.30	.06					.37	.27	24
25	.20	.06		.01	.29						.36	.02	25
26	.26	.02			.22	.17	.05		.17		.30	.16	26
27			.02							.07	.53	.13	27
28	.03		.01				.03		.20	.02	.16	.07	28
29	.20				.03		.05	.03	.11	.02	.55	.03	29
30	.16	X			.30	.03	.09					.54	30
31	.45	X	.11	X	.02	X			X	.13	X	.07	31
TOTAL	3.17	2.07	2.20	1.45	2.83	1.10	1.97	3.43	3.30	2.45	7.02	3.27	YEAR'S TOTAL 34.34
* Days with ".01 in. or more.	21	15	13	14	18	7	12	15	17	15	17	20	184
* Days with ".04 in. or more.	16	9	8	8	12	5	8	9	11	11	16	15	128

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[Signature]

P.T.O.

580

ISTRY.

536B

~~CROSSWAYS~~

Groom Bridge

SH RAINFALL ORGANIZATION.
fall in 1926.

CROSSWAYS

SUSSEX

1926-30.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—	—	—	.38	—	—	—	—	.01	—	1
2			—	—	—	.65	.01	—	.22	—	.02	—	2
3			.07	—	—	.01	—	—	.18	—	—	—	3
4			.03	.34	—	.01	.04	—	—	—	.49	—	4
5			.19	—	.24	—	.02	—	—	—	.08	.35	5
6			—	.30	—	—	.09	.08	—	—	.04	.01	6
7			—	.39	.20	.11	.13	.03	.08	—	.16	.02	7
8			—	.14	.04	—	—	.01	.09	.04	.65	—	8
9			.03	—	—	.56	—	.35	—	.14	1.02	—	9
10			—	—	.01	.37	.01	—	—	.01	.06	—	10
11			—	—	.07	.13	—	.14	—	—	.24	—	11
12			—	—	.06	.01	—	—	—	.39	—	—	12
13			—	—	.02	.06	—	.02	—	.02	1.78	.01	13
14			—	.33	.09	.23	—	—	—	.54	.01	.09	14
15			—	.38	.03	.04	—	—	—	.18	.13	—	15
16		.02	—	.43	—	—	—	.30	—	.01	.01	—	16
17		.50	—	.08	.09	.53	—	—	—	—	.11	.01	17
18		.04	—	—	.07	.06	.32	—	—	—	.78	—	18
19		—	.03	.06	.02	—	.23	.14	—	—	.06	—	19
20		—	—	—	—	—	—	—	—	.01	1.05	—	20
21		—	—	.44	.02	—	.02	.17	—	—	.68	—	21
22		.01	—	.13	—	—	—	—	—	.01	.05	.14	22
23		.01	—	.20	—	—	—	—	—	—	—	—	23
24		—	—	—	.08	.28	—	—	.09	.63	—	—	24
25		—	—	.33	—	—	.39	—	—	.14	.07	.09	25
26		—	—	.07	—	—	.03	—	.02	—	.15	.01	26
27		.01	.10	.12	.09	—	.01	—	—	.09	.04	—	27
28		—	—	.22	.02	—	.37	—	.13	.29	.22	.02	28
29		—	—	.71	.19	—	.01	—	—	.11	.02	—	29
30		X	—	.06	.27	—	.01	—	—	—	.03	—	30
31		X	—	X	—	X	—	—	X	—	X	—	31
TOTAL			.45	4.73	1.61	3.43	1.69	1.24	.81	2.61	7.96	.75	YEAR'S TOTAL
Days with .01 in. or more.			6	18	18	15	15	9	7	15	26	10	
Days with .04 in. or more.			3	18	12	12	7	6	6	10	20	4	

(Signed) D. P. A. Gray. [P.T.O.]

Register of Rainfall in 1926.

Kept at Crossways. GROOMBRIDGE

in the County of SUSSEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

„ Ground „ Sea Level 260 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—	—	—	.38	—	—	—	—	.01	—	1
2			—	—	—	.65	.01	—	.22	—	.02	—	2
3			.07	—	—	.01	—	—	.18	—	—	—	3
4			.03	.34	—	.01	.04	—	—	—	.49	—	4
5			.19	—	.24	—	.02	—	—	—	.08	.35	5
6			—	.30	—	—	.09	.08	—	—	.04	.01	6
7			—	.39	.20	.11	.13	.03	.08	—	.16	.02	7
8			—	.14	.04	—	—	.01	.09	.04	.65	—	8
9			.03	—	—	.56	—	.35	—	.14	1.02	—	9
10			—	—	.01	.37	.01	—	—	.01	.06	—	10
11			—	—	.07	.13	—	.14	—	—	.24	—	11
12			—	—	.06	.01	—	—	—	.39	—	—	12
13			—	—	.02	.06	—	.02	—	.02	1.78	.01	13
14			—	.33	.09	.23	—	—	—	.54	.01	.09	14
15			—	.38	.03	.04	—	—	—	.18	.13	—	15
16		.02	—	.43	—	—	—	.30	—	.01	.01	—	16
17		.50	—	.08	.09	.53	—	—	—	—	.11	.01	17
18		.04	—	—	.07	.06	.32	—	—	—	.78	—	18
19		—	.03	.06	.02	—	.23	.14	—	—	.06	—	19
20		—	—	—	—	—	—	—	—	.01	1.05	—	20
21		—	—	.44	.02	—	.02	.17	—	—	.68	—	21
22		.01	—	.13	—	—	—	—	—	.01	.05	.14	22
23		.01	—	.20	—	—	—	—	—	—	—	—	23
24		—	—	—	.08	.28	—	—	.09	.63	—	—	24
25		—	—	.33	—	—	.39	—	—	.14	.07	.09	25
26		—	—	.07	—	—	.03	—	.02	—	.15	.01	26
27		.01	.10	.12	.09	—	.01	—	—	.09	.04	—	27
28		—	—	.22	.02	—	.37	—	.13	.29	.22	.02	28
29		—	—	.71	.19	—	.01	—	—	.11	.02	—	29
30		X	—	.06	.27	—	.01	—	—	—	.03	—	30
31		X	—	X	—	X	—	—	X	—	X	—	31
TOTAL			.45	4.73	1.61	3.43	1.69	1.24	.81	2.61	7.96	.75	YEAR'S TOTAL
Days with .01 in. or more.			6	18	18	15	15	9	7	15	26	10	
Days with .04 in. or more.			3	18	12	12	7	6	6	10	20	4	

(Signed).....D.P.A. Gray..... [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Crossways Gloombridge.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 11 ft.

Ground Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.47	—	—	—	.04	.19	.31	—	.24	.34	—	1
2	—	.01	.11	.16	—	.06	.01	—	—	—	.01	—	2
3	.21	—	.02	—	—	.07	—	—	—	—	—	—	3
4	—	—	.04	.06	—	.01	.06	—	—	—	—	.06	4
5	.14	.09	.15	.31	.03	.04	.01	.46	—	—	.14	—	5
6	—	—	.30	.31	.01	.02	.61	.03	.08	—	.03	—	6
7	.03	.27	.04	.31	—	.18	.02	.22	—	—	—	—	7
8	.04	.01	.01	.28	—	—	—	.12	.06	.03	.15	—	8
9	—	—	.01	.11	—	—	.10	.02	.25	—	—	—	9
10	—	—	—	.01	—	—	—	.14	.27	.01	—	—	10
11	—	—	—	.02	—	.06	.01	.33	—	—	—	—	11
12	.16	—	—	—	—	—	.01	.06	—	.02	.02	—	12
13	.19	.01	—	—	—	—	.18	.31	.16	.01	.04	.03	13
14	—	.01	—	.06	—	—	.45	.01	1.50	—	.01	.26	14
15	—	—	—	—	—	—	.03	.31	.08	—	.01	.01	15
16	—	—	—	—	.10	—	—	.01	.26	—	—	.04	16
17	.25	—	.03	—	—	.50	—	.57	.03	—	—	—	17
18	.41	—	.01	—	—	.55	—	.14	—	—	.15	—	18
19	—	.13	—	—	—	.08	—	—	—	—	.25	—	19
20	.13	.15	—	—	—	—	.12	.83	.27	.03	.40	.12	20
21	—	.28	.01	—	.21	—	.01	.22	—	.45	.14	1.12	21
22	.29	.03	.38	.01	.05	.12	.16	.12	—	.75	—	.67	22
23	.01	.66	.67	—	—	—	—	.16	1.02	.01	.18	.19	23
24	—	.14	.71	.04	—	.30	.01	—	—	.01	.05	.70	24
25	—	.48	.52	—	—	.11	—	.10	.03	.05	—	1.11	25
26	.36	.86	.15	—	.23	.08	.03	—	—	.05	.02	.82	26
27	.01	.59	—	—	.15	.17	.10	—	.06	.54	—	—	27
28	.21	.15	.03	.10	—	.32	.03	—	—	.10	.20	—	28
29	.19	—	.17	—	—	.45	—	.09	.60	—	.95	—	29
30	.20	X	.15	—	—	1.42	.03	—	—	.12	—	—	30
31	.01	X	1.12	X	.10	X	.03	—	X	.02	X	.10	31
TOTAL	2.84	5.34	4.63	1.78	.88	4.58	2.20	4.56	4.67	2.44	3.09	5.23	YEAR'S TOTAL 42.24
Days with ".01 in. or more.	17	17	20	13	8	19	21	21	14	16	18	13	197
Days with ".04 in. or more.	13	12	13	10	6	17	9	17	12	8	12	11	140

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1928 .

Kept at Crossways, Groombridge.
in the County of Sussex.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 1/2 ft.
" Ground " Sea Level about 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	.20	.14	.01	—	—	.11	—	—	.46	—	1
2	.96	.34	.03	—	.02	—	—	—	—	—	.13	—	2
3	—	.01	—	.29	.19	—	.56	.90	—	—	.09	.01	3
4	—	.31	—	—	.25	.03	—	.07	—	—	—	.01	4
5	.15	.17	.12	.01	—	.01	—	—	—	—	—	—	5
6	.01	.01	.01	—	—	.30	.03	—	—	—	.01	.12	6
7	.01	.01	.01	.13	—	.16	—	.13	—	—	—	—	7
8	—	.05	.03	—	—	.53	.04	—	—	.18	—	—	8
9	.02	—	.01	.02	—	.14	—	—	.14	.17	—	—	9
10	.10	.28	—	.20	.01	—	—	.03	.02	.14	.15	.01	10
11	.06	.01	.04	—	—	.03	—	.02	—	.39	.19	.11	11
12	.35	.18	.01	—	—	—	—	—	—	.02	.02	.15	12
13	—	.09	—	.02	—	.82	—	.25	—	—	.12	.06	13
14	.15	.15	—	.24	.19	.11	—	.05	—	.52	.89	.01	14
15	.06	—	—	.86	.17	.01	—	—	—	—	.40	—	15
16	.01	.09	—	.19	.07	—	—	—	—	.07	.33	.27	16
17	—	—	—	.01	.23	—	—	—	—	.17	—	.01	17
18	.44	—	.02	.03	.03	.26	—	—	—	.63	.06	.01	18
19	.01	—	—	—	.05	.02	—	.10	—	.78	.04	—	19
20	.13	—	—	—	.09	—	—	.04	—	.46	.11	.21	20
21	.22	—	.08	.10	.11	—	—	.02	—	1.18	.62	.01	21
22	.01	—	.19	—	—	—	—	—	—	.57	.29	.09	22
23	.56	—	.04	—	.04	—	—	—	—	.24	.36	.01	23
24	.05	—	—	—	.05	—	—	—	.25	.08	.07	.30	24
25	.18	—	—	—	—	.09	—	—	—	.46	—	.25	25
26	.26	—	—	—	—	.10	.03	—	—	1.09	—	.12	26
27	—	—	.06	—	—	—	.53	.45	—	.08	—	.70	27
28	.73	—	.01	—	—	—	—	.05	.36	—	—	.13	28
29	.13	.12	.71	.17	—	—	.06	—	.04	.06	.04	.75	29
30	.02	X	.41	.09	—	.24	.19	.32	—	.14	—	.08	30
31	.18	X	.32	X	—	X	.15	—	X	.04	X	.49	31
TOTAL	4.86	1.83	2.30	2.50	1.51	2.85	1.59	2.54	.81	7.17	4.38	3.91	YEAR'S TOTAL 36.25
Days with ".01 in. or more.	25	15	18	15	15	15	8	14	5	21	19	23	193
Days with ".04 in. or more.	18	10	10	10	11	10	6	11	4	20	17	15	142

(Signed) D. P. A. Gray. P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Crossways, Groombridge.in the County of Sussex.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground / ft. 0 in.„ Ground „ Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	—	.03	—	.01	—	.47	—	.31	—	.82	1
2	—	.48	—	—	—	.02	.07	—	—	.34	.04	.54	2
3	—	—	—	—	—	—	.30	.05	—	.08	—	.34	3
4	—	—	—	.21	.60	.22	.17	—	—	—	—	.50	4
5	—	—	—	.01	1.12	.26	.25	.45	—	.28	.03	.30	5
6	—	—	—	—	.14	.01	.03	.50	—	.07	.06	.65	6
7	—	—	—	—	.01	.12	—	.11	—	.52	.41	.89	7
8	—	—	—	—	—	.04	—	—	—	.12	—	.49	8
9	.03	.13	—	.01	—	—	—	—	—	—	.10	.30	9
10	.20	.01	—	.07	—	—	—	—	—	.05	.03	.50	10
11	—	—	—	.42	.02	.01	—	—	—	—	1.22	.28	11
12	—	—	—	.18	.27	.19	—	—	—	—	—	.08	12
13	.05	—	—	.01	.21	—	—	—	—	—	—	.04	13
14	.02	—	—	—	.03	.10	—	—	—	—	—	.09	14
15	.02	.01	—	—	—	—	—	—	—	—	1.02	.15	15
16	—	—	—	—	—	—	—	1.35	—	—	1.24	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	.08	—	—	—	—	—	—	—	—	—	.41	—	18
19	—	—	—	—	—	—	—	—	—	—	.06	—	19
20	—	—	—	—	—	—	.06	.01	—	.76	—	.02	20
21	.11	—	.02	—	—	—	—	.07	—	—	—	.87	21
22	.02	—	—	—	—	—	—	.03	—	—	.16	.08	22
23	Tr.	.03	—	—	—	—	—	—	—	.08	1.12	.36	23
24	—	—	—	—	.05	—	—	—	—	1.27	.74	.55	24
25	—	—	—	—	—	—	—	—	—	—	.17	.06	25
26	—	—	.01	.02	.05	—	—	—	—	—	—	.24	26
27	—	.01	—	.01	—	—	—	.06	—	—	.10	.13	27
28	.17	—	—	.02	—	—	.15	—	—	.30	.78	.57	28
29	.19	X	—	.20	—	.07	—	—	.04	—	.63	.22	29
30	.01	X	—	—	—	.03	.03	—	.35	—	.49	.37	30
31	.45	X	—	X	—	X	.19	—	X	—	X	—	31
TOTAL	1.35	.73	.03	1.19	2.50	1.08	1.25	3.10	.39	4.18	8.81	9.44	34.05
Days with ".01 in. or more.	12.	7.	2	12	10	12	9.	10	2.	13	19	26	134
Days with ".04 in. or more.	7.	3.	—	5.	7.	7.	7.	8.	2.	13.	17.	25	101

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Crossways, Groombridge.

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level about 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.29	—	.09	—	—	.01	.01	—	—	.61	—	1
2	—	.16	—	.01	.04	—	.07	.50	—	—	.53	—	2
3	.12	.13	—	.53	.17	—	—	.46	—	.01	.02	—	3
4	.41	.02	—	.02	—	—	—	.11	.03	.17	—	—	4
5	.02	—	—	—	.14	—	—	.50	—	.01	.01	—	5
6	—	—	.01	—	.25	—	—	.10	.38	.01	—	—	6
7	.22	.35	—	—	.01	—	—	.24	.15	.35	.49	.08	7
8	.11	—	—	—	—	—	—	—	—	1	.01	.33	8
9	.44	—	.03	—	.36	—	—	1	—	—	.01	.01	9
10	.66	.04	.17	—	.26	—	—	—	—	—	—	.39	10
11	.20	.02	—	—	.02	—	.08	—	—	.01	—	.40	11
12	.31	—	—	.12	.08	—	—	.05	.02	—	—	.29	12
13	.05	.01	.04	.17	.08	—	.16	.16	.28	—	—	—	13
14	.12	.12	.05	.09	—	—	.41	—	—	—	—	.07	14
15	—	.02	.36	.03	—	—	.49	—	—	.07	—	.01	15
16	—	1	.03	—	—	—	.03	—	.03	—	—	—	16
17	—	.01	.15	.13	—	.31	—	—	.33	.08	.27	—	17
18	—	—	.06	.08	.13	—	.03	—	—	—	—	.07	18
19	—	—	.03	.05	—	—	—	.11	1.16	.10	.50	.02	19
20	—	—	—	.08	.02	—	1.03	.28	.36	.22	.30	.02	20
21	—	—	—	—	.01	—	.01	.68	—	.06	.52	—	21
22	.10	—	—	.06	.27	—	.06	.19	.03	.21	.26	.01	22
23	.15	—	.15	.30	.01	.54	.01	.10	.04	.03	—	.02	23
24	.42	.08	—	.01	.09	.08	.10	—	—	.01	.57	.17	24
25	.02	.01	—	—	.17	—	1	—	.16	.05	.35	—	25
26	.19	—	—	—	—	.06	.03	—	.24	—	.34	.30	26
27	.01	.02	—	—	.03	—	1	—	.19	.02	.48	.17	27
28	.01	—	.01	—	—	—	1	—	.45	.02	.28	.24	28
29	.11	X	—	—	—	—	.08	.04	.14	.01	.45	.03	29
30	.04	X	—	—	.30	—	.37	—	—	—	.01	—	30
31	.64	X	.10	X	.21	X	—	—	X	.05	X	.52	31
TOTAL	4.52	1.28	1.19	1.77	2.65	.99	2.97	3.53	3.99	1.49	6.01	3.15	33.54
Days with .01 in. or more.	22	14	13	15	20	4	16	15	16	19	19	19	192
Days with .04 in. or more.	18	7	8	11	14	4	10	14	12	10	14	12	134

1921.....

Kept at.....Haddon

in the County of

by.....C. H. L. Serr

HADLOW DOWN
SUSSEX

1921

IMPORTANT
If an Observer pre
the reading at 9 a.m.
this paragraph. Fu
and particulars as
sent post-free on
Square, London, N.

Long.....
on.....
Station.....
Level of Rain Gauge.....in.
Gauge above Ground.....ft.....in.
" " Sea Level.....ft.

result entered to the previous day.
tly requested to add
l for it at the end of
lacing of rain gauges,
r "Rainfall Observers,"
nization, 62, Camden

Jan. 1, following.

on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	12	05										1
2	02				15			03					2
3	07		09		02		01	10					3
4	13		01		09			11					4
5			02	01				13					5
6	25	01	15	01	06								6
7	28	02			20								7
8	04		06	01	01								8
9				08									9
10	16	03											10
11	24				03								11
12	51		12		09			14					12
13	30		17	34				04					13
14			22		01								14
15				13									15
16	06			35				29					16
17	10		45	32				32					17
18	06												18
19			22		01	02							19
20			08										20
21													21
22													22
23				21			01	32					23
24				01				01					24
25	(03)	64		01		01							25
26	02	01			21								26
27			01		02								27
28			36		06		50	01					28
29	03		27		26		02						29
30	23	~~X~~			13								30
31	23	~~X~~		~~X~~	01	~~X~~			~~X~~		~~X~~		31
TOTAL	3.12	.83	2.28	1.48	1.36	.03	.54	1.50					YEAR'S TOTAL
Days with '01 in. or more	19	6	15	11	16	2	4	11					
Days with '04 in. or more	16	2	12	6	9	0	1	8					

Left for leaves in Oct 24 in Ashdown Park

REGISTER OF RAINFALL IN 1921.....

Kept at Hadlow Downin the County of Sussexby C. H. Scriven

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	12	05										1
2	02				15			03					2
3	07		09		02		01	10					3
4	13		01		09			11					4
5			02	01				13					5
6	25	01	15	01	06								6
7	28	02			20								7
8	04		06	01	01								8
9				08									9
10	16	03											10
11	24				03								11
12	51		12		09			14					12
13	30		17	34				04					13
14			22		01								14
15				13									15
16	06			35				29					16
17	10		45	32				32					17
18	06												18
19			22		01	02							19
20			08										20
21													21
22													22
23				21			01	32					23
24				01				01					24
25	(03)	64		01		01							25
26	02	01			21								26
27			01		02								27
28			36		06		50	01					28
29	03		27		26		02						29
30	23	X			13								30
31	23	X		X	01	X			X		X		31
TOTAL	3.12	.83	2.28	1.46	1.36	.03	.54	1.50					YEAR'S TOTAL
Days with ".01 in. or more	19	6	15	11	16	2	4	11					
Days with ".04 in. or more	16	2	12	6	9	0	1	8					

RE

Kept at Hailsham

in the County of Sussex

by J. Clyde-Ha

HAILSHAM VICARAGE

SUSSEX

1921-1922

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given
Dr. H. R. MILL, 62, C

FORM A.
BRITISH RAINFALL
JAN 1922

in.
above Ground ft. in.
Sea Level ft.
and the result entered to the
universal rule, he is earnestly
ear in the space provided
ement of rain,
British Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	36					no					05	13	1
2	—		003		01	rain					29		2
3	08		13		08	fall		05			15		3
4	05		—		13			22			45		4
5	—		—					19			50		5
6	21		10		12			01				07	6
7	18		—		20								7
8	11		—		03								8
9	—		04	05									9
10	36	11	—						02	35			10
11	25		—		05				46				11
12	26		11		01			14	01			18	12
13	34		17	31				20	09	01	08	05	13
14	—		13					02		03		50	14
15	—		—	09	02							01	15
16	09		—	42				05			12		16
17	14		27	18				28					17
18	02												18
19	—		18				09					10	19
20	—		06							06		11	20
21	—		—								08		21
22	—		—							28		82	22
23	—		—	30			05	51		16		16	23
24	—		—									11	24
25	11	66	—									24	25
26	—		01		12							18	26
27	—		—	03				01				19	27
28	—		34		04		22	01				07	28
29	02		14		34		07	03				05	29
30	14				12						24	20	30
31	17				04								31
Total	2.84	.77	1.71	1.38	1.31	0.00	43	1.72	.58	.89	1.96	3.17	16.76
Rain Days.	7	2	13	7	14	0	4	13	4	6	9	7	106
	15	2	11	6	10	0	4	8	2	4	9	16	27

RE

JAN 1921

FORM A.
BRITISH RAINFALLKept at *Hatfield Vicarage*in the County of *Bedford*by *J. Clyde Harvey*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	36					no rain fall					05	13	1
2	—		03		01						29		2
3	08		13		08			05			15		3
4	05		—		13			22			45		4
5	—		—					19			50		5
6	21		10		12			01				07	6
7	18		—		20								7
8	11		—		03								8
9	—		04	05									9
10	36	11	—						02	35			10
11	25		—		05				46				11
12	26		11		01			14	01			18	12
13	34		17	31				20	09	01	08	05	13
14	—		13					02		03		50	14
15	—		—	09	02							01	15
16	09		—	42				05			12		16
17	14		27	18				28					17
18	02												18
19	—		18				09					10	19
20	—		06							06		11	20
21	—		—								08		21
22	—		—							28		82	22
23	—		—	30			05	51		16		16	23
24	—		—									11	24
25	11	66	—									24	25
26	—		01		12							18	26
27	—		—	03				01				19	27
28	—		34		04		22	01				07	28
29	02		14		34		07	03				05	29
30	14				12						24	20	30
31	17				04								31
Total	2.84	.77	1.71	1.38	1.31	0.00	43	1.72	.58	.89	1.96	3.17	16.46
Rain Days.	15	2	11	6	10	0	4	8	2	4	9	16	87

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1922

Kept at Hailsdon Vicarage
in the County of Salisbury
by F. Clyde Hawsey (Died 19.12.22)

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10	04		27		04		02		76		1
2	04	30	19	33	05		01		10	01			2
3		05	05	75	20		07	16		02	16		3
4		09	06		04		14	01		40			4
5			02	11	03		83			06	47		5
6	07		11				06	36		03	17		6
7	21		83	27			05						7
8	21		12	04		10	50	38			28		8
9	10		08	03			01	72		02			9
10	05								05		15		10
11	06												11
12				47				10	64				12
13				34		07	08	01	44				13
14				01		21	46		34				14
15	37	27		10			01						15
16		02		04			06		19				16
17		12			15		13		01				17
18	69												18
19	57	22			04				20	13			19
20	07	02			01					01			20
21	37	23	28	04					04				21
22	01	31	03	09				18					22
23		08		07		07	06		1.68	02			23
24	17	01	16	02		16	01	27					24
25	21		09	38		23	25	01					25
26	11	31	06	04		20			08		01		26
27	50	32	01	03		02		28	06	04			27
28	16	18	02	05		18		01		01	01		28
29	27					27	03	40		22			29
30	01	~~XX~~	14				07	50	12	10	13		30
31	01	~~XX~~	03	~~XX~~		~~XX~~		11	~~XX~~	08	~~XX~~		31
TOTAL	4.26	2.63	2.32	3.21	79	1.51	2.82	3.55	3.97	1.15	2.14		YEAR'S TOTAL
Days with 0.1 in. or more	21	16	18	19	8	10	18	16	14	14	9		
Days with 0.4 in. or more	18	13	13	15	6	9	13	12	12	7	7		

540

HAILSHAM

SUSSEX

1923-30

ISTRY.

SH RAINFALL ORGANIZATION.
INFALL IN 1923.

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Hailsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

546
30 JAN 1924
Approved

An Observer who prefers not to conform to this rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
Measured at 9 a.m.
1st of each month

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.05	.35	—	—	.11	—	—	.02	—	.31	.42	1
2	.21	—	.03	—	.09	—	—	—	—	.13	.09	.22	2
3	—	—	—	—	.03	.03	—	—	—	1.29	—	.43	3
4	—	—	—	—	—	—	—	—	.12	—	—	—	4
5	.48	—	—	—	—	—	—	—	—	.10	.38	.10	5
6	.28	.06	.16	.03	—	.04	—	—	—	.06	—	—	6
7	.06	.97	.14	—	.12	—	—	—	.01	.52	—	.37	7
8	.09	.02	.04	—	.42	—	—	—	—	.32	.40	.12	8
9	—	—	.02	—	—	.01	2.08	—	—	.01	.12	—	9
10	—	.25	—	.38	.12	—	.09	—	—	.24	—	.05	10
11	.05	—	—	.29	.08	.04	—	—	—	.68	—	.03	11
12	—	.29	.52	.04	.36	—	—	—	—	.26	—	.01	12
13	—	.11	.18	.09	.17	—	.07	—	—	—	.79	.01	13
14	—	—	.10	—	.21	—	—	—	.69	.03	—	.04	14
15	—	—	.01	—	.18	.25	.08	—	.13	—	.38	—	15
16	—	.14	—	.10	.08	.04	—	—	.03	—	.25	.02	16
17	—	.10	—	—	.02	—	—	.18	.15	—	—	—	17
18	.08	.51	—	—	—	—	—	.22	.18	.03	—	—	18
19	.11	—	—	.05	—	.02	—	.02	.28	.26	—	.02	19
20	.02	.16	.10	—	.10	—	—	.03	.26	—	—	—	20
21	.01	—	.14	.16	—	.02	—	.06	.02	.49	—	.05	21
22	—	.55	.26	—	—	—	—	.32	.51	.11	—	.16	22
23	—	.13	.01	.18	.12	—	.17	.40	.37	1.29	.09	—	23
24	—	.04	—	—	.03	—	.01	.14	.23	.28	—	.12	24
25	—	.33	.10	1.19	—	.05	.04	.07	.02	.39	—	.49	25
26	—	.49	.01	.02	.40	—	—	.33	—	.10	—	.30	26
27	—	.12	.07	—	.09	—	.05	.22	—	.03	—	.17	27
28	—	.26	—	—	.65	—	.27	.02	—	.01	.21	.02	28
29	.03	X	—	.14	.29	—	.04	.39	—	—	—	.26	29
30	—	X	—	—	—	.02	.12	.09	—	.22	—	.12	30
31	—	X	.02	X	—	X	.17	.11	X	.08	X	.19	31
TOTAL	1.54	4.58	2.26	2.60	3.56	.63	3.19	2.60	3.02	6.93	3.02	3.72	37.65
Days with .01 in. or more	12	18	18	12	19	11	12	15	15	23	10	23	188
Days with .04 in. or more	9	17	12	10	16	6	11	12	10	18	10	17	138

148

ISTRY.
SH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Hailsham
in the County of East Sussex
by Robert Matthews

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Hailsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 105 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
Measured
at 9 a.m.
1st of each
month

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.05	.35	—	—	.11	—	—	.02	—	.31	.42	1
2	.21	—	.03	—	.09	—	—	—	—	.13	.09	.22	2
3	—	—	—	—	.03	.03	—	—	—	1.29	—	.43	3
4	—	—	—	—	—	—	—	—	.12	—	—	—	4
5	.48	—	—	—	—	—	—	—	—	.10	.38	.10	5
6	.28	.06	.16	.03	—	.04	—	—	—	.06	—	—	6
7	.06	.97	.14	—	.12	—	—	—	.01	.52	—	.37	7
8	.09	.02	.04	—	.42	—	—	—	—	.32	.40	.12	8
9	—	—	.02	—	—	.01	2.08	—	—	.01	.12	—	9
10	—	.25	—	.38	.12	—	.09	—	—	.24	—	.05	10
11	.05	—	—	.29	.08	.04	—	—	—	.68	—	.03	11
12	—	.29	.52	.04	.36	—	—	—	—	.26	—	.01	12
13	—	.11	.18	.09	.17	—	.07	—	—	—	.79	.01	13
14	—	—	.10	—	.21	—	—	—	.69	.03	—	.04	14
15	—	—	.01	—	.18	.25	.08	—	.13	—	.38	—	15
16	—	.14	—	.10	.08	.04	—	—	.03	—	.25	.02	16
17	—	.10	—	—	.02	—	—	.18	.15	—	—	—	17
18	.08	.51	—	—	—	—	—	.22	.18	.03	—	—	18
19	.11	—	—	.05	—	.02	—	.02	.28	.26	—	.02	19
20	.02	.16	.10	—	.10	—	—	.03	.26	—	—	—	20
21	.01	—	.14	.16	—	.02	—	.06	.02	.49	—	.05	21
22	—	.55	.26	—	—	—	—	.32	.51	.11	—	.16	22
23	—	.13	.01	.18	.12	—	.17	.40	.37	1.29	.09	—	23
24	—	.04	—	—	.03	—	.01	.14	.23	.28	—	.12	24
25	—	.33	.10	1.19	—	.05	.04	.07	.02	.39	—	.49	25
26	—	.49	.01	.02	.40	—	—	.33	—	.10	—	.30	26
27	—	.12	.07	—	.09	—	.05	.22	—	.03	—	.17	27
28	—	.26	—	—	.65	—	.27	.02	—	.01	.21	.02	28
29	.03	X	—	.14	.29	—	.04	.39	—	—	—	.26	29
30	—	X	—	—	—	.02	.12	.09	—	.22	—	.12	30
31	—	X	.02	X	—	X	.17	.11	X	.08	X	.19	31
TOTAL	1.54	4.58	2.26	2.60	3.56	.63	3.19	2.60	3.02	6.93	3.02	3.72	YEAR'S TOTAL 37.65
Days with 01 in. or more	12	18	18	12	19	11	12	15	15	23	10	23	188
Days with 04 in. or more	9	17	12	10	16	6	11	12	10	18	10	17	148

REGISTER OF RAINFALL IN 1924.

Kept at Hailsham
in the County of Sussex
by Robert Matthews

Lat. 50.51.50 Long. 0.15.4 E.
Time of Observation 7.30 a.m.
Nearest Railway Station Hailsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

39

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.09	—	—	.19	.04	.13	—	—	.93	.11	RRR
2	.11	—	.28	—	.20	.03	.11	.17	—	—	—	.21	RRR
3	—	—	.05	.01	.17	.04	.15	.48	.01	.01	—	.01	3
4	—	—	—	—	.09	.40	—	.01	—	—	—	.48	4
5	—	—	.02	—	.02	—	.05	—	—	.25	—	.08	5
6	—	.05	—	—	—	—	—	.08	—	1.13	—	—	6
7	—	—	—	—	.02	.04	—	.04	.35	.26	—	—	7
8	.27	—	—	—	.09	—	—	—	.01	.20	—	—	8
9	.12	.32	—	.08	.05	.04	—	—	.03	.01	—	—	9
10	.47	—	—	.26	.33	.04	—	—	.06	—	—	—	10
11	.02	.01	—	.21	.27	.96	—	—	.22	—	.25	—	11
12	—	—	—	.10	.05	.23	—	.02	.03	—	.31	—	12
13	.05	—	—	.48	—	—	—	—	.23	—	.06	.19	13
14	.04	—	—	.28	—	—	—	.12	.01	—	—	.02	14
15	—	.02	—	.06	—	.01	—	—	.20	—	—	.58	15
16	.01	—	—	—	—	—	—	.04	.01	—	—	.08	16
17	.22	—	—	—	—	—	.89	.36	.01	—	—	—	17
18	.67	.07	—	—	.33	.14	.01	.02	—	.05	.03	—	18
19	.05	.02	—	—	—	—	—	.53	—	.13	—	—	19
20	—	—	—	—	.16	.06	.01	.22	.13	.07	—	—	20
21	.38	—	.02	—	.07	—	.03	.25	.09	.99	—	—	21
22	.21	—	.30	—	.03	—	—	.96	.23	.02	—	—	22
23	—	—	.41	.01	.39	—	—	.05	.43	—	—	.40	23
24	.38	.14	.44	.05	.27	—	—	.02	.07	.01	.09	.68	24
25	—	.03	.09	.04	.02	—	.40	.01	.90	.07	.29	—	25
26	—	.02	.10	.26	—	—	.07	.08	.21	.13	.29	.06	26
27	—	.08	.01	.68	—	—	.12	.11	—	.13	.43	.66	27
28	—	.02	—	.05	—	—	.88	.21	—	.03	.43	.03	28
29	.01	.02	—	.20	.48	.03	.13	.35	.03	.87	.40	.05	29
30	—	X	—	.16	.22	—	.01	.16	.21	.62	.04	.52	30
31	—	X	.01	X	.49	X	—	.03	X	.39	X	.39	1026 31
TOTAL	3.02	.78	1.82	2.93	3.75	2.21	2.90	4.45	3.47	5.37	3.85	5.85	40.40
Days with 0.1 in. or more	16	11	12	16	20	13	14	24	21	19	12	14	195
Days with 0.1 in. or more	12	5	8	14	16	10	10	18	13	14	11	14	145

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

510

Register of Rainfall in 1925.

Kept at Hailsham
in the County of Sussex, East,

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground „ Sea Level 10.5 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Revised
Nov 6
958
Sew
10/4/26

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	—	.22	.06	.01	—	—	.13	.13	—	.43	.04	1
2	.58	.02	.01	.22	—	—	.05	—	—	—	.90	—	2
3	.85	.02	—	—	.28	—	.25	—	—	—	.20	—	3
4	.02	—	—	—	.14	—	—	.03	.03	.09	.19	—	4
5	—	.04	—	.39	—	—	—	.30	.22	~~.47~~	.49	—	5
6	—	.20	—	.36	.34	—	—	.06	.02	—	~~.74~~	—	6
7	—	.20	—	—	.02	—	.27	—	—	—	.04	.03	7
8	.10	.01	—	—	.22	—	—	—	—	—	.01	.08	8
9	—	.03	—	.04	—	—	—	.04	.03	—	—	—	9
10	—	—	.07	—	—	—	—	.21	.12	—	.15	—	10
11	—	.04	.03	—	.02	—	—	.04	.02	—	.18	—	11
12	—	.61	—	—	—	—	—	.01	—	—	—	—	12
13	.03	.50	.15	.10	—	—	—	.02	—	—	—	—	13
14	.38	.04	.01	.28	—	—	—	—	—	—	—	—	14
15	.16	.03	—	.08	—	—	—	—	—	.01	—	—	15
16	.03	.11	—	—	—	—	—	—	.08	.32	—	—	16
17	—	.01	—	—	—	—	—	—	.07	.01	—	—	17
18	.02	—	—	—	.02	—	.13	.01	—	.03	—	.08	18
19	—	.02	—	.28	.01	.03	—	.01	.20	.93	—	.36	19
20	—	—	.11	—	—	—	.03	—	.74	.34	—	.29	20
21	—	—	.01	—	—	—	.04	.02	.36	.24	—	.94	21
22	—	.11	—	—	.02	—	<u>1.54</u>	.57	.44	.83	—	.40	22
23	.02	.16	—	.27	.39	—	—	.34	—	.60	—	.07	23
24	.26	.74	.25	.24	.15	.07	.02	.10	—	.32	—	.37	24
25	.03	1.12	—	.04	—	—	.02	—	.36	.01	.03	.07	25
26	.10	.37	—	.15	.06	—	.35	.01	—	.46	—	.18	26
27	.24	.03	—	.07	1.13	—	.76	.11	—	.04	.06	.03	27
28	.09	—	.02	.04	.01	—	.01	—	.01	—	—	.23	28
29	.10	X	—	.22	.09	—	.29	—	.03	.01	.13	1.17	29
30	.01	X	—	.24	—	—	.36	—	.01	—	—	.63	30
31	.16	X	.01	X	—	X	.37	—	X	.01	X	.02	31
TOTAL	3.90	4.41	.89	3.08	2.94	.10	4.49	2.01	2.87	4.25	3.55	4.99	36.88
Days with ".01 in. or more.	19	21	11	17	16	2	15	17	17	16	13	17	181
Days with ".04 in. or more.	12	13	5	17	9	1	11	10	10	10	11	14	123

(Signed) Robert Matthews [P.T.O.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Hailsam

1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The rainfall reading for November 6th last appears 50 inch too low when compared with neighbouring stations. A comparison is given below.

Magham Down	79
Hailsam	14
Hurstmonreux	57

Would you please give your opinion of this difference and say what figure should be adopted?

Since writing, as opposite, I have examined my original figures again, and I am in doubt as to whether the figure 1 is not after all intended for a 7 (seven) if so the amount should read 74.
Robert Matthews.

REPLY.

I am quite unable to account for the difference in the amount of fall for 6 Nov. last. Taking the fall for the first 4 days of the month, I registered close on 2 inches. This a heavy one. It is quite possible I may have spilt some water whilst carrying home. I can hardly think the gauge was in any way tampered with. On enquiry I find the fall at Berwick Station on date referred to was 45. Presumably

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division.....

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

499

Kept at *Hailsham*
in the County of *E. Sussex*
Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft.....in.
Ground Sea Level.....*105* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Nil

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.54</i>	<i>.42</i>	—	—	—	<i>.54</i>	—	—	<i>.02</i>	—	<i>.12</i>	—	1
2	<i>.02</i>	<i>.01</i>	—	—	—	<i>.73</i>	<i>.01</i>	—	<i>.12</i>	—	<i>.02</i>	—	2
3	<i>.35</i>	<i>.68</i>	<i>.15</i>	—	—	—	—	<i>.01</i>	—	—	—	—	3
4	<i>.01</i>	<i>.12</i>	<i>.02</i>	<i>.16</i>	—	—	<i>.01</i>	—	—	—	—	—	4
5	<i>.05</i>	<i>.08</i>	<i>.07</i>	—	<i>.60</i>	—	<i>.11</i>	—	—	—	<i>.35</i>	<i>.24</i>	5
6	<i>.06</i>	<i>.23</i>	<i>.06</i>	<i>.24</i>	—	<i>.09</i>	<i>.16</i>	<i>.04</i>	<i>.01</i>	<i>.01</i>	<i>.04</i>	<i>.04</i>	6
7	<i>.16</i>	<i>.01</i>	—	<i>.11</i>	<i>.02</i>	<i>.19</i>	—	—	<i>.11</i>	—	<i>.06</i>	<i>.03</i>	7
8	—	<i>.01</i>	—	<i>.21</i>	<i>.02</i>	<i>.05</i>	—	—	<i>.01</i>	—	<i>.44</i>	—	8
9	—	—	<i>.03</i>	—	—	<i>.41</i>	<i>.01</i>	—	<i>.71</i>	<i>.05</i>	<i>.94</i>	<i>.01</i>	9
10	—	—	—	—	<i>.02</i>	<i>.15</i>	<i>.02</i>	<i>.43</i>	—	<i>.03</i>	<i>.02</i>	—	10
11	—	<i>.02</i>	—	—	<i>.34</i>	<i>.23</i>	—	<i>.23</i>	<i>.01</i>	<i>.16</i>	<i>.28</i>	—	11
12	—	<i>.05</i>	—	—	<i>.07</i>	<i>.01</i>	—	<i>.01</i>	<i>.08</i>	<i>.23</i>	<i>.01</i>	—	12
13	<i>.02</i>	—	—	—	—	—	—	<i>.04</i>	—	<i>.03</i>	<i>1.53</i>	<i>.01</i>	13
14	<i>.12</i>	<i>.01</i>	—	<i>.08</i>	<i>.18</i>	<i>.06</i>	—	—	<i>.03</i>	<i>.95</i>	<i>.07</i>	<i>.10</i>	14
15	<i>.18</i>	<i>.05</i>	—	<i>.46</i>	—	—	—	—	<i>.05</i>	<i>.26</i>	<i>.13</i>	—	15
16	—	<i>.43</i>	—	<i>.18</i>	<i>.01</i>	—	—	<i>1.41</i>	—	—	<i>.04</i>	<i>.01</i>	16
17	<i>.25</i>	<i>.88</i>	—	<i>.03</i>	<i>.09</i>	<i>.67</i>	—	<i>.01</i>	—	—	<i>.07</i>	<i>.71</i>	17
18	<i>.09</i>	<i>.11</i>	—	<i>.19</i>	<i>.07</i>	<i>.04</i>	<i>.47</i>	<i>.09</i>	—	—	<i>.73</i>	—	18
19	—	<i>.01</i>	—	<i>.06</i>	<i>.11</i>	—	<i>.52</i>	—	—	—	<i>.12</i>	<i>.01</i>	19
20	<i>.01</i>	—	<i>.04</i>	<i>.25</i>	—	—	—	<i>.19</i>	—	<i>.02</i>	<i>1.42</i>	—	20
21	—	—	—	<i>.03</i>	—	—	<i>.03</i>	<i>.03</i>	—	<i>.01</i>	<i>.89</i>	—	21
22	<i>.51</i>	—	—	<i>.06</i>	<i>.09</i>	—	<i>.71</i>	—	—	—	<i>.40</i>	<i>.17</i>	22
23	<i>.04</i>	—	—	<i>.03</i>	—	—	—	<i>.02</i>	—	<i>.03</i>	<i>.01</i>	<i>.71</i>	23
24	<i>.01</i>	—	—	—	—	<i>.21</i>	<i>.03</i>	—	<i>.12</i>	<i>.86</i>	—	—	24
25	<i>.11</i>	—	—	<i>.26</i>	—	—	<i>.03</i>	—	<i>.02</i>	<i>.07</i>	<i>.04</i>	<i>.05</i>	25
26	<i>.01</i>	<i>.01</i>	—	<i>.02</i>	—	—	<i>.25</i>	—	<i>.04</i>	—	<i>.14</i>	—	26
27	<i>.03</i>	<i>.02</i>	<i>.03</i>	<i>.13</i>	<i>.04</i>	—	<i>.02</i>	—	<i>.11</i>	<i>.03</i>	<i>.10</i>	—	27
28	<i>.74</i>	—	—	<i>.17</i>	<i>.04</i>	—	<i>.32</i>	—	<i>.02</i>	<i>.40</i>	<i>.11</i>	<i>.01</i>	28
29	<i>.02</i>	X	<i>.02</i>	<i>.62</i>	<i>.28</i>	—	—	—	—	<i>.16</i>	<i>.10</i>	—	29
30	<i>.18</i>	X	—	<i>.07</i>	<i>.48</i>	—	<i>.03</i>	—	—	<i>.01</i>	<i>.04</i>	—	30
31	<i>.32</i>	X	—	X	<i>.20</i>	X	—	<i>.02</i>	X	—	X	—	31
TOTAL	<i>3.83</i>	<i>3.15</i>	<i>.42</i>	<i>3.36</i>	<i>2.66</i>	<i>3.38</i>	<i>2.02</i>	<i>2.53</i>	<i>.75</i>	<i>3.31</i>	<i>8.22</i>	<i>.68</i>	YEARS TOTAL <i>34.31</i>
Days with '.01 in. or more.	<i>23</i>	<i>18</i>	<i>8</i>	<i>20</i>	<i>14</i>	<i>13</i>	<i>15</i>	<i>13</i>	<i>14</i>	<i>14</i>	<i>27</i>	<i>11</i>	<i>196</i>
Days with '.04 in. or more.	<i>15</i>	<i>10</i>	<i>4</i>	<i>16</i>	<i>13</i>	<i>12</i>	<i>6</i>	<i>7</i>	<i>7</i>	<i>9</i>	<i>23</i>	<i>5</i>	<i>127</i>

Please read the Notes and Instructions Overleaf.

(Signed) *Robert Matthews* [P.T.O.]

Section

A

for the entry of Daily Observations.

488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Hailsham
in the County of Sussex
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.....

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.44	.01	.06	—	.06	1.43	.34	—	.25	.15	—	1
2	—	.01	.04	.18	—	—	.01	—	—	.02	.02	.01	2
3	.15	—	.01	—	—	—	—	—	—	—	—	—	3
4	.03	—	.01	.11	—	—	.25	—	.01	—	—	.01	4
5	.14	.08	.16	.46	.14	.13	.01	.75	—	—	.43	.4	5
6	.04	—	.37	.23	—	.12	.38	.14	.05	—	.20	—	6
7	.03	.27	.05	.57	—	.10	.01	.39	—	.01	—	—	7
8	.07	—	.03	.12	.02	—	.7	.22	.04	—	.19	—	8
9	.01	—	.03	.19	—	—	.08	.12	.13	—	—	—	9
10	—	—	.03	—	—	—	.29	.03	.44	—	—	—	10
11	—	—	—	—	—	.14	—	.02	—	—	—	—	11
12	.09	—	.01	—	—	—	.04	.01	—	.4	.02	—	12
13	.12	.02	—	—	—	—	.03	.39	.25	—	.02	.08	13
14	—	.01	—	.07	—	—	.44	.02	1.59	.01	.01	.67	14
15	.02	—	—	—	—	—	.06	1.33	.01	—	.02	—	15
16	.01	—	—	—	.06	—	.7	.06	.30	—	—	—	16
17	.36	.4	.13	—	.06	.34	—	.33	.38	—	—	—	17
18	.08	—	.02	—	—	.31	—	.17	.02	—	.27	—	18
19	—	.14	—	—	—	—	—	.05	—	—	.24	—	19
20	.18	.15	—	—	—	—	.15	.98	.02	—	.49	.26	20
21	.09	.21	.03	—	.27	—	.04	.13	.09	.32	.29	.94	21
22	.15	.03	.39	.01	.02	.06	.7	.06	.11	.86	—	.60	22
23	.02	.36	.51	—	—	.01	—	—	.65	.4	.11	.15	23
24	—	.14	.55	—	—	.23	.06	.04	.01	.01	.12	.90	24
25	.4	.21	.42	—	—	.07	.01	.04	.37	.08	—	.98	25
26	.05	.49	.15	—	—	.11	.01	—	.04	.4	.01	.99	26
27	.01	.36	.01	—	.31	.41	.07	—	.01	.15	.02	—	27
28	.09	.15	—	.03	—	.25	—	—	—	.01	.09	—	28
29	.13	X	.27	.01	—	.39	—	.03	.26	—	.92	—	29
30	.23	X	.06	—	—	.63	.01	—	.06	.14	.01	—	30
31	.02	X	.95	X	.01	X	.05	—	X	.07	X	.14	31
TOTAL	2.15	3.37	4.27	2.04	.89	3.36	3.43	5.65	4.84	1.93	3.63	5.73	YEAR'S TOTAL 41.29
Days with ".01 in. or more.	23	16	23	12	8	16	20	22	21	12	20	12	205
Days with ".04 in. or more.	15	12	13	9	5	15	13	17	15	7	12	10	143

Please read the Notes and Instructions Overleaf.

(Signed) Robert Matthews [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Hailsham
 in the County of Sussex
 Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level ft.....

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.01

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.16	.08	—	—	—	.08	—	—	.26	—	1
2	.94	.24	.02	—	—	—	—	.4	—	—	.19	—	2
3	.01	—	—	.19	.05	—	.35	.28	—	—	.29	—	3
4	.01	.08	—	.18	.45	—	—	.39	—	—	.4r	—	4
5	.23	.09	.05	.02	—	—	.05	.01	—	—	.15	.01	5
6	—	—	.01	—	—	.28	—	—	—	—	—	.23	6
7	.08	.02	.03	.17	—	.11	—	.07	—	—	—	—	7
8	—	.03	.01	—	.02	.47	.03	—	.01	.12	—	—	8
9	.02	.02	.4r	.04	—	.22	—	—	.09	.42	—	.04	9
10	.09	.16	.02	.22	.02	.01	—	.03	.4r	.40	.26	—	10
11	.02	.02	—	.05	—	—	—	—	—	.68	.13	.15	11
12	.46	.16	.08	.05	—	—	—	—	—	.20	.03	.06	12
13	—	.23	—	—	—	1.51	—	.07	—	—	.27	.01	13
14	.17	.18	—	.21	.30	.04	—	.04	—	.53	.54	—	14
15	.18	—	—	.43	.06	.01	—	.17	—	.02	.43	—	15
16	.4	.08	—	.25	.03	—	—	.01	—	.09	.56	.27	16
17	—	—	—	.02	.44	—	—	—	—	.21	.01	—	17
18	.55	—	.02	.02	.06	.11	—	—	—	.60	.02	.01	18
19	—	—	—	—	.23	.01	—	.08	—	.47	.11	.22	19
20	.14	—	—	—	—	—	—	.05	—	.74	.04	.14	20
21	.13	—	.22	.10	.44	—	—	—	—	.85	.58	—	21
22	—	—	.18	—	.04	—	—	—	—	.57	.30	.15	22
23	.35	—	.06	—	.07	—	—	—	.01	.12	.26	—	23
24	.07	—	—	—	.05	—	—	.02	.19	.16	.03	.19	24
25	.16	—	—	—	—	.06	—	.02	.01	.23	.01	.15	25
26	.17	—	—	—	—	.03	.01	.23	—	1.02	—	.17	26
27	—	—	.03	—	—	—	.60	.04	—	—	—	.99	27
28	.62	—	—	—	—	—	.4r	.28	.15	.11	—	.13	28
29	.12	.18	.44	.09	—	—	.38	—	.02	.14	.03	.55	29
30	—	X	.20	.10	—	—	.16	—	—	.21	—	.01	30
31	.15	X	.40	X	—	X	.09	—	X	—	X	.08	31
TOTAL	4.70	1.49	2.26	2.22	2.26	2.86	1.67	1.87	.48	4.89	4.50	3.56	YEARS TOTAL 35.46
Days with "01 in. or more.	22	13	16	14	14	12	8	14	4	21	21	19	187
Days with "04 in. or more.	17	9	9	14	11	8	6	12	3	20	15	15	139

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at

Haulshaw

in the County of

*Essex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *3* in.,, Ground ,, Sea Level *105* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Yr.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	—	.03	—	—	—	.06	—	.24	—	—	1
2	.04	.43	—	—	—	.08	.15	.02	—	.51	.09	.31	2
3	—	—	—	—	—	.06	.06	—	—	.21	—	.41	3
4	—	—	—	.14	.19	.62	.20	.27	—	.15	—	.22	4
5	—	.01	—	.01	.45	.37	.34	.23	—	.14	—	.47	5
6	—	—	—	—	.17	.02	.09	.67	—	.07	.14	.70	6
7	—	—	—	—	.02	—	—	.07	—	.32	.32	.22	7
8	—	—	—	—	—	.25	—	—	—	.25	.08	.59	8
9	<i>Yr.</i>	.27	—	.05	.05	—	—	—	—	—	—	.40	9
10	.06	.01	—	.05	—	—	—	<i>Yr.</i>	—	.10	.20	.68	10
11	—	—	—	.10	<i>Yr.</i>	—	—	—	—	—	.81	.12	11
12	—	—	—	.04	.25	.12	—	—	—	—	.01	—	12
13	.01	—	—	—	.17	.02	—	<i>Yr.</i>	—	—	.06	.11	13
14	—	—	—	—	.13	.04	—	—	—	—	—	.13	14
15	.03	.03	—	.04	.11	.36	—	—	—	—	1.50	.12	15
16	.02	—	—	—	—	—	—	.89	—	—	.54	—	16
17	.02	—	—	—	—	—	—	—	—	.07	—	—	17
18	.04	—	—	—	—	—	—	.03	.21	—	.26	—	18
19	—	—	—	—	—	—	—	—	.02	—	.09	—	19
20	—	—	—	—	—	—	.10	—	.10	.92	—	—	20
21	.24	—	.03	—	—	—	.01	.01	—	—	—	.77	21
22	—	—	—	—	—	—	<i>Yr.</i>	.03	—	—	.08	.20	22
23	—	.04	—	—	—	—	—	—	—	.02	.27	.39	23
24	—	.03	—	—	—	—	—	—	—	.37	.53	.32	24
25	—	.01	.02	—	—	—	.06	—	—	.32	.18	.15	25
26	—	.01	—	.03	.06	—	—	—	—	—	.20	.12	26
27	<i>Yr.</i>	—	—	—	.07	—	—	.01	—	—	.72	.02	27
28	.28	—	—	.02	—	—	.23	—	—	.42	.64	.45	28
29	.26	<i>X</i>	—	.37	—	.09	—	—	.59	—	.31	.04	29
30	.02	<i>X</i>	—	—	—	.16	—	—	.25	.01	.14	.51	30
31	.35	<i>X</i>	—	<i>X</i>	—	<i>X</i>	.27	—	<i>X</i>	.01	<i>X</i>	<i>Yr.</i>	31
TOTAL	1.38	.86	.05	.88	1.97	2.19	1.51	2.29	1.17	4.13	4.20	7.45	31.08
Days with .01 in. or more.	13	10	2	11	11	12	10	11	5	17	21	23	146
Days with .04 in. or more.	4	3	—	4	10	10	9	6	4	14	20	22	112
YEAR'S TOTAL													

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at

Hailsham

in the County of

Sussex (East)

Diameter of Funnel of Gauge

5 in.

Height of top of Gauge above Ground

1 ft 3 in.

Ground Sea Level

103 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.20	—	.13	—	.02	.01	—	—	—	.69	—	1
2	.01	.22	—	.06	—	—	.02	.21	—	—	.74	—	2
3	.04	.26	—	.49	—	—	—	1.48	—	.03	.02	—	3
4	.15	.11	—	—	—	—	—	—	.09	.16	—	—	4
5	.14	—	—	—	.19	—	—	.31	—	.3	—	.01	5
6	.01	.06	.41	—	.04	—	—	.12	.20	—	—	.01	6
7	.08	.53	—	—	—	—	—	—	.06	.44	.55	.14	7
8	.20	—	—	—	—	—	—	.03	—	.10	—	.28	8
9	.31	—	.02	—	.23	—	—	.02	—	.01	.02	.04	9
10	.40	—	.26	—	.34	—	—	.02	—	—	—	.04	10
11	.15	.03	—	—	.01	—	.07	—	—	.28	—	.88	11
12	.21	—	—	.08	.14	—	—	—	.01	—	—	.17	12
13	.07	—	.05	.33	.13	—	.16	.38	.46	—	—	.3	13
14	.03	—	.03	.06	—	—	.13	—	.01	—	—	—	14
15	—	.17	.39	.01	.02	—	.48	—	—	.17	.07	—	15
16	—	—	.03	—	—	.02	.01	—	.15	—	—	.01	16
17	—	.02	.23	.04	—	.29	—	—	.21	—	—	—	17
18	—	—	.11	.01	—	—	—	—	—	.06	.23	.08	18
19	—	—	.28	.11	—	—	—	.01	.94	.09	.30	.02	19
20	—	—	.05	.22	.31	.01	1.04	.15	.32	.48	.77	.01	20
21	.01	—	.01	—	—	—	.04	.31	.3	.15	.56	—	21
22	.01	—	—	.08	.16	—	.02	.14	.03	.29	.31	.03	22
23	.04	—	.22	.39	—	.28	—	.17	—	—	—	.14	23
24	.35	.24	—	—	.42	.37	—	—	.01	—	.68	.22	24
25	.22	.04	—	.02	.21	.04	—	—	.03	—	.50	.3	25
26	.21	.03	—	—	.10	.26	.03	—	.24	—	.50	.22	26
27	—	—	—	—	—	—	—	—	.01	.04	.52	.12	27
28	.01	—	.02	—	—	—	.03	—	.19	.3	.22	.06	28
29	.20	X	—	—	—	—	—	—	.16	.01	.43	.23	29
30	.08	X	—	—	.53	.3	.29	—	—	—	—	.41	30
31	.51	X	.10	X	.11	X	—	—	X	.23	X	.04	31
TOTAL	3.56	1.91	1.91	2.03	2.94	1.29	2.33	3.35	3.12	2.84	7.11	3.46	35.85
*Days with or in. or more.	24	12	15	14	15	8	13	13	17	15	17	21	184
*Days with .04 in. or more.	18	9	10	11	13	5	7	9	11	12	15	15	135

40-9999

*See Instruction 2 (f) on other side.

(Signed) Robert Matthews [P.T.O.]

Kept at *Hand*

in the County of.....

Diameter of Funnel of G

Height of top of Gauge

Ground

THE MORNING

An observer who does not
year in the space on the

HAND CROSS

SUSSEX

1927

PREVIOUS DAY.

1st of the following

Jan. 1, following.

Date.	Jan.	Feb.												Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		1.23	.1	.1			1.25	.22		.20	.56		1	
2	.3		.8	.15						.2		.1	2	
3	.18												3	
4	.3		.6	.10		.6	.6					.3	4	
5	.22	.8	.14	.40	.29	.6		.67			.6		5	
6	.2		.56	.41		.2	.16	.16	.7		.3	.1	6	
7	.4	.25	.1	.36		.15		.25					7	
8			.3	.43			.18	.24	.5		.7		8	
9	.7			.15			.25	.14	.10				9	
10									.23				10	
11						.1		.20					11	
12	.10							.13		.1			12	
13	.10							.57	.18	.2	.7	.13	13	
14				.7			.41		2.26			.32	14	
15							.11	.15	.13		.1		15	
16	.6				.13			.1	.25				16	
17	.5		.9			.37		.50	.2				17	
18	.17					.58		.35	.1		.26		18	
19		.23						.13			.35		19	
20	.30	.18					.15	.86			.39	.20	20	
21	.9	.33	.1		.20	.2	.1	.17	.21	.47	.28	1.16	21	
22	.22	.5	.61	.2		.15	.22	.16	.11	.68		.63	22	
23		.70	.44			.11			1.10		.32	.32	23	
24		.20	.57			.15		.15			.2	.46	24	
25		.50	.31			.8		.32	.2	.10		.63	25	
26	.32	.76	.7		.10	.16	.25		.11	.13		.6	26	
27		.57			.30	.65	.35			.57	.1		27	
28	.25	.17	.5	.11		1.19	.1			.10	.38		28	
29	.10		.24			.50		.6	.58		1.27		29	
30	.22	X				.69	.12			.29			30	
31		X	.70	X	.1	X	.3		X		X	.17	31	
TOTAL	2.57	5.25	3.98	2.21	1.03	4.95	3.56	5.44	5.48	2.59	4.08	4.13	YEARS TOTAL	45.22
Days with ".01 in. or more.	19	13	17	11	6	17	15	20	16	11	15	13		173
Days with ".04 in. or more.	16	13	13	9	5	14	12	19	13	8	11	10		143.

Section

A

for the entry of Daily Observations.

419
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Handerson
in the County of Surrey
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.23	.1	.1			1.25	.22		.20	.56		1
2	.3		.8	.15						.2		.1	2
3	.18												3
4	.3		.6	.10		.6	.6					.3	4
5	.22	.8	.14	.40	.29	.6		.67			.6		5
6	.2		.56	.41		.2	.16	.16	.7		.3	.1	6
7	.4	.25	.1	.36		.15		.25					7
8			.3	.43			.18	.24	.5		.7		8
9	.7			.15			.25	.14	.10				9
10									.23				10
11						.1		.20					11
12	.10							.13		.1			12
13	.10							.57	.18	.2	.7	.13	13
14				.7			.41		2.26			.32	14
15							.11	.15	.13		.1		15
16	.6				.13			.1	.25				16
17	.5		.9			.37		.50	.2				17
18	.17					.58		.35	.1		.26		18
19		.23						.13			.35		19
20	.30	.18					.15	.86			.39	.20	20
21	.9	.33	.1		.20	.2	.1	.17	.21	.47	.28	1.16	21
22	.22	.5	.61	.2		.15	.22	.16	.11	.68		.63	22
23		.70	.44			.11			1.10		.32	.32	23
24		.20	.57			.15		.15			.2	.46	24
25		.50	.31			.8		.32	.2	.10		.63	25
26	.32	.76	.7		.10	.16	.25		.11	.13		.6	26
27		.57			.30	.65	.35			.57	.1		27
28	.25	.17	.5	.11		1.19	.1			.10	.38		28
29	.10		.24			.50		.6	.58		1.27		29
30	.22	X				.69	.12			.29			30
31		X	.70	X	.1	X	.3		X		X	.17	31
TOTAL	2.57	5.25	3.98	2.21	1.03	4.95	3.56	5.44	5.48	2.59	4.08	4.13	YEARS TOTAL 45.22
Days with ".01 in. or more.	19	13	17	11	6	17	15	20	16	11	15	13	173
Days with ".04 in. or more.	16	13	13	9	5	14	12	19	13	8	11	10	143.

453
JAN 1923

Lat..... Long.....
Time of Observation 9.30 A.M
Nearest Railway Station Pegate S.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 401 ft. 6 in.
" " " " Sea Level 407 ft.
at 9 a.m. and the result entered to the previous day.

daily at 9 a.m. and the result entered to the previous day
 universal rule, he is earnestly requested to add

Jan. 1, following.

.05 in.

9. a. m

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.16	.41	.34	—	—	.05	—	.04	.12	.40	.16	1
2	.01	.30	.14	—	.16	—	.31	.13	.59	—	.54	—	2
3	—	.35	.32	.48	—	—	.39	—	—	—	.05	—	3
4	.04	.14	.39	.81	.17	—	.12	.12	—	.02	.16	—	4
5	—	.22	.13	—	.38	—	.41	.04	.01	.50	—	—	5
6	—	.11	.35	—	—	—	1.80	—	—	.28	1.03	—	6
7	.13	—	.19	.08	—	—	.01	.79	—	—	.04	—	7
8	.10	—	.92	.28	—	—	—	.23	—	—	.03	—	8
9	.10	—	.04	—	—	.03	.50	.01	—	—	.09	.03	9
10	.10	—	—	.12	—	—	—	.21	—	—	.14	—	10
11	—	—	—	—	—	—	—	—	—	—	.60	—	11
12	.04	—	—	.06	.04	—	—	.12	—	—	—	—	12
13	—	.04	—	1.12	—	—	—	.26	.69	—	—	.01	13
14	.13	—	—	.73	—	.55	.41	—	.20	—	—	—	14
15	.10	—	—	—	—	.01	.63	—	.19	—	.01	—	15
16	.80	.34	—	.07	—	—	—	—	—	—	—	—	16
17	—	.28	—	.10	.30	—	.01	.04	.30	—	—	.38	17
18	—	.26	—	—	.18	—	.08	.01	.01	—	—	.13	18
19	1.65	.05	—	—	.08	—	—	—	.12	—	—	.20	19
20	.40	.08	.01	—	.04	—	—	—	.30	.07	—	.77	20
21	.16	.25	.01	—	—	—	—	—	—	—	—	—	21
22	.58	.24	—	.14	—	—	—	—	—	—	—	1.62	22
23	—	.11	—	.01	—	.02	—	.11	—	—	—	.26	23
24	—	.11	—	.07	—	.02	.07	—	.09	—	—	—	24
25	.06	—	.23	.03	.15	.22	—	.20	—	—	—	.01	25
26	.77	.02	—	.52	—	.26	—	—	.19	—	—	.35	26
27	.41	.54	.03	.12	—	.16	.18	—	—	—	—	.22	27
28	.59	.55	—	—	—	.05	—	.19	.02	.04	—	.55	28
29	.33	X	.04	—	—	.30	—	.02	.13	—	—	.30	29
30	.06	X	—	—	—	.06	.01	.03	—	.13	—	.17	30
31	—	X	.09	X	—	X	.01	.80	X	—	X	.65	31
TOTAL	6.56	4.15	3.30	5.08	1.50	1.68	4.99	3.31	2.88	1.16	3.09	5.81	#3.56 YEAR'S TOTAL
Days with .01 in. or more	6.72	4.40	3.23	4.74	9	11	16	17	14	7	11	16	43.51
Days with .04 in. or more	19	19	13	18	9	7	12	13	11	6	9	13	146

MINISTRY.

BRITISH RAINFALL ORGANIZATION,
RAINFALL IN 1922.

Lat. _____ Long. _____
Time of Observation 9.30 A.M.
Nearest Railway Station Reigate S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 401 ft. 6 in. 2"
" " " " Sea Level 401 ft. 6 in. 2"

Kept at Down Place, Harting.
in the County of West Sussex.
by R. G. Blackwell.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
.05 in.
9 a.m.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.16	.41	.34	—	—	.05	—	.04	.12	.40	.16	1
2	.01	.30	.14	—	.16	—	.31	.13	.59	—	.54	—	2
3	—	.35	.32	.48	—	—	.39	—	—	—	.05	—	3
4	.04	.14	.39	.81	.17	—	.12	.12	—	.02	.16	—	4
5	—	.22	.13	—	.38	—	.41	.04	.01	.50	—	—	5
6	—	.11	.35	—	—	—	1.80	—	—	.28	1.03	—	6
7	.13	—	.19	.08	—	—	.01	.79	—	—	.04	—	7
8	.10	—	.92	.28	—	—	—	.23	—	—	.03	—	8
9	.10	—	.04	—	—	.03	.50	.01	—	—	.09	.03	9
10	.10	—	—	.12	—	—	—	.21	—	—	.14	—	10
11	—	—	—	—	—	—	—	—	—	—	.60	—	11
12	.04	—	—	.06	.04	—	—	.12	—	—	—	—	12
13	—	.04	—	1.12	—	—	—	.26	.69	—	—	.01	13
14	.13	—	—	.73	—	.55	.41	—	.20	—	—	—	14
15	.10	—	—	—	—	.01	.63	—	.19	—	.01	—	15
16	.80	.34	—	.07	—	—	—	—	—	—	—	—	16
17	—	.28	—	.10	.30	—	.01	.04	.30	—	—	.38	17
18	—	.26	—	—	.18	—	.08	.01	.01	—	—	.13	18
19	1.65	.05	—	—	.08	—	—	—	.12	—	—	.20	19
20	.40	.08	.01	—	.04	—	—	—	.30	.07	—	.77	20
21	.16	.25	.01	—	—	—	—	—	—	—	—	—	21
22	.58	.24	—	.14	—	—	—	—	—	—	—	1.62	22
23	—	.11	—	.01	—	.02	—	.11	—	—	—	.26	23
24	—	.11	—	.07	—	.02	.07	—	.09	—	—	—	24
25	.06	—	.23	.03	.15	.22	—	.20	—	—	—	.01	25
26	.77	.02	—	.52	—	.26	—	—	.19	—	—	.35	26
27	.41	.54	.03	.12	—	.16	.18	—	—	—	—	.22	27
28	.59	.55	—	—	—	.05	—	.19	.02	.04	—	.55	28
29	.33	~~X~~	.04	—	—	.30	—	.02	.13	—	—	.30	29
30	.06	~~X~~	—	—	—	.06	.01	.03	—	.13	—	.17	30
31	—	~~X~~	.09	~~X~~	—	~~X~~	.01	.80	~~X~~	—	~~X~~	.65	31
TOTAL	6.56	4.15	3.30	5.08	1.50	1.68	4.99	3.31	2.88	1.16	3.09	5.81	43.56
Days with "01 in. or more	6.72	4.40	3.23	4.74	9	11	16	17	14	7	11	16	172
Days with "01 in. or more	19	19	13	16	9	7	12	13	11	6	9	13	146

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Down Place, Harting
in the County of West Sussex.
by R. S. Blackwell.

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Rottingdean
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 401 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
at 9 a.m.
Rain .06

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.02	.16		.02		.01	.23	.01		.10		1
2	.22	.05	.47						.08	.09	.06	.82	2
3	.27	.02	.15					.02		.08	.06		3
4	.02								.06	.76	.07	.32	4
5									.09			.28	5
6	.66			.03						.09	.06	.03	6
7	.69	.38	.13	.20		.01							7
8	.05	<u>1.46</u>	.14		.10					.58		1.13	8
9	.01	.08	.10		.15	.01				.27	.24		9
10	.09	.56					.18			.08	.01		10
11		.61		.60	.11		.03		.01	.23		.02	11
12				.90	.02					.85		.06	12
13		.20	.56	.33	.20	.01				.73			13
14		.11	.13	.14							.78	.01	14
15			.08	.17	.16				.43				15
16		.01	.01	.22	.25	.30	.10		.14		.21		16
17		.35		.19	.02						.15		17
18		.45						.22	.18	.01	.05		18
19	.05	.33				.02		.08					19
20	.07						.02		.20	1.01			20
21		.46	.08		.07	.01		.05	.19	.14			21
22				.12	.01				.14	.35		.34	22
23		.59	.14					.18	.50	.41	.03	.09	23
24		.72	.07		.41		.11	.75	.12	.72		.13	24
25		.08		.11				.35	.56	.08		.07	25
26		.73	.01	.86		.01	.01	.29	.05	.72	.12	.48	26
27		.08		.18		.04		.07		.49		.43	27
28		.16	.24				.02	.12		.06		.11	28
29		~~X~~	.06	.23	.68		.28	.01			.08		29
30	.10	~~X~~	.08		.74		.12	.73		.05		.10	30
31		~~X~~		~~X~~		~~X~~	.09	.10	~~X~~	.27	~~X~~	.21	31
TOTAL	.02	.16		.02		.01	.23	.01		.10		.06	YEAR'S TOTAL
Days with .01 in. or more	2.28	7.39	2.61	4.28	2.94	.41	.97	3.20	2.76	8.07	2.02	4.63	41.56
Days with .04 in. or more	2.25	7.53	2.45	4.30	2.92	.42	1.19	2.98	2.75	8.17	1.92	4.69	41.57
	12	21	17	14	14	8	11	14	15	22	14	17	179
	11	18	15	13	10	2	6	12	13	21	12	14	147
	10	19	14				7	11		22	11	15	

Kept at Down Place, Harting
in the County of West. Sussex
by R. S. Blackwell

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Rogate, S. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 401 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
X

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	—	—	.07	—	.04	.16	.31	.08	—	—	<u>1.11</u>	.39	1 RRW
2	.02	—	.13	—	.03	.08	.04	—	—	.02	—	.01	2 611
3	—	—	.10	—	.21	.04	.21	.33	—	.05	—	—	3
4	—	—	—	—	.02	<u>1. in</u>	.08	—	.01	.11	—	.78	4
5	—	—	.06	—	.20	—	.08	—	—	.30	—	—	5
6	—	—	—	—	—	—	.01	.06	.12	.46	—	—	6
7	.05	.01	—	—	.29	.66	—	—	.56	.35	—	—	7
8	.25	<u>.20</u>	—	—	.12	—	.05	—	.08	.06	—	—	8
9	.30	.14	—	.17	.07	.06	—	—	.11	.01	—	—	9
10	.37	—	—	.01	<u>.85</u>	.48	—	—	.15	.04	—	—	10
11	.01	—	—	.32	.60	.63	—	—	.10	.05	.16	.02	11
12	.02	—	—	.11	.23	.24	—	.12	.24	—	.09	—	12
13	.01	—	—	<u>.97</u>	.12	—	.01	—	.64	—	.07	.28	13
14	—	—	—	.29	—	—	—	.18	—	—	—	.08	14
15	—	—	—	—	—	—	—	.32	.20	—	—	<u>1.12</u>	15
16	.06	—	—	—	—	—	—	.51	.06	—	—	.10	16
17	.48	—	—	—	—	.29	<u>1.15</u>	.27	.10	—	—	—	17
18	<u>.78</u>	.06	—	—	—	.10	—	—	—	.15	.03	.03	18
19	.03	—	—	—	—	—	—	.18	.02	.09	—	.04	19
20	.01	—	—	—	.06	—	.23	.14	.46	.19	—	—	20
21	.43	—	.02	—	.09	—	.06	—	.48	.80	—	—	21
22	.34	—	<u>1.04</u>	—	—	—	—	.08	.50	—	—	—	22
23	—	—	.73	—	.66	—	—	.46	.13	—	—	<u>1.43</u>	23
24	.45	.05	.08	.28	.34	—	—	—	.27	—	.01	.16	24
25	—	.01	—	.06	.16	—	.22	.03	<u>1.78</u>	.25	.10	—	25
26	—	—	.03	.57	—	—	.06	.03	.02	.43	.59	.52	26
27	—	.04	—	.93	—	—	<u>1.01</u>	—	—	.17	.25	.89	27
28	—	—	—	—	—	—	<u>1.61</u>	<u>.66</u>	—	.05	.46	—	28
29	—	.02	—	.20	.32	—	.02	.34	.12	<u>1. in</u>	.03	.39	29
30	—	X	—	.08	.29	—	—	.19	.46	.51	.64	.32	30
31	—	X	—	X	.58	X	—	—	X	.28	X	.12	31 1290
TOTAL	3.61	.53	2.26	3.99	5.28	3.74	5.15	3.98	6.61	5.42	3.54	6.68	YEAR'S TOTAL 50.79
Days with ".01 in. or more.	16	8	9	12	20	11	16	17	22	21	12	17	181
Days with ".04 in. or more	10	<u>5</u>	7	11	18	11	13	15	19	19	9	14	<u>151</u>

Kept at Down
in the County of _____
Diameter of Funnel of G
Height of top of Gauge ab
" Ground

THE MORNING

An observer who does not
following year in the space
Re

DOWN PLACE

HASTINGS

SUSSEX

1925

ANIZATION.

431

ested to read the instructions
lling in this form.

should fill in section C

IOUS DAY.

January 1st of the

Jan. 1, following.

Date	Jan. in.	Feb. in.								Oct. in.	Nov. in.	Dec. in.	Date
1	1.44	-	-	.13	~~.39~~	-	-	.48	.09	-	1.15	-	1
2	.69	-	-	.08	-	-	.13	-	-	-	1.18	-	2
3	.33	.08	-	-	.39	-	.08	-	-	-	.12	-	3
4	.01	.01	-	.16	.40	-	-	.14	.02	.02	.28	-	4
5	-	.65	-	1.28	.18	-	-	-	.26	-	.14	-	5
6	-	.03	~~.03~~	.03	.28	-	.57	.26	-	-	1.11	-	6
7	-	.37	~~.03~~	-	.49	-	.03	-	-	-	.06	.33	7
8	.11	.02	-	-	.39	-	-	.01	.14	-	-	.12	8
9	-	.06	-	.14	.01	-	.02	.20	.04	-	-	-	9
10	-	.14	.02	-	.03	-	.03	.67	-	-	.17	-	10
11	-	.23	-	-	.03	-	-	.02	.07	-	.53	-	11
12	.01	1.42	-	-	-	-	-	.19	-	.02	-	-	12
13	.14	~~.07~~	.04	.16	-	-	-	-	-	-	-	.02	13
14	.91	.07	-	.36	-	-	-	-	-	-	.02	-	14
15	.12	.03	-	.10	-	-	-	-	-	.03	-	-	15
16	.09	.06	-	-	-	-	-	-	.14	.35	-	-	16
17	-	(.05)	-	.01	-	-	.06	-	.10	-	-	-	17
18	-	.05	-	.08	.85	-	.03	.04	.04	-	-	-	18
19	-	-	-	.18	.01	-	-	-	.35	1.06	-	.40	19
20	-	-	.07	-	-	-	.01	.07	.61	.93	-	.16	20
21	-	-	-	-	-	-	.40	.43	.20	.57	-	.58	21
22	-	.35	-	.31	.38	-	.77	.52	.73	1.34	-	.30	22
23	.01	.20	.04	-	.40	-	-	1.90	.01	.20	-	.15	23
24	.34	.46	.06	.35	.89	-	-	.03	-	-	.10	.33	24
25	.41	1.28	.14	-	-	-	.10	-	.43	.08	-	.10	25
26	.12	.68	-	.12	.37	.08	.55	.20	-	.71	-	.23	26
27	.25	-	-	.33	.76	-	.49	.07	-	-	.03	.14	27
28	.18	.03	-	.13	-	-	.02	-	-	-	-	.35	28
29	.21	~~X~~	-	-	.42	-	.27	-	-	-	.09	.96	29
30	.01	X	-	.04	-	-	.57	-	-	.05	.02	.24	30
31	.07	X	.07	X	-	X	.10	-	X	-	X	-	31
TOTAL	5.45	6.97	.47	3.99	6.28	.08	4.23	5.23	3.23	5.36	5.00	4.41	YEARS TOTAL 50.70
Days with 01 in. or more.	19	21	8	18	17	1	18	16	15	12	14	15	174
Days with 04 in. or more.	15	16	6	16	13	1	12	13	13	9	11	14	139

(Signed) R. J. Blair Kewell P.T.O.



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Down Place, Harting
in the County of West Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" Ground " Sea Level 401 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.44	—	—	.13	—	—	—	.48	.09	—	1.15	—	1
2	.69	—	—	.08	—	—	.13	—	—	—	1.18	—	2
3	.33	.08	—	—	.39	—	.08	—	—	—	.12	—	3
4	.01	.01	—	.16	.40	—	—	.14	.02	.02	.28	—	4
5	—	.65	—	1.28	.18	—	—	—	.26	—	.14	—	5
6	—	.03	—	.03	.28	—	.57	.26	—	—	1.11	—	6
7	—	.37	—	—	.49	—	.03	—	—	—	.06	.33	7
8	.11	.02	—	—	.39	—	—	.01	.14	—	—	.12	8
9	—	.06	—	.14	.01	—	.02	.20	.04	—	—	—	9
10	—	.14	.02	—	.03	—	.03	.67	—	—	.17	—	10
11	—	.23	—	—	.03	—	—	.02	.07	—	.53	—	11
12	.01	1.42	—	—	—	—	—	.19	—	.02	—	—	12
13	.14	.75	.04	.16	—	—	—	—	—	—	—	.02	13
14	.91	.07	—	.36	—	—	—	—	—	—	.02	—	14
15	.12	.03	—	.10	—	—	—	—	—	.03	—	—	15
16	.09	.06	—	—	—	—	—	—	.14	.35	—	—	16
17	—	—	—	.01	—	—	.06	—	.10	—	—	—	17
18	—	.05	—	.08	.85	—	.03	.04	.04	—	—	—	18
19	—	—	—	.18	.01	—	—	—	.35	1.06	—	.40	19
20	—	—	.07	—	—	—	.01	.07	.61	.93	—	.16	20
21	—	—	—	—	—	—	.40	.43	.20	.57	—	.58	21
22	—	.35	—	.31	.38	—	.77	.52	.73	1.34	—	.30	22
23	.01	.20	.04	—	.40	—	—	1.90	.01	.20	—	.15	23
24	.34	.46	.06	.35	.89	—	—	.03	—	—	.10	.33	24
25	.41	1.28	.14	—	—	—	.10	—	.43	.08	—	.10	25
26	.12	.68	—	.12	.37	.08	.55	.20	—	.71	—	.23	26
27	.25	—	—	.33	.76	—	.49	.07	—	—	.03	.14	27
28	.18	.03	—	.13	—	—	.02	—	—	—	—	.35	28
29	.21	—	—	—	.42	—	.27	—	—	—	.09	.96	29
30	.01	×	—	.04	—	—	.57	—	—	.05	.02	.24	30
31	.07	×	.07	×	—	×	.10	—	×	—	×	—	31
TOTAL	5.45	6.97	.47	3.99	6.28	.08	4.23	5.23	3.23	5.36	5.00	4.41	50.70
Days with "01 in. or more.	19	21	8	18	17	1	18	16	15	12	14	15	174
Days with "04 in. or more.	15	16	6	16	13	1	12	13	13	9	11	14	139

(Signed)

R. S. Blau Kewell I.P.O.

✓ 4

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1925.

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Down Place, Harting

In the County of West. Sussex

Diameter of Funnel..... 5 in.

Height of Top above Ground..... 1 ft. 2 in.

Height of Ground above Sea Level..... 4.01 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	0.1 in. or more	0.4 in. or more
JAN.	<u>5.45</u>	<u>1.44</u>	<u>15</u>	<u>19</u>	<u>15</u>
FEB.	<u>6.97</u>	<u>1.42</u>	<u>12</u>	<u>21</u>	<u>16</u>
MAR.	<u>.47</u>	<u>.14</u>	<u>25</u>	<u>8</u>	<u>6</u>
APR.	<u>3.99</u>	<u>1.28</u>	<u>5</u>	<u>18</u>	<u>16</u>
MAY	<u>6.28</u>	<u>.89</u>	<u>24</u>	<u>17</u>	<u>13</u>
JUNE	<u>.08</u>	<u>.08</u>	<u>26</u>	<u>1</u>	<u>1</u>
JULY	<u>4.23</u>	<u>.77</u>	<u>22</u>	<u>18</u>	<u>12</u>
AUG.	<u>5.23</u>	<u>1.90</u>	<u>23</u>	<u>16</u>	<u>13</u>
SEPT.	<u>3.23</u>	<u>.73</u>	<u>22</u>	<u>15</u>	<u>13</u>
OCT.	<u>5.36</u>	<u>1.34</u>	<u>22</u>	<u>12</u>	<u>9</u>
NOV.	<u>5.00</u>	<u>1.18</u>	<u>2</u>	<u>14</u>	<u>11</u>
DEC.	<u>4.41</u>	<u>.96</u>	<u>29</u>	<u>15</u>	<u>14</u>
Total	<u>50.70</u>	<u>12.88</u>		<u>174</u>	<u>139</u>

Signature.....

R. S. Blun Kwell

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

R. S. Blun Kwell
Down Place, Harting, Hants. Petersfield.

Latitude of Station..... Longitude..... Hour of observation..... 9.30 a.m.

Nearest Railway Station..... Rogate, S. Ry. Distance..... 3 miles Direction..... N.


Nearest Parish Church..... Harting Distance..... 1 mile Direction..... N.W.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge..... Wood in
Fruit Garden } 8 ft high distance 10 ft South
Heights of objects.....
Distances.....
Directions..... Rom. Bur. 8 ft high distance 12 ft S.E.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B). (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } -14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C. 2; 28, Abingdon Street, London, S.W. 1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.



Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926. 414

Kept at Down Place, Harting
 in the County of Wiltshire
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 „ Ground „ Sea Level 4.01 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.19	.08	—	—	—	.63	—	—	.06	—	.41	—	1
2	.13	—	—	—	—	.38	.07	—	.08	—	.48	—	2
3	.55	.15	.19	—	—	—	—	—	—	—	—	—	3
4	.02	.36	.07	.22	—	—	.02	—	—	—	.49	—	4
5	.17	.07	.17	—	.63	—	.57	—	.03	—	.21	.13	5
6	.30	.48	—	.20	.01	—	.07	.11	.16	.03	.16	—	6
7	.08	.14	—	.18	.42	.21	.03	—	.17	—	.73	.02	7
8	—	.01	—	.23	.01	.06	—	.03	—	.14	.67	—	8
9	—	—	.02	—	—	.48	.11	.08	—	.12	.60	—	9
10	—	—	—	—	.04	.15	.02	—	—	—	.14	—	10
11	—	.12	—	—	.11	.30	—	.47	—	—	.10	—	11
12	—	—	—	—	.01	.19	—	—	—	.54	.03	—	12
13	—	—	—	—	.05	.03	—	—	—	—	1.82	.01	13
14	—	.12	—	.58	.35	.14	—	—	—	.72	.25	—	14
15	.30	.14	—	.48	—	—	—	—	.04	.20	.24	—	15
16	.15	.08	—	.50	—	—	—	.25	—	—	.02	—	16
17	—	.75	—	.06	—	.49	.02	—	—	—	.29	.02	17
18	.32	.09	—	—	.09	—	.10	.22	—	—	.85	—	18
19	—	—	—	—	.15	—	.68	.01	—	—	.65	—	19
20	—	—	—	.38	—	—	—	.38	—	—	.34	—	20
21	—	—	—	—	—	—	.04	—	—	.01	.41	—	21
22	.87	—	—	.01	—	—	—	—	—	—	.12	—	22
23	.12	—	.02	—	—	—	—	—	—	—	—	—	23
24	.08	—	—	—	—	—	.17	—	—	.65	—	—	24
25	.28	—	.25	.42	—	—	.07	—	—	.03	.22	.01	25
26	.05	.01	.01	—	—	—	.19	—	.02	—	—	—	26
27	.14	.02	—	.03	.19	—	—	—	.01	.12	.05	—	27
28	.99	—	—	.25	.05	—	.35	—	—	.22	.35	—	28
29	.02	X	—	.03	.30	—	—	—	—	.08	.22	—	29
30	.45	X	—	.16	.33	—	—	.04	—	—	.12	—	30
31	.76	X	—	X	—	X	—	.34	X	—	X	—	31
TOTAL	6.97	2.62	.73	3.73	2.74	3.06	2.51	1.87	.57	2.86	9.97	.19	YEARS TOTAL
Days with 01 in. or more.	20	15	7	15	15	11	15	10	8	12	26	5	159
Days with 04 in. or more.	18	12	4	12	12	10	11	7	5	9	24	1	125

Please read the Notes and Instructions Overleaf.



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

406

Register of Rainfall in 1927.

Kept at Down. Place. Harting
 in the County of West Sussex

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 „ Ground „ Sea Level 401 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.89	—	—	—	—	.98	.18	—	.74	.42	—	1
2	.03	—	.12	.27	—	—	—	—	.01	.02	.01	—	2
3	.29	—	.03	—	—	—	.11	—	—	—	—	—	3
4	.08	—	.10	.24	.02	—	.23	—	—	—	—	.01	4
5	.18	.12	.22	.61	.45	.11	.01	.08	—	—	.10	—	5
6	.01	—	.55	.50	—	—	.02	.22	.26	—	.16	—	6
7	—	.30	—	.22	—	.13	—	.08	—	—	—	—	7
8	.02	—	—	.45	.18	.01	.47	.30	.18	—	.02	—	8
9	—	—	—	.07	.02	—	.11	.13	.35	.01	—	.01	9
10	—	—	.11	—	—	—	—	.03	.25	—	—	—	10
11	—	—	—	.01	—	—	—	.24	—	—	—	—	11
12	.24	—	—	—	—	—	.20	.07	—	.02	—	—	12
13	.16	.02	—	—	—	—	.24	.88	—	—	.06	.32	13
14	—	—	—	.08	.05	—	.33	.05	2.00	—	.02	.20	14
15	—	—	—	—	.01	—	—	.47	.15	—	—	—	15
16	—	—	—	—	.18	.16	—	—	.24	—	—	—	16
17	.18	—	.19	—	—	.41	—	.39	.04	—	—	—	17
18	.05	—	—	—	—	.82	—	.08	.04	—	.75	—	18
19	—	.28	—	—	—	—	—	.24	—	.02	.84	—	19
20	.28	.13	—	—	—	—	.25	1.24	.07	—	.59	.36	20
21	.02	.39	—	—	—	.04	—	.48	.50	.59	.19	1.47	21
22	.27	.28	.46	.01	.03	.16	.21	.01	.20	1.84	—	1.02	22
23	—	1.06	.36	—	—	.26	—	.19	1.21	—	.46	.11	23
24	—	.19	.60	—	—	.18	—	.02	.05	.10	—	.57	24
25	.01	.47	.19	—	—	.05	.02	.03	.08	.16	—	1.24	25
26	.27	.75	.13	—	—	—	.28	—	—	.10	.01	.37	26
27	.03	.60	—	—	.44	.17	.34	—	—	1.15	—	—	27
28	.26	.13	.18	.11	—	.23	.03	—	—	.10	.45	—	28
29	.12	X	.26	—	—	.88	.01	.03	.83	—	.45	—	29
30	.15	X	.02	—	—	.39	.02	—	.02	.55	—	—	30
31	—	X	.77	X	—	X	.08	—	X	.04	X	.21	31
TOTAL	2.65	5.61	4.29	2.57	1.38	4.00	3.94	5.44	6.48	5.44	4.53	5.89	YEAR'S TOTAL 57.10 in.
Days with ".01 in. or more.	19	14	16	11	9	15	19	22	18	14	15	12	184
Days with ".04 in. or more.	13	13	14	9	6	14	13	17	16	10	11	10	146

(Signed)

R. S. Blau Kwell.

[P.T.O.]

Kept at *Telegraph*

in the County of *Wilt*

by *Earle*

HARTING.

SUSSEX

1921-1926

21

0° 51' W.

9 a.m.

Elcted

in Gauge 5 in.

ove Ground 1 ft. 0 in.

Sea Level 625 ft.

entered to the previous day.

ested to add
at the end of
rain gauges,
Observers,"
62, Camden

Jan. 1, following.

IMPORTANT NOTE.
If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruct
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

Re

on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.18	.08					.03			.16	.24	1
2	.04				.07			.05			.19	.03	2
3	.08				.16	.06		.27			.22		3
4	.18		.03		.14			.15			.46		4
5			.03					.36			.35	.04	5
6	.46		.24		.27						.02	.03	6
7	.73				.42								7
8	.11		.04										8
9			.03						.15				9
10	.16								.04				10
11	.36		.03						.78				11
12	.32		.02		.1.07			.53	.03			.08	12
13	.13		.08	.23				.06	.05	.02	.07		13
14					.10							.41	14
15							.21				.09		15
16	.18		.16	.38				.66			.1.04	.03	16
17	.17		.33				.05	.22	.04				17
18	.05									.05			18
19			.23	.07						.09		.12	19
20			.08							.12	.04		20
21	.06										.05	.02	21
22				.05						.06		.44	22
23				.22			.05	.45		.26		.06	23
24	.05	.04										.15	24
25		.09				.10						.22	25
26	.05											.54	26
27												.11	27
28			.28		.21		.12					.11	28
29	.10		.12		.50		.02					.02	29
30	.31	X		.15	.19						.25	.28	30
31	.43	X		X		X			X		X		31
TOTAL	4.64	.31	1.78	1.10	3.13	.16	.45	2.78	1.09	.60	2.94	2.93	YEAR'S TOTAL
Days with of in. or more	20	3	15	6	10	2	5	10	6	6	12	18	113

REGISTER OF RAINFALL IN 1921

Kept at Telegraph House
in the County of West Sussex
by Earl Russell

Lat. 50° 51' N. Long. 0° 51' W.
Time of Observation 9 a.m.
Nearest Railway Station Ecoled
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 625 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.18	.08					.03			.16	.24	1
2	.04				.07			.05			.19	.03	2
3	.08				.16	.06		.27			.22		3
4	.18		.03		.14			.15			.46		4
5			.03					.36			.35	.04	5
6	.46		.24		.27						.02	.03	6
7	.73				.42								7
8	.11		.04										8
9			.03						.15				9
10	.16								.04				10
11	.36		.03						.78				11
12	.32		.02		.107			.53	.03			.08	12
13	.13		.08	.23				.06	.05	.02	.07		13
14					.10							.41	14
15							.21				.09		15
16	.18		.16	.38				.66			.104	.03	16
17	.17		.33				.05	.22	.04				17
18	.05									.05			18
19			.23	.07						.09		.12	19
20			.08							.12	.04		20
21	.06										.05	.02	21
22				.05						.06		.44	22
23				.22			.05	.45		.26		.06	23
24	.05	.04										.15	24
25		.09				.10						.22	25
26	.05											.54	26
27												.11	27
28			.28		.21		.12					.11	28
29	.10		.12		.50		.02					.02	29
30	.31	X		.15	.19						.25	.28	30
31	.43	X		X		X			X		X		31
TOTAL	4.64	.31	1.78	1.10	3.13	.16	.45	2.78	1.09	.60	2.94	2.93	YEAR'S TOTAL
Days with 0.1 in. or more	20	3	15	6	10	2	5	10	6	6	12	18	113
	20	3	10	6	10	2	4	9	5	5	11	13	98

AIR MINISTRY.
REGISTER OF RAINFALL IN 1922

Kept at Telegraph House
in the County of West Sussex
by Earl Russell

Lat. 50° 57' N. Long. 0° 51' W.
Time of Observation 9 a.m.
Nearest Railway Station Easted
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.23	.16	.45	.18		.28	.07	.42		.62		1
2		.35	.25				.33				.04		2
3	.04	.15	.34	1.25	.15		.12	.10		.01	.17		3
4		.24	.13		.43		.33	.05		.50			4
5			.31				1.55	.02		.13	.91		5
6	.10		.08				.05	.70			.07		6
7	.12		.80	.34				.30			.01	.02	7
8	.11		.07			.03	.38	.02			.10	.02	8
9	.10			.11				.15			.12		9
10	.01									.01	.65		10
11				.03	.03			.20					11
12				.84				.23	.62				12
13	.11			.65		.70	.33		.13				13
14	.08					.03	.71		.23				14
15	.50	.42		.07									15
16		.18		.07	.23		.03	.01	.18			.38	16
17		.25			.19		.08	.04	.08			.11	17
18	1.17				.07				.07			.23	18
19	.34	.11			.03				.27	.05		.61	19
20	.09	.18		.12					.01				20
21	.60	.25		.12								1.30	21
22		.10		.03		.02		.09					22
23		.13		.06			.03		.05				23
24	.06		.21		.02	.16		.19					24
25	.65	.03		.48		.26			.18			.28	25
26	.43	.45	.03	.09		.17	.17				.01	.22	26
27	.52	.52				.05		.18	.02	.03		.55	27
28	.15	.30				.35			.11			.28	28
29	.09					.06		.03		.11		.10	29
30						.05	.02	.52	.09		.13	.78	30
31	.16							.24		.23		.07	31
TOTAL	5.45	3.89	2.38	4.71	1.33	1.88	4.41	3.14	2.46	1.07	2.83	4.95	YEAR'S TOTAL 38.50
Days with ".01 in. or more	21	16	10	15	9	11	14	18	14	8	11	14	161
Days with ".04 in. or more	19	15	9	13	6	8	11	14	12	5	9	12	133

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Telegraph, Harrow
 in the County of West Sussex
 by Ernest Russell

Lat. 50° 57' N, Long. 0° 51' W
 Time of Observation 9 a.m.
 Nearest Railway Station Elosted
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.10	.40						.08	.09	.10	.83	1
2	.25	.04	.12		.02			.07		.07	.05		2
3	.01		.03						.01	.74	.05	.18	3
4									.11			.30	4
5	.55		.01	.02	.01					.10		.05	5
6	.54	.24	.12	.20		.03							6
7	.09	1.21	.17		.09					.53		.96	7
8	.01	.09	.15		.15					.25	.25		8
9	.09	.39	.01				.26			.07	.02		9
10		.60		.56	.11		.04		.03	.25		.05	10
11		.01		.73						.88		.08	11
12		.19	.53	.33	.18	.02				.72		.01	12
13	.03	.10	.18	.11							.65		13
14			.05	.18	.10				.37		.01		14
15			.02	.17	.26	.30	.09		.15		.14		15
16		.31		.17							.09		16
17		.29						.17	.13		.04		17
18	.06	.50				.03		.05		.02			18
19	.07	.02					.02		.19	1.13			19
20		.30	.10		.05			.06	.18	.10			20
21		.04		.10					.12	.32		.35	21
22		.55	.11		.01			.06	.46	.31		.09	22
23		.60	.10		.35		.13	.67	.14	.66		.12	23
24		.13		.10				.48	.42	.19		.05	24
25		.55		.85	.01		.02	.21	.04	.48		.48	25
26		.16		.13		.06		.05		.48		.37	26
27		.19	.25				.01	.10		.11		.10	27
28		.16	.06	.15	.73		.32	.02					28
29	.08		.09	.08	.80		.11	.72		.04		.11	29
30		X		.02		.02	.08	.19		.25		.20	30
31		X		X		X	.20		X	.06	X	.06	31
TOTAL	1.97	6.77	2.50	3.90	2.87	.46	1.28	2.85	2.43	7.85	1.40	6.39	YEAR'S TOTAL 38.67
Days with 01 in. or more	12	23	18	16	14	6	11	13	14	23	10	18	178
Days with 04 in. or more	9	21	14	14	10	2	8	12	12	22	8	17	149

REGISTER OF RAINFALL IN 1924

Kept at *Telegraph House*in the County of *W. Sussex*by *Errol Russell*Lat. *50° 57' N* Long. *0° 51' W*Time of Observation *9 a.m.*Nearest Railway Station *Eased*Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft. *0* in." " " " Sea Level *625* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.04	.13	.27	.10			1.10	.39	KW 1
2	.05		.25		.02	.06	.01					.02	HL 2
3					.26	.05	.18	.30					C 3
4					.01	1.03	.04			.18		.69	SS 4
5			.11		.12		.06			.24			5
6								.06	.11	.39			6
7	.02				.12	.53			.46	.35			7
8	.24	.16			.12		.10			.08			8
9	.29	.20		.16	.06	.04			.24	.01			9
10	.34			.02	.76	.27			.11	.05			10
11				.23	.49	.30			.14	.06	.17		11
12	.02			.09	.22	.35		.04	.22	.10			12
13				.96	.13			.33	.57		.04	.25	13
14				.23				.16				.06	14
15								.23	.14			1.00	15
16	.04							.30	.05			.05	16
17	.55					.14	1.16	.20	.08				17
18	.79	.05				.11				.10	.04	.04	18
19	.04							.15		.10		.04	19
20	.01				.04		.22	.03	.27	.15			20
21	.39				.09		.09		.34	.84			21
22	.32		.80					.02	.45				22
23			.73		.60			.35	.12			1.23	23
24	.44	.06	.07	.26	.26				.13			.13	24
25			.09	.16			.22	.02	1.96	.01	.08	.05	25
26			.05	.56			.04	.05	.76	.53	.42	.29	26
27		.05		.74			.84			.23	.11	.92	27
28							1.27	.59		.06	.35	.25	28
29	.02	.02		.15	.29		.04	.39	.16	.96	.29	.37	29
30		X		.07	.27			.20	.33	.44	.42		30
31		X		X	.66	X			X	.30	X	.08	31
TOTAL	3.56	.54	2.01	3.56	4.72	3.01	4.64	3.52	6.04	5.08	3.12	5.86	YEAR'S TOTAL
Days with .01 in. or more	15	6	6	12	20	11	14	18	19	19	11	17	168
Days with .04 in. or more	11	5	6	11	18	11	13	15	19	17	11	16	153

Feb con br
Duplicate return
Estimated values
agreed on Observer

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Telegraph House
in the County of West Sussex
by Ernest Russell

Lat. 50° 57' 11" N. Long. 0° 51' W.
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.42		.13	.12				(.40)	.10		1.03		1
2	.52			.10			.12				1.09		2
3	.35	.07			.39		.10						3
4				.10	.45			(.10)			.28		4
5		.50		1.33	.15				.23				5
6		.11		.03	.24		.54	.21			.98		6
7		.32	.04		.37		.01					.23	7
8	.11	.06			.50			.19	.10			.11	8
9		.06		.13	.05		.01		.03				9
10		.11	.03		.04		.04	.45			.68		10
11		.41			.04			.04					11
12		1.30						.16					12
13	.14	.65	.04										13
14	.84	.09	.02	.50									14
15	.12			.12						.03			15
16	.14	.03							.20	.40			16
17							.03		.04				17
18		.05		.08	.55		.06		.04			.45	18
19				.16	.02				.27	.90		.04	19
20			.08				.02	.05	.40	.94			20
21							.35	.22	.30	.56		.63	21
22		.28		.25	.36		.66	(.70)	(.75)	1.03		(.25)	22
23		.15	.04	.05	.36			1.83		.40		.02	23
24	.39	.39	.07	.26	.73		.09			.06	.10	.04	24
25	.41	1.07	.10				.09	.03	.40	.07		.10	25
26		.43		.14	.36	.07	.65	.23		.61		.45	26
27	.42			.23	.74		.46					.50	27
28	.26						.03	.07				.23	28
29	.11				.36		.27				.10	1.02	29
30		X	.01	.12			.50			.04		.13	30
31	.07	X	.06	X		X	.10		X		X	.08	31
TOTAL	5.30	6.08	.62	3.42	5.71	.07	4.13	4.68	3.16			4.30	YEARS TOTAL
Days with 01 in. or more	14	18	11	16	17	1	19	14	12	11	7	16	156
Days with 04 in. or more	18	17	2	15	16	1	14	13	11	10	7	15	136 142

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Telegraph House 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

A comparison of your rainfall return for 1925 suggests that omissions have occurred on certain days as shown by the table below. If you have no reason to the contrary we would recommend that the figures in the end column be adopted.

	Compton	Telegraph House	Bepton	Suggested values
Aug 1	43	.	36	40
" 4	11	-	18	10
" 22	56	-	78	70
Sept 22	55	-	66	75
Oct 22	30	-	32	25

8. 12. 26
12. 4. 26

REPLY.

The original sheet containing the observations for 1925 has been forwarded to the Meteorological Office. On this sheet the entries were made once a week. The small book in which the entries were made daily has been examined, and agrees with the sheet. The entries are made by an unskilled observer, but I will take more pains in future to check the sheet week by week, as I find the five omissions quoted difficult to understand. I much regret them and agree with the suggested values. The nearest station to have is Blackwell Down Place Reading.
R. Mansell
14. 10. 26

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

TELEGRAPH HOUSE

Kept at HARTING
in the County of PETERSFIELD. W. Peters
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.02	.10				.48			.04		.36		1
2	.58					.40	.13		.09		.23		2
3	.50	.16	.20										3
4	.04	.35		.48			.04				.41		4
5	.05	.08	.24		.63		.52	.17	.04			.19	5
6	.13	.50					.10		.12	.06	.19		6
7	.25	.10		.14	.36		.09		.17		.65	.02	7
8		.01		.29		.20				.12	.52		8
9					.06	.26		.03		.10	.65		9
10						.09	.03			.02	.12		10
11		.12				.25		.19			.12		11
12						.13			.03	.49			12
13					.10						1.83		13
14		.11		.43	.35	.16				.65	.11		14
15		.15		.46					.02	.22	.19		15
16		.07		.40				.23		.01	.04		16
17	snow	.70				.50	.08				.22		17
18	1.00	.12		.04	.12		.07	.16			.78	.08	18
19	.10			.04	.15		.45				.42		19
20				.40				.39			.47		20
21							.03				.48		21
22	.78	.02									.16		22
23	.12												23
24	.07		.03				.18			.60	.31		24
25	.29		.29	.38			.04			.08			25
26	.02						.16				.01		26
27	.17	.06		.04	.04					.02			27
28	1.01			.33	.16		.36			.33	.40		28
29	.07									.08	.24	.06	29
30	.45	X		.17	.25			.03			.12		30
31	.72	X		X		X		.29	X		X		31
TOTAL	7.37	2.65	.76	3.60	2.22	2.47	2.23	1.49	.51	2.78	9.03	.35	YEARS TOTAL 35.46
Days with .01 in. or more.	19	15	4	13	10	9	14	8	7	13	24	4	140
Days with .04 in. or more.	18	13	3	13	10	9	11	6	5	10	23	3	124

Please read the Notes and Instructions Overleaf.

1921-30

d to add
he end of
n gauges,
bservers,"
Camden

Jan. 1, following.

Record

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1921.

Kept at Blackdown House Edus
in the County of Sussex
by W. Brooks

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55		07					02			03	25	1
2	01				03			10			37	04	2
3	05		03		20	09		11			24		3
4	24				22			10			47		4
5	01		03					26			35	01	5
6	50		16		26							01	6
7	53				22						02		7
8	08		03		03								8
9	01								08				9
10	21		02						03	02			10
11	20				01				78				11
12	28		12		20			75	10			07	12
13	14		09	25	01			01	02				13
14					09		06					22	14
15											09	03	15
16	18		11	27				26			39	01	16
17	11		26	04			05	10	04				17
18	06			03									18
19			15	10		01				24		11	19
20										23	03		20
21	04										04	01	21
22				06						10		25	22
23				06				152		21		09	23
24	07											05	24
25		12										16	25
26	03											47	26
27	01							02				09	27
28			24		04		11					18	28
29	12		12		47								29
30	19	X		17	18						19	25	30
31	25	X		X		X			X		X		31
TOTAL	3.87	.12	1.43	.98	1.96	10	22	3.25	1.05	.80	2.22	2.30	YEAR'S TOTAL 18.20
Days with 01 in. or more	23	1	13	8	13	2	3	11	6	5	11	18	114
Days with 04 in. or more	18	1	9	7	9	1	3	8	4	4	8	13	85

Kept at Blackdown House Idus
in the County of Sussex
by Mr Brooks

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	.12	.14		.12		.23	.13	03		.52	01	1
2	03	.28	.15	.26			.26				.05		2
3		.10	.36	.62	.14		.05	.14		.02	.11		3
4		.28	.17		.24		.31	01	01	.40			4
5			.38				.175			.29	.78		5
6	.08		.12				.08	.73		01	.02		6
7	.11		.75	.32			.05	.07				.01	7
8	.12		.08			.02	.39	.02			.07		8
9	.11			.02				.13				.01	9
10	.02					.30					.40		10
11	.04				.08			.05					11
12				.91 (63)			.18	.41				.02	12
13	.01					.32	.26		.06				13
14	.03					.03	.99		.38				14
15	.42	.32		.07			.01						15
16		.13		.18	.08			.04	.11			.27	16
17		.28			.04		.05		.08			.14	17
18	.128	.04			.04				.05			.21	18
19	.28	.08							.24	.08		.60	19
20	.03	.34	.01										20
21	.41	.22		.12						.02		.160	21
22		.04		.11		.07		.88				.22	22
23		.06		.15					.00				23
24	.08		.10	.01	.14	.14		.23				.02	24
25	.57			.30		.11			.07			.27	25
26	.17	.50	.03	.12		.15	.20				.04	.28	26
27	.40	.40	.03	.12		.02		.18		.02		.49	27
28	.14	.36	.01			.29						.12	28
29	.06					.44				.08		.15	29
30		X	.13			.11		.74	.12	.01	.09	.67	30
31	.15	X	.30	X		X	.16	.12	X	.28	X	.09	31
TOTAL	455	355	276	394	88	190	479	285	165	121	208	518	YEAR'S TOTAL
Days with ".01 in. or more	22	16	15	15	8	12	14	15	12	10	9	18	3534
Days with ".01 in. or more	16	16	11	13	8	9	13	13	10	5	8	13	135

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Blackdown House Gardens
in the County of Sussex
by V. M. Brooks

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 550 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	06	31						08	10	07	45	1
2	30	05	10					04		15	04		2
3			14		03					84	04	06	3
4									10			18	4
5	42		01							08	05	04	5
6	71	15	09	03		01							6
7	07	139	31		09					41		67	7
8	01	15	03		12	01				24	27	01	8
9	11	24					17			02	01		9
10		40		47	11		03			24		01	10
11		01		44	03					75		08	11
12		21	46	50	07	02				73			12
13	02	12	13	12						01	79	03	13
14		02	05	05	11				49				14
15		01	02	11	27	30	03		21		32		15
16		18		06	10						19		16
17	02	25						14	08				17
18	04	41				06		19	04				18
19	11	03				01	03		18	106		02	19
20		19	33		02			01	30	10			20
21	07	12		10					07	23	02	27	21
22		49	10		01			16	38	32		09	22
23		35	08		58		11	59	03	66		07	23
24		08	01	02	01			22	39	07		10	24
25		32	03	76			03	09	05	63		57	25
26		15		16		02		10		40		32	26
27		09	12				01	17		06		13	27
28		22	05	11	77		25	04		01	12	01	28
29	18		16	09	73	04	08	60		03		14	29
30		X		01			06	01		28		26	30
31	01	X		X		X	16	11	X	10	X	16	31
TOTAL	223	569	253	303	305	47	96	247	240	752	192	367	YEAR'S TOTAL 3594
Days with 01 in. or more	14	25	19	15	15	8	11	14	13	24	11	21	190
Days with 04 in. or more	10	21	14	12	10	3	6	12	12	20	9	16	145

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FOR OFFICIAL USE.

County No. _____
River Dist. _____
Station No. _____

Kept at Blackdown House Gdn
in the County of Sussex
by Wm. Brooks

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.06	-	.02	.28	.14	.04	-	-	.82	.49	1 WVV
2	.13	-	.23	-	.02	.13	.01	-	-	-	-	.04	2 W
3	-	-	.05	-	.19	.08	.19	.24	-	.10	-	-	3 C
4	-	-	-	-	.06	.88	.02	.01	-	.08	-	.47	4 BS
5	-	-	.11	-	.01	-	.03	-	-	.22	-	-	5
6	-	-	-	-	-	-	-	.09	.10	.40	-	-	6
7	.04	-	-	-	.22	.33	-	-	.45	.35	-	-	7
8	.14	.05	-	-	.09	.12	.02	-	.04	.08	-	-	8
9	.12	.14	-	.10	.07	.05	-	-	.04	-	-	-	9
10	.35	.10	-	.29	.65	.17	-	-	.06	.02	-	-	10
11	.01	-	-	.25	.28	.31	-	-	.08	.10	.17	-	11
12	.02	-	-	.24	.13	.39	-	.04	.23	-	.35	-	12
13	.04	-	-	.72	.19	-	.08	.08	(60)	-	.09	.18	13
14	-	-	-	.27	-	-	-	.07	-	-	.01	.06	14
15	-	-	-	.02	-	-	-	.07	.11	-	-	.76	15
16	.02	-	-	-	-	-	-	.28	.04	-	-	.09	16
17	.33	-	-	-	-	.11	.602	.28	.04	-	-	.01	17
18	.70	.05	-	-	.13	.22	-	.30	-	-	.02	.02	18
19	.05	-	-	-	-	-	-	.07	.02	.18	-	.03	19
20	.01	-	-	-	-	-	.29	.02	.39	.23	-	-	20
21	.43	-	-	-	.10	-	.17	-	.29	.73	-	-	21
22	.29	-	.50	-	-	-	.79	.28	.33	-	-	-	22
23	-	-	.60	-	.60	-	-	.42	.11	-	-	.03	23
24	.41	.20	.16	.16	.22	-	-	-	.09	-	-	.22	24
25	-	-	-	.07	.38	-	.29	-	.171	.06	.11	.01	25
26	-	-	.03	.68	-	-	.01	.07	.03	.26	.52	.40	26
27	-	.10	-	.82	-	-	.65	-	-	.19	.14	.08	27
28	-	-	-	-	-	-	.69	.34	-	.03	.44	-	28
29	-	.02	-	.16	.30	-	.11	.23	.29	.82	.04	.32	29
30	-	X	-	.37	.22	-	-	.47	.32	.40	.122	.48	30
31	-	X	-	X	.82	X	-	.02	X	.19	X	.11	31
TOTAL	309	66	174	415	470	307	457	342	542	444	383	580	YEAR'S TOTAL
Days with '01 in. or more.	16	7	8	13	20	12	16	20	21	18	12	18	1139
Days with '04 in. or more.	12	6	7	12	17	12	11	17	19	16	10	14	44.83

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

445

Register of Rainfall in 1925.

Kept at Blackdown House
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 530 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	115		12	04				08	08		74	01	1
2	75			14			23				67		2
3	27				15		03				09		3
4	03	02		05	22			18	06		16		4
5		47		92	09				23		13		5
6		07		06	23		39	26	01		71		6
7		19			22						03	35	7
8	09	03			28				04			13	8
9		06		13	10			15	17				9
10		07	05	08	15			23	08		09		10
11		11			03			30	11		58		11
12		129						11					12
13	08	63	02	12				01				04	13
14	67	14	04	24									14
15	11	02		12						10			15
16	07	04							12	20			16
17							02		05				17
18		03		01	100		10	02	04				18
19		02		24				02	49	90		25	19
20			07				06	59	62	73		14	20
21							23	50	19	72		70	21
22		28	04	20	31		78	37	56	169		30	22
23	04	09	13	05	46			170		10		10	23
24	34	35	07	18	46	04		09		12	05	19	24
25	09	119	06	03			13	01	24	03		10	25
26	14	54		06	21		57	19		52		20	26
27	26	02		04	75		43	05			08	05	27
28	23			13					03			37	28
29	12				30		19		01		06	90	29
30		X	01	25			35			03	02	29	30
31	09	X	04	X		X	08		X	06	X		31
TOTAL	453	566	65	309	496	4	353	486	313	520	341	412	2318
Days with "01 in. or more.	17	21	11	20	16	1	14	18	18	12	13	16	177
Days with 3/8" 04 in. or more.	16	15	9	18	15	1	12	14	15	10	11	15	151

(Signed)

Wm Brooks

[P.T.O.]

REGISTER OF RAINFALL IN 1926.

Kept at Blackdown House Gardens
in the County of Sussex
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
Ground Sea Level.....550.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	97	11	-	-	-	38	-	-	-	-	15	-	1
2	06	01	-	-	-	55	-	-	22	-	50	-	2
3	30	25	06	-	-	-	-	-	-	-	35	-	3
4	04	30	07	03	-	-	17	-	-	-	35	-	4
5	11	05	14	-	55	-	08	-	03	-	31	18	5
6	27	70	-	20	-	-	02	15	32	-	15	-	6
7	07	07	-	14	24	20	02	-	28	-	37	03	7
8	-	01	-	12	06	02	-	01	-	11	40	-	8
9	-	-	02	-	-	23	11	11	-	04	45	-	9
10	-	02	-	-	03	24	09	-	-	-	22	-	10
11	-	20	-	-	12	23	-	20	02	01	08	-	11
12	-	01	-	-	05	10	-	-	-	44	02	-	12
13	-	-	-	-	03	-	-	01	02	01	184	02	13
14	-	08	-	39	83	25	-	-	-	66	08	-	14
15	33	13	-	29	-	-	-	-	02	35	15	-	15
16	09	19	-	47	-	12	-	28	-	-	02	-	16
17	18	50	-	13	-	46	-	-	-	-	23	01	17
18	13	09	-	01	40	-	10	11	-	-	67	-	18
19	-	-	-	10	24	-	28	02	-	-	33	07	19
20	-	-	01	44	02	-	-	23	-	-	46	-	20
21	-	-	-	-	02	-	04	01	-	-	39	-	21
22	50	01	-	10	-	-	-	-	-	-	14	-	22
23	16	-	-	-	-	-	-	-	-	-	-	-	23
24	11	-	-	-	-	-	10	-	-	53	-	-	24
25	21	-	04	48	-	-	14	-	-	06	29	02	25
26	04	-	-	01	-	-	10	-	04	-	01	-	26
27	19	01	01	06	07	-	06	-	06	10	05	-	27
28	72	-	-	23	02	-	42	-	-	18	10	-	28
29	03	-	-	02	17	-	02	-	-	13	04	-	29
30	27	X	-	15	22	-	-	01	-	-	06	-	30
31	51	X	-	X	02	X	-	29	X	-	X	-	31
TOTAL	529	274	035	337	309	278	175	138	101	252	791	027	YEAR'S TOTAL 32.46
Days with 01 in. or more.	21	18	7	18	17	11	15	12	9	12	28	6	174
Days with 04 in. or more.	20	12	8	14	11	10	12	7	5	10	25	1	130

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Blackdown House garden
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>127</u>	<u>01</u>	-	-	-	<u>93</u>	<u>19</u>	-	<u>37</u>	<u>40</u>	-	1
2	<u>02</u>	-	<u>08</u>	<u>14</u>	-	-	-	-	-	<u>03</u>	<u>02</u>	-	2
3	<u>21</u>	-	<u>02</u>	-	-	-	<u>08</u>	-	-	-	-	<u>04</u>	3
4	<u>04</u>	-	<u>07</u>	<u>13</u>	-	-	-	-	-	-	-	<u>01</u>	4
5	<u>13</u>	<u>19</u>	<u>34</u>	<u>42</u>	<u>07</u>	<u>03</u>	<u>03</u>	-	-	-	<u>05</u>	-	5
6	<u>02</u>	-	<u>46</u>	<u>38</u>	-	-	<u>03</u>	<u>13</u>	<u>12</u>	-	<u>08</u>	<u>02</u>	6
7	<u>02</u>	<u>38</u>	-	<u>26</u>	-	<u>19</u>	-	<u>19</u>	-	-	-	-	7
8	<u>06</u>	-	-	<u>22</u>	-	-	<u>10</u>	<u>33</u>	<u>10</u>	-	<u>04</u>	-	8
9	-	-	<u>16</u>	<u>23</u>	<u>22</u>	-	<u>16</u>	<u>07</u>	<u>22</u>	-	-	-	9
10	-	-	<u>26</u>	<u>02</u>	-	-	-	<u>07</u>	<u>48</u>	-	-	<u>01</u>	10
11	-	-	-	-	-	-	-	<u>41</u>	-	-	-	-	11
12	<u>15</u>	-	<u>03</u>	-	-	-	<u>67</u>	<u>07</u>	-	-	-	-	12
13	<u>10</u>	-	-	-	-	-	<u>32</u>	<u>58</u>	<u>17</u>	-	<u>07</u>	<u>21</u>	13
14	<u>01</u>	-	-	<u>12</u>	<u>04</u>	-	<u>28</u>	<u>03</u>	<u>215</u>	-	<u>03</u>	<u>21</u>	14
15	-	<u>02</u>	-	-	-	-	-	<u>16</u>	<u>06</u>	-	<u>02</u>	-	15
16	-	-	-	-	<u>18</u>	<u>02</u>	-	<u>02</u>	<u>37</u>	-	-	-	16
17	<u>35</u>	-	<u>08</u>	-	-	<u>35</u>	-	<u>43</u>	<u>01</u>	-	-	-	17
18	<u>03</u>	-	-	-	-	<u>63</u>	-	<u>11</u>	<u>02</u>	-	<u>47</u>	-	18
19	-	<u>18</u>	-	-	-	-	-	<u>16</u>	-	-	<u>79</u>	-	19
20	<u>27</u>	<u>11</u>	-	-	-	-	<u>12</u>	<u>82</u>	<u>02</u>	-	<u>39</u>	<u>29</u>	20
21	-	<u>30</u>	<u>01</u>	-	<u>17</u>	<u>07</u>	<u>01</u>	<u>72</u>	<u>39</u>	<u>32</u>	<u>24</u>	<u>113</u>	21
22	<u>28</u>	<u>06</u>	<u>40</u>	-	<u>02</u>	<u>12</u>	<u>02</u>	<u>03</u>	<u>18</u>	<u>46</u>	-	<u>90</u>	22
23	<u>02</u>	<u>80</u>	<u>42</u>	-	-	<u>15</u>	-	<u>52</u>	<u>120</u>	-	<u>24</u>	<u>28</u>	23
24	-	<u>16</u>	<u>57</u>	-	-	<u>17</u>	<u>02</u>	<u>09</u>	<u>01</u>	<u>04</u>	<u>03</u>	<u>43</u>	24
25	-	<u>38</u>	<u>23</u>	-	-	<u>06</u>	<u>01</u>	<u>07</u>	<u>05</u>	<u>19</u>	-	<u>96</u>	25
26	<u>20</u>	<u>63</u>	<u>18</u>	-	<u>02</u>	-	<u>06</u>	-	<u>02</u>	<u>15</u>	-	<u>50</u>	26
27	<u>09</u>	<u>57</u>	<u>14</u>	-	<u>52</u>	<u>14</u>	<u>17</u>	-	-	<u>79</u>	<u>01</u>	-	27
28	<u>27</u>	<u>18</u>	<u>09</u>	<u>00</u>	-	<u>19</u>	<u>12</u>	-	-	<u>10</u>	<u>52</u>	-	28
29	<u>10</u>	-	<u>38</u>	-	-	<u>55</u>	<u>01</u>	<u>02</u>	<u>88</u>	-	<u>72</u>	-	29
30	<u>18</u>	X	<u>02</u>	-	-	<u>52</u>	<u>07</u>	-	<u>03</u>	<u>35</u>	<u>02</u>	-	30
31	<u>01</u>	X	<u>75</u>	X	-	X	<u>07</u>	-	X	<u>09</u>	X	<u>24</u>	31
TOTAL	<u>256</u>	<u>573</u>	<u>470</u>	<u>202</u>	<u>124</u>	<u>319</u>	<u>328</u>	<u>532</u>	<u>648</u>	<u>289</u>	<u>414</u>	<u>522</u>	YEAR'S TOTAL
Days with "01 in. or more.	<u>21</u>	<u>14</u>	<u>21</u>	<u>10</u>	<u>8</u>	<u>14</u>	<u>20</u>	<u>22</u>	<u>19</u>	<u>11</u>	<u>18</u>	<u>14</u>	<u>192</u>
Days with "04 in. or more.	<u>14</u>	<u>13</u>	<u>16</u>	<u>9</u>	<u>6</u>	<u>12</u>	<u>13</u>	<u>18</u>	<u>13</u>	<u>10</u>	<u>12</u>	<u>11</u>	<u>147</u>

Section



for the entry of Daily Observations.

431
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Blackdown housein the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. " in." Ground " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23		18	10				87			01		1
2	105	49	12	02				02				01	2
3				27			26	95			09		3
4		28		01	00			04					4
5	16	24	11				12					01	5
6			03			11						09	6
7	03	02	08	15		28		10		06			7
8	01	10		01		53	03			07			8
9	06			04		06			63	13		02	9
10	38	22		07		06				29	25	03	10
11	04	02		07		05		23		32	07	27	11
12	60	40	02							07	24	15	12
13		10	03			82		21			10		13
14	17	10		44	10	26		11		54	76		14
15	05			49	02						32		15
16	01	15		06	09					18	42	32	16
17				05	74					15			17
18	53			04	32	10				57	06	01	18
19					21	03		07		50	04	08	19
20	15		04		33			10		19	14	03	20
21	17		17	08	25	03				60	55		21
22			21					01		101	33	14	22
23	49		09		05					26	36	01	23
24	04								24	28	04	42	24
25	13					08		05		05		34	25
26	42					10	03	65		155		10	26
27	02		11				74	02		23		92	27
28	68		08						63			21	28
29	22	38	71	09			02			07	05	23	29
30	10	x	23			67	37			02		10	30
31	26	x	30	x		x	19		x	04	x	02	31
TOTAL	6.00	2.50	2.57	1.99	2.12	3.18	1.76	3.43	1.50	7.18	3.83	3.57	39.57
Days with "01 in. or more.	24	12	16	16	10	14	8	14	3	22	17	21	177
Days with "04 in. or more.	20	10	13	13	8	12	5	11	3	21	16	13	145

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Blackdown House Exeter
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
Ground Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.05				.02		.03		.29		.02	I
2		.37				.09	.08			.28	.02	.80	2
3							.74	.08		.07		.21	3
4				.09	.54	.25	.13	.10		.01		.68	4
5					.136	.43	.18	.69		.74	.04	.13	5
6					.12		.07	.28		.08	.22	.87	6
7					.05	.08		.13		.57	.45	.80	7
8						.07				.35		.40	8
9	.05	.10									.14	.56	9
10	.18			.07						.05	.02	.54	10
II				.02	.10						.160	.10	II
12				.07	.32	.34						.01	12
13	.02				.16	.03						.09	13
14					.03	.16						.10	14
15	.01	.12				.23					.87	.07	15
16								.78	.02		.55		16
17	.07												17
18	.06										.46		18
19											.12		19
20							.01	.04		.52		.34	20
21	.15		.04					.08				.37	21
22	.01						.04				.15	.02	22
23		.05								.115	.35	.39	23
24			.03					.01		.17	.124	.49	24
25											.16	.07	25
26					.19						.11	.18	26
27				.03	.03						.101	.11	27
28	.20						.29			.34	.45	.66	28
29	.15			.41		.12			.03		.34	.21	29
30		x				.18	.09		.24		.102	.43	30
31	.49	x		x		x			x		x	.01	31
TOTAL	139	.69	.07	.69	290	200	174	222	29	462	932	866	YEAR'S TOTAL
Days with or in. or more.	11	5	2	6	10	12	10	10	3	13	20	27	129
Days with or in. or more.	8	5	1	4	8	10	9	8	1	12	18	23	107

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Blackdown House
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.53	.	.17	.	.	.	.01	.	.	.68	.	I
2	.04	.02	.01	.	.	.	.19	.24	.	.	.86	.	2
3	.14	.14	.	.69	.13	.	.	.54	.	.04	.02	.	3
4	.77	.03	.	.09	.	.	.	.21	.	.24	.	.	4
5	.02	.	.	.13	.09	.	.	.34	.	.02	.	.	5
6	.	.	.	.	.07	.	.	.40	.33	.	.	.02	6
7	.28	.	.	.	.	.	.	.16	.	.49	.44	.18	7
8	.06	.	.	.03	.	.	.	.01	.03	.02	.	.30	8
9	.30	.	.03	.	.30	.	.	.01	.03	.	.02	.	9
10	.65	.	.14	.	.31	.	.	.02	.	.	.	.38	10
11	.17	.	.	.06	.06	.	.06	.	.	.08	.	.35	11
12	.34	.	.	.11	.09	.	.	.	.02	.	.	.34	12
13	.05	.	.06	.30	.08	.	.25	.19	.28	.	.	.	13
14	.	.08	.07	.08	.	.	.50	.	.	.	.	.	14
15	.13	.06	.36	.	.	.	.54	.	.	.13	.15	.06	15
16	.	.	.	.	.	.	.04	.	.14	.	.	.15	16
17	.	.04	.15	.32	.	.	.03	.	.48	.09	.	.	17
18	.	.	.	.05	.06	.	.03	.	.06	.03	.18	.06	18
19	.	.	.06	.04	.	.	.	.44	.62	.13	.86	.01	19
20	.	.	.	.33	.06	.01	.98	.67	.15	.09	.32	.	20
21	.	.	.01	.	.	.	.03	.24	.	.15	.76	.	21
22	.35	.	.	.04	.15	.01	.01	.09	.04	.36	.24	.	22
23	.44	.	.11	.44	.	.33	.	.02	.03	.	.19	.07	23
24	.37	.	.	.07	.07	.05	.	.	.	.	.49	.17	24
25	.	.22	.	.	.50	.	.	.	.	.04	.19	.03	25
26	.40	.04	.	.	.03	.	.05	.	.19	.	.25	.20	26
27	.	.	.	.	.	.	.	.	.05	.03	.36	.18	27
28	.02	.	.03	.	.	.	.	.	.34	.02	.73	.24	28
29	.09	.	.05	.	.	.	.10	.	.15	.05	.04	.05	29
30	.07	×	.	.	.20	.03	.26	.	.	.	.	.39	30
31	.48	×	.09	×	.14	×	.	.	×	.05	×	.18	31
TOTAL	527	116	117	295	234	43	307	389	294	206	678	333	YEAR'S TOTAL 35.39
*Days with "or in. or more.	21	9	13	16	16	5	14	16	16	18	18	19	181
*Days with ".04 in. or more.	19	8	9	15	15	2	10	12	12	13	16	16	147

Section

Form

Key

in t

Diary

Height

"

An

year

FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

FALL IN 1926.

5344

576

HAZEHURST FRANT

SUSSEX

1926-30

TO THE PREVIOUS DAY.

made on January 1st of the following

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.35	—	—	—	.30	TRACE	—	.03	—	.05	—	1
2	.05	.01	TRACE	.07	—	.63	.01	—	.10	TRACE	.03	—	2
3	.22	.69	.07	—	—	.01	TRACE	—	.14	—	TRACE	—	3
4	TRACE	.12	.02	.52	—	—	.01	—	—	—	.03	—	4
5	.10	.17	.15	TRACE	.25	—	.01	—	—	.01	.41	.29	5
6	.15	.19	.02	.29	—	.06	.14	.07	.02	TRACE	.07	.02	6
7	.04	TRACE	—	.09	.23	.12	.05	.09	.06	TRACE	.10	.03	7
8	.01	.02	—	.29	TRACE	.01	—	TRACE	.02	.04	.61	TRACE	8
9	TRACE	.04	.03	TRACE	—	.66	—	.11	—	.27	.74	—	9
10	—	TRACE	—	TRACE	.01	.12	TRACE	.31	—	TRACE	.03	—	10
11	—	.08	—	—	.09	.25	—	.19	—	TRACE	.18	—	11
12	—	.04	—	—	.17	.01	TRACE	—	.02	.34	TRACE	—	12
13	.10	TRACE	—	—	.01	.02	—	.02	.07	.01	.68	TRACE	13
14	.18	.01	—	.25	.10	.14	TRACE	—	—	.50	.04	.08	14
15	.02	.12	—	.44	TRACE	.01	—	—	—	.31	.10	—	15
16	.05	.02	—	.42	—	TRACE	—	.48	TRACE	TRACE	TRACE	—	16
17	—	.60	—	.30	.04	.56	—	TRACE	—	—	.10	.02	17
18	.23	.06	—	.10	TRACE	.01	.35	.20	TRACE	TRACE	.62	—	18
19	—	—	.02	.05	.04	—	.45	.02	—	—	.18	.02	19
20	TRACE	—	.01	.41	—	—	TRACE	.23	—	TRACE	.92	—	20
21	.02	TRACE	—	.10	.01	TRACE	.02	.02	TRACE	TRACE	.71	.01	21
22	.55	.01	—	.10	—	—	—	—	TRACE	.01	.03	.16	22
23	.08	TRACE	—	.03	—	TRACE	—	—	TRACE	—	—	—	23
24	.02	TRACE	—	—	.01	.21	.04	—	.09	.57	.01	—	24
25	.14	—	—	.65	—	—	.31	.02	—	.09	.05	.08	25
26	.01	.01	—	.11	—	—	.02	—	.02	TRACE	.16	—	26
27	.08	.02	.10	.03	.12	TRACE	.25	—	.12	TRACE	.01	—	27
28	.73	—	TRACE	.40	.02	—	.34	—	.01	.37	.21	.02	28
29	.02	X	—	.61	.25	—	.04	—	TRACE	.17	.05	—	29
30	.13	X	—	.05	.31	—	TRACE	—	—	TRACE	.02	—	30
31	.34	X	—	X	—	X	—	—	X	TRACE	X	—	31
TOTAL	3.75	2.56	0.42	5.31	1.66	3.12	2.04	1.76	0.70	2.69	7.14	0.73	YEARS TOTAL
Days with ".01 in. or more.	23	18	8	21	15	16	14	12	12	12	26	10	187
Days with ".04 in. or more.	17	11	3	19	10	10	9	8	6	9	19	4	125

Please read the Notes and Instructions Overleaf.

Secti

FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

Form

REGISTER OF RAINFALL IN 1926.

5344

Kept at HAZELHURST, FRANT.
in the County of SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.35	—	—	—	.30	TRACE	—	.03	—	.05	—	1
2	.05	.01	TRACE	.07	—	.63	.01	—	.10	TRACE	.03	—	2
3	.22	.69	.07	—	—	.01	TRACE	—	.14	—	TRACE	—	3
4	TRACE	.12	.02	.52	—	—	.01	—	—	—	.03	—	4
5	.10	.17	.15	TRACE	.25	—	.01	—	—	.01	.41	.29	5
6	.15	.19	.02	.29	—	.06	.14	.07	.02	TRACE	.07	.02	6
7	.04	TRACE	—	.09	.23	.12	.05	.09	.06	TRACE	.10	.03	7
8	.01	.02	—	.29	TRACE	.01	—	TRACE	.02	.04	.61	TRACE	8
9	TRACE	.04	.03	TRACE	—	.66	—	.11	—	.27	.74	—	9
10	—	TRACE	—	TRACE	.01	.12	TRACE	.31	—	TRACE	.03	—	10
11	—	.08	—	—	.09	.25	—	.19	—	TRACE	.18	—	11
12	—	.04	—	—	.17	.01	TRACE	—	.02	.34	TRACE	—	12
13	.10	TRACE	—	—	.01	.02	—	.02	.07	.01	1.68	TRACE	13
14	.18	.01	—	.25	.10	.14	TRACE	—	—	.50	.04	.08	14
15	.02	.12	—	.44	TRACE	.01	—	—	—	.31	.10	—	15
16	.05	.02	—	.42	—	TRACE	—	.48	TRACE	TRACE	TRACE	—	16
17	—	.60	—	.30	.04	.56	—	TRACE	—	—	.10	.02	17
18	.23	.06	—	.10	TRACE	.01	.35	.20	TRACE	TRACE	.62	—	18
19	—	—	.02	.05	.04	—	.45	.02	—	—	.18	.02	19
20	TRACE	—	.01	.41	—	—	TRACE	.23	—	TRACE	.92	—	20
21	.02	TRACE	—	.10	.01	TRACE	.02	.02	TRACE	TRACE	.71	.01	21
22	.55	.01	—	.10	—	—	—	—	TRACE	.01	.03	.16	22
23	.08	TRACE	—	.03	—	TRACE	—	—	TRACE	—	—	—	23
24	.02	TRACE	—	—	.01	.21	.04	—	.09	.57	.01	—	24
25	.14	—	—	.65	—	—	.31	.02	—	.09	.05	.08	25
26	.01	.01	—	.11	—	—	.02	—	.02	TRACE	.16	—	26
27	.08	.02	.10	.03	.12	TRACE	.25	—	.12	TRACE	.01	—	27
28	.73	—	TRACE	.40	.02	—	.34	—	.01	.37	.21	.02	28
29	.02	X	—	.61	.25	—	.04	—	TRACE	.17	.05	—	29
30	.13	X	—	.05	.31	—	TRACE	—	—	TRACE	.02	—	30
31	.34	X	—	X	—	X	—	—	X	TRACE	X	—	31
TOTAL	3.75	2.56	0.42	5.31	1.66	3.12	2.04	1.76	0.70	2.69	7.14	0.73	YEAR'S TOTAL 31.88
Days with 01 in. or more.	23	18	8	21	15	16	14	12	12	12	26	10	187
Days with 04 in. or more.	17	11	3	19	10	10	9	8	6	9	19	4	125

Please read the Notes and Instructions Overleaf.

(Signed)

J.H.A. Love.

[P.T.O.]

Section



for the entry of Daily Observations.

524
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at HAZELHURST, FRANT

in the County of SUSSEX

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 1 ft. 3 in.

„ Ground „ Sea Level..... 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	1.68	.01	.07	-	.03	.63	.40	-	.29	.30	t	1
2	.04	t	.10	.14	-	t	t	-	-	.03	.02	.02	2
3	.22	t	.03	-	-	.08	-	-	-	-	-	.02	3
4	t	-	.05	.09	-	.04	.07	-	-	-	-	t	4
5	.13	.09	.14	.35	-	.06	t	.16	-	-	.11	t	5
6	.02	t	.42	.36	-	.06	.67	.02	.13	t	.04	t	6
7	.03	.25	.05	.30	-	.12	.02	.24	-	.01	t	t	7
8	.04	-	-	.25	-	-	t	.21	.08	-	.11	t	8
9	-	-	t	.11	-	-	.12	.07	.14	t	t	t	9
10	-	-	.04	t	t	-	-	-	.20	t	-	-	10
11	-	.01	t	.01	-	.05	t	.41	-	-	t	-	11
12	.19	-	.01	-	t	t	-	.14	-	.03	.02	-	12
13	.14	.03	t	-	-	-	.06	.27	.21	-	.05	.02	13
14	.08	t	-	.07	t	-	.58	t	1.70	-	t	.29	14
15	.07	t	.01	-	-	-	.07	.36	.01	t	t	t	15
16	.04	t	-	-	.11	-	t	.02	.31	t	t	.03	16
17	.33	t	.06	-	t	.40	-	.56	.08	-	t	t	17
18	.24	-	.01	-	-	.43	-	.28	.01	-	.15	t	18
19	t	.10	t	-	-	.05	-	.09	-	.01	.16	-	19
20	.25	.17	t	-	-	-	.08	.92	t	-	.42	.14	20
21	-	.30	.01	-	.17	t	.04	.36	.18	.47	.12	1.09	21
22	.13	.04	.31	-	.05	.14	.02	.16	.06	.84	t	.58	22
23	.01	.48	.46	.01	-	.05	-	.02	1.01	t	.18	.20	23
24	t	.18	.76	.03	-	.37	-	.16	.03	.02	.16	.66	24
25	t	.41	.54	-	-	.12	t	.10	.08	.09	t	1.23	25
26	.29	.98	.10	-	.09	.06	.02	-	.03	.04	.01	.65	26
27	.02	.46	.01	-	.28	.38	.19	-	t	.64	t	-	27
28	.19	.21	-	.09	-	.51	t	t	t	.07	.14	-	28
29	.14	X	.18	-	-	.33	-	.05	.55	-	.94	-	29
30	.16	X	.18	-	-	1.12	.05	t	t	.09	t	-	30
31	.01	X	1.03	X	.06	X	-	-	X	.04	X	.06	31
TOTAL	2.77	5.39	4.51	1.88	.76	4.40	2.62	5.00	4.81	2.67	2.93	4.90	42.73
Days with "01 in. or more.	22	15	22	13	6	19	14	21	17	14	16	13	192
Days with "04 in. or more.	17	13	15	10	6	18	11	18	13	9	13	9	152
													YEARS TOTAL

J.H.A./062.

Section



for the entry of Daily Observations.

542
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at HAZELHURST, FRANT,in the County of SUSSEX.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 3 in." Ground " Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.02	.17	.25	trace	-	-	.02	-	-	.40	trace	1
2	.89	.26	.03	trace	trace	-	-	-	-	trace	.20	.02	2
3	-	trace	-	.39	.25	-	.59	.65	-	trace	.21	trace	3
4	.01	.22	-	.05	.08	.03	-	.25	-	trace	.01	-	4
5	.01	.19	.05	trace	-	-	.01	-	-	-	trace	.01	5
6	.01	-	.01	-	-	.33	-	-	-	trace	.01	.08	6
7	trace	.01	trace	.16	-	.26	trace	.13	-	-	trace	-	7
8	.01	.04	.03	-	-	.48	.02	trace	.01	.02	-	trace	8
9	.08	trace	.02	.03	-	.22	-	.03	.04	.29	.01	trace	9
10	.15	.24	-	.23	trace	.07	-	.05	trace	.25	.16	trace	10
11	.03	trace	trace	.13	-	-	-	trace	trace	.41	.16	.08	11
12	.26	.13	.09	trace	-	-	-	.04	-	.04	.02	.11	12
13	-	.15	-	.02	trace	1.06	-	.23	-	-	.16	.02	13
14	.17	.14	-	.26	.23	.13	-	.07	-	.44	.82	-	14
15	.06	trace	trace	.78	.14	trace	-	-	-	.03	.38	.02	15
16	.01	.12	-	.21	.10	-	-	-	-	.13	.37	.29	16
17	-	trace	-	trace	.21	-	-	-	-	.19	trace	trace	17
18	.55	-	.02	.04	.03	.38	-	-	-	.54	.03	trace	18
19	-	-	-	trace	.11	trace	-	.10	-	.67	.05	.14	19
20	.14	-	.01	-	-	-	-	.02	-	.65	.07	.18	20
21	.20	trace	.09	.12	.38	-	-	.01	-	.95	.60	.02	21
22	.01	trace	.18	-	trace	-	-	.08	-	.65	.32	.10	22
23	.48	trace	.04	-	.04	-	-	-	trace	.17	.32	trace	23
24	.08	trace	.01	-	.02	-	-	-	.17	.17	.05	.36	24
25	.16	trace	trace	-	-	-	-	-	trace	.19	trace	.25	25
26	.25	trace	-	-	-	.13	.01	.44	trace	1.07	-	.11	26
27	trace	-	.06	-	-	-	.77	.04	-	.14	-	.69	27
28	.82	-	.01	-	-	-	trace	-	.35	trace	-	.15	28
29	.10	.11	.64	.12	-	-	.11	-	.06	.07	.03	.73	29
30	trace	X	.55	.13	-	.16	.17	-	-	.10	trace	.09	30
31	.16	X	.31	X	-	X	.15	.22	X	.02	X	.38	31
TOTAL	4.89	1.63	2.32	2.92	1.59	3.25	1.83	2.38	.63	7.19	4.38	3.83	36.84
Days with ".01 in. or more.	24	12	18	15	11	11	8	16	5	22	21	20	183
Days with ".04 in. or more.	17	10	10	13	9	10	5	12	4	19	15	15	139
YEAR'S TOTAL													

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Hazelhurst Grantin the County of SussexDiameter of Funnel of Gauge. 5 in.Height of top of Gauge above Ground. 1 ft. - in.,, Ground ,, Sea Level 1450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	trace	.09	-	.02	-	trace	-	.35	-	.36	-	.02	I
2	.01	.38	trace	-	-	.04	.08	-	-	.41	.05	.50	2
3	trace	-	trace	-	trace	trace	.64	-	-	.09	-	.36	3
4	trace	-	trace	.28	.34	.41	.36	.06	-	.01	-	.42	4
5	-	-	trace	trace	.94	.18	.17	.67	-	.24	trace	.47	5
6	-	-	-	-	.15	.03	.08	-	-	.22	.15	.59	6
7	-	-	.01	-	.02	.01	-	.07	-	.42	.50	.70	7
8	-	-	-	-	-	.14	-	-	-	.23	trace	.37	8
9	trace	.15	-	-	.02	-	-	-	-	-	.02	.62	9
10	.16	-	-	.14	-	-	-	-	-	.07	.09	.59	10
11	-	-	-	.33	-	-	-	-	-	-	1.56	.26	11
12	-	-	-	.13	.23	.10	-	-	-	trace	trace	.13	12
13	.03	trace	trace	trace	.21	.01	-	-	-	-	trace	.08	13
14	.02	-	-	-	.04	.04	-	-	-	-	trace	.11	14
15	.04	trace	-	trace	trace	.24	-	-	-	-	1.13	.14	15
16	.01	-	trace	-	-	-	-	1.69	-	-	1.11	trace	16
17	.03	-	-	-	-	-	-	-	-	trace	trace	-	17
18	trace	-	-	-	-	-	-	-	.02	-	.32	-	18
19	.01	-	-	-	-	-	-	-	trace	-	.13	-	19
20	trace	trace	-	-	-	-	.06	trace	-	.74	trace	-	20
21	.13	trace	trace	-	-	-	trace	trace	-	trace	trace	.74	21
22	.01	trace	-	-	-	trace	trace	.04	trace	-	.25	.03	22
23	trace	.02	-	-	-	trace	-	-	-	.06	.67	.37	23
24	trace	trace	-	-	trace	-	-	-	trace	.76	.71	.50	24
25	trace	trace	.01	-	-	-	-	-	-	.47	.24	.04	25
26	trace	.08	trace	.02	.04	-	-	-	trace	-	.24	.17	26
27	-	-	-	trace	trace	-	-	trace	-	-	.73	.02	27
28	.15	trace	-	.02	-	-	.22	-	trace	.44	.76	.65	28
29	.19	X	-	.19	-	.05	trace	-	.26	trace	.54	.24	29
30	.01	X	-	-	-	.03	.04	-	.30	.01	.57	.29	30
31	.44	X	-	X	-	X	.31	-	X	trace	X	-	31
TOTAL	1.24	.72	.02	1.13	1.99	1.28	1.96	2.88	.58	4.53	9.77	8.41	34.51
Days with ".01 in. or more.	14	5	2	8	9	12	9	6	3	15	19	25	127
Days with ".04 in. or more.	6	4	-	5	7	8	9	6	2	13	18	22	100

Section

A

for the entry of Daily Observations.

586
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Hazelhurst Farm
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.39	-	.20	-	.6	.03	-	-	-	.57	-	1
2	.01	.18	-	.6	.04	-	.01	1.02	-	-	.86	-	2
3	.10	.16	.6	.57	.28	-	-	1.12	-	.05	.06	-	3
4	.44	.03	.6	.02	.6	-	-	.13	.6	.36	-	.6	4
5	.01	-	.6	-	.17	-	-	.24	-	.6	-	.6	5
6	-	.01	.06	-	.07	-	-	.08	.34	-	-	.01	6
7	.16	.54	.6	-	.01	-	-	.02	.18	.48	.62	.10	7
8	.09	-	-	-	-	-	-	-	.01	.01	.6	.28	8
9	.60	-	.03	-	.36	-	.03	.6	.09	-	.02	.6	9
10	.72	-	.20	-	.23	-	-	.04	.6	-	.6	.05	10
11	.20	.02	.6	-	.02	.6	.21	-	.01	.26	.6	.60	11
12	-	.6	.01	.18	.08	-	-	.02	.04	.02	-	.28	12
13	.33	.01	.03	.24	.09	-	.12	.25	.44	.6	.6	.01	13
14	.09	.06	.03	.09	.6	-	.45	-	.6	-	-	-	14
15	.02	.05	.39	.01	-	-	.42	-	-	.10	.14	.6	15
16	.6	-	.6	-	.6	.01	.6	-	.07	.01	.6	.6	16
17	-	.01	.22	.17	.6	.82	-	.6	.29	.07	-	.6	17
18	.6	.6	.57	.09	.08	.6	.10	.01	.11	.6	.21	.10	18
19	-	-	.01	.05	.6	-	-	.12	1.18	.11	.41	.02	19
20	-	.6	-	.12	.08	.04	1.16	.31	.48	.19	.55	.01	20
21	.6	-	.6	-	.01	.6	.01	.53	-	.06	.67	-	21
22	.06	-	-	.02	.29	-	.09	.22	.02	.22	.22	.02	22
23	.18	.6	.19	.35	.6	.34	.02	.05	.05	.02	.01	.04	23
24	.43	.09	.6	.6	.17	.10	.04	-	.6	.01	.60	.10	24
25	.05	.01	.6	-	.23	.6	-	-	.03	.02	.48	.02	25
26	.19	.02	-	-	.6	.14	.06	-	.26	.6	.34	.31	26
27	.6	.6	-	-	-	-	.02	-	.12	.01	.53	.15	27
28	.02	-	.6	-	-	-	.01	-	.50	.01	.25	.18	28
29	.17	X	.02	-	.6	-	.11	.05	.08	.01	.62	.09	29
30	.21	X	-	-	.29	.6	.17	-	.6	-	.01	.63	30
31	.61	X	.10	X	.22	X	-	-	X	.10	X	.10	31
TOTAL	4.91	1.58	1.86	2.11	2.72	1.45	3.06	4.21	4.30	2.12	7.17	3.10	38.59
*Days with or in. or more.	22	14	13	13	18	6	18	16	19	20	19	20	198
*Days with .04 in. or more.	18	7	7	10	15	5	11	13	15	11	16	14	142

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. H. A. Love

[P.T.O.]

523B

Kept at Cross in the
in the County of _____
by per Sussex

HEATHERDEN
SUSSEX

1925- 26

Rain should be measured
An Observer with HEATHER
January 1st of At Heather
Full instructions for the measurement of rain fell
particulars as to the 2nd, 25; 11th
on application 9; 24th, 30;
Kingsway, London fall was 2.5
2.63 inches; 19

in Gauge _____ in.
ve Ground _____ ft. _____ in.
Sea Level _____ ft.

the previous day.
ding at 9 a.m. on

gauges, and par-
" sent post-free
ce, Air Ministry,
lace, Edinburgh.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			25										2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11			11										11
12													12
13													13
14			20										14
15			02										15
16													16
17													17
18													18
19													19
20													20
21			09										21
22													22
23													23
24			30										24
25			15										25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL			1 12										YEAR'S TOTAL
Days with 01 in. or more			7										
Days with 04 in or more			6										

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

5238

Kept at Cross in Hand Heatherden
in the County of Sussex
by per Sussex Express

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who observes rain should insert the reading at 9 a.m. on the right of this paragraph.
Full instructions as to the selection and placing of rain gauges, and particulars as to the application of the "Rules for Rainfall Observers," sent post-free on application to the Meteorological Office, Air Ministry, Kingsway, London.
At Heatherden, Cross-in-Hand, the rainfall for the month of March was 1.12 inches, and rain fell on seven days, viz.: March 2nd, .25; 11th, .11; 14th, .20; 15th, .02; 21st, .09; 24th, .30; 25th, .15. In 1924, the March fall was 2.5 inches; 1923, 2.28 inches; 1922, 2.63 inches; 1921, 2.35 inches.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			.25										2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11			.11										11
12													12
13													13
14			.20										14
15			.02										15
16													16
17													17
18													18
19													19
20													20
21			.09										21
22													22
23													23
24			.30										24
25			.15										25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL			1.12										YEAR'S TOTAL
Days with .01 in. or more			7										
Days with .04 in. or more			6										

✓ 94

BMonthly
Summary.**C**

Particulars of Station.

5128

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926.....

NOTE—Records taken in millimetres should be entered on Form 1091.

At Heatherden (Cross-in-Hand)

In the County of Sussex

Rain Gauge. Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches.	Inches.	'01 in. '04 in. or more or more
JAN.			
FEB.			
MAR.			
APR.			
MAY			
JUNE			
JULY			
AUG.			
SEPT.			
OCT.			
NOV.			
DEC.			
Total	30.28	NP.	

HEATHERDEN, CROSS-IN-HAND.
The rainfall was .81 of an inch, and the rain days numbered seven. The days upon which measurements were taken were: 6th, .37; 8th, .5; 14th, .3; 15th, .3; 18th, .3; 23rd, .20; 26th, .10. The total for the year was 30.28 inches as compared with 39.63 inches in 1925. In 1924 the fall was 42.55; 1923, 39.73; 1922, 33.01; 1921, 17.09. The fall for the previous five Decembers was: 1925, 4.05; 1924, 5.11; 1923, 3.78; 1922, 4.16; 1921, 2.83.

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter.....if Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature.....

Copied from *Sussex Express*.

D**INSTRUCTIONS.**

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

METEOROLOGICA

ON.

HASSOCKS — THE CROFT
SUSSEX

SUSSEX

1923, 26-30

II in section C

Jan. 1, following.

of the

(Signed) Harold Taylor [P.T.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1923.

Kept at *The Croft Harroch*

in the County of *Sumner*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level *200* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	<i>1.04</i>		<i>.09</i>	<i>.07</i>	<i>.04</i>			<i>.17</i>	<i>.19</i>		<i>.78</i>	<i>.08</i>	1
2	<i>.75</i>	<i>.02</i>		<i>.16</i>							<i>1.36</i>		2
3	<i>.56</i>	<i>.01</i>			<i>.36</i>		<i>.26</i>				<i>.09</i>		3
4					<i>.14</i>			<i>.04</i>	<i>.02</i>		<i>.24</i>		4
5		<i>.12</i>		<i>.97</i>	<i>.03</i>			<i>.02</i>	<i>.18</i>		<i>.42</i>		5
6		<i>.16</i>		<i>.10</i>	<i>.21</i>		<i>.24</i>	<i>.04</i>			<i>1.11</i>		6
7		<i>.32</i>			<i>.12</i>		<i>.02</i>				<i>.07</i>	<i>.24</i>	7
8	<i>.07</i>				<i>.11</i>				<i>.03</i>				8
9		<i>.02</i>		<i>.06</i>				<i>.19</i>	<i>.02</i>				9
10		<i>.10</i>	<i>.07</i>	<i>.01</i>	<i>.03</i>			<i>.18</i>	<i>.21</i>		<i>.18</i>		10
11		<i>.22</i>			<i>.01</i>			<i>.02</i>			<i>.33</i>		11
12		<i>.60</i>						<i>.02</i>					12
13	<i>.10</i>	<i>.90</i>	<i>.09</i>	<i>.18</i>									13
14	<i>.70</i>	<i>.25</i>		<i>.38</i>									14
15	<i>.13</i>	<i>.09</i>		<i>.15</i>	<i>.17</i>					<i>.10</i>			15
16	<i>.04</i>	<i>.12</i>							<i>.11</i>	<i>.24</i>			16
17							<i>.02</i>		<i>.08</i>				17
18		<i>.02</i>			<i>.15</i>		<i>.22</i>	<i>.02</i>		<i>.04</i>			18
19				<i>.29</i>	<i>.05</i>			<i>.01</i>	<i>.23</i>	<i>.82</i>		<i>.34</i>	19
20			<i>.12</i>				<i>.06</i>	<i>.11</i>	<i>.51</i>	<i>.57</i>		<i>.21</i>	20
21							<i>.73</i>	<i>.16</i>	<i>.21</i>	<i>.92</i>		<i>.65</i>	21
22	<i>.03</i>	<i>.29</i>	<i>.11</i>	<i>.05</i>	<i>.09</i>		<i>1.35</i>	<i>.77</i>	<i>.44</i>	<i>.88</i>		<i>.39</i>	22
23		<i>.29</i>	<i>.07</i>	<i>.22</i>	<i>.28</i>			<i>.60</i>		<i>.23</i>		<i>.20</i>	23
24	<i>.31</i>	<i>.83</i>	<i>.11</i>	<i>.08</i>	<i>.38</i>	<i>.09</i>		<i>.05</i>		<i>.05</i>	<i>.05</i>	<i>.15</i>	24
25	<i>.05</i>	<i>1.44</i>	<i>.04</i>	<i>.05</i>			<i>.03</i>		<i>.48</i>	<i>.02</i>		<i>.23</i>	25
26	<i>.12</i>	<i>.23</i>		<i>.05</i>	<i>.27</i>		<i>.51</i>	<i>.03</i>		<i>.56</i>			26
27	<i>.15</i>			<i>.47</i>	<i>1.13</i>		<i>.57</i>	<i>.04</i>			<i>.09</i>	<i>.05</i>	27
28	<i>.22</i>			<i>.10</i>			<i>.04</i>		<i>.01</i>			<i>.41</i>	28
29	<i>.08</i>	X		<i>.03</i>	<i>.24</i>		<i>.18</i>		<i>.02</i>		<i>.08</i>	<i>1.08</i>	29
30		X	<i>.02</i>	<i>.24</i>			<i>.34</i>					<i>.53</i>	30
31	<i>.10</i>	X		X		X	<i>.28</i>		X		X		31
TOTAL	<i>4.45</i>	<i>6.03</i>	<i>.72</i>	<i>3.66</i>	<i>3.78</i>	<i>.09</i>	<i>4.85</i>	<i>2.47</i>	<i>2.74</i>	<i>4.43</i>	<i>4.80</i>	<i>4.55</i>	YEAR'S TOTAL <i>42.57</i>
Days with ".01 in. or more.	<i>16</i>	<i>19</i>	<i>9</i>	<i>19</i>	<i>18</i>	<i>1</i>	<i>15</i>	<i>17</i>	<i>15</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>165</i>
Days with ".04 in. or more.	<i>15</i>	<i>15</i>	<i>8</i>	<i>17</i>	<i>15</i>	<i>1</i>	<i>12</i>	<i>11</i>	<i>10</i>	<i>10</i>	<i>12</i>	<i>13</i>	<i>139</i>

(Signed)

Harold Taylor

P.T.O.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926

Kept at The Croft Harroch
in the County of Sumner
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level.....200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.77	.43				.36					.09		1
2	.11					.73			.03		.05		2
3	.48	.83	.07			.05							3
4	.14	.26	.03	.40			.65				.18		4
5	.06	.07	.16		.47		.10				.40	.24	5
6	.06	.40	.01	.39			.09	.08	.02		.03	.01	6
7	.14	.03		.11	.16	.21	.06		.24		.38	.08	7
8		.02		.26	.03	.02				.01	.71		8
9		.01	.04			.70		.21		.09	1.22		9
10					.03	.16		.13		.06	.06		10
11		.07			.11	.25		.17	.04		.11		11
12		.09			.11	.04			.16	.36			12
13	.05				.08			.02	.06	.02	1.83		13
14	.14	.09		.38	.20	.25				.83	.03	.02	14
15		.10		.49						.23	.29		15
16	.02	.15		.28			.21				.01		16
17	.30	.58		.02	.05	.53					.09		17
18	.18	.10		.05	.07		.11	.24			1.12		18
19				.03	.04		.39	.04			.30		19
20				.61				.32		.02	.71		20
21				.01			.08	.02			.68		21
22	.61			.10	.27						.08		22
23	.10								.01				23
24	.04					.31	.09			.70		.01	24
25	.11			.26			.11			.01	.02	.07	25
26							.17		.02				26
27	.09	.03	.02	.15	.08		.23		.03	.08	.01		27
28	1.11			.18			.32		.13	.38	.09		28
29	.06			.35	.36		.04			.18	.06		29
30	.35	X		.09	.43			.03			.01		30
31	.56	X		X		X		1.38	X		X		31
TOTAL	5.48	3.23	.33	4.16	2.49	3.59	2.44	2.85	.74	2.97	8.53	.40	YEARS TOTAL
Days with ".01 in. or more.	21	16	6	18	15	12	13	12	10	13	25	6	167
Days with ".04 in. or more.	20	12	3	15	13	10	13	9	5	9	19	3	131

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

446
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at The Cape Harrocks
in the County of Sumner
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
„ Ground „ Sea Level.....200.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02			.88	.20		.68	.29		1
2	.04	.87	.15	.20						.03	.01	.02	2
3	.20	.01	.01				.02					.02	3
4	.04		.07	.18		.01	.05						4
5	.13	.08	.16	.38	.30	.15		.12			.29		5
6	.02		.46	.34			.14	.13	.05		.14	.02	6
7		.25	.02	.27		.13		.33					7
8	.06		.01	.45	.06		.10	.16	.09		.10		8
9			.03	.16	.23		.07	.06	.13				9
10			.03					.04	.23				10
11						.05		.27					11
12	.13							.02		.02			12
13	.16						.08	.63	.23		.27	.29	13
14	.01			.05			.32		2.30			.24	14
15	.16						.03	.20	.19				15
16	.01				.05			.02	.60				16
17	.06		.08			.48		.71	.24				17
18	.17		.03			.75		.43	.01		.36		18
19		.20						.17			.45		19
20	.30	.12					.19	1.01	.03		.49	.02	20
21	.02	.40			.22		.08	.19	.02	.56	.19	1.45	21
22	.25	.07	.51	.01	.03	.12	.06	.20	.16	.85		.78	22
23		.79	.38			.16	.01	.01	1.55		.40	.20	23
24	.02	.20	1.18			.16		.05		.03	.04	.58	24
25		.50	.33			.07		.06	.07	.09		.91	25
26	.29	1.18	.05		.05	.07	.08		.15	.04	.02	1.20	26
27	.02	.69			.27	.39	.11			.56			27
28	.23	.17	.04	.07		.34				.13	.33		28
29	.32	X	.25			.50		.08	1.08		1.29		29
30	.24	X	.05			.96	.07		.02	.31			30
31	.04	X	.84	X	.01	X	.06		X	.13	X	.10	31
TOTAL	2.92	5.53	4.68	2.13	1.22	4.34	2.34	5.09	7.17	3.43	4.67	5.83	YEARS TOTAL 49.35
Days with ".01 in. or more.	23	14	20	11	9	15	17	22	18	12	15	13	189
Days with ".04 in. or more.	17	13	14	9	7	14	14	19	14	9	13	9	152

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at The Croft Harrocksin the County of SumnerDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.03	.29	.18							.23		1
2	1.37	.24	.03					.02			.02		2
3				.40			.63	1.24			.07		3
4		.32		.04	.34			.09				.01	4
5	.16	.11	.11				.05			.01		.02	5
6						.13						.14	6
7	.06	.03	.05	.30		.26		.11		.01			7
8		.03				.61	.06			.21			8
9	.08	.22				.14			.23	.10		.03	9
10	.05			.20				.03		.41	.24		10
11				.06		.15				.76	.18	.21	11
12	.45	.33	.03	.20						.07	.05	.09	12
13		.08	.02			.87		.03			.10		13
14	.32	.15		.49	.16	.12		.04		.60	1.19		14
15				.45	.04			.11			.44		15
16	.12			.08	.11						.23		16
17				.01	.44					.18			17
18	.65		.04	.03	.24	.12				.63	.16		18
19					.04	.02		.03		.66	.04	.21	19
20	.34				.10			.09		.80	.14	.06	20
21	.20		.21	.28	.06					.99	.68		21
22			.21							.75	.38	.16	22
23	.73		.09		.08					.25	.53		23
24	.11		.02		.03				.22	.23	.02	.34	24
25	.28					.02				.41	.01	.27	25
26	.16					.12		.49		1.70	.01	.11	26
27			.12				1.13	.10		.31		.90	27
28	.90			.01					.34			.19	28
29	.32	.27	.95	.17			.05		.02	.13	.06	.85	29
30	.02	X	.27	.07		.11	.17			.28		.01	30
31	.18	X	.37	X		X	.27		X	.23	X	.22	31
TOTAL	6.67	1.81	2.81	2.97	1.64	2.67	2.36	2.38	.81	9.72	4.78	3.82	YEAR'S TOTAL
Days with .01 in. or more.	20	11	15	16	11	12	7	12	4	22	20	17	167
Days with .04 in. or more.	19	8	11	13	10	10	7	8	3	20	16	13	138

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at The Croft Harrocks
in the County of Sumner
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07		.04		.01		.08		.44			1
2		.76				.05	.07			.44	.10	.78	2
3						.02	.62	.03		.09		.42	3
4				.15	.62	.27	.16	.21		.05		.28	4
5		.01			.96	.44	.29	.78		.34	.23	.10	5
6					.18	.04	.08	.68		.11	.19	.50	6
7					.04	.03		.12		.48	.63	.83	7
8						.13						.32	8
9	.02	.30									.07	.34	9
10	.12			.02						.06		.83	10
11				.19	.14					2.02			11
12				.05	.30	.36							12
13	.03				.32					.02	.10		13
14				.14	.05						.14		14
15	.03	.09				.32					1.91	.09	15
16								1.05			.41		16
17	.06												17
18								.05	2.05		.82		18
19									.02		.04		19
20	.05						.03	.03		.95		.19	20
21	.06		.03									.92	21
22	.01										.37	.13	22
23	.01	.04								.04	.74	.72	23
24		.03								.62	.64	.41	24
25										.61	.04	.09	25
26		.02		.02	.06						.25	.29	26
27				.01	.16			.05			1.25	.10	27
28	.44						.24			.44	.53	.79	28
29	.23			.35		.15			.24		.71	.23	29
30	.02	X				.05	.07		.41		.83	.28	30
31	.45	X		X		X	.18		X		X		31
TOTAL	1.53	1.32	.03	.83	2.92	1.92	1.74	3.08	2.72	4.67	11.80	8.88	YEAR'S TOTAL 41.44
Days with ".01 in. or more.	13	8	1	8	10	13	9	10	4	13	20	23	132
Days with ".04 in. or more.	7	5	0	5	10	10	8	8	3	13	19	23	111

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Croft Harroch
in the County of Surrey

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.27		.20		.02		.03			.58		1
2		.06			.05		.22	.44			.52		2
3	.07	.16		.75				.91		.04			3
4	.19	.07						.24		.26			4
5	.06				.20			.42					5
6					.07			.10	.23	.03			6
7	.31	.24						.08	.10	.65	.46	.11	7
8	.10										.01	.28	8
9	.39		.03		.32			.02	.01		.02	.03	9
10	.53		.15		.31			.01				.45	10
11	.23				.02					.57		.91	11
12	.38			.11	.11			.13				.29	12
13	.23			.23	.18		.22	.23	.58			.02	13
14	.13	.15	.07	.02			.39						14
15	.06		.75	.03	.01		.82			.10	.10		15
16				.07					.18			.05	16
17			.17	.12					.38	.32			17
18			.16	.06	.15		.13	.03	.25	.03	.35	.08	18
19			.08	.07			.04	.07	.83	.19	.66	.02	19
20				.09		.06	1.33	.45	.48	.52	.33	.01	20
21								.75		.06	.57		21
22	.14			.11	.18		.02	.40	.07	.28	.19		22
23	.24		.16	.28	.01	.65		.08	.07		.17	.27	23
24	.56	.06			.07						.46	.37	24
25	.03	.19			.13						.49		25
26	.36				.01		.13		.15		.39	.33	26
27					.01		.05				.40	.19	27
28	.02						.03		.36	.05	.29	.08	28
29	.15				.01			.07	.39		.29	.03	29
30	.06	X			.21		.31			.03		.77	30
31	.78	X	.17	X	.05	X			X	.10	X	.12	31
TOTAL	5.15	1.20	1.74	2.14	2.10	.73	3.69	4.46	4.08	3.23	6.28	4.41	39.21
*Days with or in. or more.	22	8	9	13	19	3	12	18	14	15	18	19	170
*Days with or in. or more.	20	8	8	11	13	2	10	14	13	12	16	14	141

FORM A2.
BRITISH RAINEALL

for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

at 9 a.m., and the result entered to the
his almost universal rule, he is earnestly
the following year in the space provided

Jan. 1, following

[illegible]

FORM A2.
BRITISH RAINFALL

by.

RAIN GAUGE

Pattern _____

Diameter of top _____ in.

Height of top above Ground _____ ft. _____ in.

„ „ „ Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____

Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

[illegible]

RAINFALL IN 1925

At Wilmington Lodge Hassocks

In the County of Sussex

Rain Gauge { Diameter of Funnel 5 in.
Height { Above Ground 1 ft. 0 in.
of Top { Above Sea Level 200 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with '01 or more recorded.
JAN.	4.30	.98	1	16
FEB.	5.89	1.41	25	18
MAR.	.73	.13	1	8
APR.	3.42	.90	5	18
MAY	3.76	1.04	27	16
JUNE	.10	.08	24	2
JULY	4.73	1.37	22	14
AUG.	2.44	.75	22	16
SEPT.	2.61	.50	20	16
OCT.	5.15	.98	29	18
NOV.	3.08	.76	1	11
DEC.	6.72	1.45	27	16
Total	42.93			169

Signed

C.T. Agar

[Please fill in the other side also.]

W. 18,000. XI. 12.

Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Latitude of Station..... Longitude..... Hour of observation.....

Nearest Railway Station..... Distance..... Direction.....


Nearest Parish Church..... Distance..... Direction.....

Gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Figure of objects nearest to gauge				
Heights of objects				
Distances...				
Directions...				

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Daily values asked for as totals differ from those published in local press.

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked '005; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | .14 would show that the reading on 18 |

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C. 2; 28, Abingdon Street, London, S.W. 1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.



AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.

QUERY FORM.

On examination of the return of observations made at

Wilmington Lodge, Bournemouth 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

It is noticed that the totals on your rainfall return are not in agreement with those published in the "Sussex Daily News" for October & November last.

A comparison is given below.

	October		November	
	Total	Heaviest fall	Total	Heaviest fall
Sussex Daily News	5.01	1.30 on 21 st	4.69	.39 on 2 nd
Your return	5.15	.98 on 29 th	3.08	.76 on 1 st

We should be glad if you could enter the daily values for the year 1925, on the enclosed form, and return at your convenience.

gk.
65.11.26

REPLY.

I am very glad that you have queried my figures: the fault is entirely mine.

I first began to register in October 1924: I had only one

form & so used that entirely up for purposes of economy.

When I began to copy out to send up to you, I went straight on, thus sending you the 1924 figures instead of those of 1925.

I am now sending you the rainfall exactly as it was taken day by day.

I regret that I have caused you so much trouble by my inaccuracy.

CT Agar

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

454

REGISTER OF RAINFALL IN 1926.

Kept at Wilmington Lodge Hassocks
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 200 ft.

Cor for Airtk confirmed by
attached Press cutting.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	78	40	—	—	—	43	—	—	—	—	08	—	1
2	09	01	—	—	—	72	—	—	03	—	05	—	2
3	46	82	06	—	—	—	—	—	—	—	—	—	3
4	13	26	01	41	—	—	74	—	—	—	15	—	4
5	04	05	17	—	44	—	09	—	—	—	42	22	5
6	07	39	—	36	—	—	12	07	01	—	04	01	6
7	13	04	—	08	15	21	06	—	24	—	34	05	7
8	—	—	—	25	03	02	—	—	—	03	66	—	8
9	—	—	03	—	—	69	—	21	—	05	1.17	—	9
10	—	—	—	—	03	15	—	14	—	03	06	—	10
11	—	06	—	—	16	22	—	15	03	—	15	—	11
12	—	12	—	—	10	—	—	—	16	33	—	—	12
13	03	—	—	—	08	—	—	02	05	03	1.84	—	13
14	08	06	—	34	22	26	—	—	—	83	06	01	14
15	06	09	—	55	—	—	—	—	—	22	23	—	15
16	—	14	—	27	—	—	—	21	—	02	01	—	16
17	17	53	—	02	04	53	—	—	—	—	08	—	17
18	30	10	—	04	08	—	10	24	—	—	1.12	—	18
19	—	—	—	12	04	—	39	04	—	—	25	01	19
20	—	—	—	40	—	—	—	32	—	02	75	—	20
21	—	—	—	01	—	—	06	02	—	—	61	—	21
22	59	—	—	08	28	—	—	—	—	—	08	02	22
23	07	—	—	—	—	—	—	—	—	—	—	—	23
24	03	—	—	—	—	36	04	—	01	70	—	—	24
25	11	—	—	27	—	—	21	—	—	01	02	03	25
26	—	—	—	01	—	—	10	—	02	—	09	—	26
27	07	01	01	14	07	—	22	—	04	07	01	—	27
28	1.09	—	—	18	04	—	31	—	10	35	06	—	28
29	06	—	—	34	32	—	—	—	—	18	07	—	29
30	34	X	—	09	42	—	05	05	—	—	01	—	30
31	53	X	—	X	—	X	—	1.29	X	—	X	—	31
TOTAL	5.23	3.08	28	3.96	2.50	3.59	2.49	2.76	69	287	8.41	35	36.21
Days with "1 in. or more.	21	15	5	19	16	10	13	12	10	14	26	7	168
Days with "4 in. or more.	19	13	2	16	14	9	13	11	5	8	22	2	136



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Wilmington Lodge Hassocks
 in the County of Sussex

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 „ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	84	—	02	—	—	47	19	—	70	28	—	1
2	03	—	14	18	—	—	—	—	—	02	01	01	2
3	20	—	02	—	—	—	02	—	—	—	—	01	3
4	05	—	06	18	—	03	04	—	—	—	—	—	4
5	15	08	14	36	26	13	—	05	—	—	28	—	5
6	02	—	48	31	—	—	14	18	04	—	12	02	6
7	02	25	02	27	—	15	—	40	—	—	—	—	7
8	04	—	—	42	20	—	20	08	09	—	08	—	8
9	—	—	03	10	—	—	04	05	14	—	—	—	9
10	—	—	03	—	—	—	—	01	18	—	—	—	10
11	—	—	—	—	—	06	—	20	—	—	—	—	11
12	13	—	—	—	—	—	—	01	—	01	—	—	12
13	18	01	—	—	—	—	08	53	35	—	06	17	13
14	—	01	—	04	—	—	31	—	222	—	—	33	14
15	08	—	—	—	—	—	03	19	10	—	01	—	15
16	03	—	—	—	07	02	—	02	77	—	—	—	16
17	06	—	08	—	—	47	—	64	03	—	—	—	17
18	15	—	02	—	—	70	—	38	01	—	32	—	18
19	—	16	—	—	—	—	—	22	—	—	45	—	19
20	32	12	—	—	07	—	19	81	02	—	47	23	20
21	04	40	—	—	15	—	06	20	34	59	19	118	21
22	19	06	46	01	03	10	05	11	22	34	—	70	22
23	—	73	45	—	—	14	—	—	162	—	38	20	23
24	—	20	109	—	—	15	01	05	—	03	06	53	24
25	—	45	40	—	—	06	—	07	06	07	—	20	25
26	30	113	03	—	09	08	06	1	12	04	01	71	26
27	03	60	—	—	24	43	71	—	—	53	01	—	27
28	21	16	04	06	—	27	—	—	—	11	33	—	28
29	28	—	24	—	—	20	—	07	105	—	114	—	29
30	24	X	06	—	—	128	04	—	02	31	—	—	30
31	06	X	85	X	01	X	05	—	X	11	X	08	31
TOTAL	281	520	464	195	112	458	190	446	728	336	420	507	YEARS TOTAL
Days with 01 in. or more.	22	15	19	11	9	16	17	21	18	12	17	13	190
Days with 04 in. or more.	17	13	13	9	7	14	14	18	14	9	13	10	151

Please read the Notes and Instructions Overleaf.

(Signed)

C. T. Agar

[P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Wilmington Lodge, Hassocks
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	06	26	15	—	—	—	—	—	—	34	—	1
2	136	27	04	—	—	—	—	—	—	—	02	—	2
3	—	—	—	40	—	—	41	1.23	—	—	05	—	3
4	—	31	—	04	32	—	—	03	—	—	01	—	4
5	15	13	08	06	—	—	04	—	—	01	—	—	5
6	—	—	—	—	—	11	—	—	—	—	—	13	6
7	04	02	05	22	—	24	—	10	—	—	—	—	7
8	—	06	—	—	—	65	05	—	01	20	—	—	8
9	—	—	—	—	—	10	—	—	15	07	—	—	9
10	07	22	—	20	—	—	—	01	—	38	19	—	10
11	04	—	—	05	—	16	—	—	—	83	17	21	11
12	44	33	01	19	—	—	—	—	—	06	04	09	12
13	—	06	03	—	—	90	—	05	—	—	08	—	13
14	34	14	—	44	13	10	—	04	—	58	113	—	14
15	13	—	—	43	05	—	—	11	—	—	40	—	15
16	01	08	—	09	08	—	—	—	—	20	43	55	16
17	—	—	—	02	41	—	—	—	—	19	—	—	17
18	63	—	04	02	25	11	—	—	—	59	15	—	18
19	01	—	—	—	07	—	—	03	—	60	04	16	19
20	32	—	—	—	04	—	—	08	—	74	09	09	20
21	20	—	20	25	06	—	—	—	—	1.23	67	—	21
22	—	—	19	—	02	—	—	—	—	66	28	15	22
23	70	—	08	—	06	—	—	—	—	30	56	—	23
24	09	—	02	—	02	—	—	—	21	21	01	35	24
25	27	—	—	—	—	09	—	—	—	32	01	25	25
26	17	—	—	—	—	02	01	43	—	1.60	—	10	26
27	—	—	10	—	—	—	1.14	10	12	31	—	90	27
28	88	—	—	—	—	—	—	—	22	—	—	18	28
29	32	—	93	16	—	—	05	—	—	12	06	89	29
30	02	×	25	06	—	13	12	—	—	21	—	02	30
31	17	×	35	×	—	×	25	—	×	19	×	20	31
TOTAL	6.50	1.85	2.63	2.78	1.51	2.61	2.07	2.21	71	9.60	4.73	4.27	YEAR'S TOTAL
Days with "01 in. or more.	22	11	15	16	12	11	8	11	5	22	20	15	16.8
Days with "04 in. or more.	19	11	12	14	10	10	7	10	4	21	16	14	14.8

REGISTER OF RAINFALL IN 1929 .

Kept at Wilmington Lodge, Hassock
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	07	—	05	—	03	—	11	—	48	—	—	1
2	—	73	—	—	—	06	06	—	—	45	09	73	2
3	—	—	—	—	—	—	45	04	—	05	—	43	3
4	—	—	—	14	60	28	08	15	—	06	—	22	4
5	—	—	—	—	94	40	28	80	—	32	20	14	5
6	—	—	—	—	19	03	07	62	—	14	22	45	6
7	—	—	—	—	03	09	—	10	—	43	62	04	7
8	—	—	—	01	—	06	—	—	—	17	—	33	8
9	—	30	—	01	—	—	—	—	—	—	01	35	9
10	12	02	—	03	—	—	—	—	—	06	08	56	10
11	—	—	—	16	12	01	—	—	—	—	1.87	—	11
12	—	—	—	04	30	37	—	—	—	—	—	—	12
13	03	—	—	—	30	—	—	—	—	—	03	06	13
14	—	—	—	—	13	05	—	—	—	—	—	12	14
15	04	08	—	01	02	33	—	—	—	—	1.89	11	15
16	01	—	—	—	—	—	—	1.03	—	—	37	—	16
17	03	—	—	—	—	—	—	—	—	—	—	—	17
18	06	—	—	—	—	—	—	05	2.05	—	78	—	18
19	—	—	—	—	—	—	—	—	01	—	06	—	19
20	02	—	—	—	—	—	02	03	—	90	—	10	20
21	07	—	03	—	—	—	—	—	—	—	—	95	21
22	—	—	—	—	—	—	02	02	—	—	30	19	22
23	—	03	—	—	—	—	—	—	—	02	68	68	23
24	—	03	—	—	—	—	—	—	—	57	59	39	24
25	—	—	—	—	—	—	—	—	—	50	09	09	25
26	—	—	—	01	05	—	—	—	—	—	15	28	26
27	—	—	—	—	15	—	—	06	—	—	1.08	08	27
28	43	—	—	—	—	—	24	—	—	43	55	68	28
29	22	X	—	35	—	15	—	—	21	—	58	22	29
30	02	X	—	—	—	03	07	—	38	—	76	31	30
31	42	X	—	X	—	X	16	—	X	—	X	—	31
TOTAL	1.47	1.26	.03	.81	2.83	1.89	1.45	3.01	2.65	4.58	11.00	8.11	39.09
Days with or in. or more.	12	7	1	10	11	13	10	11	4	14	21	23	137
Days with or in. or more.	7	4	0	5	9	9	8	9	3	13	19	23	109

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Wilmington Lodge. Haslemere
in the County of Surrey

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	25	—	18	—	01	—	02	—	—	60	—	1
2	—	06	—	01	03	—	18	70	—	—	46	—	2
3	06	16	—	72	—	—	—	79	—	04	—	—	3
4	18	06	—	—	—	—	—	17	—	23	—	—	4
5	04	—	—	—	17	—	—	48	—	—	—	01	5
6	—	—	—	—	04	—	—	07	18	02	—	—	6
7	32	19	—	—	—	—	—	07	11	64	42	08	7
8	06	—	—	—	—	—	—	—	—	01	—	28	8
9	35	—	03	—	31	—	—	—	—	—	01	03	9
10	49	—	16	—	32	—	—	—	—	—	—	38	10
11	28	—	—	—	01	—	04	—	—	45	—	87	11
12	35	—	—	09	10	—	—	10	—	—	—	29	12
13	14	—	—	22	13	—	18	27	53	—	—	01	13
14	11	12	05	02	—	—	26	—	—	—	—	—	14
15	05	04	73	02	—	—	76	—	—	10	08	—	15
16	—	—	—	—	—	—	—	—	15	01	—	03	16
17	—	—	17	06	—	—	—	—	36	27	—	—	17
18	—	—	13	07	19	—	08	02	30	02	34	08	18
19	—	—	06	05	—	—	03	04	95	17	62	02	19
20	—	—	—	07	—	05	136	40	34	51	39	—	20
21	—	—	—	—	—	—	—	72	—	05	57	—	21
22	19	—	—	11	19	—	01	41	05	28	20	—	22
23	24	—	15	27	01	65	—	04	06	—	11	25	23
24	54	03	—	06	06	01	—	—	—	—	48	35	24
25	03	15	—	—	11	—	—	—	—	—	49	01	25
26	34	02	—	—	—	—	18	—	16	—	44	30	26
27	—	—	—	—	—	—	—	—	—	02	38	19	27
28	01	—	—	—	—	—	01	—	34	01	30	06	28
29	16	X	—	—	02	—	—	06	44	04	31	02	29
30	05	X	—	—	21	—	27	—	—	—	—	79	30
31	81	X	15	X	05	X	—	—	X	09	X	12	31
TOTAL	490	108	163	195	195	72	336	436	397	296	620	417	37-25
* Days with "or in. or more.	22	10	9	14	16	4	12	16	13	18	17	20	17 1
* Days with "04 in. or more.	20	8	8	11	13	2	9	14	13	12	16	13	13 9

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C.T. Agar

[P.T.O.]

Kept at BREDE
in the County of SUSSEX
by HASTINGS

SUSSEX

1921-30

519
0° 34' 50" 20 JAN 1922

Gauge 4 miles

1 Gauge 5 in.

ve Ground 1 ft. 3 in.

Sea Level 34 ft.

ntered to the previous day.

sted to add

Jan. 1, following.

IMPORTANT NOTE.—Rain
If an Observer prefers not to confo

the reading at 9 a.m. on 1st January of the following year in the space provided for at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	-	-	-	-	-	-	-	-	-	-	.29	1
2	.04	-	-	-	.20	-	-	-	-	-	.20	-	2
3	.06	-	.14	-	.09	.06	-	-	-	-	.09	-	3
4	-	-	-	-	-	-	-	.10	-	-	.37	-	4
5	.04	-	-	-	-	-	-	.10	-	-	-	.02	5
6	.35	-	-	-	.13	-	-	-	-	-	-	.03	6
7	.18	-	-	-	.28	-	-	-	-	-	-	-	7
8	.04	-	-	-	.02	-	-	-	-	-	-	-	8
9	-	-	.23	.06	-	-	-	-	-	-	-	-	9
10	.25	.06	-	-	-	-	-	-	.09	.15	-	.04	10
11	.17	-	-	-	.06	-	-	-	.56	-	-	-	11
12	.16	-	.26	-	-	-	-	.11	.02	-	-	-	12
13	.23	-	-	.43	-	-	-	.06	.05	-	-	-	13
14	-	-	-	-	-	-	-	-	-	-	-	.53	14
15	-	-	-	-	.07	-	-	-	-	-	-	.02	15
16	.07	-	-	.34	-	-	-	.02	-	-	-	-	16
17	-	-	.25	-	-	-	-	.24	-	-	-	-	17
18	.15	.03	-	.47	-	-	-	-	.04	-	-	-	18
19	.05	-	.20	-	-	-	-	-	-	.03	-	.13	19
20	-	-	-	.06	-	-	-	-	-	.23	-	-	20
21	.01	-	-	-	-	-	-	.01	-	-	.17	.08	21
22	-	-	-	-	-	-	-	-	-	.23	-	.35	22
23	-	-	-	.33	-	-	-	.25	-	.12	-	.08	23
24	-	-	-	-	-	-	-	-	-	-	-	.09	24
25	-	.54	-	-	-	-	-	-	-	-	-	.18	25
26	.03	-	.06	-	-	-	-	-	-	-	-	.19	26
27	.02	-	-	.07	-	-	-	-	-	-	-	.16	27
28	-	-	.33	-	-	-	.17	.12	-	-	-	.06	28
29	.03	~~X~~	-	-	.19	-	.10	-	-	-	-	.08	29
30	.15	~~X~~	.23	-	.14	-	-	-	-	-	.27	.35	30
31	.37	~~X~~	-	~~X~~	.05	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	2.73	.63	1.70	1.76	1.23	.06	.27	1.01	.76	.76	1.10	2.68	YEAR'S TOTAL
Days with 0.1 in. or more	20	3	8	4	10	1	2	9	5	5	5	14	14.69
Days with 0.1 in. or more	16	2	8	4	9	1	2	4	4	4	5	14	92.49

REGISTER OF RAINFALL IN 192

Kept at BREDE
in the County of SUSSEX
by HASTINGS CORPORATION

Lat. 50°55'50" Long. 0°34'50" 20 JAN 1922
Time of Observation _____
Nearest Railway Station Battle 4 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	-	-	-	-	-	-	-	-	-	-	.29	1
2	.04	-	-	-	.20	-	-	-	-	-	.20	-	2
3	.06	-	.14	-	.09	.06	-	-	-	-	.09	-	3
4	-	-	-	-	-	-	-	.10	-	-	.37	-	4
5	.04	-	-	-	-	-	-	.10	-	-	-	.02	5
6	.35	-	-	-	.13	-	-	-	-	-	-	.03	6
7	.18	-	-	-	.28	-	-	-	-	-	-	-	7
8	.04	-	-	-	.02	-	-	-	-	-	-	-	8
9	-	-	.23	.06	-	-	-	-	-	-	-	-	9
10	.25	.06	-	-	-	-	-	-	.09	.15	-	.04	10
11	.17	-	-	-	.06	-	-	-	.56	-	-	-	11
12	.16	-	.26	-	-	-	-	.11	.02	-	-	-	12
13	.23	-	-	.43	-	-	-	.06	.05	-	-	-	13
14	-	-	-	-	-	-	-	-	-	-	-	.53	14
15	-	-	-	-	.07	-	-	-	-	-	-	.02	15
16	.07	-	-	.34	-	-	-	.02	-	-	-	-	16
17	-	-	.25	-	-	-	-	.24	-	-	-	-	17
18	.15	.03	-	.47	-	-	-	-	.04	-	-	-	18
19	.05	-	.20	-	-	-	-	-	-	.03	-	.13	19
20	-	-	-	.06	-	-	-	-	-	.23	-	-	20
21	.01	-	-	-	-	-	-	.01	-	-	.17	.08	21
22	-	-	-	-	-	-	-	-	-	.23	-	.35	22
23	-	-	-	.33	-	-	-	.25	-	.12	-	.08	23
24	-	-	-	-	-	-	-	-	-	-	-	.09	24
25	-	.54	-	-	-	-	-	-	-	-	-	.18	25
26	.03	-	.06	-	-	-	-	-	-	-	-	.19	26
27	.02	-	-	.07	-	-	-	-	-	-	-	.16	27
28	-	-	.33	-	-	-	.17	.12	-	-	-	.06	28
29	.03	~~X~~	~~X~~	-	.19	-	.10	-	-	-	-	.08	29
30	.15	~~X~~	~~X~~	.23	.14	-	-	-	-	-	.27	.35	30
31	.37	~~X~~	~~X~~	~~X~~	.05	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	2.73	.63	1.70	1.76	1.23	.06	.27	1.01	.76	.76	1.10	2.68	YEAR'S TOTAL 14.69
Days with 01 in. or more	20	3	8	4	10	1	2	9	5	5	5	17	92
Days with 04 in. or more	16	2	8	4	9	1	2	7	4	4	5	14	79

FORM 1090.

Ex 6112

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Brede
in the County of Sussex
by Hastings Corporation

Lat. 50° 55' 30" Long. 0° 35' 20"
Time of Observation _____
Nearest Railway Station Doleham Halt
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 34.80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	No RECORD	—	.13	—	.02	—	—	.01	.56	.06	1
2	.04	.34	No RECORD	.30	—	—	.02	—	—	—	.02	—	2
3	—	.09	No RECORD	.63	.16	—	.12	.14	—	—	.18	.05	3
4	—	.11	No RECORD	—	.05	—	.04	—	—	.35	—	—	4
5	—	—	.03	.04	.02	—	.65	—	—	.11	.44	—	5
6	.08	—	.11	—	—	—	—	.14	—	.08	.34	—	6
7	.26	—	.60	.24	—	—	—	—	—	—	.02	—	7
8	.10	—	.14	.03	—	.15	.40	.15	—	—	.14	—	8
9	.08	—	.02	—	—	—	.15	.20	—	.10	—	—	9
10	.02	—	—	—	—	—	—	—	.04	—	.18	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	11
12	—	—	—	.48	—	—	.10	.04	.40	—	—	—	12
13	—	—	—	.30	—	.12	—	—	.62	—	—	—	13
14	—	—	—	—	—	.28	.39	—	.35	—	—	—	14
15	.52	.33	—	—	—	.02	.05	—	—	—	—	—	15
16	—	.05	—	.10	—	—	.04	—	.14	—	—	.40	16
17	—	.14	—	—	.16	—	.04	—	.03	—	—	.13	17
18	.44	—	—	—	—	—	—	—	—	—	—	.28	18
19	.64	.23	.05	—	.05	—	—	—	.24	.29	—	.67	19
20	.04	—	—	—	—	—	—	—	.01	—	—	.02	20
21	.54	.26	.16	—	—	—	—	—	.04	—	—	.54	21
22	—	.33	—	.13	—	—	—	.20	—	.02	—	.21	22
23	—	.09	—	.13	—	.02	—	—	.44	—	—	—	23
24	.14	—	.12	—	—	.14	—	.21	.01	—	—	—	24
25	—	—	.10	.38	.01	.28	.05	—	.02	—	—	.15	25
26	.11	No RECORD	.11	—	—	.21	.19	—	.11	—	—	—	26
27	.60	No RECORD	.03	—	—	.02	—	.24	.13	—	—	.20	27
28	.05	No RECORD	—	.08	—	.14	—	—	—	.08	.04	.31	28
29	.26	No RECORD	—	—	—	.19	—	.05	—	.19	—	.15	29
30	—	No RECORD	.20	.02	—	—	—	.29	.12	.20	.10	.42	30
31	—	No RECORD	—	No RECORD	—	No RECORD	.03	.10	No RECORD	.06	No RECORD	.31	31
TOTAL	3.98	(2.88)	(2.67)	2.89	.58	1.60	1.35	1.49	3.06	1.49	2.05	3.93	YEAR'S TOTAL
Days with .01 in. or more	16	(14)	(12)	13	4	11	15	11	15	11	10	15	154
Days with .04 in. or more	15	(14)	(13)	11	5	8	12	11	11	9	8	14	124

REGISTER OF RAINFALL IN 1923.

Kept at

Bude

in the County of

Sussex

by

Hastings Corporation

Lat. 50°55'50" Long. 0°34'50"

Time of Observation

Nearest Railway Station

Battle

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

1

ft.

in.

" " " " Sea Level

37

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	-	.25	-	-	.04	-	-	-	-	.32	.47	1
2	.22	-	-	-	.06	-	-	-	-	.15	.17	.29	2
3	-	-	.02	-	-	.07	-	-	-	1.10	.05	.04	3
4	-	-	-	-	-	.04	-	-	.09	-	-	.45	4
5	.35	.03	-	-	-	-	-	-	-	-	.35	-	5
6	.24	-	.06	-	.03	-	-	-	-	.05	-	.02	6
7	.16	.63	.27	-	-	-	-	-	-	.60	-	.42	7
8	-	.23	.08	-	.43	-	-	-	-	.22	.37	.10	8
9	.11	-	-	.03	-	-	-	-	-	.05	.05	-	9
10	-	.25	-	.23	-	-	-	-	-	.30	-	.05	10
11	.05	-	-	.06	.02	.12	-	-	-	.60	-	.02	11
12	-	.32	.21	.05	.45	-	-	-	-	.23	-	.02	12
13	.03	.05	.19	.05	.13	-	.10	-	-	-	.63	.02	13
14	-	.06	.06	-	.16	-	-	.03	.28	.07	-	.06	14
15	-	.02	-	.03	.23	.23	-	-	-	-	.25	-	15
16	-	-	-	-	.22	.02	-	-	-	-	.35	-	16
17	-	.03	-	-	.02	-	-	.27	.26	-	-	.02	17
18	.02	.40	-	.04	-	-	-	.07	.07	.07	-	-	18
19	.18	.05	-	-	-	-	-	-	.19	.18	-	.05	19
20	.03	.10	-	-	.10	.02	-	.03	.51	.06	-	.07	20
21	-	.11	.10	.25	-	.03	-	.23	.14	.38	-	.10	21
22	-	.64	.22	.17	-	-	-	.20	.58	.18	-	.05	22
23	-	.10	.17	-	-	-	.10	.32	.28	1.01	.30	-	23
24	-	.05	-	-	.13	-	-	.29	.21	.45	-	.02	24
25	-	.25	-	1.31	.04	-	-	.07	.03	.49	-	.70	25
26	-	.40	.11	.07	-	-	.05	.27	-	.03	-	.30	26
27	-	.19	.12	-	.11	-	.07	.20	-	-	-	.19	27
28	-	.25	-	.05	.46	-	.25	.08	-	-	.24	-	28
29	-	X	.02	.22	.30	-	.05	.19	-	-	-	.27	29
30	.03	X	-	-	-	-	.09	.06	-	.23	-	.08	30
31	-	X	-	X	-	X	.11	-	X	.14	X	.14	31
TOTAL	1.57	4.16	18.8	2.56	3.39	.57	.82	2.31	2.64	6.62	3.08	3.95	33.55
Days with '01 in. or more	12	20	14	13	16	8	8	14	11	21	11	24	142
Days with '04 in. or more	8	17	12	11	13	5	8	12	10	20	11	18	145
YEAR'S TOTAL													33.55

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924.

Kept at Brede
in the County of Sussex
by Hastings Corporation

Lat. 50°55'50" Long. 0°34'50"
Time of Observation _____
Nearest Railway Station Balke
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0
" " " " Sea Level 38 ft.

Jan. 1, following.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.14		.11	.24					.93	.04	RRR
2	.04		.30		.14	.20	.06	.35				.21	2
3			.05		.32	.13	.20	.51	.02			.04	3
4						.48	.04			.04		.42	4
5		.28	.12		.03		.11					.03	5
6		.08		.04	.04			.10		1.40			6
7					.03	.10			.31	.36			7
8	.13				.20				.09	.08			8
9	.24	.24		.86		.04			.04				9
10				.12	.28	.04			.06				10
11	.03			.46	.31	.40			.19		.20		11
12				.34	.02	.06		.11	.02		.21		12
13	.04			.46	.03				.38		.08	.20	13
14				.30				.15				.03	14
15				.05					.13			.39	15
16								.08				.03	16
17	.29					.02	.40	.48					17
18	.41				.13	.08		.14			.08		18
19	.08	.06						.12		.18	.03		19
20	.02				.28	.09	.08	.08	.13	.06			20
21	.22						.03	.40	.28	.54			21
22	.21		.22					.40	.04				22
23			.29		.34			.03	.50			.80	23
24	.32	.24	.59		.14		.04	.04			.06	.13	24
25		.06	.11	.06			.80		.24	.05	.31		25
26				.45			.23	.09	.23	.08	.29	.12	26
27		.05								.14	.34	1.34	27
28							.44	.16		.02	.38	.03	28
29		.08		.15	.46			.24		.40	.28	.23	29
30		X		.13		.05		.20	.15	.62	.03	.55	30
31		X		X	.90	X		.03	X	.30	X	.32	31 945
TOTAL	2.44	1.12	1.85	3.45	3.82	1.96	3.09	3.44	2.84	4.66	3.28	4.94	37.22
Days with 01 in. or more.	13	8	8	12	14	13	11	19	16	14	13	14	161
Days with 04 in. or more.	10	8	8	12	13	12	10	14	14	13	11	13	144

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

528

Register of Rainfall in 1926.

Kept at

Brede

in the County of

Sussex

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	-	.12	.08	.02	-	-	.07	.09	-	.50	-	1
2	.68	-	-	.25	-	-	.02	-	-	-	.83	-	2
3	.85	-	-	-	.33	-	.22	-	-	-	.20	-	3
4	-	-	-	-	.14	-	-	-	.02	.06	.40	-	4
5	-	.06	-	.23	-	-	-	.11	.07	-	.19	-	5
6	-	.15	-	.03	.14	-	.21	.03	-	-	.74	-	6
7	-	.25	-	-	.05	-	.08	-	-	-	.05	-	7
8	.09	-	-	-	.18	-	-	-	-	-	-	.06	8
9	-	.03	-	.03	.04	-	.07	-	.05	-	-	-	9
10	-	-	.06	-	-	-	-	.24	.06	-	.27	-	10
11	-	.10	-	-	-	-	-	.15	.02	-	-	-	11
12	-	.48	-	-	-	-	-	-	.03	-	-	-	12
13	-	.66	-	.10	-	-	-	-	-	-	-	-	13
14	.50	-	-	.28	-	-	-	-	-	-	-	-	14
15	.21	.10	-	.08	-	-	-	-	-	.05	-	-	15
16	-	.06	-	-	.05	-	-	-	.07	.19	-	-	16
17	.03	.02	-	-	.16	-	-	-	.06	-	-	-	17
18	-	-	-	-	.05	-	.04	-	-	-	-	-	18
19	-	.03	-	.25	.05	.01	-	-	.11	.90	-	.35	19
20	-	-	.08	-	-	-	-	.01	1.15	.24	-	.37	20
21	-	-	-	-	-	-	.06	-	.26	.16	-	.97	21
22	-	-	-	.04	-	-	1.27	.10	.16	.70	-	.40	22
23	.05	.22	.08	.25	.33	-	-	.25	-	.65	-	.15	23
24	.13	.75	.20	.16	.12	.07	.07	.21	-	.06	.25	.33	24
25	-	.96	-	-	-	-	-	-	.40	-	-	.05	25
26	.10	.22	-	-	.07	.04	.49	-	.02	.44	-	.13	26
27	.20	-	-	.20	.93	-	.65	.04	-	.02	.05	.02	27
28	.05	.03	-	.05	-	-	-	-	-	-	-	.35	28
29	.15	X	-	.11	.09	-	.20	-	-	-	.15	1.25	29
30	.03	X	-	.26	-	-	.33	-	-	-	-	.44	30
31	.08	X	-	X	-	X	.29	-	X	-	X	.05	31
TOTAL	3.80	4.12	.54	2.40	2.75	.12	4.01	1.21	2.57	3.57	3.63	4.92	YEARS TOTAL
Days with .01 in. or more.	15	16	5	16	16	3	14	10	15	11	11	14	146
Days with .04 in. or more.	13	12	5	14	15	2	13	8	11	10	11	13	127

(Signed)..... [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Brede
in the County of Sussex
Diameter of Funnel of Gauge 8 ins.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 32.65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	.35	—	—	—	.42	—	—	.02	—	—	—	1
2	.01	—	—	—	—	.82	—	—	.13	—	—	—	2
3	.32	<u>1.14</u>	<u>.14</u>	—	—	—	—	—	—	—	—	—	3
4	—	.14	—	.11	—	—	—	—	—	—	—	—	4
5	.03	.04	.04	—	.44	—	.05	—	—	—	.40	.36	5
6	.04	.12	—	.24	—	.08	.08	.03	—	—	—	.03	6
7	.19	.04	—	.06	—	.10	—	.02	—	—	—	.02	7
8	.03	—	—	.08	—	.04	—	—	.04	.02	.60	—	8
9	—	—	—	—	—	.20	—	—	—	.04	.40	—	9
10	—	—	—	—	.06	.26	—	.09	—	.05	.05	—	10
11	—	.02	—	—	.14	.08	—	.09	—	.10	.25	—	11
12	—	.03	—	—	.05	—	—	—	.03	.35	—	—	12
13	—	—	—	—	—	—	—	—	—	.06	<u>1.65</u>	—	13
14	.06	.02	—	.16	<u>.42</u>	.08	—	—	—	<u>.45</u>	.13	.14	14
15	.02	—	—	<u>.51</u>	.05	.22	—	—	—	.08	.04	—	15
16	.08	.45	—	.16	—	—	—	<u>.60</u>	—	.12	.02	—	16
17	—	.45	—	.01	.05	.50	—	—	—	—	.10	—	17
18	.23	.04	—	.35	.09	.03	.26	.15	—	—	.40	—	18
19	—	—	.04	.04	.03	—	<u>.30</u>	.02	—	—	.20	—	19
20	—	—	—	.31	.05	—	—	.26	—	—	.84	—	20
21	—	—	—	.03	—	—	.04	.05	—	.02	.98	—	21
22	.61	—	—	.12	.04	—	—	—	—	.03	.24	—	22
23	.05	—	—	—	—	—	—	—	—	—	—	<u>.40</u>	23
24	—	—	—	—	—	—	.03	—	.04	.40	—	—	24
25	.11	—	—	.28	—	—	—	—	—	.05	.02	.04	25
26	.01	—	—	—	—	—	.24	—	—	—	.32	—	26
27	.03	.02	.03	.25	.05	—	.12	—	<u>.18</u>	—	.02	—	27
28	<u>.48</u>	—	—	—	—	—	.24	—	—	.45	.24	—	28
29	—	X	—	.50	.42	—	—	—	—	.19	.06	—	29
30	.11	X	—	.05	.41	—	—	—	—	—	.03	—	30
31	.24	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	3.50	3.61	.31	3.26	2.66	2.83	1.39	1.31	.44	3.04	4.65	1.05	31.08
Days with ".01 in. or more.	19	13	4	14	14	12	9	9	6	15	21	6	145
Days with ".04 in. or more.	13	9	3	15	13	11	8	6	4	12	14	4	115
YEAR'S TOTAL													

Please read the Notes and Instructions Overleaf.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Kept at Brede

in the County of Sussex

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1.....ft.....—.....in.

Ground Sea Level 32.65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

40-12-1-27

Section **A**

for the entry of Daily Observations.

518
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Brede

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 32.65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.14	.23	—	—	—	—	—	—	.39	—	1
2	<u>1.01</u>	<u>.25</u>	—	—	—	—	—	—	—	—	.16	—	2
3	—	—	—	.28	.35	—	.16	—	—	—	.27	—	3
4	.04	.18	—	.30	.07	.03	—	<u>.87</u>	—	—	—	—	4
5	—	—	.07	—	—	—	—	—	—	—	—	—	5
6	—	—	.02	.15	—	.30	—	—	—	—	—	.26	6
7	.25	.02	.02	—	—	—	—	.07	—	—	—	—	7
8	—	.03	.07	—	—	.40	—	—	—	.27	.06	—	8
9	.02	—	—	—	—	.32	—	—	—	—	—	—	9
10	.12	.25	—	.25	—	—	—	.03	—	.50	—	—	10
11	—	.23	—	.10	—	.05	—	—	—	.76	.12	.15	11
12	.47	—	—	—	—	—	—	—	—	.11	.03	.07	12
13	—	.16	—	—	—	.90	—	.04	—	—	.26	—	13
14	.04	.17	—	<u>1.07</u>	.27	.05	—	—	—	.57	<u>.60</u>	—	14
15	.43	—	—	—	.10	—	—	—	—	.02	.49	—	15
16	—	.07	—	.25	.07	—	—	—	—	.09	.56	.33	16
17	—	—	—	.02	.41	—	—	—	—	.23	—	—	17
18	.64	—	—	.03	—	—	—	—	—	.57	—	—	18
19	—	—	—	—	—	—	—	.11	—	.56	.06	.25	19
20	.10	—	—	—	—	—	—	.16	—	.64	.05	.13	20
21	.70	—	.18	—	.85	—	—	—	—	.83	.26	—	21
22	—	—	.15	.05	.02	—	—	.01	—	.54	.31	—	22
23	.46	—	.02	—	.05	—	—	—	—	.12	.36	—	23
24	.08	—	.11	—	—	—	—	—	.02	.29	.07	.24	24
25	—	—	—	—	—	—	—	.23	—	.14	—	.14	25
26	.54	—	—	—	—	.15	—	.20	—	<u>1.05</u>	—	.15	26
27	—	—	.08	—	—	—	.63	.02	—	.06	—	.56	27
28	.83	—	.03	—	—	—	—	.05	.23	—	—	.13	28
29	—	.13	.78	.05	—	—	.34	—	.04	.21	.05	.23	29
30	—	X	.11	.26	—	—	—	—	—	.04	—	.03	30
31	.21	X	See 1st of Oct.	X	—	X	.09	—	X	—	X	.12	31
TOTAL	5.36	1.51	1.48	3.04	2.19	2.20	1.22	1.49	.29	4.59	4.10	2.49	33.86"
Days with ".01 in. or more.	19	13	15	14	9	9	4	11	3	20	17	14	149
Days with ".04 in. or more.	15	8	9	11	8	7	4	8	2	19	16	13	120

540

REGISTER OF RAINFALL IN 1929.

Kept at Brede
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 32.65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	—	—	.21	—	—	.17	—	.22	.02	—	1
2	.04	{ .52	—	—	—	.15	.27	—	—	.66	{ .05	.40	2
3	—		—	—	—	.12	.17	—	—	.03		.42	3
4	—	—	—	.16	.26	.12	.06	.12	—	.09	—	.25	4
5	—	—	—	—	.78	.18	.15	.43	—	{ .38	.04	.31	5
6	—	—	—	—	.25	.04	.47	.63	—		.07	.75	6
7	—	—	—	—	.05	—	—	—	—	.33	.47	{ 1.25	7
8	—	—	—	—	—	.15	—	—	—	.25	—		8
9	—	—	—	—	.05	—	—	—	—	—	{ .07	.57	9
10	.02	—	—	.04	—	—	—	—	—	.15		.63	10
11	—	.27	—	.08	.06	—	—	—	—	—	.87	.04	11
12	—	—	—	.10	.28	—	—	—	—	—	.15	—	12
13	.02	—	—	.10	.13	—	—	—	—	—	.21	.07	13
14	—	—	—	—	.13	.12	—	—	—	—	—	{ .18	14
15	.03	—	—	.04	—	.09	—	—	—	—	1.81		15
16	.04	—	—	—	—	.36	—	.80	—	—	{ .41	—	16
17	—	—	—	—	—	—	—	—	.05	.06		—	17
18	.04	—	—	—	—	—	—	—	.04	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	.12	—	—	.83	—	—	20
21	.15	—	—	—	—	—	—	—	—	—	—	{ 1.33	21
22	—	—	—	—	—	—	—	.02	—	—	—		22
23	—	—	—	—	—	—	—	—	—	—	.30	.38	23
24	—	—	—	—	—	—	—	—	—	.42	.53	—	24
25	—	.11	—	—	—	—	—	—	—	.35	.08	.24	25
26	—	—	—	—	.06	—	—	—	—	{ .05	.06	.15	26
27	—	—	—	—	.02	—	—	—	—		.97	.03	27
28	.30	—	—	—	—	—	—	—	—	.35	.55	{ .53	28
29	.16	X	—	—	—	—	—	—	.67	.02	.25		29
30	.02	X	—	.07	—	.03	—	—	.26	—	.05	.75	30
31	.41	X	—	X	—	X	.21	—	X	.03	X	—	31
TOTAL	1.32	.90	—	.59	2.28	1.36	1.45	2.17	1.02	4.22	6.96	8.28	30.55
Days with .01 in. or more.	12	3	—	7	12	10	7	6	4	16	19	18	174
Days with .04 in. or more.	8	3	—	7	11	9	7	5	4	14	14	14	102

Section

A

for the entry of Daily Observations.

564
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Broad Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 8 in.

Height of top of Gauge above Ground 6 ft.

Ground Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.10	/	.30	/	.28	.63	/	/	/	.71	/	1
2	.07	.07	/	.45	/	/	/	.01	/	/	.62	/	2
3	/	.17	/	/	/	/	/	1.28	/	/	/	/	3
4	.12	.14	/	/	/	/	/	/	/	.10	/	/	4
5	/	/	/	/	.18	/	/	.52	/	.07	/	/	5
6	/	.33	/	/	/	/	/	.03	/	/	/	/	6
7	/	.14	/	/	/	/	/	.05	.02	.68	.42	.12	7
8	.12	/	/	/	/	/	/	/	.01	.07	/	.50	8
9	.20	/	/	/	.44	/	.11	/	.04	.06	.01	.11	9
10	.30	/	.27	/	.26	/	/	.02	/	/	/	.09	10
11	.20	.02	/	/	/	/	/	/	/	.06	/	.65	11
12	.20	/	.02	.13	/	/	/	.40	/	.17	/	.16	12
13	.07	/	.03	/	/	/	/	.22	/	/	/	/	13
14	/	.03	/	/	/	/	.15	/	.51	/	/	/	14
15	/	.05	.27	.06	/	/	.06	/	/	.06	.03	/	15
16	/	/	.10	/	/	/	.60	/	.10	/	/	/	16
17	/	.01	.51	/	/	.07	/	/	.15	.09	.29	/	17
18	/	/	.17	.09	/	/	/	/	/	.09	.45	.12	18
19	/	/	.35	/	/	/	/	/	1.07	/	.72	.02	19
20	/	/	.04	.07	/	/	1.11	.24	.47	/	.62	/	20
21	/	/	/	.07	/	/	.11	.32	/	.61	.58	/	21
22	/	/	/	/	/	/	/	.19	.02	.16	/	.01	22
23	/	/	.43	.18	.10	.22	.06	.03	/	.21	/	.15	23
24	.45	.03	/	/	/	.33	.07	/	/	/	.57	.18	24
25	/	.02	/	/	.29	/	/	.50	/	/	.13	/	25
26	/	.02	/	/	.29	.53	.05	/	.44	/	.21	.29	26
27	.32	/	/	/	/	/	.09	/	/	/	.23	.10	27
28	/	/	/	/	/	/	.06	/	.28	/	.12	.20	28
29	.45	/	/	/	/	/	.03	/	.16	/	.20	.22	29
30	.10	X	/	/	/	/	.06	/	/	/	/	.63	30
31	.47	X	/	X	.46	X	.09	/	X	.74	X	.07	31
TOTAL	3.24	1.13	2.25	1.35	2.02	1.43	3.28	3.81	3.24	3.14	5.91	3.62	39.40
*Days with or in. or more.	40	36	61	80	70	52	13	13	12	14	16	17	14
*Days with .04 in. or more.	14	7	9	8	4	5	14	2	3	3	5	5	12

40-9999

For pages 10yr sheets not
diameters

S. Little
(Signed)

DEPUTY WATER ENGINEER.

*See Instruction 2 (f) on other side.

P.T.O.

HASTINGS

ATION. JAN 1922

Kept at FOREWOOD
in the County of SU
by HASTINGS C

(FOREWOOD)

SUSSEX

1921-30

hurst 1 mile
5 in.
1 ft 3 in.
vel 46 ft.
the previous day.

IMPORTANT NOTE.—Rain
If an Observer prefers not to conf
the reading at 9 a.m. on 1st Janua
this paragraph. Full instructions fo
and particulars as to the British
sent post-free on application to T
Square, London, N.W. 1, or to THE S

dd
of
es,
s,"
len
Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	-	-	-	-	-	-	-	-	-	.01	.38	1
2	.08	.01	.03	-	-	-	-	-	-	-	.25	.01	2
3	.02	-	.04	-	.02	.05	-	-	-	-	.08	-	3
4	.02	-	-	-	.01	-	-	.09	-	-	.49	-	4
5	-	-	-	-	.14	-	-	.11	-	-	-	.29	5
6	.21	-	-	-	-	-	-	-	-	-	-	.01	6
7	.22	.01	.05	-	.12	-	-	-	-	-	-	.06	7
8	.06	-	-	.03	.30	-	-	-	-	-	-	-	8
9	.01	-	.03	.01	-	-	-	-	-	-	-	-	9
10	.29	.10	-	-	-	-	-	-	.05	-	-	.04	10
11	.10	-	-	-	.05	-	-	-	.43	-	-	-	11
12	.15	-	.18	-	-	-	-	.01	-	-	-	-	12
13	.32	-	.09	.22	-	-	-	-	.05	-	.09	.04	13
14	-	-	-	.11	-	-	-	.24	-	.02	-	-	14
15	-	-	-	.10	.14	-	-	.02	-	-	-	.44	15
16	.01	-	.02	.01	-	-	-	.08	-	-	.04	-	16
17	.12	-	.03	.75	-	-	-	.01	-	-	-	.01	17
18	.02	.01	-	-	-	-	-	.11	-	-	.01	.01	18
19	-	-	-	.01	-	-	-	-	-	-	-	.04	19
20	-	-	.29	-	-	-	-	-	-	.10	-	.01	20
21	-	-	-	-	-	-	-	.04	-	-	.05	.03	21
22	-	-	-	-	-	-	-	-	-	-	-	.49	22
23	-	-	-	.23	-	-	-	.58	-	.24	-	.10	23
24	-	-	-	-	-	-	-	.01	-	-	-	-	24
25	.11	.40	-	-	-	-	-	-	-	-	-	.35	25
26	.05	-	.03	-	.05	-	-	-	-	-	-	-	26
27	-	-	-	-	-	-	-	-	-	-	-	.14	27
28	-	-	.24	.10	-	-	.14	.15	-	-	-	.04	28
29	-	X	.23	-	.05	-	.04	.01	-	-	-	.03	29
30	.04	X	-	-	.15	-	-	-	-	-	.18	.49	30
31	.48	X	-	X	.02	X	-	-	X	-	X	-	31
TOTAL	2.56	.53	1.29	1.54	1.08	.05	.24	1.49	.53	.36	1.23	3.13	14.06
Days with '01 in. or more	19	5	12	10	11	1	2	13	3	3	9	20	108
Days with '01 in. or more	14	2	4	6	8	1	2	8	3	2	4	13	43

REGISTER OF RAINFALL IN 192

Kept at FOREWOOD
in the County of SUSSEX
by HASTINGS CORPORATION

Lat. 50°53'30" Long. 0°29'0"
Time of Observation _____
Nearest Railway Station Brawhurst 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	-	-	-	-	-	-	-	-	-	.01	.38	1
2	.08	.01	.03	-	-	-	-	-	-	-	.25	.01	2
3	.02	-	.04	-	.02	.05	-	-	-	-	.08	-	3
4	.02	-	-	-	.01	-	-	.09	-	-	.49	-	4
5	-	-	-	-	.14	-	-	.11	-	-	-	.29	5
6	.21	-	-	-	-	-	-	-	-	-	-	.01	6
7	.22	.01	.05	-	.12	-	-	-	-	-	-	.06	7
8	.06	-	-	.03	.30	-	-	-	-	-	-	-	8
9	.01	-	.03	.01	-	-	-	-	-	-	-	-	9
10	.29	.10	-	-	-	-	-	-	.05	-	-	.04	10
11	.10	-	-	-	.05	-	-	-	.43	-	-	-	11
12	.15	-	.18	-	-	-	-	.01	-	-	-	-	12
13	.32	-	.09	.22	-	-	-	-	.05	-	.09	.04	13
14	-	-	-	.11	-	-	-	.24	-	.02	-	-	14
15	-	-	-	.10	.14	-	-	.02	-	-	-	.44	15
16	.01	-	.02	.01	-	-	-	.08	-	-	.04	-	16
17	.12	-	.03	.45	-	-	-	.01	-	-	-	.01	17
18	.02	.01	-	-	-	-	-	.11	-	-	.01	.01	18
19	-	-	-	.01	-	-	-	-	-	-	-	.04	19
20	-	-	.29	-	-	-	-	-	-	.10	-	.01	20
21	-	-	-	-	-	-	-	.04	-	-	.05	.03	21
22	-	-	-	-	-	-	-	-	-	-	-	.49	22
23	-	-	-	.23	-	-	-	.58	-	.24	-	.10	23
24	-	-	-	-	-	-	-	.01	-	-	-	-	24
25	.11	.40	-	-	-	-	-	-	-	-	-	.35	25
26	.05	-	.03	-	.05	-	-	-	-	-	-	-	26
27	-	-	-	-	-	-	-	-	-	-	-	.14	27
28	-	-	.24	.10	-	-	.14	.15	-	-	-	.04	28
29	-	~~XX~~	.23	-	.05	-	.04	.01	-	-	-	.03	29
30	.04	~~XX~~	-	-	.15	-	-	-	-	-	.18	.49	30
31	.48	~~XX~~	-	~~XX~~	.02	~~XX~~	-	-	~~XX~~	-	~~XX~~	-	31
TOTAL	2.56	.53	1.29	1.54	1.08	.05	.24	1.49	.53	.36	1.23	3.13	YEAR'S TOTAL 14.06
Days with ".01 in. or more	19	5	12	10	11	1	2	13	3	3	9	20	108
Days with ".01 in. or more	14	2	4	6	8	1	2	8	3	2	4	13	73

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Horewood
in the County of Sussex
by Hastings Corporation

Lat. 50° 33' 30" Long. 0° 28' 30"
Time of Observation -
Nearest Railway Station Browhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 301 2/4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	04	02	-	15	01	-	-	-	-	24	11	1
2	15	48	18	19	-	-	-	-	01	-	01	-	2
3	-	05	03	91	21	-	-	16	-	01	14	-	3
4	-	15	10	01	-	-	05	03	-	34	-	-	4
5	-	-	01	13	02	-	64	-	01	08	28	-	5
6	06	-	08	-	-	-	03	10	-	04	39	-	6
7	20	-	36	22	-	-	-	10	-	-	01	-	7
8	16	-	08	09	-	04	20	23	-	-	23	-	8
9	04	-	01	-	-	-	23	24	-	02	-	-	9
10	06	-	-	-	-	-	-	-	04	02	14	-	10
11	04	-	-	-	-	-	-	-	-	-	-	-	11
12	-	-	-	24	-	-	-	04	38	-	-	-	12
13	-	-	-	24	-	08	06	-	86	-	-	-	13
14	-	-	-	01	-	21	57	03	91	-	-	-	14
15	-	23	-	-	-	03	14	-	-	-	-	-	15
16	24	04	-	18	-	-	02	-	13	-	-	35	16
17	-	08	-	02	-	-	04	01	23	-	-	18	17
18	-	-	-	-	-	-	-	-	-	-	-	21	18
19	23	18	01	-	-	-	-	-	32	23	~~23~~	63	19
20	81	01	-	-	-	-	-	-	-	-	-	03	20
21	46	23	19	-	-	02	-	-	-	-	-	35	21
22	01	19	01	10	-	04	-	25	-	-	-	10	22
23	05	08	-	04	-	10	-	-	35	-	-	-	23
24	02	-	08	09	-	54	01	31	20	04	04	-	24
25	19	-	14	28	-	21	19	01	10	-	-	12	25
26	12	22	02	-	-	-	-	-	10	-	-	01	26
27	53	19	02	05	-	18	-	46	09	04	-	11	27
28	09	13	-	05	-	21	02	10	-	05	-	30	28
29	32	-	01	-	-	-	02	18	-	26	02	15	29
30	-	X	21	-	-	-	-	38	04	33	04	10	30
31	03	X	04	X	-	X	-	04	X	10	X	36	31
TOTAL	3.86	2.30	1.66	2.94	.38	1.73	2.19	2.43	3.80	1.59	1.60	3.11	YEAR'S TOTAL
Days with 01 in. or more	20	15	19	14	3	12	14	14	15	13	11	15	24.89
Days with 04 in. or more	14	14	10	14	2	8	9	13	13	10	8	13	141

REGISTER OF RAINFALL IN 1923.

Kept at

Harewood

in the County of

Sussex.

by

Hastings Corporation

Lat. 50°53'30" Long. 0°28'30"

Time of Observation

Nearest Railway Station

Browhurst

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

1 ft.

0 in.

" " " " Sea Level

301

ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	08	24	-	-	10	-	-	02	-	39	-	1
2	15	02	01	-	04	03	-	-	01	12	04	65	2
3	-	-	-	-	-	-	-	-	-	191	-	-	3
4	-	-	-	-	-	-	-	-	08	-	-	39	4
5	24	-	01	04	-	-	-	-	-	-	34	-	5
6	09	20	04	02	03	01	-	-	-	-	-	-	6
7	28	52	37	-	10	-	-	-	-	46	-	25	7
8	-	18	04	-	33	-	-	-	-	41	32	31	8
9	04	01	02	-	-	-	04	-	-	-	12	-	9
10	-	13	-	18	13	-	10	-	-	46	-	05	10
11	05	-	-	18	04	-	-	-	-	101	-	-	11
12	-	30	26	04	32	10	-	-	-	54	-	02	12
13	-	04	32	01	30	-	38	-	-	-	24	-	13
14	03	06	06	-	02	-	03	-	37	01	-	06	14
15	01	01	01	04	26	23	04	-	-	-	11	-	15
16	-	09	-	-	19	02	-	01	-	-	22	02	16
17	02	10	-	-	-	-	-	12	14	-	06	-	17
18	-	24	-	-	-	-	-	16	08	10	-	-	18
19	20	06	-	-	-	-	-	-	33	11	-	10	19
20	04	01	04	-	06	01	-	-	32	02	-	-	20
21	-	15	10	-	-	-	-	03	-	91	-	13	21
22	-	52	22	-	-	-	-	19	50	25	-	-	22
23	-	10	12	-	09	-	11	30	38	149	03	-	23
24	-	05	-	-	-	-	-	14	38	49	-	-	24
25	-	09	04	42	02	03	04	01	11	28	-	45	25
26	-	33	-	14	02	-	8	20	-	15	-	39	26
27	03	30	08	01	08	-	05	30	-	-	-	21	27
28	-	21	-	-	51	-	19	05	-	-	21	01	28
29	01	X	-	24	50	-	02	36	-	01	-	30	29
30	-	X	-	-	-	-	15	16	-	19	-	08	30
31	-	X	-	X	-	X	11	01	X	05	X	15	31
TOTAL	124	383	204	168	307	53	132	204	245	927	211	386	YEAR'S TOTAL 3380
Days with 01 in. or more	14	24	14	11	18	8	12	14	12	20	11	14	128
Days with 04 in. or more	9	20	13	8	14	3	10	10	10	14	10	14	138

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Horwood

in the County of Sussex

by Hastings Corporation

Lat. 50°53'30" Long. 0°29'0"

Time of Observation _____

Nearest Railway Station Crowhurst

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 44 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	-	-	.23	.03	-	-	-	1.05	.74	1 RRB
2	.06	-	-	-	.19	.05	.10	.51	-	-	-	.19	2 805
3	-	-	.05	-	.22	.04	.18	.34	-	-	-	-	3
4	-	-	-	.04	-	.53	.01	.02	.02	.03	-	.40	4
5	-	.03	.09	-	.01	-	.10	-	-	.20	-	.05	5
6	-	.14	-	-	-	-	-	.08	-	1.20	-	-	6
7	.01	-	-	-	.01	.11	-	.02	.24	.35	-	-	7
8	-	-	-	.01	.04	-	-	-	.04	.14	-	-	8
9	Snow .54	.21	-	.01	-	.04	-	-	.04	-	-	-	9
10	.26	-	-	.06	.51	.02	-	-	.02	-	-	-	10
11	.01	.01	-	.33	-	.25	-	-	.14	-	.18	-	11
12	-	-	-	.39	.03	.26	-	-	.02	-	.40	-	12
13	.02	-	-	.41	.01	-	-	-	.31	-	.15	.16	13
14	.02	-	-	.22	-	-	-	-	-	-	-	-	14
15	-	.01	-	.13	-	-	-	-	.10	-	-	.28	15
16	-	-	-	-	-	-	-	-	-	-	-	.08	16
17	.20	-	-	-	-	-	.46	-	.01	-	-	-	17
18	.64	.04	-	-	.04	.01	.05	.10	-	-	.02	-	18
19	.08	.01	-	-	-	-	.01	.21	-	-	-	-	19
20	-	-	-	-	.26	.08	.05	.11	.10	-	-	-	20
21	.24	-	-	-	.14	-	.02	.28	-	.65	-	-	21
22	.26	-	49	-	.01	.15	-	.49	-	-	-	-	22
23	-	.26	-	.01	.28	-	-	.40	-	-	-	.72	23
24	.41	-	.25	.04	.25	-	-	.04	-	-	.08	.16	24
25	-	-	.33	.04	-	-	.56	-	-	-	.28	-	25
26	-	-	.13	.58	-	-	.66	-	-	.14	.30	-	26
27	-	-	.01	.36	-	-	.08	.05	-	.23	.25	.80	27
28	-	-	-	.13	-	-	.64	.12	-	.01	.40	-	28
29	.02	-	-	.20	.41	-	-	.21	-	.40	-	.06	29
30	-	X	-	.12	.13	.01	-	.25	.16	.46	.25	.26	30
31	-	X	-	X	.41	X	-	.11	X	.55	X	.46	31 833
TOTAL	2.83	.41	1.35	3.11	3.28	1.48	3.25	3.34	1.32	4.69	3.36	3.76	YEAR TOTAL 32.81
Days with ".01 in. or more.	15	8	4	14	14	13	14	14	12	12	11	13	156
Days with ".01 in. or more	9	4	6	14	12	10	10	15	8	10	10	13	121

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at

Yorwood

in the County of

Sussex

by

Hastings Corporation.

Lat.

Long.

Time of Observation

7 a.m.

Nearest Railway Station

Bath

Diameter of Funnel of Rain Gauge

5"

in.

Height of top of Gauge above Ground

1

ft.

in.

" " " " Sea Level

30

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.53	-	.11	-	.20	-	-	.16	.08	-	.50	.02	1
2	.39	-	-	.37	-	-	.07	-	-	-	.75	-	2
3	1.12	-	-	.01	.32	-	.26	-	-	-	~~.68~~	-	3
4	.01	.01	-	-	.18	-	-	-	.03	.02	.32	-	4
5	-	.01	-	.20	-	-	-	.10	.10	-	.45	-	5
6	-	-	-	.15	.22	-	.01	.03	-	-	.46	-	6
7	-	.11	-	-	.03	-	.31	-	-	.01	.23	.02	7
8	.10	.17	-	-	.18	-	-	-	.02	-	-	.04	8
9	-	.02	-	.02	-	-	-	.01	.03	-	-	-	9
10	-	-	.08	-	-	-	-	.20	.05	-	-	-	10
11	-	.01	-	-	-	-	-	-	.01	-	-	-	11
12	-	.51	.01	-	-	-	-	.01	.03	-	-	-	12
13	-	.42	.32	.25	-	-	-	.01	.01	-	-	-	13
14	.38	-	.01	.32	-	-	-	-	-	-	-	-	14
15	.19	.12	-	.07	-	-	-	-	-	.01	-	-	15
16	.05	.08	-	-	-	-	-	-	.06	.28	-	.01	16
17	.01	-	-	-	.07	-	-	-	.07	-	-	-	17
18	-	-	-	-	.05	-	.03	-	-	.03	-	~~.56~~	18
19	-	.03	-	.27	.02	.02	-	.02	.11	1.06	-	.38	19
20	-	-	.15	-	-	.04	.01	-	1.04	.41	-	.50	20
21	-	-	-	-	-	-	.03	.05	.47	.18	-	.75	21
22	-	.02	.01	-	-	-	1.49	.40	.15	.35	-	.61	22
23	-	.21	.01	~~(.45)~~	.40	.03	-	.26	-	1.08	-	.11	23
24	.31	.75	.21	-	.12	.09	.06	-	-	.15	-	.30	24
25	.02	.51	.07	-	-	-	-	-	.35	-	.04	.21	25
26	.03	.22	-	-	.04	.03	.10	-	-	.34	-	.03	26
27	.20	.02	-	.01	.40	-	.75	-	-	.04	.08	.03	27
28	.03	-	-	.28	-	-	.03	-	-	-	-	.22	28
29	.05	X	-	.13	.05	-	.28	-	-	-	.20	.97	29
30	-	X	-	.25	-	-	.20	-	-	-	-	.48	30
31	.05	X	-	X	-	X	.60	-	X	-	X	.04	31
TOTAL	3.47	3.22	.98	2.33	2.58	.21	4.23	1.45	2.61	3.96	3.11	4.78	33.38
Days with .01 in. or more.	16	17	10	16	14	5	15	13	16	13	10	18	163
Days with .04 in. or more.	11	10	6	12	12	2	10	8	10	9	10	13	113

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Forewood
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 4.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39	.50	—	—	—	.20	—	—	.04	—	.04	—	1
2	.05	.01	—	—	—	1.00	—	—	.10	—	.02	—	2
3	.25	.85	.13	—	—	—	—	—	—	—	—	—	3
4	—	.15	.01	.03	—	—	—	—	—	—	—	—	4
5	.06	.04	.03	—	.63	—	.01	—	—	—	.24	.28	5
6	.04	—	.10	.12	—	.04	.05	.04	—	—	.03	.06	6
7	.13	.04	—	.25	.03	.12	—	—	.03	—	.03	.01	7
8	.01	.04	—	—	—	.09	—	—	—	.01	.56	—	8
9	—	.01	.01	—	—	.23	—	—	—	.06	.41	.01	9
10	—	—	—	—	.03	.18	.01	.14	.01	.01	.02	—	10
11	—	.03	—	—	.23	.14	—	.22	—	.20	.16	—	11
12	—	.01	—	—	.03	—	—	—	.04	.26	—	—	12
13	.02	—	—	—	—	—	—	.02	—	.04	1.06	.01	13
14	.10	—	—	—	.35	.03	—	—	.05	.41	.15	.12	14
15	.05	.04	—	.44	.04	—	—	—	.02	.22	.12	—	15
16	—	.44	—	.13	—	—	—	.99	—	.03	.02	—	16
17	.03	.45	—	.01	—	.64	—	—	—	—	.04	—	17
18	.24	.14	—	.30	.13	.05	.10	.12	—	—	.45	—	18
19	—	—	—	.15	.02	—	.41	—	—	—	.15	—	19
20	—	—	.04	.26	—	—	—	.20	—	.01	—	—	20
21	—	—	—	.03	—	—	.01	—	—	—	.61	—	21
22	.04	—	—	.06	.06	—	—	.02	—	—	.43	.25	22
23	.40	—	—	.10	—	.23	—	—	—	.06	—	—	23
24	—	—	—	—	—	.36	.03	—	.01	.52	—	—	24
25	.10	—	—	.36	—	—	.25	—	—	.05	—	.06	25
26	—	—	—	.02	—	—	.24	—	.03	—	.22	—	26
27	.03	—	.05	.12	—	—	.25	—	.09	—	—	—	27
28	.41	—	—	.21	.04	—	.24	—	—	.34	.40	—	28
29	.08	X	.02	.39	—	—	—	—	—	.14	.12	—	29
30	.11	X	—	.13	.21	—	—	—	—	—	.01	—	30
31	.25	X	—	X	.25	X	—	—	X	—	X	—	31
TOTAL	3.12	3.08	.42	3.14	2.08	3.40	1.63	1.45	.45	2.69	5.95	.80	YEARS TOTAL 28.51
Days with "1 in. or more.	20	14	8	18	13	13	11	8	10	15	22	8	160
Days with "4 in. or more.	16	10	4	14	9	12	4	6	5	11	16	5	115

Please read the Notes and Instructions Overleaf.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Yarwood
 in the County of Sussex
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....1 ft..... in.
 „ Ground „ Sea Level.....4.6 ft.

*Corr for Airt & observer notified 3/8/28.
 Reverse value of .15 for June 1st
 sent on 15/8/28 File 685233/26*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.86	—	.20	—	(.15)	1.02	.34	—	.22	.28	—	1
2	.02	.03	.08	.20	—	—	—	—	—	.22	.02	.03	2
3	.25	—	—	—	—	—	—	—	—	—	—	.01	3
4	—	—	.02	.15	—	—	—	—	—	—	—	—	4
5	.12	.13	.44	.48	—	.25	.15	.14	—	—	.58	—	5
6	.04	—	—	.18	—	—	.40	.25	.12	—	—	—	6
7	.03	.22	.10	.42	—	.08	—	—	—	—	—	—	7
8	.08	—	—	.16	—	—	—	.29	.05	—	.21	—	8
9	—	—	.03	.21	—	—	.68	.11	.05	—	.03	—	9
10	—	—	.02	—	—	—	—	—	—	—	—	—	10
11	—	—	—	.02	—	.15	—	.02	.34	—	—	—	11
12	.04	—	.02	—	—	—	.20	.01	—	.01	.04	—	12
13	.12	—	—	—	—	—	.02	.59	.26	.01	.02	—	13
14	—	.02	—	.05	—	—	.42	.25	—	—	.45	—	14
15	.04	—	—	—	—	—	.04	.83	.11	—	—	.02	15
16	.02	—	—	—	.11	—	—	.09	.18	—	—	—	16
17	.19	.01	.02	—	—	.39	—	.15	.65	—	—	—	17
18	.15	—	—	—	—	.35	—	.62	—	—	.14	—	18
19	—	—	—	—	—	—	—	—	.01	—	—	—	19
20	.12	.26	—	—	—	—	.11	.94	.02	—	.43	.18	20
21	.24	.11	.01	—	.30	—	.08	.11	.15	.18	.32	.41	21
22	.14	.02	.45	—	—	—	—	.05	.84	—	—	.62	22
23	.01	.19	.43	—	—	.08	.08	—	.26	.09	.22	—	23
24	—	.29	.24	—	—	.24	—	—	.34	.05	.46	—	24
25	.01	.31	.31	—	—	.29	—	—	—	.06	—	—	25
26	.05	.46	.05	—	—	—	—	—	.02	.01	.82	—	26
27	—	.40	—	—	.24	.30	.11	—	—	.08	.01	.01	27
28	.04	.06	—	.03	—	.15	—	—	—	.02	.04	—	28
29	.14	X	.25	—	—	.40	—	.01	.45	.13	1.03	—	29
30	.24	X	.20	—	—	.45	.01	—	.08	—	—	—	30
31	.04	X	.42	X	—	X	—	—	X	.05	X	.14	31
TOTAL	2.25	3.34	3.15	2.10	.68	3.61	3.40	4.64	4.34	1.61	3.63	4.99	38.05
Days with .01 in. or more.	22	15	18	11	48	14	14	16	20	12	16	14	178
Days with .04 in. or more.	14	11	12	9	48	14	12	16	16	14	14	14	139

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 192Kept at Forewoodin the County of SussexDiameter of Funnel of Gauge 5" in.Height of top of Gauge above Ground 1 ft. — in." Ground " Sea Level 44.6 ft.*See
attached
return***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**


An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.86	—	.20	—	.15	1.04	.34	—	.22	.28	—	1
2	.02	.03	.08	.20	—	—	—	—	—	—	.05	.03	2
3	.25	—	—	—	—	—	—	—	—	—	—	.01	3
4	—	—	.02	.15	—	—	—	—	—	—	—	—	4
5	.12	.13	.44	.48	—	.25	.15	.14	—	—	.58	—	5
6	.04	—	—	.18	—	—	.70	.25	.12	—	—	—	6
7	.03	.22	.10	.42	—	.08	—	—	—	—	—	—	7
8	.08	—	—	.16	—	—	—	.29	.05	—	.21	—	8
9	—	—	.03	.21	—	—	.68	.11	.05	—	.03	—	9
10	—	—	.02	—	—	—	—	—	.34	—	—	—	10
11	—	—	—	.02	—	.15	—	.02	—	—	—	—	11
12	.04	—	.02	—	—	—	.20	.01	—	.01	.04	—	12
13	.12	—	—	—	—	—	.02	.59	.26	.01	—	.02	13
14	—	.02	—	.05	—	—	.42	—	1.25	—	—	.45	14
15	.04	—	—	—	—	—	.04	.83	.11	—	—	.02	15
16	.02	—	—	—	.11	—	—	.09	.18	—	—	—	16
17	.19	.01	.02	—	—	.39	—	.15	.65	—	—	—	17
18	.15	—	—	—	—	.35	—	.62	—	—	.14	—	18
19	—	—	—	—	—	—	—	—	.01	—	.73	—	19
20	.12	.26	—	—	—	—	.11	.94	.02	—	—	.18	20
21	.24	.11	.01	—	.30	—	.08	.11	.15	.18	.32	.71	21
22	.14	.02	.45	—	—	—	—	.05	.84	—	—	.62	22
23	.01	.19	.43	—	—	.08	.08	—	.26	.09	.22	—	23
24	—	.29	.27	—	—	.27	—	—	.34	—	.05	1.76	24
25	.01	.31	.31	—	—	.29	—	—	—	.06	—	—	25
26	.05	.46	.45	—	—	—	—	—	.02	.01	.82	—	26
27	—	.40	—	—	.27	.30	.71	—	—	.08	.01	.01	27
28	.04	.06	—	.03	—	.15	—	—	—	.02	.04	—	28
29	.14	X	.25	—	—	.40	—	.01	.45	.13	1.03	—	29
30	.27	X	.20	—	—	.75	.01	—	.08	—	—	—	30
31	.04	X	.42	X	—	X	X	—	X	.05	X	.14	31
TOTAL	2.25	3.34	3.15	2.10	.68	3.61	3.70	4.64	4.37	1.61	3.63	4.99	38.10
Days with ".01 in. or more.													
Days with ".04 in. or more.													

YEAR'S TOTAL



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Forewood

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 46 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	.15	.38	—	—	—	.16	—	—	.56	.07	1
2	.88	.21	.02	—	—	—	—	—	—	—	.25	—	2
3	—	—	—	.11	.13	—	.20	.18	—	—	.15	.01	3
4	.01	.16	—	.24	.30	.02	—	.45	—	—	—	—	4
5	.21	—	.03	—	—	—	.02	—	—	—	—	.01	5
6	—	—	.06	—	—	.24	—	—	—	—	.01	.18	6
7	.08	.02	.03	.14	—	.24	—	.03	—	—	—	—	7
8	—	.02	.04	—	.01	.20	—	—	—	.22	.04	.04	8
9	.02	.01	.01	—	—	.34	.03	—	Trace	.38	—	—	9
10	.11	.21	—	.22	—	—	—	.02	—	.30	.43	—	10
11	.02	.16	—	.05	—	.02	—	—	—	1.01	—	.09	11
12	.34	—	—	.01	.01	—	—	—	—	.21	.02	.12	12
13	—	.28	—	—	—	1.09	—	.02	—	—	.23	—	13
14	.45	.22	—	1.04	.24	.10	—	.02	—	.68	.36	—	14
15	—	.01	—	—	.08	.01	—	.01	—	.02	.51	.24	15
16	—	.05	—	.41	.22	—	—	—	—	.05	.61	—	16
17	—	—	—	—	.40	—	—	—	—	.19	.11	—	17
18	.43	—	.01	.02	.05	.15	—	—	—	.50	—	—	18
19	—	—	—	—	.15	.03	—	.15	—	.40	.14	.21	19
20	.13	—	—	—	—	—	—	.13	—	.49	.09	.14	20
21	.10	—	.42	.09	.61	—	—	—	—	.55	.20	—	21
22	—	—	.15	—	.35	—	—	—	—	.53	.23	.15	22
23	.34	—	.02	—	.06	—	—	—	—	.10	.25	.14	23
24	—	—	.03	—	—	—	—	.02	.01	.25	.08	.20	24
25	.19	—	—	—	—	.06	—	.41	.02	.23	—	.24	25
26	.24	—	—	—	—	.04	—	—	—	.46	—	—	26
27	—	—	.04	—	—	—	.58	.02	—	.08	—	.01	27
28	.51	—	.14	—	—	—	—	.10	.26	—	—	.40	28
29	—	.15	.59	.04	—	—	.22	—	.02	.23	.03	.28	29
30	.04	X	.13	.13	—	—	.22	—	—	.05	—	—	30
31	.12	X	see 1st Apr	X	—	X	.03	—	X	—	X	.11	31
TOTAL	4.58	1.51	1.84	2.94	2.61	2.63	1.30	1.72	.31	4.23	4.30	3.00	34.03
Days with ".01 in. or more.	18	13	16	13	13	13	4	14	4	21	19	18	169
Days with ".04 in. or more.	15	8	9	11	11	9	4	4	1	20	16	14	125

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Forewoodin the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. - in.,, Ground ,, Sea Level 456 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	30* nov.
1	.05	.06	—	.01	—	.11	—	.15	—	.21	—	.02	1
2	.08	{ .60 }	{ .02 }	—	—	.11	.23	—	—	.52	.11	.33	2
3	—	—	—	—	—	.08	.11	—	—	.29	—	.44	3
4	—	—	.01	.21	{ .83 }	.64	.10	.12	—	.08	—	.12	4
5	—	—	—	.02	.29	—	.13	—	—	.24	—	.41	5
6	—	—	—	—	.33	.04	{ .19 }	.79	—	.24	.23	.68	6
7	—	—	—	—	.04	—	—	—	—	.27	.28	{ .75 }	7
8	—	—	—	—	—	{ .14 }	—	—	—	.31	.12	—	8
9	—	.34	—	.09	.11	—	—	—	—	—	—	.45	9
10	.09	—	—	.05	—	—	—	—	—	.13	.13	.56	10
11	—	—	—	.11	{ .41 }	—	—	—	—	—	.68	.10	11
12	—	—	—	.09	.14	—	—	—	—	—	.05	—	12
13	.01	{ snow .02 }	—	—	.16	—	—	—	—	—	.26	.06	13
14	—	{ snow .06 }	—	—	.07	.07	—	—	—	—	—	{ .26 }	14
15	.01	{ snow .02 }	—	.06	.26	{ .38 }	—	—	—	—	<u>1.41</u>	—	15
16	.08	—	—	—	—	—	—	.98	—	—	.62	—	16
17	.01	—	—	—	—	—	—	{ .02 }	—	.09	—	—	17
18	.02	—	—	—	—	—	—	—	.02	—	.19	—	18
19	—	—	—	—	—	—	—	—	—	—	.08	—	19
20	—	—	—	—	—	—	.06	—	.10	—	—	—	20
21	.18	—	—	—	—	—	—	—	—	—	—	{ .116 }	21
22	.01	—	.01	—	—	—	—	.03	—	—	.03	—	22
23	—	{ .10 }	—	—	—	—	—	—	—	—	.74	.52	23
24	—	—	—	—	.13	—	—	—	—	.40	—	.15	24
25	—	—	.02	—	{ .03 }	—	—	—	—	.35	.08	.26	25
26	—	.08	—	—	—	—	—	—	—	—	.29	.09	26
27	.01	—	—	{ .08 }	.05	—	—	—	—	—	.59	.02	27
28	.25	—	—	—	—	—	.30	—	—	.48	.49	{ .44 }	28
29	.20	X	—	.22	—	—	—	—	.62	—	.31	—	29
30	.02	X	—	—	—	.07	—	—	.35	—	see above Dec. 1st	.54	30
31	.37	X	—	X	—	X	.18	—	X	.02	X	—	31
TOTAL	1.39	1.28	.06	.94	2.42	2.02	1.17	2.22	1.09	3.42	6.69	7.36	30.06
Days with .01 in. or more.	15	8	4	10	11	10	7	7	4	13	19	20	128
Days with .04 in. or more.	8	4	—	8	10	10	7	5	3	13	8	—	105

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Forewood Pumping Station
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 30 ft.

Discussed and altered to diameter of g. is 5" see Enc R of 685233/269
46

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.10	/	.13	/	.01	.46	.01	/	/	.81	/	1
2	.03	.08	/	.11	/	/	/	/	/	/	.88	/	2
3	.10	.36	/	.53	.01	/	/	1.34	/	/	/	/	3
4	.20	.17	/	/	.01	/	/	.41	.02	.10	/	/	4
5	.03	/	/	/	.18	/	/	.24	/	/	/	.01	5
6	/	.20	/	/	/	/	/	/	.40	.01	/	.19	6
7	/	.25	/	/	/	/	/	/	.23	.63	.42	/	7
8	.19	/	/	/	/	/	/	/	/	.18	.01	.08	8
9	.16	/	/	/	.35	/	.08	/	.02	/	.01	.09	9
10	.31	/	.22	/	.36	/	/	/	/	/	/	/	10
11	.16	/	.06	/	/	/	.32	/	/	.22	/	.71	11
12	.15	.02	/	.06	.03	.01	/	.33	/	/	/	.21	12
13	.13	/	.06	.13	.09	/	.15	.24	.54	/	/	/	13
14	.03	/	.04	/	/	/	.11	/	/	.04	/	/	14
15	/	.10	.24	.03	/	/	.51	/	/	/	.16	/	15
16	/	.09	.09	/	/	/	.01	/	.18	.08	/	.01	16
17	/	.06	.04	/	/	.02	/	/	.18	/	/	/	17
18	/	/	.05	.06	.02	/	.15	/	/	.09	.31	.11	18
19	/	/	.52	.11	/	/	/	/	.93	.55	.01	.01	19
20	/	/	.09	.09	.20	/	.90	.04	.60	.10	1.10	.02	20
21	/	/	.02	/	/	/	.12	.32	/	.26	.59	/	21
22	/	/	.20	/	.20	/	.03	.04	.05	/	.32	/	22
23	.01	/	.20	.29	/	.26	.02	.20	/	/	/	.08	23
24	.33	.06	/	/	.30	.20	.05	/	.01	.01	.68	.43	24
25	.22	/	/	.03	.33	.01	/	/	.11	/	.23	.08	25
26	.16	.02	/	/	.04	.19	.03	/	.20	/	.25	.20	26
27	/	/	/	/	/	/	/	/	.11	/	.24	.10	27
28	.01	/	/	/	/	/	.01	/	.10	.01	.14	/	28
29	.39	/	.01	/	/	/	.01	/	.18	/	.28	.15	29
30	.10	X	/	/	.39	/	.14	/	/	/	.01	.70	30
31	.43	X	.15	X	.34	X	/	/	X	.06	X	.09	31
TOTAL	3.38	1.51	2.48	1.54	2.89	1.08	3.19	3.32	3.89	2.88	6.48	3.71	36.38
*Days with or in. or more.	20.5	12.3	15.2	11.2	15.4	7.2	17.3	10.1	16.3	14.2	18.4	18.4	173.3
*Days with .04 in. or more.	15.15	10.8	13	9.1	11.1	5.1	13.1	9.1	13.1	12.1	14.1	10.1	138.4

40-9999

*See Instruction 2 (f) on other side.

1044 sheets "pages"
Note diam of funnel.

Print

S Little
(Signed)

[P.T.O.]

HASTINGS
ST LEONARDS

SUSSEX

1921-22, 26-30

Kept at *W. Rusk*
in the County of *Sussex*
by *W. Rusk*

IMPORTANT NOTE
If an Observer prefers to
the reading at 9 a.m. on
this paragraph. Full ins
and particulars as to the
sent post-free on applic
Square, London, N.W. 1.

0° 33'E
9h 218h in winter 9h
172h in summer

Rain Gauge. 8 in.
above Ground. 1 ft. 3 in.
Sea Level. 179 ft.
entered to the previous day.

requested to add
it at the end of
of rain gauges,
Infall Observers,
on, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.6	0.1	0.5	-	-	-	-	-	-	-	0.4	6.6	1
2	1.2	-	0.3	-	1.8	-	-	-	-	-	6.9	-	2
3	1.3	-	0.7	-	1.9	1.6	-	0.8	-	-	3.4	-	3
4	0.8	-	0.2	-	0.9	-	-	2.9	-	-	14.4	-	4
5	0.2	-	-	-	-	0.6	-	2.7	-	-	10.4	0.9	5
6	5.6	-	1.9	-	1.7	-	0.3	-	-	-	-	1.4	6
7	3.6	0.3	-	-	8.2	-	-	0.1	-	-	-	0.2	7
8	0.9	-	1.2	0.8	-	-	-	-	-	-	-	-	8
9	0.2	-	0.4	-	-	-	-	-	-	-	-	-	9
10	13.2	1.7	0.4	-	-	-	-	0.2	1.4	2.4	-	2.1	10
11	4.7	-	-	-	2.1	-	-	-	10.5	-	-	0.8	11
12	4.0	0.5	4.3	-	0.3	-	-	2.8	0.6	-	-	2.4	12
13	10.6	-	1.7	8.6	-	-	-	3.3	0.4	0.4	1.4	0.5	13
14	-	-	-	-	-	-	-	0.1	-	0.5	-	7.9	14
15	-	-	-	3.4	2.7	-	0.3	3.1	-	-	-	0.5	15
16	0.9	-	0.4	5.6	-	-	-	0.8	-	0.2	1.0	0.4	16
17	4.4	-	2.3	7.7	-	-	0.1	2.8	0.2	0.2	-	-	17
18	0.5	0.4	-	-	-	-	-	-	1.3	0.3	-	0.4	18
19	-	-	6.2	1.5	-	-	-	-	-	0.2	-	6.2	19
20	-	-	2.4	0.7	-	0.3	-	0.4	-	1.8	-	-	20
21	0.4	-	-	-	-	-	-	0.3	-	-	3.1	1.1	21
22	-	0.2	-	-	-	-	-	0.3	-	4.2	-	11.3	22
23	-	-	0.2	5.7	-	-	0.3	3.3	-	3.4	-	1.4	23
24	0.2	-	-	0.2	-	-	-	0.2	-	-	-	1.4	24
25	1.6	8.3	-	-	-	-	-	-	-	-	-	6.0	25
26	0.5	-	0.6	-	0.3	-	-	-	-	-	-	3.6	26
27	-	-	-	3.3	-	-	-	0.4	-	-	-	3.8	27
28	0.2	-	6.2	-	-	-	3.1	2.1	-	-	-	1.5	28
29	-	-	4.5	-	4.0	-	1.1	0.9	-	-	-	1.1	29
30	1.6	~~X~~	-	-	2.2	-	-	-	-	-	6.3	4.5	30
31	7.8	~~X~~	-	~~X~~	2.1	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	71.0	11.5	34.4	37.5	28.2	2.5	5.2	27.5	14.4	13.6	48.2	66.1	YEAR'S TOTAL
Days with 0.2 mm. or more	23	6	18	10	12	3	5	17	6	10	9	23	142
Days with 1.0 mm. or more	13	2	9	7	9	1	2	8	3	4	8	16	62

REGISTER OF RAINFALL IN 1921

Kept at North St Leonards
in the County of Sussex
by W. Ruskin Butterfield for the Corporation

Lat. 50° 51' Long. 0° 33'E
Time of Observation 9h 21m in winter 9h in summer
Nearest Railway Station 17h 4m in summer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
Sea Level 179 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.6	0.1	0.5	-	-	-	-	-	-	-	0.4	6.6	1
2	1.2	-	0.3	-	1.8	-	-	-	-	-	6.9	-	2
3	1.3	-	0.7	-	1.9	1.6	-	0.8	-	-	3.4	-	3
4	0.8	-	0.2	-	0.9	-	-	2.9	-	-	14.4	-	4
5	0.2	-	-	-	-	0.6	-	2.7	-	-	10.4	0.9	5
6	5.6	-	1.9	-	1.7	-	0.3	-	-	-	-	1.4	6
7	3.6	0.3	-	-	8.2	-	-	0.1	-	-	-	0.2	7
8	0.9	-	1.2	0.8	-	-	-	-	-	-	-	-	8
9	0.2	-	0.4	-	-	-	-	-	-	-	-	-	9
10	13.2	1.7	0.4	-	-	-	-	0.2	1.4	2.4	-	2.1	10
11	4.7	-	-	-	2.1	-	-	-	10.5	-	-	0.8	11
12	4.0	0.5	4.3	-	0.3	-	-	2.8	0.6	-	-	2.4	12
13	10.6	-	1.7	8.6	-	-	-	3.3	0.4	0.4	1.4	0.5	13
14	-	-	-	-	-	-	-	0.1	-	0.5	-	7.9	14
15	-	-	-	3.4	2.7	-	0.3	3.1	-	-	-	0.5	15
16	0.9	-	0.4	5.6	-	-	-	0.8	-	0.2	1.0	0.4	16
17	4.4	-	2.3	7.7	-	-	0.1	2.8	0.2	0.2	-	-	17
18	0.5	0.4	-	-	-	-	-	-	1.3	0.3	-	0.4	18
19	-	-	6.2	1.5	-	-	-	-	-	0.2	-	6.2	19
20	-	-	2.4	0.7	-	0.3	-	0.4	-	1.8	-	-	20
21	0.4	-	-	-	-	-	-	0.3	-	-	3.1	1.1	21
22	-	0.2	-	-	-	-	-	0.3	-	4.2	-	11.3	22
23	-	-	0.2	5.7	-	-	0.3	3.3	-	3.4	-	1.4	23
24	0.2	-	-	0.2	-	-	-	0.2	-	-	-	1.4	24
25	1.6	8.3	-	-	-	-	-	-	-	-	-	6.0	25
26	0.5	-	0.6	-	0.3	-	-	-	-	-	-	3.6	26
27	-	-	-	3.3	-	-	-	0.4	-	-	-	3.8	27
28	0.2	-	6.2	-	-	-	3.1	2.1	-	-	-	1.5	28
29	-	-	4.5	-	4.0	-	1.1	0.9	-	-	-	1.1	29
30	1.6	~~X~~	-	-	2.2	-	-	-	-	-	6.3	4.5	30
31	7.8	~~X~~	-	~~X~~	2.1	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	71.0	11.5	34.4	37.5	28.2	2.5	5.2	27.5	14.4	13.6	48.2	66.1	YEAR'S TOTAL
Days with 0.2 mm. or more	23	6	18	10	12	3	5	17	6	10	9	23	142
Days with 1.0 mm. or more	13	2	9	7	9	1	2	8	3	4	8	16	82

Form 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly E.P.O. Form A.2). REGISTER OF RAINFALL IN 1922

Kept at Hastings (St. Leonards)
in the County of Sussex
by W. R. Butterfield, for the Corp.

Lat. 50°51' Long. 0°33'E
Time of Observation 9.2.17
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 179 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.2	3.5	1.3	-	0.4	0.9	0.3	-	0.6	0.8	11.6	1.3	1
2	4.1	9.1	5.3	8.3	1.0	-	0.4	-	2.4	-	0.2	-	2
3	-	0.9	0.8	17.2	5.3	-	1.1	4.0	-	0.5	5.2	-	3
4	-	2.6	2.6	-	0.7	-	1.0	0.7	0.2	9.3	0.1	-	4
5	-	-	0.5	2.5	0.2	-	15.1	-	2.9	0.7	9.0	-	5
6	1.2	-	3.0	-	-	-	1.0	5.7	-	1.2	6.3	-	6
7	4.8	-	13.1	5.3	-	-	0.9	-	-	-	0.8	0.3	7
8	4.4	-	1.6	1.3	-	1.3	8.4	4.9	-	0.1	4.7	0.2	8
9	2.6	-	0.6	-	-	-	0.2	3.0	-	2.9	0.2	0.2	9
10	1.4	-	-	-	-	0.2	-	-	1.0	-	3.6	-	10
11	1.1	-	-	-	0.3	-	-	-	-	-	-	-	11
12	-	-	-	7.7	-	-	-	1.2	10.3	-	-	-	12
13	-	-	-	8.5	-	4.9	5.5	-	12.5	-	-	-	13
14	-	-	-	0.6	-	5.3	9.2	0.4	8.1	-	-	-	14
15	7.6	5.7	-	-	-	0.3	0.3	-	-	-	0.3	0.6	15
16	-	2.1	0.3	3.7	0.3	-	0.8	-	4.3	-	-	7.6	16
17	-	5.8	-	-	4.9	-	1.4	-	1.1	-	-	4.2	17
18	8.6	-	-	0.5	0.3	0.4	-	-	0.2	-	0.2	5.1	18
19	17.8	5.2	1.5	-	0.8	-	-	-	7.9	4.2	-	14.3	19
20	1.2	0.6	0.5	-	-	-	-	-	0.3	0.2	-	1.1	20
21	9.8	7.3	4.6	1.6	-	-	-	-	0.7	-	-	14.4	21
22	0.5	4.7	0.1	1.5	-	0.3	0.2	6.6	-	0.4	-	2.7	22
23	-	2.0	-	3.7	0.3	0.8	1.0	-	13.3	0.5	-	-	23
24	2.9	0.1	2.9	2.0	0.2	4.2	0.5	8.5	-	0.8	-	0.3	24
25	4.2	-	9.0	8.9	-	4.1	0.2	-	0.5	0.5	-	4.7	25
26	2.1	6.8	2.0	1.7	-	4.6	5.9	-	2.4	-	0.8	0.6	26
27	11.6	5.8	0.5	0.6	-	-	-	6.6	2.9	2.1	0.3	5.3	27
28	0.7	2.6	0.5	2.1	-	4.3	-	0.4	-	2.4	0.4	5.9	28
29	10.0	-	-	-	-	4.5	1.1	4.4	-	6.9	-	3.5	29
30	0.7	X	4.5	-	-	-	0.8	8.6	1.9	4.3	2.6	5.4	30
31	1.2	X	0.3	X	-	X	-	1.4	X	1.3	X	10.5	31
TOTAL	98.7	64.8	55.5	77.7	14.7	36.1	54.4	57.3	73.5	39.1	46.3	88.2	YEAR'S TOTAL
Days with 0.2 mm. or more	22	15	20	18	12	14	20	15	19	17	15	20	207
Days with 1.0 mm. or more	18	13	12	15	3	8	11	11	13	9	7	14	134

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1926.

Kept at St Leonard
in the County of Summers

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1									4.1				1
2													2
3		30.0	3.6										3
4													4
5					18.2							9.8	5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13											39.4		13
14										20.7			14
15				15.1									15
16								17.4					16
17					14.7								17
18													18
19							9.0						19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28	15.4												28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	89.1	86.1	9.9	90.6	61.6	72.1	46.2	36.6	19.4	100.4	207.8	31.6	YEAR'S TOTAL 851.4
Days with 0.2 mm. or more.	27	25	9	21	16	15	13	11	14	20	27	15	213
Days with 1.0 mm. or more.	17	13	3	16	13	10	8	7	7	16	21	6	137
	3.57	3.39	0.39	3.57	2.43	2.84	1.82	1.44	0.76	3.95	8.18	1.24	33.52
							(Signed)						P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1927.

Kept at

Hastings Lyons

in the County of

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		17.5											1
2													2
3													3
4													4
5				12.2									5
6							22.2						6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14									29.0				14
15								28.7					15
16													16
17													17
18													18
19													19
20													20
21					5.9								21
22										18.8			22
23													23
24													24
25													25
26												22.1	26
27													27
28													28
29											25.0		29
30	9.3	X				28.8							30
31		X	14.6	X		X			X		X		31
TOTAL	78.7	92.2	95.9	48.1	18.6	99.7	109.2	116.8	125.6	42.3	94.9	124.9	1046.9
Days with 0.2 mm. or more.	29	20	25	11	8	17	20	20	19	15	22	13	219
Days with 1.0 mm. or more.	20	12	19	8	5	16	14	14	18	7	15	9	160
	3.10	3.63	3.78	1.89	.73	3.93	4.30	4.60	4.94	1.67	3.74	4.92	41.23
							(Signed)						(P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1928.

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2	21.2	7.2											2
3								16.2					3
4					17.7								4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13						24.7							13
14											16.7		14
15				22.3									15
16													16
17													17
18													18
19													19
20													20
21										29.6			21
22													22
23													23
24													24
25													25
26													26
27							13.2					21.7	27
28									3.0				28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	130.9	44.6		74.7	73.7		40.0						YEAR'S TOTAL
Days with 0.2 mm. or more.	31	15	17	15	15	15	7	15	5	25	21	27	208
Days with 1.0 mm. or more.	20	10	13	12	11	11	6	10	4	20	17	15	149

Please read the Notes and Instructions Overleaf.

1.57 1.55 0.32 9.01 4.59 3.11 38.09
(Signed).....[P.T.O.]

Section



for the entry of Daily Observations.

523
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

For 1090.

REGISTER OF RAINFALL IN 1929.

Kept at St Leonards

in the County of Sussex

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

„ Ground „ Sea Level 178 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		.37											2
3													3
4						.46							4
5					.69								5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16								.91					16
17													17
18													18
19													19
20													20
21												.98	21
22			.03										22
23													23
24													24
25													25
26													26
27													27
28													28
29				.28									29
30		X											30
31	.31	X		X		X			X		X		31
TOTAL	1.39	1.15	0.12	1.28	2.36	2.07	1.27	2.28	1.04	4.44	6.18	7.68	YEAR'S TOTAL 31.59
Days with .01 in. or more.	22	12	6	12	11	15	9	9	6	23	25	27	177
Days with .04 in. or more.	9	7	0	9	9	10	6	6	4	15	18	22	115

40-9999 35.4 29.3 3.1 32.4 59.9 52.5 32.2 57.8 26.5 121.2 156.9 195.0 802.2

(Signed)..... P.T.O.

31.58

FORM 1090.

REGISTER OF RAINFALL IN 1930

400

Kept at St. Leonards
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 178 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3		0.29		.50				1.19					3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19									.42				19
20							.96			.73	.80		20
21													21
22													22
23			.62										23
24													24
25													25
26						.65							26
27													27
28													28
29													29
30		X			9.5							.63	30
31	.45	X		X		X			X		X		31
TOTAL	3.44	1.57	2.59	1.51	2.67	1.15	3.12	3.66	3.84	3.02	6.67	3.83	YEAR'S TOTAL 37.07
Days with ".01 in. or more.	29	13	16	14	15	7	19	17	19	20	21	27	217
Days with ".04 in. or more.	17	10	8	10	12	5	13	11	13	11	16	14	140

1921.....

Kept at.....Hastings

in the County of.....

by.....H. Field

HASTINGS CEMETARY

SUSSEX

1921-1926

IMPORTANT
If an Observer pre
the reading at 9 a.m.
this paragraph. Ful
and particulars as
sent post-free on a
Square, London, N.W.

Long.....
on.....
station.....
el of Rain Gauge.....in.
auge above Ground.....ft.....in.
,, Sea Level.....ft.

result entered to the previous day.
ly requested to add
for it at the end of
lacing of rain gauges,
Rainfall Observers,
ization, 62, Camden

Jan. 1, following.

this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	19		02							01	02	32	1
2	03	02			05			02			22		2
3	03		07		35	05		09			10		3
4	03				07			09			50		4
5						02		09			38	04	5
6	19		09		07							03	6
7	11		07		31		02			02			7
8		02		03									8
9	03									11			9
10	48	06							08			09	10
11	10				06			08	33			01	11
12	12		16		02				03		08	06	12
13	40		06	35				11		03		03	13
14				02						04		37	14
15				22	13							02	15
16	02		01	10				02		02	05	02	16
17	14		09	52				09		01			17
18	07	02											18
19			21	01					03	06		16	19
20		02	03	08				01					20
21	02							01		14	13	03	21
22										13		52	22
23			02	26				16				05	23
24								02	01			05	24
25	11	46									02	23	25
26	02		02		02							12	26
27		01		14							02	14	27
28			18				10	06				07	28
29			13		13		03	04				03	29
30	05	~~XX~~			04				01		25	44	30
31	35	~~XX~~		~~XX~~	08	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	2.49	61	1.16	1.73	1.33	07	15	89	49	57	1.77	2.83	14.09
Days with 01 in. or more	19	7	14	10	12	2	3	14	6	10	11	21	129
Days with 04 in. or more	12	2	9	7	8	1	1	9	2	5	8	14	80

REGISTER OF RAINFALL IN 1921

Kept at Hastings Cemetery
in the County of Sussex
by R. Field

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	19		02							01	02	32	1
2	03	02			05			02			22		2
3	03		07		35	05		09			10		3
4	03				07			09			50		4
5						02		09			38	04	5
6	19		09		07							03	6
7	11		07		31		02			02			7
8		02		03									8
9	03									11			9
10	48	06							08			09	10
11	10				06			08	33			01	11
12	12		16		02				03		08	06	12
13	40		06	35				11		03		03	13
14				02						04		37	14
15				22	13							02	15
16	02		01	10				02		02	05	02	16
17	14		09	52				09		01			17
18	07	02											18
19			21	01					03	06		16	19
20		02	03	08				01					20
21	02							01		14	13	03	21
22										13		52	22
23			02	26				16				05	23
24								02	01			05	24
25	11	46									02	23	25
26	02		02		02							12	26
27		01		14							02	14	27
28			18				10	06				07	28
29			13		13		03	04				03	29
30	05	~~X~~			04				01		25	44	30
31	35	~~X~~		~~X~~	08	~~X~~			~~X~~		~~X~~		31
TOTAL	249	61	116	173	133	07	15	89	49	57	177	283	1409
Days with 01 in. or more	19	7	14	10	12	2	3	14	6	10	11	21	129
Days with 04 in. or more	12	2	9	7	8	1	1	9	2	5	8	14	80

Kept at Hastings Cemetery
in the County of Sussex
by Rader Field

Lat. 50.52' N Long. 0.34 E
Time of Observation 9 a.m. (G.T.)
Nearest Railway Station Ore.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
" " " " Sea Level 4 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.10	.04	—	.05	.01	—	—	.01	.02	.25	.03	1
2	.08	.26	.18	.33	.04	—	—	—	.02	—	.02	—	2
3	—	.04	—	.64	.16	—	.04	.14	—	.03	.24	—	3
4	—	.04	.09	—	.02	—	.03	.02	.01	.36	—	—	4
5	—	.04	—	.13	—	—	.56	—	.10	.01	.33	—	5
6	.06	—	.08	—	—	—	.04	.22	—	.13	.31	—	6
7	.19	—	.41	.24	—	—	—	.01	—	—	.01	.01	7
8	.13	—	.04	.04	—	.08	.19	.28	—	—	.14	—	8
9	.10	—	.03	—	—	—	.09	.09	—	.20	.01	—	9
10	.04	—	—	—	—	—	—	—	.04	—	.14	.02	10
11	.04	—	—	—	—	—	—	—	—	—	—	—	11
12	—	—	—	.22	—	—	—	—	.40	—	—	—	12
13	—	—	—	—	—	.40	.15	.02	.64	—	—	—	13
14	—	—	—	.34	—	.36	.56	.01	.33	—	—	—	14
15	.25	.24	—	—	—	.02	.02	—	—	—	.01	.02	15
16	—	.05	.02	.11	—	—	.02	—	.09	—	.01	.31	16
17	—	.10	—	—	.16	—	.04	—	.03	—	—	.20	17
18	.26	—	—	.02	—	.03	—	—	—	—	—	.14	18
19	.46	.13	.06	—	.02	—	—	—	.20	.14	—	.53	19
20	.04	.02	.02	—	—	—	—	—	—	—	—	.03	20
21	.43	.24	.25	.05	—	—	—	—	.02	.02	—	.40	21
22	.03	.11	—	.04	—	—	.01	.22	—	.02	.01	.04	22
23	—	.06	—	.08	—	.04	.02	—	.46	.02	—	—	23
24	.12	.02	.10	.03	—	.11	.03	.22	—	.03	—	—	24
25	.20	—	.36	.30	—	.43	—	—	—	.01	—	.14	25
26	.08	.20	.13	—	—	.19	.23	—	.11	—	.03	.02	26
27	.40	.14	.03	.03	—	—	—	.23	.14	.08	.01	.11	27
28	.03	.10	.03	.05	—	.19	—	.01	—	.08	.01	.20	28
29	.34	X	—	—	—	.21	.03	.03	—	.24	—	.14	29
30	.02	X	.23	.02	—	—	.03	.33	.06	.18	.09	.14	30
31	.03	X	.02	X	—	X	—	.03	X	.05	X	.24	31
TOTAL	3.66	1.98	2.12	2.43	.45	2.04	2.09	1.89	2.66	1.65	1.68	2.81	YEAR'S TOTAL 25.49 ✓
Days with ".01 in. or more	21	14	18	14	6	12	14	15	16	14	16	18	190 ✓
Days with ".01 in. or more	14	15	12	13	4	9	9	8	11	9	4	12	126 ✓

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Hastings Cemetery
in the County of Sussex
by Walter Field

Lat. 50° 52' N. Long. 0° 34' E.
Time of Observation 9 a.m. (G.T.)
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground eight ft.
" " " " Sea Level 4 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.04	.35	—	—	.04	—	—	—	—	.39	.33	1
2	.13	.02	.02	—	.05	—	—	—	—	.22	.02	.31	2
3	—	—	—	—	—	.04	—	—	—	1.50	—	.03	3
4	—	—	—	—	—	—	—	—	.06	—	.01	.40	4
5	.25	.01	.02	.01	—	—	—	—	—	.01	.42	—	5
6	.16	.02	.04	.01	.05	.03	—	—	—	.03	—	—	6
7	.11	.54	.34	—	.09	—	—	—	—	.59	—	.18	7
8	.02	.24	.09	—	.39	—	—	—	—	.21	.35	.11	8
9	.03	.03	.02	.04	—	—	.01	—	—	.06	.06	—	9
10	—	.18	—	.21	.15	—	—	—	—	.26	—	.02	10
11	.02	.02	—	.05	—	—	—	—	—	.66	—	.01	11
12	—	.31	.31	.04	.55	.04	—	—	.01	.05	—	.02	12
13	.03	.04	.34	.03	.09	—	.21	—	—	—	.23	.01	13
14	.01	.06	.05	—	.13	—	—	—	.28	—	.02	.08	14
15	.01	.02	—	.05	.24	.21	.06	—	—	—	.10	—	15
16	—	.08	—	—	.15	—	—	—	—	—	.25	.02	16
17	.01	.04	—	—	—	—	—	.10	.22	—	—	—	17
18	.09	.29	—	.04	—	.01	—	.20	—	.22	—	—	18
19	.09	.05	—	—	—	—	—	.01	.35	.19	—	.15	19
20	.02	.05	.04	—	.04	.04	—	—	.39	.03	—	—	20
21	—	.04	.15	.25	—	.01	—	—	.02	.26	.02	.11	21
22	.02	.50	.24	.16	—	—	—	.13	.64	.08	—	.04	22
23	—	.06	.16	—	.05	—	.10	.34	.21	1.24	.04	.02	23
24	—	.05	.11	—	—	—	—	.38	.14	.49	—	—	24
25	—	.19	—	.66	.02	.02	.05	.02	.02	.34	—	.64	25
26	—	.33	—	.02	—	—	—	.12	—	.02	—	.26	26
27	—	.20	.14	.02	.19	—	.02	.33	—	—	—	.18	27
28	—	.26	.04	.05	.64	—	.26	.02	—	—	.20	.02	28
29	.03	—	—	.13	.35	—	.02	.32	—	—	.01	.32	29
30	—	X	—	—	—	—	.03	.14	.02	.21	—	.06	30
31	—	X	—	X	.01	X	.09	—	X	.20	X	.14	31
TOTAL	1.08	3.43	2.52	1.44	3.25	.50	.85	2.14	2.36	6.90	2.12	3.49	YEAR'S TOTAL
Days with 01 in. or more	14	26	14	16	14	9	10	12	12	21	14	23	30.71
Days with 04 in. or more	4	20	14	11	15	5	6	9	8	14	9	15	13.6

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at Hastings Cemetery.in the County of Sussex.by Walter Field.

Lat. 50° 52' N Long. 0° 34' E.

Time of Observation 9 a.m. (G T)Nearest Railway Station Ore.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 8 ft." " " " Sea Level 478 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	· 01		· 13		· 10	· 33	· 06	· 02			1-05	· 08	1 <i>RAA</i>
2	· 08		· 22		· 24	· 09	· 01	· 17				· 25	2 <i>WST</i>
3	· 01		· 04	· 01	· 15	· 02	· 18	· 57	· 01	· 10			3
4				· 02	· 04	· 54	· 08		· 01			· 32	4
5		· 25	· 16				· 01			· 04		· 03	5
6	· 01	· 05						· 07	· 03	· 48			6
7	· 02			· 01	· 01	· 05			· 10	· 40			7
8	· 37	· 03			· 08				· 10	· 17	· 01		8
9	· 22			· 04	· 01	· 05			· 05				9
10	· 25	· 17		· 08	· 29	· 01			· 01			· 01	10
11	· 01			· 37	· 26	· 39			· 07		· 35		11
12	· 04			· 15		· 02		· 12		· 01	· 40		12
13	· 02			· 35		· 02					· 16	· 16	13
14	· 02			· 38				· 04	· 20			· 05	14
15	· 01			· 01					· 05			· 27	15
16	· 01							· 09	· 01			· 05	16
17	· 23						· 62	· 42					17
18	· 62	· 01			· 25	· 03	· 05	· 07			· 05		18
19	· 04	· 01				· 04		· 11		· 20			19
20					· 44	· 01	· 05	· 13	· 04	· 08			20
21	· 20				· 04		· 02	· 52	· 33	· 91			21
22	· 17	· 03	· 27			· 01		· 32	· 04				22
23	· 01		· 13	· 01	· 51			· 02	· 25			· 73	23
24	· 38	· 20	· 59	· 05							· 08		24
25		· 11	· 02	· 02			· 75	· 07	· 25		· 26	· 17	25
26		· 01	· 20	· 43			· 25		· 11	· 11	· 22	· 05	26
27		· 04	· 02	· 45			· 09	· 17		· 17	· 34	· 66	27
28							· 80			· 02	· 32	· 01	28
29	· 03	· 05		· 19	· 30	· 01		· 28		· 71	· 28	· 12	29
30		X		· 10	· 37	· 02		· 22	· 13	· 69	· 04	· 25	30
31	· 01	X	· 01	X	· 85	X		· 01	X	· 40	X	· 33	31 <i>952</i>
TOTAL	2-77	· 96	1-79	2-67	3-94	1-64	2-97	3-42	1-79	4-49	3-56	3-54	YEAR'S TOTAL 33-54.
Days with 01 in. or more.	23	12	11	17	16	16	13	19	18	15	13	17	190.
Days with 04 in. or more.	11	7	8	11	14	8	10	16	13	13	12	14	136.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Hastings Cemetery
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" Ground " Sea Level 448 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	—	.14	.11	.02	—	—	.15	.05	—	.43	—	1
2	.52	.01	—	.21	—	—	.05	—	—	—	.64	—	2
3	.40	.01	—	—	.32	—	.22	—	—	—	.15	—	3
4	.01	—	—	—	.13	—	—	.02	.01	.06	.11	—	4
5	—	.02	—	.25	—	—	—	.09	.06	—	.34	—	5
6	—	.09	—	.05	.12	—	.24	.02	—	—	.65	—	6
7	—	.15	—	—	—	—	—	—	.01	—	.12	.03	7
8	.04	—	.01	—	—	—	—	—	—	—	—	.02	8
9	—	.03	—	—	—	—	.02	.01	.13	—	.01	.04	9
10	—	—	.05	—	—	—	—	.28	.05	—	.12	—	10
11	.02	.10	—	—	—	—	—	—	.05	—	.09	—	11
12	—	.21	—	—	—	—	—	—	.02	.01	—	—	12
13	—	.36	.12	.13	—	—	—	—	—	—	—	.01	13
14	.41	—	—	.24	—	—	—	—	—	—	—	—	14
15	.22	.22	—	.03	—	—	—	—	—	.04	—	—	15
16	.03	.05	—	—	.03	—	—	—	.06	.24	—	—	16
17	—	—	—	—	.25	—	—	—	.04	—	—	—	17
18	.02	.02	—	.32	.05	—	.03	.01	—	.03	—	.04	18
19	—	—	—	—	.04	.05	—	.01	.02	1.16	—	.40	19
20	—	—	.10	—	—	—	.02	—	1.10	.16	—	.53	20
21	—	—	.02	—	—	—	.04	—	.50	.11	—	1.12	21
22	—	—	.01	.02	—	—	1.10	.24	.16	.30	.01	.34	22
23	.02	.23	.02	.25	.35	—	—	.30	—	.40	—	.06	23
24	.29	.42	.13	.10	.09	.04	.06	.31	—	—	.06	.20	24
25	.01	.45	—	—	—	—	—	—	.24	—	—	.04	25
26	.06	.15	—	.04	.06	.01	.10	.02	—	.33	—	—	26
27	.19	.01	—	.05	.50	—	.55	.05	—	—	—	.15	27
28	.05	.08	.01	.13	—	—	.01	—	—	.01	.06	.32	28
29	.04	—	—	.14	.03	—	.28	—	.01	—	—	.99	29
30	—	X	—	.28	—	—	.50	—	—	.01	—	.38	30
31	.02	X	—	X	—	X	.25	—	X	—	X	.02	31
TOTAL	3.39	2.91	.61	2.41	1.99	.13	3.53	1.54	2.54	2.89	2.82	4.45	YEARS TOTAL 29.51
Days with .01 in. or more.	18	18	10	16	13	3	15	13	16	13	13	14	165
Days with .04 in. or more.	11	12	5	14	10	2	11	4	11	9	11	13	116

(Signed) Walter Field [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Hastings Cemetery
in the County of Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....8 ft.....8 in.
" Ground " Sea Level.....4 3/8 ft.

Part of year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.35	—	—	—	.56	—	—	.10				1
2	.04	—	—	—	—	.33	—	—	.01				2
3	.20	1.10	.13	—	—	—	—	—	—				3
4	—	.16	—	—	—	—	—	—	.02				4
5	.06	.02	.08	—	—	.05	.03	—	—				5
6	.02	.12	.01	—	—	.05	.04	.02	—				6
7	.13	.10	—	—	—	.21	—	—	.05				7
8	—	—	—	—	—	.02	—	—	—				8
9	.01	.02	.01	—	—	.14	—	—	—				9
10	.10	—	—	—	—	.29	—	.15	.10				10
11	—	.04	—	—	—	.13	—	.10	—				11
12	—	.01	—	—	—	.01	—	—	—				12
13	.02	—	—	—	—	—	—	.03	—				13
14	.15	—	—	—	—	.01	—	—	.04				14
15	.05	.02	—	—	—	—	—	—	—				15
16	—	.34	—	—	—	—	—	.55	—				16
17	.03	.62	—	—	—	.46	—	—	—				17
18	.23	.10	—	—	—	.02	.41	.16	—				18
19	—	—	—	—	—	—	.35	.02	—				19
20	—	—	—	—	—	—	—	.14	—				20
21	—	—	—	—	—	—	.01	.03	—				21
22	.35	—	—	—	—	.12	—	—	—				22
23	.04	—	—	—	—	—	—	—	—				23
24	—	—	—	—	—	.19	.20	—	—				24
25	.04	—	—	—	—	—	.32	—	—				25
26	—	.01	—	—	—	—	—	—	—				26
27	.01	.02	.04	—	—	—	.12	—	—				27
28	.62	—	—	—	—	—	—	—	—				28
29	.05	X	.02	—	—	—	.32	—	—				29
30	.04	X	—	—	—	—	—	.02	—				30
31	.20	X	—	X	—	X	—	—	X		X		31
TOTAL	2.80	3.03	.29	—	—	2.81	1.80	1.22					YEARS TOTAL
Days with 01 in. or more.	21	15	6	—	—	14	9	10					
Days with 04 in. or more.	16	9	3	—	—	10	4	5					

Please read the Notes and Instructions Overleaf.

Section
FORM
Key
in
Dia
Hei

543/5

FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

ALL IN 1930

HASTINGS. CLIVE VALL
SUSSEX
1930

1930 late Sep

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.22	0.045	—	0.10	—	0.02	0.36	0.01	—	—	0.69	—	I
2	0.025	0.14	—	0.11	0.01	—	TRACE	0.02	—	—	0.69	DEW. 0.01	2
3	0.09	0.23	TRACE	0.51	TRACE	—	—	1.34	—	0.02	0.02	DEW. 0.01	3
4	0.11	0.23	TRACE	—	TRACE	—	TRACE	0.03	0.02	0.16	—	DEW. 0.01	4
5	0.095	TRACE	—	TRACE	0.09	—	—	0.50	TRACE	—	—	0.01	5
6	—	0.25	0.01	—	—	—	0.02	0.33	0.30	TRACE	—	—	6
7	—	0.21	—	—	TRACE	—	—	0.01	0.06	0.54	0.50	0.12	7
8	0.23	—	—	—	—	—	—	—	—	0.19	TRACE	0.55	8
9	0.225	—	—	—	0.34	—	0.26	0.04	0.04	—	0.01	0.08	9
10	0.34	—	0.14	—	0.24	—	—	0.02	TRACE	—	—	—	10
11	0.19	0.025	TRACE	TRACE	0.01	—	0.02	0.04	—	0.083	—	0.58	11
12	0.34	0.03	—	0.155	0.04	0.03	—	0.29	0.01	—	—	0.16	12
13	0.09	—	0.04	0.14	0.09	—	0.15	0.28	0.64	TRACE	0.01	0.01	13
14	0.04	—	TRACE	TRACE	—	—	0.06	—	0.01	—	—	—	14
15	TRACE	0.15	0.24	0.04	0.01	—	0.48	—	—	0.04	0.16	TRACE	15
16	—	—	0.06	—	—	—	0.02	—	0.15	0.01	—	—	16
17	—	0.04	0.44	0.04	TRACE	0.364	0.03	—	0.18	0.18	—	—	17
18	—	—	0.33	0.02	0.02	—	0.08	—	TRACE	—	0.30	0.09	18
19	—	—	0.30	0.09	—	—	—	TRACE	0.60	0.10	—	0.02	19
20	—	DEW. 0.01	—	0.035	0.04	—	0.86	0.08	0.60	0.40	1.14	0.01	20
21	0.01	—	0.02	—	—	—	0.06	0.25	—	0.20	0.63	0.01	21
22	—	—	—	—	0.18	—	0.04	0.11	0.08	0.32	0.56	—	22
23	0.015	—	0.61	0.25	—	0.16	0.01	0.12	TRACE	—	—	0.10	23
24	0.26	0.01	—	TRACE	0.34	0.15	0.04	TRACE	0.02	0.014	0.50	0.22	24
25	0.15	0.01	—	TRACE	0.25	—	—	—	0.16	0.01	0.15	TRACE	25
26	0.105	0.015	—	TRACE	0.05	0.65	0.05	—	0.39	—	0.19	0.21	26
27	—	—	0.01	—	—	—	—	—	TRACE	0.03	0.22	0.09	27
28	0.015	—	—	—	—	—	0.03	—	0.25	0.01	0.16	TRACE	28
29	0.215	X	TRACE	—	—	—	0.09	—	0.05	0.02	0.15	0.25	29
30	0.13	X	—	—	0.34	0.02	0.46	—	0.01	TRACE	TRACE	0.54	30
31	0.34	X	0.14	X	0.18	X	—	0.01	X	0.12	X	0.04	31
TOTAL	3.265	1.425	2.43	1.55	2.29	1.394	3.15	3.48	3.60	2.445	6.08	3.15	34.591
* Days with or in. or more.	21	14	12	11	16	7	19	14	18	18	14	21	191
* Days with 0.4 in. or more.	14	8	9	9	12	4	13	11	13	11	14	13	134

40-9999

*See Instruction 2 (f) on other side.

(Signed)

a.E. Moon.

[P.T.O.]

Section

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Elvie Vale, Hastings
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 332 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.22	0.045	—	0.10	—	0.02	0.36	0.01	—	—	0.69	—	I
2	0.025	0.14	—	0.11	0.01	—	TRACE	0.02	—	—	0.69	0.01	2
3	0.09	0.23	TRACE	0.51	TRACE	—	—	1.34	—	0.02	0.02	0.01	3
4	0.11	0.23	TRACE	—	TRACE	—	TRACE	0.03	0.02	0.16	—	0.01	4
5	0.095	TRACE	—	TRACE	0.09	—	—	0.50	TRACE	—	—	0.01	5
6	—	0.25	0.01	—	—	—	0.02	0.33	0.30	TRACE	—	—	6
7	—	0.21	—	—	TRACE	—	—	0.01	0.06	0.54	0.50	0.12	7
8	0.23	—	—	—	—	—	—	—	—	0.19	TRACE	0.55	8
9	0.225	—	—	—	0.34	—	0.26	0.04	0.04	—	0.01	0.08	9
10	0.34	—	0.14	—	0.24	—	—	0.02	TRACE	—	—	—	10
II	0.19	0.025	TRACE	TRACE	0.01	—	0.02	0.04	—	0.083	—	0.58	II
12	0.34	0.03	—	0.155	0.04	0.03	—	0.29	0.01	—	—	0.16	12
13	0.09	—	0.04	0.14	0.09	—	0.15	0.28	0.64	TRACE	0.01	0.01	13
14	0.04	—	TRACE	TRACE	—	—	0.06	—	0.01	—	—	—	14
15	TRACE	0.15	0.24	0.04	0.01	—	0.48	—	—	0.04	0.16	TRACE	15
16	—	—	0.06	—	—	—	0.02	—	0.15	0.01	—	—	16
17	—	0.04	0.44	0.04	TRACE	0.364	0.03	—	0.18	0.18	—	—	17
18	—	—	0.33	0.02	0.02	—	0.08	—	TRACE	—	0.30	0.09	18
19	—	—	0.30	0.09	—	—	—	TRACE	0.60	0.10	—	0.02	19
20	—	0.01	—	0.035	0.04	—	0.86	0.08	0.60	0.40	1.14	0.01	20
21	0.01	—	0.02	—	—	—	0.06	0.25	—	0.20	0.63	0.01	21
22	—	—	—	—	0.18	—	0.04	0.11	0.08	0.32	0.56	—	22
23	0.015	—	0.61	0.25	—	0.16	0.01	0.12	TRACE	—	—	0.10	23
24	0.26	0.01	—	TRACE	0.34	0.15	0.04	TRACE	0.02	0.014	0.50	0.22	24
25	0.15	0.01	—	TRACE	0.25	—	—	—	0.16	0.01	0.15	TRACE	25
26	0.105	0.015	—	TRACE	0.05	0.65	0.05	—	0.39	—	0.19	0.21	26
27	—	—	0.01	—	—	—	—	—	TRACE	0.03	0.22	0.09	27
28	0.015	—	—	—	—	—	0.03	—	0.25	0.01	0.16	TRACE	28
29	0.215	X	TRACE	—	—	—	0.09	—	0.05	0.02	0.15	0.25	29
30	0.13	X	—	—	0.34	0.02	0.46	—	0.01	TRACE	TRACE	0.54	30
31	0.34	X	0.14	X	0.18	X	—	0.01	X	0.12	X	0.04	31
TOTAL	3.265	1.425	2.43	1.55	2.29	1.394	3.15	3.48	3.60	2.444	6.08	3.15	34.591
* Days with or in. or more.	21	14	12	11	16	4	14	14	18	18	14	21	191
* Days with or more.	14	8	9	9	12	4	13	11	13	11	14	13	134

40-9999

*See Instruction 2 (f) on other side.

(Signed) A.E. Moon

[P.T.O.]

HALTON - HASTINGS

IZATION.

Kept at HALTON
in the County of SUSSEX
by HASTINGS

SUSSEX

1921-30

55'40" 20 JAN 1922
2 1/4 mile
age 5 in.
ound 1 ft. 3 in.
a Level 300 ft.
l to the previous day.

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st J
this paragraph. Full instructio
and particulars as to the Brit
sent post-free on application
Square, London, N.W. 1, or to T

to add
end of
gauges,
servers,"
Camden

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	-	-	-	-	-	-	-	-	-	.01	.32	1
2	.05	-	-	-	.05	-	-	-	-	-	.26	-	2
3	.05	-	.09	-	.18	.06	-	.06	-	-	.08	-	3
4	.03	-	-	-	.10	-	-	.15	-	-	.63	-	4
5	-	-	-	-	-	.01	-	-	-	-	.41	.03	5
6	.24	-	-	-	.04	-	-	-	-	-	-	.06	6
7	.13	-	-	-	.30	-	-	-	-	-	-	-	7
8	.14	-	.07	-	-	-	-	-	-	-	-	-	8
9	-	-	.02	.02	-	-	-	-	-	-	-	-	9
10	.50	.08	.01	-	-	-	-	-	.11	.07	-	.08	10
11	.21	-	-	-	-	-	-	-	.40	-	-	-	11
12	.15	-	.15	-	.07	-	-	.02	-	-	-	.02	12
13	.44	-	.06	.29	.02	-	-	.11	.04	-	.07	.04	13
14	-	-	-	.04	-	-	-	.01	-	.04	-	.39	14
15	-	-	-	.18	.12	-	-	-	-	-	-	-	15
16	.03	-	-	.09	-	-	-	.01	-	-	.06	.01	16
17	.19	-	.10	.52	-	-	-	.09	-	-	-	-	17
18	.03	.02	-	-	-	-	-	-	.02	-	-	-	18
19	-	-	.26	-	-	-	-	-	-	-	-	.27	19
20	-	-	.04	.06	-	-	-	-	-	.05	-	-	20
21	.02	-	-	-	-	-	-	-	-	-	.13	.03	21
22	-	-	-	-	-	-	-	-	-	.15	-	.43	22
23	-	-	-	.29	-	-	-	.13	-	.16	-	.08	23
24	-	-	-	.02	-	-	-	.02	-	-	-	.05	24
25	.10	.40	-	-	-	-	-	-	-	-	-	.22	25
26	.02	-	.03	-	-	-	-	-	-	-	-	.16	26
27	-	-	-	-	-	-	-	-	-	-	-	.15	27
28	-	-	.25	.13	-	-	-	.13	-	-	-	.07	28
29	-	X	.17	-	.15	-	.13	.03	-	-	-	.03	29
30	.05	X	-	-	.14	-	-	-	-	-	.22	.27	30
31	.38	X	-	X	.10	X	-	-	X	-	X	-	31
TOTAL	3.02	.50	1.25	1.64	1.27	.07	.13	.76	.57	.47	1.87	2.71	14.26
Days with ".01 in. or more	19	3	12	10	11	2	1	11	4	5	9	19	106
Days with ".01 in. or more	14	2	9	8	10	1	1	6	3	5	8	14	81
YEAR'S TOTAL													14.26

Lat. 50°51'45" Long. 0°35'40"
Time of Observation _____
Nearest Railway Station One 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 300 ft.

Kept at HALTON
in the County of SUSSEX
by HASTINGS CORPORATION

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	-	-	-	-	-	-	-	-	-	.01	.32	1
2	.05	-	-	-	.05	-	-	-	-	-	.26	-	2
3	.05	-	.09	-	.18	.06	-	.06	-	-	.08	-	3
4	.03	-	-	-	.10	-	-	.15	-	-	.63	-	4
5	-	-	-	-	-	.01	-	-	-	-	.41	.03	5
6	.24	-	-	-	.04	-	-	-	-	-	-	.06	6
7	.13	-	-	-	.30	-	-	-	-	-	-	-	7
8	.14	-	.07	-	-	-	-	-	-	-	-	-	8
9	-	-	.02	.02	-	-	-	-	-	-	-	-	9
10	.50	.08	.01	-	-	-	-	-	.11	.07	-	.08	10
11	.21	-	-	-	-	-	-	-	.40	-	-	-	11
12	.15	-	.15	-	.07	-	-	.02	-	-	-	.02	12
13	.44	-	.06	.29	.02	-	-	.11	.04	-	.07	.04	13
14	-	-	-	.04	-	-	-	.01	-	.04	-	.39	14
15	-	-	-	.18	.12	-	-	-	-	-	-	-	15
16	.03	-	-	.09	-	-	-	.01	-	-	.06	.01	16
17	.19	-	.10	.52	-	-	-	.09	-	-	-	-	17
18	.03	.02	-	-	-	-	-	-	.02	-	-	-	18
19	-	-	.26	-	-	-	-	-	-	-	-	.27	19
20	-	-	.04	.06	-	-	-	-	-	.05	-	-	20
21	.02	-	-	-	-	-	-	-	-	-	.13	.03	21
22	-	-	-	-	-	-	-	-	-	.15	-	.43	22
23	-	-	-	.29	-	-	-	.13	-	.16	-	.08	23
24	-	-	-	.02	-	-	-	.02	-	-	-	.05	24
25	.10	.40	-	-	-	-	-	-	-	-	-	.22	25
26	.02	-	.03	-	-	-	-	-	-	-	-	.16	26
27	-	-	-	-	-	-	-	-	-	-	-	.15	27
28	-	-	.25	.13	-	-	-	.13	-	-	-	.07	28
29	-	X	.17	-	.15	-	.13	.03	-	-	-	.03	29
30	.05	X	-	-	.14	-	-	-	-	-	.22	.27	30
31	.38	X	-	X	.10	X	-	-	X	-	X	-	31
TOTAL	3.02	.50	1.25	1.64	1.27	.07	.13	.76	.57	.47	1.87	2.71	YEAR'S TOTAL 14.26
Days with ".01 in. or more	19	3	12	10	11	2	1	11	4	5	9	19	106
Days with ".01 in. or more	14	2	9	8	10	1	1	6	3	5	8	14	81

REGISTER OF RAINFALL IN 1921.

Kept at Hailon
in the County of Sussex
by Hastings Corporation

Lat. 50°51'30" Long. 0°35'30"
Time of Observation _____
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	11	05	-	01	02	20	-	08	01	46	03	1
2	10	36	22	29	-	-	-	-	01	-	-	-	2
3	-	03	04	75	23	-	05	12	-	02	23	-	3
4	-	08	10	-	-	-	05	03	01	38	-	-	4
5	-	-	-	12	03	-	64	-	30	01	34	-	5
6	03	-	12	-	-	-	04	22	-	11	25	-	6
7	18	-	52	19	-	-	-	01	-	-	-	-	7
8	19	-	08	05	-	09	15	36	-	-	20	-	8
9	09	-	-	-	-	-	14	08	-	10	-	-	9
10	07	-	-	-	-	-	-	-	05	05	13	-	10
11	06	-	-	-	-	-	-	-	-	-	-	-	11
12	-	-	-	35	-	-	-	02	50	-	-	-	12
13	-	-	-	33	-	20	08	-	61	-	-	-	13
14	-	-	-	01	-	30	46	01	31	-	-	-	14
15	20	23	-	-	-	04	05	-	-	-	-	-	15
16	-	06	01	16	-	-	03	-	20	-	-	34	16
17	-	22	-	-	-	-	06	-	08	-	-	18	17
18	29	-	-	-	-	02	-	-	-	-	-	14	18
19	80	19	03	-	-	-	-	-	30	12	-	62	19
20	-	04	03	-	-	-	-	-	-	-	-	02	20
21	46	28	14	-	-	-	-	-	02	-	-	70	21
22	02	14	-	04	-	-	-	30	-	-	-	10	22
23	-	08	-	14	-	04	-	-	48	03	-	-	23
24	10	-	18	04	-	16	06	34	-	03	-	-	24
25	19	-	39	34	01	08	-	-	-	-	-	20	25
26	09	25	12	04	-	16	25	-	10	-	-	02	26
27	46	24	02	02	-	08	02	24	13	04	01	20	27
28	02	09	02	04	-	23	-	03	-	17	01	21	28
29	36	-	-	-	-	-	03	04	-	15	-	09	29
30	02	X	19	01	-	22	04	26	09	15	09	28	30
31	04	X	02	X	-	X	-	10	X	03	X	32	31
TOTAL	3.44	2.43	2.25	3.04	2.8	1.64	2.38	2.19	3.24	1.40	1.42	3.48	YEAR'S TOTAL
Days with 01 in. or more	20	15	18	14	4	13	14	15	16	15	9	15	174
Days with 04 in. or more	16	14	12	14	1	11	14	10	13	9	4	12	133

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Halton
in the County of Sussex
by Hastings Corporation

Lat. 50°57'30" Long. 0°35'30"
Time of Observation _____
Nearest Railway Station One
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 30 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.09	.48	-	-	.04	-	-	-	.01	.39	.27	1
2	.22	.02	.02	-	.04	-	-	-	-	.14	.03	.40	2
3	-	-	-	-	-	.05	-	-	-	1.44	-	-	3
4	-	-	-	-	-	-	-	-	.11	-	-	.40	4
5	.31	-	.01	-	-	-	-	-	-	-	.36	-	5
6	.14	.01	.04	.01	.04	.02	-	-	-	.04	-	-	6
7	.25	.58	.41	-	.09	-	.02	-	-	.42	-	.23	7
8	.01	.26	.11	-	.41	-	-	-	-	.33	.33	.12	8
9	.03	-	.01	.05	-	-	.01	-	-	-	.04	-	9
10	-	.20	-	.17	.21	-	-	-	-	.31	-	.04	10
11	.02	-	-	.05	.06	-	-	-	-	.70	-	-	11
12	-	.35	.26	.03	.35	.07	-	-	-	.19	-	.01	12
13	.01	.03	.33	.05	.30	-	.33	-	-	-	.46	-	13
14	.01	.08	.05	-	.13	-	-	-	.30	-	-	.09	14
15	-	-	-	.05	.38	.24	.08	-	-	-	.25	-	15
16	-	.10	-	-	.14	.02	-	-	-	-	.26	-	16
17	-	.03	-	-	-	-	-	.13	.29	-	-	-	17
18	.08	.30	-	.04	-	-	-	.22	.09	.14	-	-	18
19	.09	.07	-	-	-	-	-	-	.28	.20	-	.11	19
20	-	.02	.03	-	.10	.14	-	-	.37	.02	-	-	20
21	-	.10	.13	.21	-	.01	-	-	.03	.40	-	.09	21
22	-	.68	.10	.20	-	-	-	.11	.64	.11	-	.05	22
23	-	.06	.28	-	.03	-	.10	.30	.34	1.53	.16	-	23
24	-	.04	-	-	-	-	-	.49	.21	.66	-	.10	24
25	-	.11	.10	.87	.03	.62	.05	.02	-	.50	-	.78	25
26	-	.37	-	.08	-	-	-	.29	-	.16	-	.30	26
27	-	.15	.16	.08	.25	-	.02	.32	-	-	-	.25	27
28	-	.29	.02	.01	.61	-	.29	-	-	.01	.16	.01	28
29	.02	X	-	.20	.38	-	.05	.31	-	-	-	.34	29
30	-	X	-	-	-	-	.08	.15	-	.24	-	.04	30
31	-	X	-	X	.01	X	.10	-	X	.14	X	.15	31
TOTAL	1.30	3.94	2.54	2.10	3.59	.64	1.13	2.34	2.66	8.02	2.44	3.78	YEAR'S TOTAL 34.48
Days with 01 in. or more	13	22	17	15	18	9	11	10	10	21	10	19	145
Days with 04 in. or more	4	17	12	12	15	5	8	9	9	18	9	14	138

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No.
River Dist.
Station No.

Kept at Halton
in the County of Sussex
by Hastings Corporation

Lat. 50° 51' 45" Long. 0° 35' 40"
Time of Observation _____
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	-	14	-	02	34	03	-	-	-	1.05	04	1 RRR
2	08	-	28	-	25	03	06	23	-	-	-	21	2 BOS
3	-	-	08	02	16	02	21	81	-	-	-	-	3
4	-	-	-	02	03	56	04	-	01	04	-	49	4
5	-	14	21	-	01	-	03	-	-	04	-	04	5
6	-	14	-	-	-	-	-	08	-	82	-	-	6
7	-	-	-	-	03	01	-	01	14	33	-	-	7
8	24	-	-	01	04	-	-	-	18	23	-	-	8
9	18	25	-	04	03	06	-	-	08	-	-	-	9
10	20	-	-	09	22	02	-	-	02	-	-	-	10
11	03	-	-	40	30	38	-	-	11	-	30	-	11
12	-	-	-	13	02	03	-	-	-	-	24	-	12
13	04	-	-	39	-	03	-	04	26	-	11	18	13
14	01	-	-	31	-	-	-	08	-	-	02	04	14
15	-	-	-	05	-	-	-	-	06	-	-	38	15
16	-	-	-	-	-	-	-	06	02	-	-	09	16
17	-	-	-	-	-	-	69	45	01	-	-	-	17
18	26	02	-	-	32	03	02	05	-	-	04	-	18
19	65	01	-	-	-	04	-	06	-	21	-	-	19
20	05	-	-	-	45	04	06	18	08	08	-	-	20
21	19	-	02	-	03	-	02	30	30	88	-	-	21
22	20	02	22	-	-	-	-	57	04	01	-	-	22
23	-	-	28	01	32	-	-	11	25	-	-	44	23
24	34	24	46	05	18	-	-	04	-	-	09	14	24
25	-	10	06	02	-	-	69	-	20	01	28	-	25
26	-	01	18	44	-	-	24	-	10	06	22	08	26
27	-	06	03	59	-	-	06	04	-	16	24	1.16	27
28	-	-	-	-	-	-	83	13	-	02	34	05	28
29	04	03	-	16	24	-	-	30	-	40	28	16	29
30	-	X	-	12	41	-	-	22	08	64	02	41	30
31	-	X	-	X	93	X	-	05	X	49	X	32	31 913
TOTAL	2.59	1.02	1.96	2.85	4.06	1.62	3.04	4.14	1.97	4.48	3.26	4.62	YEARS TOTAL 35 94
Days with 0.1 in. or more.	15	11	11	14	19	13	13	20	14	16	13	16	181
Days with 0.1 in. or more.	12	6	9	12	12	6	9	19	13	13	11	16	138

REGISTER OF RAINFALL IN 1925.

FOR OFFICIAL USE.

514

AIR MINISTRY.

County No. _____

River Dist. _____

Station No. _____

Kept at Holtonin the County of Sussexby Hastings Corporation

Lat. _____ Long. _____

Time of Observation 7 A.M.Nearest Railway Station Ore StationDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	-	.10	.14	.04	-	-	.14	.09	-	.40	.02	1
2	.44	-	-	.14	-	-	.03	-	-	-	.72	-	2
3	.83	-	-	-	.33	-	.14	-	-	-	.28	-	3
4	.05	-	-	-	.09	-	-	-	-	.03	.06	-	4
5	-	.03	-	.14	-	-	-	.09	.12	-	.32	-	5
6	-	.14	-	.05	.15	-	.09	.02	-	-	.65	-	6
7	-	.21	-	-	.02	-	.16	-	-	-	.14	.02	7
8	.12	.01	.02	-	.22	-	-	-	-	.01	-	.04	8
9	-	.06	-	.01	-	-	.01	.01	.08	-	.01	-	9
10	-	-	.06	-	-	-	-	.28	.04	-	.18	-	10
11	-	.03	-	-	-	-	-	-	.05	-	.06	-	11
12	-	.31	-	-	-	-	-	-	.02	-	-	-	12
13	-	.44	.16	.14	-	-	-	-	-	-	-	-	13
14	.48	-	-	.30	-	-	-	-	-	-	-	-	14
15	.26	.13	-	.04	-	-	-	-	-	.02	-	-	15
16	.03	.09	-	-	.04	-	-	-	.04	.24	-	-	16
17	-	-	-	-	.19	-	-	-	.05	-	-	-	17
18	-	-	-	-	.04	-	.01	.04	-	.03	-	.04	18
19	-	.03	-	.24	.04	.05	-	.02	.01	.73	-	.35	19
20	-	-	.14	-	-	-	.01	-	1.11	.32	-	.46	20
21	-	-	.01	-	-	-	.12	-	.58	.10	-	1.00	21
22	-	-	-	-	-	-	1.18	.21	.20	.42	-	.50	22
23	.04	.21	.01	.29	.35	-	-	.20	-	.68	-	.11	23
24	.32	.82	.14	.14	.09	.04	.05	.30	-	.08	-	.16	24
25	.01	.94	-	-	-	-	.01	-	.33	-	.03	.06	25
26	.03	.30	-	.06	.06	.01	.04	-	-	.54	-	.24	26
27	.15	.02	-	.02	.64	-	.62	.06	-	-	.06	.03	27
28	.04	.19	.02	.14	.02	-	.02	-	-	-	-	.41	28
29	.04	X	-	.15	.05	-	.38	-	.01	-	.14	1.50	29
30	-	X	-	.24	-	-	.45	-	-	-	-	.62	30
31	.04	X	-	X	-	X	.42	-	X	-	X	.02	31
TOTAL	4.00	4.05	.66	2.39	2.34	.13	3.74	1.43	2.73	3.33	3.05	5.64	33.55
Days with ".01 in. or more.	16	14	9	16	16	3	14	11	14	12	13	14	161
Days with ".04 in. or more.	13	12	5	14	14	2	11	8	11	8	11	13	122

852

YEAR'S TOTAL

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

502

Kept at Halton - Hastingsin the County of SussexDiameter of Funnel of Gauge.....5.....insHeight of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 300.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.34	—	—	—	.26	—	—	.04	—	—	—	1
2	.13	—	—	—	—	.65	—	—	*.06	—	.02	—	2
3	.30	<u>1.18</u>	<u>.14</u>	—	—	—	—	—	.02	—	—	—	3
4	—	.12	—	.12	—	—	—	—	.02	—	—	—	4
5	.09	.04	.06	—	<u>.40</u>	—	.01	—	—	—	.43	.34	5
6	.04	.12	.03	.24	—	.01	—	—	—	—	—	.11	6
7	.22	.09	—	.08	.06	.14	—	—	.05	—	.05	.01	7
8	—	.02	—	.06	—	.06	—	—	—	.02	.51	—	8
9	—	.08	—	—	—	.15	—	—	—	.08	.54	—	9
10	—	—	—	—	.02	.34	—	.10	—	.05	.06	—	10
11	—	.04	—	—	.18	.10	—	.04	.01	.25	.21	—	11
12	—	—	—	—	.08	.03	—	—	*.06	.38	—	—	12
13	—	—	—	—	—	—	—	.04	—	.04	<u>1.52</u>	.05	13
14	.13	—	—	.09	.11	.01	—	—	.03	.48	.12	.15	14
15	.05	.04	—	<u>.43</u>	.05	—	—	—	.05	.23	.28	—	15
16	—	.31	—	.15	—	—	—	.65	—	.03	.03	—	16
17	—	.68	—	—	.03	.56	—	—	—	—	.29	—	17
18	.24	.11	—	.42	.04	.05	<u>.49</u>	.15	—	—	.56	—	18
19	—	—	—	.14	.05	—	.33	—	—	—	.29	—	19
20	—	—	—	.32	—	—	—	.20	—	.02	.94	—	20
21	—	—	—	.02	—	—	—	.04	—	—	.44	—	21
22	.44	—	—	.08	.09	—	—	—	—	—	.34	.39	22
23	.08	—	—	.09	—	.09	—	—	—	.12	—	—	23
24	—	—	—	—	—	.06	.28	—	.02	<u>.49</u>	—	—	24
25	.14	—	—	.30	—	—	.18	—	—	.04	.09	.09	25
26	—	—	—	—	—	—	.14	—	.02	—	.36	—	26
27	.03	.03	.05	.13	.02	—	.14	—	.11	.03	.11	—	27
28	<u>.59</u>	—	—	.21	.06	—	.22	—	—	.64	.21	—	28
29	.06	X	.02	.19	.34	—	—	—	—	.13	.09	.09	29
30	.06	X	—	.04	.22	—	—	—	—	—	.04	.48	30
31	.21	X	—	X	.14	X	—	.02	X	.03	X	.52	31
TOTAL	3.19	3.23	.33	3.44	2.19	2.54	1.82	1.24	.49	3.69	4.86	2.26	32.34
Days with ".01 in. or more.	14	14	5	18	16	14	8	8	12	14	23	10	162
Days with ".04 in. or more.	16	12	3	14	13	11	4	4	6	12	21	9	134

YEARS TOTAL

Please read the Notes and Instructions Overleaf.

Kept at Halton

in the County of Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft..... in.

„ Ground „ Sea Level.....300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>.40</u>	.02	.04	—	.13	<u>1.00</u>	.35	—	.19	.25	—	1
2	—	—	.09	.22	—	—	—	—	—	.02	.05	.01	2
3	.14	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	.03	.12	—	—	.35	—	—	—	—	—	4
5	.11	.16	.20	.55	—	.14	—	.23	—	—	.41	—	5
6	.04	—	.39	.18	—	.13	.92	.13	.12	—	.22	—	6
7	.02	.19	.02	<u>.45</u>	—	.15	—	.09	—	—	—	—	7
8	.10	—	.02	.16	—	—	.01	.22	.06	—	.25	—	8
9	—	—	.02	.08	—	—	.11	.23	.04	—	—	—	9
10	—	—	.06	—	—	—	.88	—	.33	—	—	—	10
11	.01	—	—	—	—	.12	—	.02	—	—	—	—	11
12	.08	—	.02	—	.02	—	.34	—	—	.04	.04	—	12
13	.14	—	—	—	—	—	.02	.58	.34	—	—	—	13
14	—	—	—	.05	—	—	.48	.02	<u>1.02</u>	—	—	.43	14
15	.26	—	—	—	—	—	.16	<u>1.53</u>	—	.02	—	.02	15
16	.12	—	—	—	—	—	.03	.04	.21	—	—	—	16
17	.15	.05	.02	—	.09	.42	—	.12	.45	—	—	—	17
18	.12	—	.15	—	—	.33	—	.20	.04	—	.11	—	18
19	—	.03	—	—	—	—	—	—	—	—	.05	—	19
20	.11	.25	—	—	—	—	.12	<u>1.02</u>	.03	—	.50	.20	20
21	.11	.19	.02	—	.23	—	.04	.05	.03	.14	—	.44	21
22	.16	.02	.44	—	<u>.29</u>	—	—	.04	.21	<u>.43</u>	—	.46	22
23	.01	.29	.38	—	—	.20	—	—	.19	—	.10	.14	23
24	.01	.15	.28	—	—	.24	.04	.02	.05	—	.10	.40	24
25	—	.44	.30	—	—	.14	—	—	.41	.04	—	<u>.98</u>	25
26	.08	.54	.06	—	—	.12	—	.01	.08	—	—	.88	26
27	.02	.34	—	—	.26	.14	.15	—	—	.20	.02	.06	27
28	.15	.05	—	—	—	.08	—	—	—	.01	.04	—	28
29	.20	~~X~~	.20	—	—	.22	—	—	.36	—	<u>1.04</u>	—	29
30	<u>.35</u>	~~X~~	.06	—	—	<u>.58</u>	—	—	.02	.09	—	—	30
31	.03	~~X~~	<u>.52</u>	~~X~~	—	~~X~~	.02	—	~~X~~	.04	~~X~~	.14	31
TOTAL	2.55	3.40	3.30	1.85	.89	3.14	4.40	4.93	4.29	1.58	3.24	4.49	YEARS TOTAL 38.69
Days with 01 in. or more.	23	14	21	9	5	15	16	18	18	11	14	12	146
Days with 04 in. or more.	14	12	13	9	4	15	13	14	15	8	13	10	143

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Hailton - Hastingsin the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.06	—	—	—	.14	—	—	.58	—	1
2	.81	.28	.01	—	—	—	—	—	—	—	.19	—	2
3	—	—	—	.15	.21	—	.15	.14	—	—	.72	.02	3
4	.04	.05	—	.30	.85	.03	—	.79	—	—	.03	—	4
5	.29	.10	.04	—	—	—	—	—	—	—	—	.03	5
6	—	—	.09	—	—	.34	—	—	—	—	—	.22	6
7	.09	.03	.03	.10	—	.20	—	.04	—	—	—	—	7
8	—	.04	.03	—	.02	.25	—	—	—	.23	.02	—	8
9	.02	.02	.03	—	—	.34	—	—	.03	.37	—	.08	9
10	.10	.21	—	.23	—	.11	—	—	—	.27	.31	—	10
11	—	—	—	.13	—	.02	—	—	—	1.00	.15	.10	11
12	.53	.16	.01	.01	—	—	—	—	—	.07	.03	.12	12
13	—	.23	—	—	—	.98	—	—	—	—	.24	—	13
14	.11	.21	—	.43	.05	.14	—	.10	—	.68	.44	—	14
15	.25	.02	—	.82	.03	—	—	—	—	—	.64	—	15
16	—	.08	—	.40	.07	—	—	—	—	.07	.49	.27	16
17	—	—	—	.02	.38	—	—	—	—	.26	.04	—	17
18	.68	—	—	.03	.03	.15	—	—	—	.64	—	—	18
19	—	—	—	—	.13	.02	—	.15	—	.20	.05	.20	19
20	.09	—	—	—	—	—	—	.09	—	.93	.03	.11	20
21	.10	—	.25	.04	.58	—	—	—	—	1.10	.26	—	21
22	—	—	.15	.02	.10	—	—	—	—	1.87	.18	.15	22
23	.35	—	—	—	.08	—	—	—	—	.10	.21	—	23
24	.08	—	—	—	—	—	—	.04	.03	.25	.05	.21	24
25	.28	—	.54	—	—	.06	—	.02	—	.22	—	.10	25
26	.31	—	—	—	—	.06	—	.10	—	.84	—	.15	26
27	—	—	.04	—	—	—	.56	.03	—	.03	—	.77	27
28	.40	—	.20	—	—	—	—	—	.14	—	—	.14	28
29	.14	.10	.70	.09	—	—	.26	—	.08	.21	.03	.19	29
30	.12	X	.21	.14	—	—	.38	—	—	.16	—	.05	30
31	.20	X	.18	X	—	X	.03	—	X	—	X	.07	31
TOTAL	4.99	1.53	2.64	2.97	2.53	2.70	1.38	1.64	.28	9.52	4.09	2.98	37.25
Days with ".01 in. or more.	20	13	16	16	12	13	5	11	4	20	20	18	168
Days with ".04 in. or more.	19	10	11	12	9	10	5	9	2	19	15	16	134

Kept at Hailton - Hastings
in the County of Sussex
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
,, Ground ,, Sea Level.....300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	10	—	01	—	—	—	09	—	17	—	—	1
2	07	39	—	—	—	12	26	—	—	52	15	40	2
3	—	—	—	03	—	09	16	—	—	21	—	42	3
4	—	—	—	15	15	48	—	19	—	34	—	07	4
5	—	—	—	—	65	30	09	13	—	17	—	51	5
6	—	—	—	—	29	05	25	73	—	17	33	65	6
7	—	—	—	—	02	—	—	—	—	45	12	11	7
8	—	—	—	—	—	21	—	—	—	35	—	89	8
9	04	34	—	14	06	—	—	—	—	—	—	43	9
10	—	01	—	09	—	—	—	—	—	19	19	69	10
11	—	—	—	18	—	—	—	—	—	—	73	07	11
12	—	—	—	10	38	14	—	—	—	—	07	—	12
13	—	—	—	—	08	03	—	—	—	—	42	08	13
14	—	—	—	—	13	13	—	—	—	—	—	14	14
15	03	—	—	11	36	49	—	—	—	—	85	16	15
16	05	—	—	—	—	—	—	88	—	—	24	—	16
17	—	—	—	—	—	—	—	—	—	17	—	—	17
18	—	—	—	—	—	—	—	—	12	—	17	—	18
19	—	—	—	—	—	—	—	—	—	—	05	—	19
20	—	—	—	—	—	—	24	—	09	63	—	—	20
21	20	—	09	—	—	—	—	02	—	—	—	90	21
22	—	—	03	—	—	—	—	03	—	—	11	28	22
23	—	—	—	—	—	—	—	—	—	—	18	27	23
24	—	15	—	—	—	—	—	15	—	46	37	25	24
25	—	—	02	—	—	—	—	—	—	42	23	19	25
26	—	—	—	—	—	—	—	—	—	—	30	11	26
27	—	—	—	—	10	—	—	—	—	—	62	03	27
28	20	—	—	10	—	—	30	—	—	53	46	37	28
29	22	X	—	27	—	—	—	—	62	—	25	09	29
30	02	X	—	—	—	06	—	—	25	02	06	88	30
31	28	X	—	X	—	X	16	—	X	07	X	—	31
TOTAL	1.18	.99	.14	1.18	2.22	2.10	1.46	2.42	1.08	4.87	5.90	7.99	31.53"
Days with "01 in. or more.	10	5	3	10	10	11	7	8	13	20	23	127	
Days with "04 in. or more.	8	4	1	8	9	10	7	6	4	15	22	114	

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Halton Reservoirs

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 200 ft. 300

See Encl 18 of 685233/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	09	/	24	/	02	40	/	/	/	46	/	1
2	01	14	/	39	/	/	/	/	/	/	95	/	2
3	05	25	/	/	/	/	/	1 28	/	/	02	/	3
4	04	24	/	/	/	/	/	/	01	20	/	/	4
5	02	/	/	/	10	/	/	01	/	/	/	/	5
6	/	09	01	/	/	/	/	57	32	/	/	/	6
7	/	29	/	/	/	/	/	24	08	65	62	14	7
8	22	10	/	/	/	/	/	/	/	19	/	54	8
9	23	/	/	/	34	/	24	02	05	/	/	08	9
10	36	/	20	/	29	/	/	03	/	/	/	/	10
11	21	/	/	/	/	/	01	04	/	04	/	57	11
12	28	04	/	14	04	/	/	04	/	/	/	19	12
13	09	/	06	15	09	02	16	32	63	/	/	/	13
14	04	/	/	/	/	/	05	/	/	/	/	/	14
15	/	15	22	03	/	/	52	/	/	04	11	/	15
16	/	/	06	/	/	/	/	/	13	/	/	/	16
17	/	03	45	05	/	/	11	/	20	21	28	/	17
18	/	/	15	/	02	20	02	/	/	/	22	11	18
19	/	/	53	04	/	/	/	/	64	10	99	01	19
20	/	/	/	03	09	/	44	04	60	69	80	/	20
21	/	/	/	/	/	/	19	30	/	14	61	/	21
22	/	/	/	04	18	/	04	04	04	31	/	04	22
23	01	/	64	13	/	20	/	14	/	/	53	08	23
24	30	/	/	/	32	09	/	/	01	01	14	20	24
25	13	03	/	/	25	/	02	/	22	/	19	/	25
26	10	/	/	/	04	59	05	/	40	/	23	26	26
27	/	/	/	/	/	/	/	/	/	03	15	12	27
28	/	/	/	/	/	/	05	/	25	/	14	/	28
29	22	/	/	/	/	/	09	/	03	/	/	30	29
30	13	X	/	/	41	02	23	/	/	/	/	59	30
31	40	X	14	X	14	X	/	/	X	15	X	04	31
TOTAL	305	148	246	124	232	114	299	319	364	282	676	335	3247
*Days with or in. or more.	193	118	104	102	131	78	162	123	153	132	164	154	158
*Days with or in. or more.	16	9	9	8	12	4	13	10	11	15	14	13	133

40-9999

10% share Note altitude.

Print

S Little
(Signed)

Gremmett

[P.T.O.]

*See Instruction 2 (f) on other side.

Section **A** for
A

FORM 1090.

HASSOCKS

Kept at **Albourn**
in the County of

Diameter of Funnel
Height of top of Gauge
Ground

THE MORNING

An observer who does
year in the space on

HASSOCKS.

SUSSEX

1929-1930

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1929.
May 13th to Dec. 31st)

IOUS DAY.

1st of the following

Jan. 1, following.

NIL

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.20				.33		.87	1
2										.40			2
3										.37	.09	.58	3
4										.07		.45	4
5						.60	.21			.34		.27	5
6						.47	.14	.78			.22	.21	6
7							.07	.66		.40		.50	7
8						.10				.60	.58	1.00	8
9						.09						.22	9
10												.35	10
11											.09	.40	11
12											1.61		12
13						.46	.37						13
14						.23							14
15						.11	.11					.28	15
16							.18				1.60		16
17								.95					17
18											.72		18
19											.67		19
20													20
21										.91			21
22													22
23											.36	1.10	23
24											.61	.65	24
25										.75	.71		25
26										.44	.18	.50	26
27												.26	27
28											1.17		28
29							.24			.40	1.35	.81	29
30		X				.25			.39		.31		30
31		X	X		X	X			X		X	.47	31
TOTAL						2.17	2.88	2.59	.39	5.01	9.27	8.92	YEAR'S TOTAL
Days with or in. or more.													
Days with or in. or more.													

40-9999

(Signed)

FOR SIR ERIC GEDDES.

JAN 2 1930

Private Secretary.

Section **A**

for 477A **FOR OFFICIAL USE.**

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

(May 13th to Dec. 31st)

Kept at (Albourne Place), Hassocks, Sussex.

in the County of Sussex.

Diameter of Funnel of Gauge 7" in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 135 ft. about

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

NIL

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—	—	.20	—	.33	—	.87	1
2						—	—	—	—	.40 ¹	—	—	2
3						—	—	—	—	.37	.09	.58	3
4						—	2.22	—	—	.07	—	.45	4
5						.60	.21	—	—	.34	—	.27	5
6						.47	.14	.78	—	—	.22	.21	6
7						—	.07	.66	—	.40	—	.50	7
8						.10	—	—	—	.60	.58	1.00	8
9						.09	—	—	—	—	—	.22	9
10						—	—	—	—	—	—	.35	10
11						—	—	—	—	—	.09	.40	11
12						—	—	—	—	—	1.61	—	12
13					.46	.37	—	—	—	—	—	—	13
14					.23	—	—	—	—	—	—	—	14
15					.11	.11	—	—	—	—	—	.28	15
16					—	.18	—	—	—	—	1.60	—	16
17					—	—	—	.95	—	—	—	—	17
18					—	—	—	—	—	—	.72	—	18
19					—	—	—	—	—	—	.67	—	19
20					—	—	—	—	—	—	—	—	20
21					—	—	—	—	—	.91	—	—	21
22					—	—	—	—	—	—	—	—	22
23					—	—	—	—	—	—	.36	1.10	23
24					—	—	—	—	—	—	.61	.65	24
25					—	—	—	—	—	.75	.71	—	25
26					—	—	—	—	—	.44	.18	.50	26
27					—	—	—	—	—	—	—	.26	27
28					—	—	—	—	—	—	1.17	—	28
29					—	—	.24	—	—	.40	.35	.81	29
30		X			—	.25	—	—	.39	—	.31	—	30
31		X		X	—	X	—	—	X	—	X	.47	31
TOTAL						2.17	2.88	2.59	.39	5.01	9.27	8.92	YEAR'S TOTAL
Days with .01 in. or more.													
Days with .04 in. or more.													

May 13th to Dec 31st 1929 { 32.03

FOR SIR ERIC GEDDES.

(Signed) A. G. Stephens JAN 2 1930 Private Secretary.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

1/June/3

Kept at Hassocks, (Albourne Place)
in the County of Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Gauge moved after July
no good as shrub planted
near gauge and overhanging
gauge 923745/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	12			55									I
2							27						2
3	03	48		50									3
4				25									4
5					12								5
6					15								6
7			35										7
8													8
9	83												9
10	45												10
11					40		06						11
12	46			08	14								12
13				20			19						13
14			46				19						14
15				05			58						15
16			12										16
17			13										17
18			22		21		13						18
19			08										19
20				32	03		1.06						20
21													21
22	34				20								22
23				38		80							23
24	52			07									24
25					21								25
26	38												26
27													27
28													28
29	19												29
30		X			30		57						30
31	82	X		X	08	X			X		X		31
TOTAL	4.14	48	1.96	2.40	1.84	.80	3.05						YEAR'S TOTAL
*Days with or in. or more.	10	1	6	9	10	1	8						int
*Days with or in. or more.	9	1	6	9	9	1	8						

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. C. Stephen for
Rt Hon. Mr. Eric Sedler

[P.T.O.]

HASTINGS - NEWGATE

ATION.

Kept at NEWGATE
in the County of SUSSEX
by HASTINGS

SUSSEX

1921-30

E from London
12 pm
STINGS - 1/4 mile
8 in.
ad 5 ft. 6 in.
level 240 ft.
o the previous day.

IMPORTANT NOTE.—Ra
If an Observer prefers not to co
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application to
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

add
d of
uges,
ers,"
nden

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	-	-	-	-	-	-	-	-	-	-	.41	1
2	.03	-	-	-	-	-	-	-	-	-	.29	.15	2
3	.02	-	-	-	.07	.05	-	.04	-	-	.07	-	3
4	.04	-	.06	-	.13	-	-	-	-	-	.52	-	4
5	~~.04~~	-	-	-	-	-	-	.10	-	-	.36	.04	5
6	~~.04~~	-	.06	-	.01	-	-	.13	-	-	-	.06	6
7	.24	-	-	-	.36	-	-	-	-	-	.02	-	7
8	.13	-	.01	-	-	-	-	-	-	-	-	-	8
9	-	-	.06	.03	-	-	-	-	-	-	-	-	9
10	.25	-	-	-	-	-	-	-	.05	.02	-	.09	10
11	.32	-	-	-	-	-	-	-	.39	.06	-	-	11
12	.21	-	.16	-	.08	-	-	.02	-	-	-	-	12
13	.17	-	.05	-	-	-	-	.17	-	.04	.09	.09	13
14	-	-	-	.34	-	-	-	.04	-	-	-	-	14
15	-	-	-	.04	.03	-	-	.03	-	-	-	.38	15
16	-	-	-	.08	-	-	-	.18	-	-	.06	-	16
17	.12	-	.14	.47	-	-	-	-	-	-	-	-	17
18	-	.03	-	.05	-	-	-	.02	-	-	-	-	18
19	-	~~.03~~	.08	.04	-	-	-	-	-	-	-	.02	19
20	-	-	.23	-	-	-	-	.01	-	.08	-	.20	20
21	-	-	.04	-	-	-	-	-	-	-	.11	-	21
22	-	-	-	-	-	-	-	-	-	.14	-	.50	22
23	-	-	-	.02	-	-	-	.14	-	.11	-	.06	23
24	-	-	-	.24	-	-	-	.05	-	-	-	-	24
25	.02	-	-	-	-	-	-	-	-	-	-	.23	25
26	-	-	-	-	-	-	-	-	-	-	-	-	26
27	-	-	-	.12	-	-	-	-	-	-	-	.23	27
28	-	-	.09	.01	-	-	-	-	-	-	-	.09	28
29	-	X	.16	-	-	-	.23	.12	-	-	-	-	29
30	-	X	.09	-	.34	-	-	-	-	-	-	.31	30
31	.38	X	-	X	.10	X	-	-	X	-	X	-	31
TOTAL	2.14	(.03)	1.23	1.44	1.12	.05	.23	1.05	.44	.45	1.52	2.86	13.06
Days with 01 in. or more	13	2	13	11	8	1	1	13	2	6	8	15	93
Days with .04 in. or more	10	21	12	8	6	1	1	9	2	5	4	14	76

Kept at NEWGATE
in the County of SUSSEX
by HASTINGS Corporation

Lat. 50°51' Long. 0°34' E. from London
Time of Observation 12 pm to 12 pm
Nearest Railway Station HASTINGS—1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	—	—	—	—	—	—	—	—	—	—	.41	1
2	.03	—	—	—	—	—	—	—	—	—	.29	.15	2
3	.02	—	—	—	.07	.05	—	.04	—	—	.07	—	3
4	.04	—	.06	—	.13	—	—	—	—	—	.52	—	4
5	~~.04~~	—	—	—	—	—	—	.10	—	—	.36	.04	5
6	~~.04~~	—	.06	—	.01	—	—	.13	—	—	—	.06	6
7	.24	—	—	—	.36	—	—	—	—	—	.02	—	7
8	.13	—	.01	—	—	—	—	—	—	—	—	—	8
9	—	—	.06	.03	—	—	—	—	—	—	—	—	9
10	.25	—	—	—	—	—	—	—	.05	.02	—	.09	10
11	.32	—	—	—	—	—	—	—	.39	.06	—	—	11
12	.21	—	.16	—	.08	—	—	.02	—	—	—	—	12
13	.17	—	.05	—	—	—	—	.17	—	.04	.09	.09	13
14	—	—	—	.34	—	—	—	.04	—	—	—	—	14
15	—	—	—	.04	.03	—	—	.03	—	—	—	.38	15
16	—	—	—	.08	—	—	—	.18	—	—	.06	—	16
17	.12	—	.14	.47	—	—	—	—	—	—	—	—	17
18	—	.03	—	.05	—	—	—	.02	—	—	—	—	18
19	—	~~.03~~	.08	.04	—	—	—	—	—	—	—	.02	19
20	—	—	.23	—	—	—	—	.01	—	.08	—	.20	20
21	—	—	.04	—	—	—	—	—	—	—	.11	—	21
22	—	—	—	—	—	—	—	—	—	.14	—	.50	22
23	—	—	—	.02	—	—	—	.14	—	.11	—	.06	23
24	—	—	—	.24	—	—	—	.05	—	—	—	—	24
25	.02	—	—	—	—	—	—	—	—	—	—	.23	25
26	—	—	—	—	—	—	—	—	—	—	—	—	26
27	—	—	—	.12	—	—	—	—	—	—	—	.23	27
28	—	—	.09	.01	—	—	—	—	—	—	—	.09	28
29	—	X	.16	—	—	—	.23	.12	—	—	—	—	29
30	—	X	.09	—	.34	—	—	—	—	—	—	.31	30
31	.38	X	—	X	.10	X	—	—	X	—	X	—	31
TOTAL	2.14	(.03)	1.23	1.44	1.12	.05	.23	1.05	.44	.45	1.52	2.86	13.06
Days with ".01 in. or more	13	2	13	11	8	1	1	13	2	6	8	15	93
Days with ".04 in. or more	10	21	12	8	6	1	1	9	2	5	4	14	72

REGISTER OF RAINFALL IN 1921.

Kept at Newgate
in the County of Sussex
by Hastings Corporation

Lat. 50°51' Long. 0°34' East from London
Time of Observation 12 pm to 12 pm
Nearest Railway Station Hastings 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
22	in	in	in	in	in	in	in	in	in	in	in	in	
1	-	.03	.06	-	.01	.03	-	-	.06	-	.65	.15	1
2	.08	.48	.14	.29	.02	-	-	-	.06	-	-	-	2
3	-	.02	.10	.45	.25	-	.06	.20	-	-	.18	-	3
4	-	.04	.10	-	.02	-	.04	.02	-	.40	.05	-	4
5	-	.01	-	.12	.02	-	.50	-	.15	.02	.24	-	5
6	-	-	.10	-	-	-	.25	.22	-	.07	.52	-	6
7	.13	-	.35	.19	-	-	-	.04	-	-	-	-	7
8	.13	-	.27	.65	-	.05	.25	.23	-	-	.21	-	8
9	.15	-	-	-	-	-	.16	.10	-	.10	-	-	9
10	.16	-	-	-	-	-	-	-	.03	.05	.15	-	10
11	.04	-	-	-	-	-	-	-	-	-	-	-	11
12	-	-	-	.35	-	-	-	.02	.17	-	-	-	12
13	-	-	-	.33	-	.01	-	-	.50	-	.12	-	13
14	-	-	-	.01	-	.29	.34	-	.63	-	.01	-	14
15	.16	.25	-	-	-	.06	.33	-	.12	-	-	-	15
16	.20	.03	-	.16	-	-	.01	-	-	-	-	.15	16
17	-	.06	.01	-	.20	-	-	-	.17	-	-	.30	17
18	.13	.25	-	-	-	-	.04	-	-	-	-	.17	18
19	.82	.26	-	-	.05	.04	-	-	.36	.12	-	.12	19
20	.23	.01	.03	-	-	-	-	-	-	-	-	.02	20
21	.47	.24	.14	-	-	-	-	-	-	-	-	.70	21
22	-	.12	-	.07	-	-	-	.06	.02	-	-	.10	22
23	-	.04	-	.17	-	.04	-	.21	-	-	-	-	23
24	-	.06	.15	.02	-	.09	.03	.39	.56	-	-	-	24
25	.28	-	.39	.38	-	.22	-	-	-	.03	-	.31	25
26	.04	.23	.12	.06	-	.30	.17	-	.26	-	-	-	26
27	-	.04	.02	.04	-	-	.10	-	-	-	-	.26	27
28	.33	.38	.02	.10	-	.19	-	.32	-	.20	-	.22	28
29	.43	~~X~~	-	-	-	.21	-	.12	-	.15	-	.08	29
30	.03	~~X~~	.19	-	-	-	.03	.47	.12	.25	-	.22	30
31	.04	~~X~~	.02	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.58	31
TOTAL	4.04	2.58	2.21	3.09	.57	1.53	2.31	2.40	3.21	1.39	2.13	3.38	YEAR'S TOTAL
Days with 0.1 in. or more	18	18	14	16	7	12	14	13	14	10	9	14	162
Days with 0.4 in. or more	14	13	12	14	3	10	11	11	12	8	8	13	73

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at NEWGATE
in the County of SUSSEX
by HASTINGS CORPORATION

Lat. 50° 51' Long. 0° 34' E. from LONDON
Time of Observation 12 pm. to 12 pm.
Nearest Railway Station HASTINGS 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
23	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.42	-	-	.08	-	-	-	-	.42	-	1
2	.24	.05	-	-	.04	-	-	-	-	.20	-	.48	2
3	.04	.02	.02	-	.01	-	-	-	-	1.34	.01	.10	3
4	-	-	-	-	-	.08	-	-	.11	-	-	.25	4
5	.31	-	-	-	-	-	-	-	-	-	.40	.18	5
6	-	.35	.04	.01	-	.02	-	-	-	.05	-	-	6
7	.45	.51	.28	-	.09	-	.04	-	-	.66	-	.12	7
8	.05	-	.14	-	.26	-	-	-	-	.30	-	.20	8
9	.05	.14	.01	.05	.04	-	-	-	-	.04	.32	-	9
10	-	-	.02	.14	-	-	-	-	-	.15	-	.01	10
11	-	-	-	.05	.24	-	-	-	-	.41	-	-	11
12	-	.30	-	.03	.13	-	-	-	-	.62	-	-	12
13	.01	-	.53	.05	.54	.07	-	-	-	-	-	.03	13
14	.02	.10	-	-	.05	-	.59	-	.30	-	.53	-	14
15	.13	-	.06	.05	.50	.28	.02	-	-	-	.23	.05	15
16	-	.01	-	-	.18	-	.10	-	-	-	.03	-	16
17	-	.08	-	-	-	-	-	.11	-	-	.24	-	17
18	.08	.34	-	-	-	-	-	.20	.32	.16	-	-	18
19	-	.07	-	.03	-	.01	-	-	.30	.19	-	.02	19
20	.19	-	-	-	-	.02	-	-	.05	.02	-	.04	20
21	-	.12	.16	-	-	-	-	-	.39	.09	.10	.12	21
22	-	.38	-	.40	-	-	-	.11	.49	.24	-	-	22
23	-	.35	.33	-	.06	-	.11	.30	.42	1.19	-	-	23
24	-	.09	.01	-	-	-	-	.49	.02	.91	-	.10	24
25	-	.01	-	.29	.01	.02	.07	.02	.20	.16	-	.20	25
26	-	.40	-	.44	.01	.01	-	.29	-	.31	-	.20	26
27	-	.24	.16	-	.12	-	-	.32	-	-	-	.20	27
28	-	.31	.02	-	.14	-	.34	-	-	-	-	.14	28
29	-	X	-	.18	.84	-	-	.31	-	-	-	-	29
30	.03	X	-	-	-	-	-	(.13)	-	-	-	.38	30
31	-	X	-	X	-	X	-	-	X	.23	X	-	31
99													
TOTAL	1.63	3.90	2.26	2.08	3.29	.54	1.30	2.28	2.60	4.36	2.28	3.38	YEAR'S TOTAL 31.93
Days with .01 in. or more	12	19	14	12	14	9	4	10	10	19	9	18	156
Days with .04 in. or more	9	16	9	9	14	4	6	9	9	18	4	15	125

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Lat. 50° 51' Long. 0. 34 E.
Time of Observation 12 pm to 12 pm
Nearest Railway Station Hastings - one mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 540'6" ft.

Kept at Newgate - Hastings
in the County of Sussex
by Hastings Corporation

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
24													
1	.02	-	.14	-	-	.63	-	.07	-	-	1.15	-	1 RRR
2	.02	-	.28	-	.05	.03	.12	.14	-	-	-	.33	2 808
3	-	-	.08	.02	.42	-	.25	.60	-	-	-	-	3
4	-	-	-	.02	-	.55	.10	-	.02	.02	-	.30	4
5	-	-	.21	-	-	-	-	-	-	.05	-	.13	5
6	-	.19	-	-	.07	-	.01	-	-	.48	-	.02	6
7	-	-	-	-	-	.09	-	-	.04	.62	-	-	7
8	.13	-	-	-	.01	-	-	-	.21	.25	-	-	8
9	-	.25	-	.01	-	-	-	-	.12	.01	-	-	9
10	.19	-	-	.15	.35	.06	-	-	-	-	-	-	10
11	.04	-	-	.03	.26	.36	-	-	.12	-	.13	.01	11
12	-	-	-	.35	-	.07	-	-	-	-	.37	-	12
13	-	-	-	.15	-	.05	-	.24	-	-	.20	-	13
14	.04	-	-	.20	-	-	-	-	.22	-	.02	.16	14
15	-	-	-	.26	-	-	-	.01	.13	-	-	.34	15
16	-	-	-	-	-	-	-	-	.05	-	-	.09	16
17	.01	-	-	-	-	-	.65	.84	.02	-	-	-	17
18	.55	.02	-	-	.29	-	.01	.04	-	-	.05	-	18
19	.30	.01	-	-	.03	-	-	.01	-	.21	-	-	19
20	-	-	-	-	.70	.10	-	.21	.07	-	-	-	20
21	.20	-	-	-	.02	-	.10	.06	-	.67	-	-	21
22	.10	-	.02	-	-	.02	-	.84	.31	.20	-	-	22
23	.12	-	.41	.01	.11	-	-	.23	.27	-	-	.72	23
24	.30	.22	.46	.03	.41	-	-	.05	.04	-	.03	.01	24
25	.06	.10	.06	.05	-	-	.34	-	.18	-	.10	.14	25
26	-	.01	.18	.45	-	-	.74	-	.12	.07	.38	-	26
27	-	.06	.03	.58	-	-	-	.04	-	.15	.01	.90	27
28	-	-	-	-	-	-	.81	.02	-	.02	.51	.26	28
29	-	.03	-	.17	.38	-	-	.17	-	.55	.26	.05	29
30	-	X	-	.10	-	-	-	.22	.13	.47	.01	.45	30
31	-	X	-	X	1.18	X	-	.18	X	.43	X	.22	31 873
99	2.08	.89	1.87	2.58	4.28	1.96	3.13	3.97	2.05	4.20	3.22	4.13	YEAR TOTAL 34.36
TOTAL													
Days with 01 in. or more.	14	9	10	16	14	10	10	18	16	15	13	16	161
Days with 04 in. or more	11	5	8	10	4	8	8	15	14	12	9	13	124

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

513

Kept at Newgate - Hastings
in the County of SUSSEX

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
Ground Sea Level 240 ft.

Read at midnight.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
25	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	-	-	-	30	-	-	22	10	-	39	-	1
2	18	-	04	28	-	-	01	-	-	-	-	-	2
3	90	-	01	10	17	-	24	-	-	-	71	-	3
4	03	-	-	-	17	-	-	-	-	02	-	-	4
5	-	-	-	02	05	-	01	03	12	-	43	-	5
6	-	13	-	25	02	-	-	02	01	-	02	-	6
7	-	-	-	-	14	-	30	-	-	-	68	-	7
8	-	16	-	-	18	-	-	-	02	-	-	-	8
9	10	19	-	02	02	-	-	01	04	01	-	-	9
10	-	-	-	-	-	-	-	31	-	-	01	-	10
11	-	03	04	-	-	-	-	-	06	-	30	-	11
12	-	31	-	-	-	-	-	-	01	-	-	-	12
13	-	41	-	13	-	-	-	-	-	-	-	-	13
14	28	-	14	30	-	-	-	-	-	-	-	-	14
15	30	13	-	05	-	-	-	-	-	-	-	-	15
16	-	-	-	-	-	-	-	-	07	30	-	01	16
17	-	03	01	-	12	-	-	-	02	04	-	-	17
18	-	-	-	-	03	-	-	-	-	10	-	06	18
19	-	04	01	18	-	-	-	-	04	32	-	07	19
20	-	-	-	-	04	06	01	05	44	62	-	45	20
21	01	-	14	-	-	-	-	-	80	16	-	52	21
22	-	-	01	-	-	-	126	18	16	31	-	61	22
23	03	18	-	28	18	-	15	20	-	84	-	20	23
24	-	45	12	-	34	08	05	25	-	09	-	-	24
25	33	48	-	01	25	01	-	-	-	03	04	12	25
26	-	43	-	03	-	02	04	-	32	39	-	05	26
27	06	05	-	-	40	-	61	06	-	06	05	04	27
28	13	-	-	23	05	-	08	-	-	-	-	23	28
29	04	X	-	-	-	-	44	-	-	-	-	53	29
30	-	X	-	12	05	-	59	-	-	-	-	-	30
31	01	X	-	X	-	X	19	-	X	-	X	04	31
99													
TOTAL	3.56	3.12	.52	2.00	2.41	14	4.01	1.33	2.57	3.32	2.63	4.54	30.18
Days with "01 in. or more.	14	14	9	14	14	4	14	10	14	14	9	14	144
Days with "04 in. or more.	10	12	5	10	14	2	11	4	10	11	4	13	112

(Signed)

G. Newham

Thorough Engineer.

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

501

Kept at Newgate - Hastings
in the County of Sussex
Diameter of Funnel of Gauge.....8.....ins.
Height of top of Gauge above Ground.....5.....ft.....6.....in.
,, Ground ,, Sea Level 211.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
26	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.30	—	—	.01	—	—	—	.06	—	—	—	1
2	.15	.04	—	—	—	1.13	—	—	.09	—	.01	—	2
3	.14	.83	—	—	—	—	—	—	—	—	—	.01	3
4	—	.11	.11	—	—	—	—	—	.01	—	—	—	4
5	.08	.15	—	—	.38	—	.01	—	—	—	.33	.05	5
6	.01	.08	.05	—	.21	.07	.01	.02	—	—	.12	.45	6
7	.23	.03	—	.41	.06	—	.02	.01	—	—	.01	—	7
8	—	.03	—	.06	—	.22	—	—	.05	.01	.49	.01	8
9	—	.04	—	.01	—	.15	—	—	—	.08	.50	—	9
10	—	—	—	—	—	.10	—	.12	—	—	.24	.01	10
11	—	.03	—	—	—	.28	—	.06	—	.34	.26	—	11
12	—	—	—	—	.13	.12	—	—	.06	.20	—	—	12
13	—	—	—	—	.10	—	—	.02	—	.12	1.52	—	13
14	—	—	—	—	.30	.02	—	—	.04	.53	—	.15	14
15	—	.04	—	.42	.05	.01	—	—	.05	.33	—	.03	15
16	—	.31	—	.36	—	—	—	—	—	.02	.22	—	16
17	—	.68	—	—	—	.58	—	.73	—	—	.03	—	17
18	.01	.11	—	.15	.09	.08	.29	.16	—	—	.51	—	18
19	.21	—	—	.39	.04	—	.48	—	—	—	.22	—	19
20	—	—	—	.21	.02	—	.05	.15	—	—	.74	—	20
21	—	—	—	.04	—	—	.02	.05	—	.05	.52	—	21
22	.39	—	—	.05	.10	—	—	—	—	—	.60	.40	22
23	.12	—	—	.20	—	.05	—	—	—	—	—	.04	23
24	—	—	—	—	—	.18	—	—	.02	1.05	—	—	24
25	.11	—	—	.25	—	—	.33	—	—	.09	.06	.03	25
26	.01	—	—	—	—	—	.22	—	—	—	.25	.05	26
27	.27	—	.07	—	—	—	.15	—	.10	—	.27	—	27
28	.05	—	.01	.28	.03	—	.01	—	—	.66	.01	—	28
29	.58	X	—	.22	.03	—	.25	—	—	.15	.36	—	29
30	.12	X	—	.01	.43	—	—	—	—	.02	.06	—	30
31	—	X	—	X	.11	X	—	.04	X	.02	X	—	31
99 TOTAL	2.78	2.78	.24	3.06	2.09	2.99	1.84	1.36	.48	3.67	6.73	1.23	YEARS TOTAL 29.91
Days with .01 in. or more.	16	14	4	15	16	13	12	10	9	15	22	11	154
Days with .04 in. or more.	13	11	3	13	12	11	4	4	4	11	18	6	119

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

491
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Newgate - Hastings
in the County of Sussex

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....5 ft. 6 in.
,, Ground ,, Sea Level.....240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
27	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	.39	.01	.08	—	.15	.71	.37	—	.12	.26	—	1
2	—	.44	.08	.14	—	—	—	—	—	.02	.03	—	2
3	.19	—	—	.03	—	—	—	—	—	—	—	—	3
4	—	—	.03	.11	—	—	.28	—	—	—	—	—	4
5	.10	.14	.22	.07	—	.15	—	.18	—	—	.39	—	5
6	.02	—	—	.32	—	.16	.91	.14	.11	—	.22	—	6
7	.03	.21	.33	.49	—	.07	.01	.12	—	—	—	—	7
8	.07	—	.03	.02	—	.08	.01	.18	.02	—	.24	—	8
9	—	—	—	.30	—	—	.03	.13	.05	—	—	—	9
10	.04	—	.15	—	—	—	.69	—	.32	.01	—	—	10
11	—	—	—	—	—	.13	—	.03	—	—	—	—	11
12	.07	.01	.04	—	—	—	.28	—	—	.03	.03	—	12
13	.11	.02	—	—	—	—	.05	.55	.37	—	.04	.01	13
14	—	—	—	.02	—	—	.52	.01	1.17	—	—	.50	14
15	.33	.01	—	.03	—	—	.08	.83	.12	—	—	—	15
16	—	—	—	—	—	—	.01	.04	.36	—	—	—	16
17	.31	—	.01	—	.09	.45	—	.12	.50	—	—	—	17
18	.18	—	.16	—	—	.22	—	.13	.03	—	.05	—	18
19	—	—	—	—	—	.15	—	.03	—	—	.05	—	19
20	—	.26	—	—	—	—	.16	.77	.01	—	.63	.18	20
21	.30	.16	—	—	.24	—	—	.04	.03	.14	.23	.81	21
22	.12	.08	.35	—	.14	—	—	.03	.13	.66	—	.40	22
23	—	.07	.38	—	—	.19	—	—	.27	—	.08	.15	23
24	—	.34	.24	—	—	.22	.03	—	.02	—	.04	1.04	24
25	—	.31	.26	—	—	—	—	.01	.43	.04	—	.64	25
26	.08	.50	.02	—	—	.28	.01	—	.06	—	—	.70	26
27	.02	.13	.02	—	.28	.16	.08	—	—	.11	.01	—	27
28	—	.01	—	—	—	.08	—	—	—	—	.15	—	28
29	.25	X	.15	.03	—	.24	—	—	.35	—	1.03	—	29
30	.59	X	.15	—	—	.90	—	—	.04	.11	—	—	30
31	—	X	.49	X	—	X	—	—	X	.05	X	.17	31
99 TOTAL	2.81	3.08	3.12	1.64	.75	3.63	3.86	3.71	4.39	1.29	3.48	4.60	36.36
Days with ".01 in. or more.	14	16	19	12	4	16	16	18	19	10	16	10	173
Days with ".04 in. or more.	14	12	13	4	4	14	10	13	14	8	11	9	132

Section **A**

for the entry of Daily Observations.

506
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Newgate - Hastings
in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

„ Ground „ Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
28													
1	—	—	.14	.05	—	—	—	.09	—	—	.52	—	1
2	.65	.26	.01	—	—	—	—	—	—	—	—	.01	2
3	—	—	—	.13	.22	—	.14	.29	—	—	.10	—	3
4	.03	.04	—	.28	.77	.02	—	.49	—	—	—	—	4
5	.26	.11	.10	—	—	—	—	—	—	—	—	.01	5
6	—	—	.02	—	—	.48	—	—	—	—	—	.20	6
7	.04	.01	.02	.13	—	.10	—	.04	—	—	—	—	7
8	—	.01	.02	—	.02	.41	.02	—	—	.25	.02	—	8
9	.01	.02	.03	—	—	.26	—	—	—	.40	—	.08	9
10	.04	.15	—	.24	—	.10	—	.02	—	.40	.34	—	10
11	.02	—	.01	.11	—	.02	—	—	—	.90	.14	.08	11
12	.34	.16	—	—	—	—	—	—	—	.10	.14	.10	12
13	—	.26	—	—	—	.95	—	.02	—	—	.03	—	13
14	.10	.19	—	.44	.09	.09	—	.05	—	.40	.23	—	14
15	.28	—	—	.94	.06	—	—	—	—	—	.54	—	15
16	—	.04	—	.30	.09	—	—	—	—	.04	.62	.29	16
17	—	—	—	—	.34	—	—	—	—	.24	.62	—	17
18	.64	—	—	.01	.03	.13	—	—	—	.64	—	.01	18
19	—	—	—	—	.13	.02	—	.16	—	.30	.04	.22	19
20	.10	—	—	—	—	—	—	.04	—	.45	.04	.11	20
21	.10	—	.26	.02	.59	—	—	—	—	.94	.31	—	21
22	—	—	.13	—	.02	—	—	—	—	1.60	.31	.14	22
23	.36	—	.02	—	.06	—	—	—	—	.10	.39	—	23
24	.03	—	—	—	—	—	—	—	.03	.28	.05	.14	24
25	.25	—	.04	—	—	—	—	.05	—	.18	—	.20	25
26	.45	—	—	—	—	.03	—	.12	—	.91	—	.15	26
27	—	—	.04	—	—	—	.52	.01	—	.02	—	.48	27
28	.39	—	.14	—	—	—	—	.03	.14	—	—	.12	28
29	.11	.12	.44	.06	—	—	.19	—	—	.28	—	.20	29
30	.04	X	.14	.14	—	.01	.40	—	.04	.14	—	.01	30
31	.13	X	.19	X	—	X	.16	—	X	—	X	.08	31
99 TOTAL	4.43	1.37	2.08	2.85	2.42	2.62	1.46	1.44	.24	9.26	4.46	2.93	35.56
Days with '01 in. or more.	21	12	17	13	12	13	6	13	3	20	14	19	166
Days with '04 in. or more.	14	9	10	11	9	8	5	9	2	19	15	15	129
YEARS TOTAL													

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Newgate - Hastings
 in the County of Sussex

Diameter of Funnel of Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 „ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
24	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	—	.01	—	—	—	.08	—	.18	.06	—	1
2	.05	.45	—	—	—	.11	.27	—	—	.64	.11	.43	2
3	—	—	.01	—	—	.08	.18	—	—	.17	—	.41	3
4	.01	—	.01	.17	.20	.47	.07	.17	—	.30	—	.13	4
5	—	—	—	—	.63	.34	—	.17	—	.23	—	.55	5
6	—	—	—	—	.27	.05	.31	.94	—	.13	.15	.60	6
7	—	—	—	—	.03	—	—	—	—	.36	.34	.25	7
8	—	—	—	—	—	—	—	—	—	.35	.08	1.05	8
9	—	.34	—	.07	.07	—	—	—	—	—	—	.49	9
10	.04	.03	—	.08	—	—	—	.02	—	.17	.13	.74	10
11	—	—	—	.19	—	—	—	—	—	—	.80	.07	11
12	—	.01	—	.11	.40	.03	—	—	—	—	.12	—	12
13	.02	.01	—	—	.11	.05	—	—	—	—	.25	.04	13
14	—	—	—	—	.15	—	—	—	—	—	—	.09	14
15	.01	—	—	.11	.44	—	—	—	—	—	1.00	.06	15
16	.03	—	—	—	—	.48	—	.87	—	—	.15	—	16
17	.06	—	—	—	—	—	—	—	—	.18	—	—	17
18	.02	—	—	—	—	—	—	—	.07	—	.25	—	18
19	—	—	—	—	—	—	—	—	.02	—	—	—	19
20	—	—	—	—	—	—	.24	—	.10	.71	—	—	20
21	.20	—	.02	—	—	—	—	.01	—	—	—	1.02	21
22	.01	—	.03	—	—	—	—	.04	—	—	.09	.17	22
23	—	.08	—	—	—	—	—	—	—	—	.19	.30	23
24	—	.09	—	—	—	—	—	—	—	.45	.55	.13	24
25	.02	—	.03	—	—	—	—	—	—	.40	.13	.18	25
26	—	—	—	.02	.03	—	—	—	—	—	.33	.10	26
27	.01	—	—	.01	.09	—	—	—	—	—	.71	—	27
28	.14	—	—	.07	—	—	.40	—	—	.48	.43	.36	28
29	.21	X	—	.26	—	.03	—	—	.63	.01	.24	.06	29
30	.01	X	—	—	—	.02	—	—	.21	—	—	.79	30
31	.31	X	—	X	—	X	.19	—	X	.60	X	—	31
TOTAL	1.23	1.01	.10	1.10	2.42	1.66	1.66	2.30	1.93	5.36	6.11	8.03	YEAR'S TOTAL 32.00
Days with .01 in. or more.	17	7	5	11	11	10	7	8	5	16	20	22	139
Days with .04 in. or more.	8	4	—	8	9	7	7	6	4	15	20	22	110

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Chewall Reservoir

in the County of (Hastings Sussex)

Diameter of Funnel of Gauge 8 in

Height of top of Gauge above Ground (1 ft 5.6 in.)

Ground Sea Level 240 ft.

this was lowered from 5'6" on 15/Jan/1930
240' this is not a move but the correct O.D. level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
30	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.19	.10		.20		.01	.45				.71		I
2	.01	.31		.39							.62		2
3	.05	.25						1.28					3
4	.07	.24										.01	4
5	.02				.22			.01		.19		.01	5
6		.09	.01					.57	.24				6
7		.29						.27	.10	.58		.16	7
8	.22									.16	.42	.50	8
9	.22				.30		.13	.02				.11	9
10	.34		.17		.26			.03			.01	.09	10
11	.20	.03					.04	.04		.06		.65	11
12	.30			.20	.04			.07				.16	12
13	.09		.07	.13	.11	.02	.16	.32	.49	.01			13
14	.04						.05						14
15		.16	.27	.04			.50			.02			15
16			.09				.16		.12		.13		16
17		.01	.53	.09					.19	.13		.12	17
18			.16	.03	.02	.07						.02	18
19			.50	.06					.76	.09	.29		19
X 20				.04	.14		.84	.09	.47	.52	.45		20
21			.01				.06	.48		.09	.42	.01	21
X 22				.04	.09		.07	.22	.06	.27	.62	.15	22
23	.01		.60	.13		.20		.03			.53	.18	23
24	.32				.29	.09	.02				.57		24
25	.13				.29					.18	.13	.29	25
26	.10	.02			.00	.59	.05		.31		.21	.10	26
27										.02	.23	.30	27
28							.05		.24	.01	.12	.22	28
29	.24	X					.07		.05		.20	.63	29
30	.13	X			.38	.01	.13					.07	30
31	.40	X	.14	X	.01	X		.34	.19	X	.16	X	31
99													YEAR'S TOTAL
TOTAL	3.07	1.50	2.55	1.42	2.19	.99	2.73	34.3	3.20	2.32	6.01	3.68	33.1
*Days with .01 in. or more.	19	10	10	11	13	7	15	13	12	14	16	19	131
*Days with .04 in. or more.	16	7	8	10	11	4	14	2	12	10	15	18	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Print S. Hall [P.T.O.]